DEVON.

PAIGNTON.

"SUMMERLANDS"

1916–1920

REGISTE

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at "Summerlands" Pre

in the County of Devon

by Geo. M Rosling

M

aignton

uge 8 in.

round 1 ft. 2 in.

ea Level 130 ft.

IMPORTANT NOTE.—Rai

a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·01	·01	—	27	05	02	—	17	20	19	—	1
2	·35	·11	·01	—	01	—	—	—	12	20	48	—	2
3	·01	1·46	—	—	37	01	—	—	02	56	32	—	3
4	·08	·12	—	—	16	17	—	—	01	09	82	—	4
5	—	·11	·02	—	—	08	—	—	—	13	07	—	5
6	·02	·25	—	—	16	05	52	—	—	08	102	—	6
7	·03	·15	·32	—	02	07	—	—	—	02	61	06	7
8	—	·41	·35	—	24	14	—	—	—	—	04	14	8
9	—	·14	—	—	—	28	—	—	—	02	14	16	9
10	—	·43	—	·01	·01	—	07	—	—	01	—	01	10
11	—	—	—	·02	·01	03	—	—	—	—	—	—	11
12	·03	·10	·18	·01	·14	—	02	14	—	03	—	—	12
13	—	·30	·15	·02	—	—	—	10	—	01	·01	04	13
14	—	·54	·19	—	06	—	—	21	—	05	—	—	14
15	·01	·30	·20	·05	—	—	—	01	—	03	—	65	15
16	·17	·09	—	·09	—	—	02	21	—	08	—	05	16
17	·20	·04	—	·03	—	—	—	—	10	48	89	—	17
18	·10	·07	·44	·01	—	—	—	—	09	02	—	11	18
19	·20	·13	·25	·02	—	—	—	—	—	—	09	13	19
20	·10	1·25	·19	·21	—	—	—	—	—	—	08	122	20
21	·01	·13	·12	—	04	—	—	—	—	—	—	49	21
22	·01	—	—	—	—	10	—	03	—	40	—	66	22
23	—	·01	—	·01	—	14	—	13	—	03	27	04	23
24	—	·23	·01	·14	21	—	—	08	—	67	05	42	24
25	—	·47	·20	—	01	01	—	41	—	03	18	—	25
26	·01	·17	·05	—	02	25	—	14	164	82	01	09	26
27	—	—	1·27	—	—	65	—	17	36	19	—	—	27
28	—	·13	—	—	—	—	—	67	67	57	—	46	28
29	—	·16	·02	—	—	47	—	329	08	16	—	42	29
30	—	X	—	—	—	01	—	—	—	96	—	—	30
31	—	X	—	X	—	X	—	06	X	45	X	—	31
Total	1·54	7·31	3·98	0·62	1·73	2·51	0·65	5·05	3·26	6·31	5·27	5·15	YEAR'S TOTAL 43·38
Rain Days.	16	26	18	12	13	16	5	14	10	26	17	17	192

W. 8,000. X. 16.

REGISTE

FORM A. BRITISH RAINFALL.
2 JAN 1917

Kept at "Summerlands" Preston Paignton

in the County of Devon.

by Geo. M Rosling

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·01	·01	—	27	05	02	—	17	20	19	—	1
2	·35	·11	·01	—	01	—	—	—	12	20	48	—	2
3	·01	1·46	—	—	37	01	—	—	02	56	32	—	3
4	·08	·12	—	—	16	17	—	—	01	09	82	—	4
5	—	·11	·02	—	—	08	—	—	—	13	07	—	5
6	·02	·25	—	—	16	05	52	—	—	08	102	—	6
7	·03	·15	·32	—	02	07	—	—	—	02	61	06	7
8	—	·41	·35	—	24	14	—	—	—	—	04	14	8
9	—	·14	—	—	—	28	—	—	—	02	14	16	9
10	—	·43	—	·01	·01	—	07	—	—	01	—	07	10
11	—	—	—	·02	·01	03	—	—	—	—	—	—	11
12	·03	·10	·18	·01	·14	—	02	14	—	03	—	—	12
13	—	·30	·15	·02	—	—	—	10	—	01	01	04	13
14	—	·54	·19	—	06	—	—	21	—	05	—	—	14
15	·01	·30	·20	·05	—	—	—	01	—	03	—	65	15
16	·17	·09	—	·09	—	—	02	21	—	08	—	05	16
17	·20	·04	—	·03	—	—	—	—	10	48	89	—	17
18	·10	·07	·44	·01	—	—	—	—	09	02	—	11	18
19	·20	·13	·25	·02	—	—	—	—	—	—	09	13	19
20	·10	1·25	·19	·21	—	—	—	—	—	—	08	122	20
21	·01	·13	·12	—	04	—	—	—	—	—	—	49	21
22	·01	—	—	—	—	10	—	03	—	40	—	66	22
23	—	·07	—	·01	—	14	—	13	—	03	27	04	23
24	—	·23	·01	·14	21	—	—	08	—	67	05	42	24
25	—	·47	·20	—	01	01	—	41	—	03	18	—	25
26	·01	·17	·05	—	02	25	—	14	164	82	07	09	26
27	—	—	1·27	—	—	65	—	17	36	19	—	—	27
28	—	·13	—	—	—	—	—	67	67	57	—	46	28
29	—	·16	·02	—	—	47	—	329	08	16	—	42	29
30	—	×	—	—	—	01	—	—	—	96	—	—	30
31	—	×	—	×	—	×	—	06	×	45	×	—	31
Total	1·54	7·31	3·98	0·62	1·73	2·51	0·65	5·05	3·26	6·31	5·27	5·15	YEAR'S TOTAL 43·38
Rain Days.	16	26	18	12	15	16	5	14	10	26	17	17	192

W. 8,000. X. 15.

1700

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4. JAN 1918

Kept at SUMMERLANDS,
HEADLAND PARK ROAD,
in the County of PRESTON PAIGNTON S DEVON.
by G. M Rosling

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	25	—	23	—	28	01	01	01	01	1
2	—	—	—	06	—	02	—	—	—	—	—	—	2
3	·04	—	—	02	—	—	19	—	—	33	76	—	3
4	02	01	61	—	—	—	—	37	03	45	—	—	4
5	07	—	21	15	—	73	—	—	—	05	12	—	5
6	—	—	08	—	—	03	—	—	—	09	10	.02	6
7	28	—	—	—	—	—	03	18	—	13	02	02	7
8	05	—	45	07	—	—	10	52	01	31	05	30	8
9	—	—	06	04	03	—	06	—	01	16	11	—	9
10	10	—	32	34	—	—	—	28	—	—	—	01	10
11	01	—	115	18	—	—	—	01	—	33	17	—	11
12	14	—	01	—	29	—	—	—	—	31	01	—	12
13	—	—	20	23	—	01	—	44	02	07	—	—	13
14	—	—	—	14	—	—	16	04	—	—	—	—	14
15	29	12	—	—	—	—	15	01	—	37	—	50	15
16	—	—	—	05	—	—	—	01	01	50	—	17	16
17	—	06	—	—	03	01	24	10	74	11	—	—	17
18	—	07	—	—	36	03	33	01	76	02	—	—	18
19	—	38	05	—	—	19	—	88	18	—	—	—	19
20	—	03	—	—	48	01	—	05	—	—	—	—	20
21	02	—	01	—	—	03	—	—	—	03	01	06	21
22	—	—	02	—	04	13	—	26	—	05	—	—	22
23	—	05	—	—	25	—	—	57	—	17	—	—	23
24	—	—	—	—	—	03	47	—	—	11	01	—	24
25	—	—	04	—	—	—	—	34	07	02	04	—	25
26	—	—	—	—	23	07	—	89	06	12	—	—	26
27	—	—	—	—	—	66	01	101	—	01	—	—	27
28	—	—	08	—	01	14	—	40	—	—	—	05	28
29	—	×	06	—	05	40	—	01	—	73	01	15	29
30	—	×	36	—	—	—	38	27	—	04	02	—	30
31	—	×	09	×	05	×	—	—	×	25	×	01	31
Total	102	72	380	153	182	272	212	687	190	477	144	130	YEAR'S TOTAL 30·07
Rain Days.	10	7	17	11	11	16	11	22	11	25	14	11	166

W. 8,000, VIII. 16

apportioned by own stats

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2 · 1 · 19

Kept at SUMMERLANDS,
HEADLAND PARK ROAD,
PAIGNTON S DEVON.

in the County of PRESTON

by G. M. Rosling

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	23	—	09	01	—	—	73	—	02		—	1
2	—	17	—	04	—	—	—	—	—	01	(idb)	47	2
3	—	13	—	75	08	—	—	06	—	02		01	3
4	—	02	—	06	—	—	—	13	56	—		18	4
5	—	—	06	01	53	—	—	32	48	31	~~130~~	01	5
6	17	31	03	12	—	—	—	18	02	13	—	09	6
7		11	—	—	06	—	—	01	36	05	43	18	7
8	01	19	—	—	—	—	—	—	03	18	—	01	8
9	06	—	—	01	—	07	38	—	47	02	01	40	9
10	02	—	—	32	—	—	40	—	12	16	—	27	10
11	01	—	17	07	—	—	68	—	11	07	07	02	11
12	—	13	10	—	23	—	34	—	10	—	02	—	12
13	—	01	—	—	12	—	26	—	27	07	—	19	13
14	23	—	—	—	03	02	04	—	39	03	—	17	14
15	82	—	—	01	08	06	46	—	04	04	—	20	15
16	68	—	01	17	—	13	02	—	13	—	—	04	16
17	28	—	01	17	—	—	43	—	—	—	—	31	17
18	83	—	03	—	—	71	10	—	47	40	—	27	18
19	18	—	13	02	—	03	18	—	03	03	—	11	19
20	03	10	—	16	—	—	12	—	26	08	—	—	20
21	05	04	—	—	—	—	04	—	64	18	—	41	21
22	01	01	—	—	14	—	56	—	24	06	04	20	22
23	19	—	—	—	07	—	48	03	01	—	04	21	23
24	—	16	—	—	—	—	10	03	01	—	08	28	24
25	—	—	—	01	01	—	08	59	—	04	22	—	25
26	01	—	—	—	—	—	16	01	13	01	01	11	26
27	—	01	11	—	—	—	—	14	05	—	03	—	27
28	—	16	31	02	—	—	—	—	09		—	01	28
29	—	✕	12	—	—	—	—	—	137	(idb)	01	01	29
30	01	✕	42	—	—	—	—	—	02		03	11	30
31	01	✕	30	✕	—	✕	—	—	✕		✕	—	31
Total	365	182	180	203	138	104	483	225	640	(209)	(2·24)	427	YEAR'S TOTAL 33·71
Rain Days.	19	15	13	16	11	6	18	11	25	(23)	(17)	23	(199)

W. 8,000, IX. 17.

1605

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at SUMMERLANDS, HEADLAND PARK ROAD, PAIGNTON S DEVON.
in the County of
by Geo. M Rosling

Lat. Long.
Time of Observation 9
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	37	—	13	—	05	—	12	—	01	16	—	79	1
2	26	—	—	—	—	—	13	—	19	02	—	01	2
3	51	—	41	—	—	—	—	—	24	—	01	02	3
4	96	63	46	—	—	03	01	10	48	—	09	—	4
5	01	22	43	—	—	—	—	—	57	—	02	03	5
6	55	96	07	01	—	—	01	—	—	—	01	33	6
7	32	—	43	05	—	—	—	—	—	—	—	03	7
8	40	—	20	—	—	01	—	—	—	—	43	—	8
9	25	—	02	11	08	—	—	—	—	—	74	—	9
10	12	—	53	—	—	—	—	—	—	—	01	29	10
11	17	—	30	14	35	—	05	—	—	03	08	28	11
12	19	—	01	—	—	—	01	—	—	01	09	01	12
13	14	14	14	53	—	—	—	—	—	03	—	12	13
14	71	17	—	57	29	—	—	—	05	02	—	27	14
15	29	13	—	08	—	—	—	—	—	01	—	24	15
16	06	116	—	—	—	—	—	—	—	—	04	—	16
17	03	64	—	—	—	—	—	—	—	—	22	—	17
18	—	53	46	—	—	—	20	06	02	—	15	—	18
19	65	26	10	—	—	14	70	22	17	—	14	01	19
20	41	01	03	—	—	46	—	34	08	—	19	04	20
21	07	106	—	—	—	—	—	—	05	01	—	02	21
22	—	—	03	—	—	—	04	01	16	—	—	01	22
23	—	—	08	—	—	—	—	08	—	34	07	03	23
24	—	—	—	—	—	28	—	21	—	33	—	29	24
25	07	07	—	01	—	07	—	35	—	—	11	11	25
26	13	01	04	04	—	—	—	01	04	—	—	44	26
27	27	—	—	20	—	—	09	171	—	—	—	02	27
28	—	01	23	07	—	—	01	13	—	—	56	49	28
29	—	X	—	02	—	—	—	16	—	06	—	10	29
30	—	X	—	—	—	02	—	03	02	—	73	67	30
31	—	X	13	X	—	X	—	—	X	—	X	93	31
Total	694	602	425	183	77	101	137	343	208	102	369	558	YEAR'S TOTAL 37·99
Rain Days.	23	15	20	12	4	7	11	13	13	11	18	25	172

W. 8 000, IX. 17.

1520

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at
in the County of SUMMERLANDS, HEADLAND PARK ROAD, PAIGNTON S DEVON. moved
by G. M. Rosling
moved to Cleveland Paignton

Lat. Long.
Time of Observation 9
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	29	—	01	09	56	—	54	—	09	17	—	119	1
2	37	—	—	18	—	—	—	05	05	02	—	14	2
3	02	06	—	17	—	—	06	—	—	55	—	14	3
4	—	—	—	—	—	—	04	66	—	28	—	—	4
5	—	—	09	13	03	—	22	37	—	06	—	—	5
6	—	—	26	—	18	—	21	—	—	06	—	—	6
7	05	—	01	10	03	—	57	—	—	—	—	05	7
8	08	02	—	21	01	—	15	—	—	—	—	27	8
9	91	03	—	—	01	13	14	—	—	—	—	—	9
10	146	13	04	—	—	26	26	—	—	—	03	—	10
11	59	—	14	63	24	05	15	—	—	—	—	—	11
12	23	14	17	11	—	08	04	—	—	—	13	19	12
13	12	01	60	06	—	—	—	—	—	03	—	09	13
14	06	05	51	82	—	—	01	—	18	13	40	—	14
15	—	06	02	39	03	—	—	—	03	67	04	02	15
16	—	01	—	01	—	04	14	—	16	04	01	—	16
17	—	—	—	06	32	—	01	—	34	—	—	—	17
18	13	01	—	10	11	27	04	30	05	—	—	—	18
19	—	—	—	35	—	33	—	—	03	—	—	~~66~~	19
20	—	06	—	18	29	19	—	—	—	04	—	66	20
21	—	—	—	04	—	—	05	—	—	08	—	04	21
22	04	—	—	06	—	—	02	—	—	—	—	38	22
23	01	—	—	—	—	—	19	07	—	—	—	62	23
24	—	—	24	—	—	—	05	—	—	—	17	22	24
25	—	—	14	—	—	—	62	—	—	—	—	03	25
26	29	—	80	—	—	—	07	—	—	—	18	07	26
27	84	06	17	03	—	09	12	—	—	—	36	54	27
28	64	—	11	08	—	01	03	—	—	—	—	12	28
29	66	—	81	02	—	—	—	—	—	—	38	56	29
30	19	✕	—	—	—	19	06	—	86	—	35	72	30
31	09	✕	33	✕	—	✕	—	—	✕	41	✕	19	31
TOTAL	709	64	395	382	181	164	379	145	179	254	207	(624)	YEAR'S TOTAL (3683)
Days with ·01 in. or more	20	12	17	21	11	11	24	5	19	13	16	(20)	(173)
	18	7	14	18	6	10	20	5	7	11	8	(18)	(142)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DEVON.
PAIGNTON.
"ST. MAWES"
1915–1920

REGIST

FORM A.
BRITISH RAINFALL.
11 APR. 1916

Kept at St. Mawes, Torqua

in the County of S. De

by H. Le B. Gunne

in Gauge .... in.

ove Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NOTE.— d the result entered to the previous day. If an Observ universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20												# .05	20
21													21
22												.42	22
23												.94	23
24												.47	24
25											4 26	?	25
26												1.12	26
27												?	27
28												.06	28
29												.11	29
30		X										.44	30
31		X		X		X			X		X	.25	31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 15.

FORM A. BRITISH RAINFALL.
11. APR. 1916

REGIST

Kept at St. Mawes, Torquay Rd, Paignton

in the County of S. Devon.

by H. Le B. Gunner.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20												# ·05	20
21													21
22												·42	22
23												·94	23
24												·47	24
25											426	?	25
26												1·12	26
27												?	27
28												·06	28
29												·11	29
30		X										·44	30
31		X		X		X			X		X	·25	31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 15.

Esd dW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at St: Mawes, Torquay Rd, Paignton.

in the County of Devon.

by H. Le B. Gunner.

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Paignton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	20	02	02	-	17	09	-	-	x	19	17	-	1
2	44	11	02	-	01	-	-	-	x	18	45	-	2
3	01	1·43	-	-	42	02	-	-	x	59	32	-	3
4	22	09	-	-	11	25	02	-	x	12	79	-	4
5	01	17	03	-	01	06	-	-	away from home	14	05	-	5
6	02	17	-	-	16	06	56	-		11	1·13	-	6
7	03	11	32	-	01	13	-	-		02	62	06	7
8	-	37	40	-	24	21	-	-		-	04	15	8
9	-	12	01	-	01	20	-	-		02	15	15	9
10	-	41	-	02	03	-	-	-		01	01	-	10
11	-	01	-	02	01	02	-	-		-	-	-	11
12	01	08	14	01	14	-	03	14		03	01	-	12
13	-	29	15	02	01	-	-	12		-	-	04	13
14	-	59	20	02	04	-	-	20		08	-	-	14
15	01	31	16	05	-	-	-	09	·32	05	-	64	15
16	16	08	01	09	-	-	01	22	-	06	-	10	16
17	23	04	-	03	-	-	-	-	09	36	93	-	17
18	11	08	53	01	-	-	-	-	10	02	-	11	18
19	29	10	24	02	-	-	-	-	-	-	09	13	19
20	12	1.21	17	06	-	-	-	-	-	-	10	1·41	20
21	03	14	10	-	04	-	-	-	-	-	-	24	21
22	-	-	01	-	-	10	-	08	-	44	02	67	22
23	01	S. 01	-	02	-	12	-	08	-	05	39	03	23
24	-	S. 31	01	18	29	-	-	11	-	63	06	41	24
25	-	SS. 41	19	-	02	02	-	42	01	03	11	02	25
26	02	SS. 16	04	-	01	27	-	22	1·72	78	02	10	26
27	-	-	1·30	-	-	40	-	12	12	19	-	-	27
28	-	10	-	-	-	02	-	14	83	60	-	53	28
29	-	12	03	-	-	44	-	3·12	06	19	-	43	29
30	-	X	-	01	-	04	-	-	-	85	-	-	30
31	-	X	-	X	-	X	-	06	X	48	X	-	31
Total	1·92	7.04	4·08	0·56	1·73	2·45	0·62	5.12	3·25	6·22	5.46	5.22	YEAR'S TOTAL 43·67
Rain Days.	17	27	21	14	18	17	4	14	(11)	25	19	17	204

W. 8,000, VIII. 16 S. = Snow; SS. = Snow & sleet.

ST. MAWES,
TORQUAY ROAD,
PAIGNTON.

5 JAN 1917

3rd Jan. 1917.

Dear Sir.

In forwarding you my rainfall record for 1916 I regret that there is a gap in the daily reading for Sep: but when my wife & myself are both from home I know of no one I can trust to take the readings for me. However comparing the record at Queen's Park for the period I was away, I think I can safely say that I would have measured rain on 3 days (wh. wld: make the No of wet days for Sep: 10).

You will notice that I am now able to take the readings at 9 AM.

With regard to height above sea level of my gauge It is certainly a little lower than the gauge at Queen's Park; but so far I have not been able to ascertain the level.

Trusting you will find my figures correct

Yours faithfully,

H. Le B. Gunner.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at "ST. MAWES", TORQUAY RD., PAIGNTON

in the County of Devon (South)

by H. Le B. Gunner.

Lat. .... Long. ....

Time of Observation 9 AM.

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·25	–	·20	–	·30	·01	AWAY From HOME	·01	·02	1
2	–	–	–	S. ·08	–	·02	–	–	–		–	–	2
3	·06	–	–	S. ·03	–	–	·33	–	–	x	·81	–	3
4	·02	S. ·02	·64	–	–	–	·06	·06	·05	x	–	–	4
5	·06	–	·23	·11	–	T. ·67	–	–	–	x	·11	–	5
6	·01	–	·10	–	–	·05	–	–	–	x	·09	·02	6
7	·27	–	–	–	–	–	·05	·20	–	x	·03	·02	7
8	·05	–	·49	·06	–	·01	·11	·62	·02	x	·06	·29	8
9	–	–	·08	S. ·03	·04	–	·07	–	–	x	·11	–	9
10	·14	–	·34	SH. ·32	–	–	–	·27	·01		–	·02	10
11	·01	–	1.34	SH. ·18	–	–	–	·01	–	x	·17	–	11
12	·15	–	·02	–	·34	–	–	–	–	2·05 x	·01	–	12
13	–	–	·19	·24	–	·02	–	·37	·02	·07	–	–	13
14	–	–	–	·12	–	–	·16	·02	–	–	–	–	14
15	·30	–	–	–	–	–	·16	·07	–	·36	–	·52	15
16	–	·11	–	·04	–	–	–	·04	·03	·48	–	·16	16
17	–	·04	–	·01	·12	·02	·26	·11	·73	·11	–	–	17
18	–	·09	–	·01	·32	·12	·33	–	·71	·02	–	–	18
19	–	·37	·04	–	–	·10	–	·36	·18	–	–	–	19
20	–	·05	–	–	·48	·06	–	·03	–	–	–	·05	20
21	·01	–	S. ·01	–	–	–	–	·02	–	·03	·01	–	21
22	–	–	S. ·02	–	·05	·07	–	·24	–	·05	–	–	22
23	S. ·01	·07	–	–	·21	–	–	·56	–	·13	–	–	23
24	–	–	–	–	–	·03	·41	·01	–	·08	·01	–	24
25	–	–	·03	–	–	–	–	·48	AWAY FROM HOME x	·01	·04	–	25
26	–	–	–	–	T. ·22	·07	–	·76	x	·11	–	–	26
27	–	–	–	–	–	·74	–	·97		·02	–	–	27
28	–	–	·07	–	·03	·29	–	·35		–	–	·06	28
29	–		·06	–	·04	·22	–	·01		·71	·01	·13	29
30	–		·36	–	–	–	·41	·24	·08	·02	·02	–	30
31	–		·07		·06		–	·01		·25		·03	31
Total	1.09	0·75	4·09	1.48	1.91	2·69	2·35	6.11	1.84	4·50	1·49	1·32	YEAR'S TOTAL 29·62
Rain Days.	12	7	17	13	11	16	11	24	?(11)	?(24)	14	11	?(171)

W. 8,000, IX. 17. S. = Snow. | SH. = Snow & Hail. | T. = Thunder rain.

St. Mawes,
Torquay Road,
Paignton

7/I/18.

Dear Sir.

I regret having once again to send you an incomplete return of last year's Rainfall as regards the daily values; tho' I am glad to say that the monthly totals are complete.

When away from home at the end of Sep. I was able to get the gauge emptied on Oct. 1. at 9 AM – the contents poured into a jug & covered over till my return when I measured the amount myself (·08)

The 2·05 on Oct. 12th is the amount of water ~~in the gauge~~ I found in the gauge, on my return wh. I measured at 9 AM. Oct. 13th.

The No of Rainy days is of course incomplete; tho' a comparison with the record at Queen's Park leads me to think that ~~148~~
171 wet days is ~~very close indeed~~ as nearly
correct as possible.

Yrs. faithfully
H. Le B. Gunner.

44

FORM A.
BRITISH RAINFALL.

17.1.19

REGISTER OF RAINFALL IN 1918

Kept at "ST. MAWES", TORQUAY RD., PAIGNTON

in the County of S. DEVON

by H. Le B. Gunner.

Lat. .... Long. ....

Time of Observation 9 AM.

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge FIVE in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level (10) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·26	-	·06	·01	-	-	.71	AWAY FROM HOME	·01	.71	-	1
2	-	·17	-	·03	-	-	-	-		·01	·01	·48	2
3	-	·15	·01	1.10	·10	-	-	·05		·03	·14	·01	3
4	-	·01	-	·02	-	-	-	·17		-	1.09	·16	4
5	-	-	·05	·06	·49	-	-	·41		·33	·01	·02	5
6	·18	·33	·02	·08	-	-	-	-		·14	-	·07	6
7	-	·12	-	-	·05	-	-	·01		·05	·42	·18	7
8	-	·20	-	-	-	·01	-	-		·17	-	·01	8
9	·06	-	-	·04	-	·05	·41	-		·02	-	·40	9
10	·01	-	-	·36	-	-	·37	-		·16	-	·25	10
11	·01	-	·15	·03	-	-	·65	-		·07	·07	·02	11
12	-	·13	·10	-	·26	-	·22	-		-	·04	·01	12
13	·01	-	-	-	·08	-	·27	-		·08	-	.22	13
14	·26	-	-	-	·06	·02	·05	-		·03	-	.17	14
15	.77	-	-	·02	·06	·08	·41	-		·04	-	·23	15
16	·69	-	·01	·16	-	·06	·02	-		-	-	·03	16
17	·30	-	·02	·15	-	·01	·43	-		-	-	·31	17
18	·85	-	·03	-	-	.76	·18	-		·52	-	·25	18
19	·15	-	·12	·02	-	·05	·08	-		·03	-	·13	19
20	·03	·11	-	·15	-	-	·06	-		·09	-	-	20
21	·06	·05	-	·01	-	-	·02	-		.15	-	·45	21
22	·01	-	-	-	T. .13	-	.89	·01		·06	·03	.18	22
23	·19	-	-	-	·03	-	·04	·02		-	·02	.11	23
24	·01	·16	-	-	-	-	·11	·06		-	·10	·25	24
25	-	-	-	·02	·01	-	·17	·60		·04	·22	·01	25
26	-	-	-	-	-	-	·13	·01		·01	·01	·13	26
27	·01	·01	·17	-	-	-	-	·12		·03	·06	·01	27
28	-	S. .14	·21	·03	-	-	-	-		·04	-	·02	28
29	-		·15	-	-	-	-	-		-	·02	·02	29
30	-	X	·39	-	-	-	-	-	6·04	·07	·05	·11	30
31	-	X	·29	X	-	X	-	-	X	·01	X	-	31 ✓
Total	3.60	1.84	1.72	2·34	1.28	1.04	4.51	2·17	6·04	2·19	3.00	4·24	YEAR'S TOTAL 33.97
Rain Days.	17	13	14	17	11	8	18	11	?	24	16	28	...

W. 8,000, IX. 17.

S = Snow. T. = Thunder.

ST. MAWES.
TORQUAY ROAD.
PAIGNTON.

Jan. 15th 1919.

The Director
B.R.O.
62 Camden Sq.
London.

Dear Sir.

In forwarding my daily record of Rainfall in 1918 I regret that, owing to being away from home, I was unable to get the daily readings in Sep. but I was back in time to take the reading at 9AM. on Oct. 1 so the total of 6·04 (entered on Sep. 30) is correct.

As 1·25 was recorded at Queen's Park, Paignton (which is close to the Station) on Sep. 29th I think it may be taken as ~~at~~ a certainty that I should have measured 1·00, or over, had I been at home.

I trust the big gap in the Daily readings will not make the return altogether valueless to you.

Yours faithfully
H. LeB. Gunner.

P.S. With regard to my height above sea level - I understand that the gauge at Queen's Park is 11 or 12 ft: above sea and I am certainly a foot or two lower.

I have already measured rain every day this month - total 4.82 (greatest falls ·95 on 4th & ·71 on 14th) Rain has again fallen today (15th) wh. will probably raise the total for the 15 days to 5.50 inches or over.

1604

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at "St. Mawes", Torquay Rd., Paignton

in the County of Devon.

by A. Le B. Gunner.

Lat. .... Long. ....

Time of Observation 9 AM.

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	–	·14	–	·06	–	·12		·02	·15	·01	·81	1
2	·25	–	·01	–	–	–	·11		·21	·03	–	·01	2
3	·49	–	·47	–	·01	–	–		·25	–	·01	·02	3
4	·95	·68	·51	–	–	·05	–		·44	–	·09	–	4
5	·02	·25	·40	–	–	–	–		·58	–	·03	·04	5
6	·53	1.00	·08	·01	–	–	·03		–	–	·01	·24	6
7	·30	–	·43	·06	–	–	·01		–	–	–	·02	7
8	·36	–	·20	–	·01	·02	–		–	–	·31	–	8
9	·20	–	·03	·07	·05	–	–		–	–	·83	–	9
10	·11	–	·61	–	–	–	–		–	·01	·01	·29	10
11	·17	–	·28	·16	·33	–	·06		–	·04	S. ·06	·31	11
12	·21	–	·01	–	–	–	–		–	·03	·09	·01	12
13	·14	·14	·14	·51	–	–	–		–	·01	–	·13	13
14	·71	·15	–	·50	·26	–	–		·01	–	–	·26	14
15	·31	·16	–	·06	–	–	–		–	·01	–	·24	15
16	·08	1.20	–	–	–	–	–		–	–	·04	–	16
17	·02	·69	–	–	–	–	–		–	–	·24	·01	17
18	–	·44	·47	–	·01	–	·27		·03	–	·17	·01	18
19	·66	·47	·09	–	–	·28	·61		·15	–	·16	·01	19
20	·41	·02	·02	–	–	·36	–		·05	–	·22	·02	20
21	·08	1.15	–	–	·04	–	–		·05	·02	–	06	21
22	–	·01	·02	–	–	–	·03		·12	–	–	·02	22
23	–	–	·11	–	–	–	–		·01	·32	·07	·06	23
24	–	–	–	–	–	·28	–		–	·35	·05	·27	24
25	·08	·05	–	·01	–	·07	–		–	–	·02	·16	25
26	·11	·01	·05	·08	–	–	–		·03	–	·05	·49	26
27	·28	–	–	·16	–	–	·11		–	–	–	·03	27
28	·01	·02	·25	·07	–	–	·03		–	–	·53	·49	28
29	–		–	·03	–	–	–	3.29	–	·07	–	·12	29
30	–		–	·01	–	·02	–	·04	·02	–	.71	·68	30
31	–		·09		–		–	–		–		·92	31
TOTAL	6.86	6·44	4·41	1.73	0.77	1.08	1.38	3.33	1.97	1.04	3.71	5·73	YEAR'S TOTAL 38.45
Days with ·01 in. or more	24	16	21	13	8	7	10	(13)	14	11	21	27	(185)

away from home — The reading of 3.29 on 29th was measured at 9 AM on 30th & is the total to that date.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S = Snow.

ext 93 1519

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

0 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at "St. Mawes", Torquay Rd, Paignton
in the County of [illegible] Devon
by H. Le B. Gunner.

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level Ten ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	-	.01	.10	.53	-	.48	|	.08	.19	.03	1.08	1
2	.35	-	-	.19	.01	-	.01	away fr: home. The amount registered on 19th was taken for me on 20th so the total for the month is correct.	.05	.03	-	.13	2
3	.04	.07	-	.15	-	-	.05		-	.45	-	.12	3
4	-	.01	-	-	-	-	.04		-	.30	-	-	4
5	-	-	.09	.15	.04	-	.20		-	.05	-	-	5
6	-	-	.22	-	.19	-	.21		-	.04	-	-	6
7	.06	-	.01	.11	.02	-	.43		-	-	-	-	7
8	.11	.02	-	.19	.03	-	.04		-	.01	-	.21	8
9	.86	.04	-	.01	-	.12	.14		-	-	-	-	9
10	1.43	.14	.03	-	-	.25	.24		-	-	-	-	10
11	.54	.01	.14	.56	.26	.06	16		-	-	-	-	11
12	.25	.12	.17	.11	-	.08	.04		-	-	.13	Snow .21	12
13	.12	.03	.56	.05	-	.01	-		-	.04	-	Snow. .22	13
14	.08	.06	.52	.84	-	-	.02		.17	.29	.39	.03	14
15	-	.06	.03	.36	.04	-	|		.03	.55	.05	-	15
16	-	.02	.01	-	-	.05	away from home. The amount registered on 31st was read for me on Aug. 1 so the total for the month is correct.		.25	.02	.03	-	16
17	.01	-	-	.08	.31	-			.30	-	-	-	17
18	.14	.01	-	.10	.10	.25			.02	-	-	-	18
19	.01	.01	-	.41	-	.33		1.32	.04	-	-	-	19
20	-	.07	-	.11	.18	.19		-	-	.08	-	.59	20
21	-	-	-	.04	-	-		-	.01	.05	-	.05	21
22	.04	-	-	.06	-	-		-	-	-	-	.37	22
23	.01	-	-	-	-	-		.05	-	-	-	.61	23
24	.01	-	.24	-	-	-		.01	-	-	.14	.27	24
25	-	-	.14	-	-	-		-	-	-	-	.03	25
26	.28	-	.31	-	-	-		-	-	-	.16	.08	26
27	.83	.07	.15	.03	.01	.09		-	-	-	.37	.45	27
28	.60	.02	.12	.01	-	.02		-	-	-	-	.11	28
29	.62	.01	.84	.01	-	-		-	.01	-	.36	.59	29
30	.21	✕	-	-	-	.22		-	.77	-	.26	.63	30
31	.08	✕	.30	✕	-	✕	1.20	-	✕	.37	✕	.24	31
TOTAL	6.99	.77	3.89	3.67	1.72	1.67	3.26	1.38	1.73	2.47	1.92	6.02	YEAR'S TOTAL 35.49
Days with ·01 in. or more	23	17	18	21	12	12	(25)	(6)	11	14	10	19	(187)
Days with ·04 in. or more	19	8	13	17	8	10	(19)	(4)	7	11	8	17	(1.41)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

27 APR 1912

REGIS

DEVON.

PAIGNTON.

"QUEENS PRK."

1911 – 19~~18~~ 20

Kept at Queens Park

in the County of Devon

by A. J. Holman

8 in.

Ground ft. 9 in.

Sea Level 11 ft.

Name Paignton

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—				0·13					0·02	0·04		1
2	—			0·05	0·32			0·21		0·20	0·13	0·47	2
3	—		0·01		0·22			0·21	0·05		0·29	0·19	3
4	—		0·02					0·01			0·28	0·47	4
5	0 31		0·24							0·07	0·07		5
6	0·28		0·21							0·05	0·30	0·39	6
7	—			0·03							0·58	0·02	7
8	0·04		0·08								0·07	0·92	8
9	—		0·53								0 24	1·13	9
10	0·05	0·04	—						0·08		0·02	0·26	10
11	0·19		—						0·02		0·89	0·02	11
12	—		0·46						0·26		0·10	0·15	12
13	—		0·02						0·14		0·01	0·58	13
14	—	0·03								0·23	0·14	0·70	14
15	—	0·02				0·04					0·25	0·10	15
16	—		0·04			0·43					0·65	0·75	16
17	—	0·01	0·50	0·01		0·10					0·27	0·71	17
18	—	0 32	0·15	0·26		0·14				0·72	0·14	0·65	18
19	—	0·04	0·12	0·02		0·07			0·45	0·40	0·02	0·59	19
20	0·02	0·03	0·18	0·06				0·01	0·01	0·57		0·75	20
21	0·02	0·31				0·03			0·22	0·45		0·03	21
22	—	0·10		0·07		0·10			0·43	0·16	0·03	0·62	22
23	0·02	0·15	0·10			0·11			0·01	0·32	0·13	0·57	23
24	—	0·18				0·26		0·08	0·08	0·38		0·35	24
25	—	0·05		0·07				0·03		0·26		0·11	25
26	—	0·08	0·01	0·33				0·05		0·57		0·26	26
27	—	0·56	0·03	0·09				0·09	0·17	0·34	0·03	0·17	27
28	0·08	0·17		0·46	0·02			0·04			0·03		28
29	—			0·07		0·28	0·33		0·10	0·27			29
30	—						0·01			0·31	0·08	0·01	30
31							0·04			0·03			31
Total	1·01	2·09	2·70	1·52	0·69	1·56	0·38	0·73	2·02	5·35	4·79	11·97	TOTAL for year 34·81
No. of Rain Days.	9	15	16	12	4	10	3	9	13	18	24	26	159

W. 8,000, X. '11.

REGIS l

FORM A2.
BRITISH RAINFALL.
27 APR 1912

Kept at Queens Park Paignton

in the County of Devonshire 54

by A J Holman

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 11 ft.

Time of Observation 9. am

Nearest Railway Station
Name Paignton
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—				0·13					0·02	0·04		1
2	—			0·05	0·32			0·21		0·20	0·13	0·47	2
3	—		0·01		0·22			0·21	0·05		0·29	0·19	3
4	—		0·02					0·01			0·28	0·47	4
5	0·31		0·24							0·07	0·07		5
6	0·28		0·21							0·05	0·30	0·39	6
7	—			0·03							0·58	0·02	7
8	0·04		0·08								0·04	0·92	8
9	—		0·53								0·24	1·13	9
10	0·05	0·04	—						0·08		0·02	0·26	10
11	0·19		—						0·02		0·89	0·02	11
12	—		0·46						0·26		0·10	0·15	12
13	—		0·02						0·14		0·01	0·58	13
14	—	0·03								0·23	0·14	0·70	14
15	—	0·02				0·04					0·25	0·10	15
16	—		0·04			0·43					0·65	0·75	16
17	—	0·01	0·50	0·01		0·10					0·27	0·71	17
18	—	0·32	0·15	0·26		0·14				0·72	0·14	0·65	18
19	—	0·04	0·12	0·02		0·07			0·45	0·40	0·02	0·59	19
20	0·02	0·03	0·18	0·06				0·01	0·01	0·57		0·75	20
21	0·02	0·31				0·03			0·22	0·45		0·03	21
22	—	0·10		0·07		0·10			0·43	0·16	0·03	0·62	22
23	0·02	0·15	0·10			0·11			0·01	0·32	0·13	0·57	23
24	—	0·18				0·26		0·08	0·08	0·38		0·35	24
25	—	0·05		0·07				0·03		0·26		0·11	25
26	—	0·08	0·01	0·33				0·05		0·57		0·26	26
27	—	0·56	0·03	0·09				0·09	0·17	0·34	0·03	0·17	27
28	0·08	0·17		0·46	0·02			0·04			0·03		28
29	—			0·07		0·28	0·33		0·10	0·27			29
30	—						0·01			0·31	0·08	0·01	30
31	—						0·04			0·03			31
Total	1·01	2·09	2·70	1·52	0·69	1·56	0·38	0·73	2·02	5·35	4·79	11·97	TOTAL for year 34·81
No. of Rain Days.	9	15	16.	12	4	10	3	9	13	18	24	26	159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Queens Park Paignton

in the County of Devonshire S4

by A. J. Holman

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. · in.
" " " Sea Level 11 ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·8	—	—	0·49	0·2	—	0·9	1·14	—	—	1
2	—	—	0·23	—	—	0·40	0·3	0·6	—	0·2	0·1	0·32	2
3	—	—	0·28	—	—	0·38	0·8	0·85	0·2	—	—	—	3
4	0·14	0·3	0·65	—	0·1	0·20	—	0·11	—	—	0·14	0·2	4
5	0·66	0·37	0·28	—	—	—	—	0·87	—	—	—	0·33	5
6	0·41	0·2	0·7	—	0·31	0·13	0·2	0·6	—	—	—	0·3	6
7	0·18	0·93	0·53	—	0·9	0·43	—	0·5	—	—	—	0·25	7
8	0·61	0·12	0·18	0·1	—	—	0·2	—	—	—	—	—	8
9	0·02	0·8	0·4	0·11	—	0·8	0·3	0·13	—	—	—	0·26	9
10	0·17	0·9	0·16	0·1	—	0·2	0·1	0·12	—	—	0·8	0·38	10
11	0·3	0·17	—	—	—	—	—	0·3	—	—	0·7	0·41	11
12	—	0·32	0·7	—	—	—	0·6	0·64	—	—	—	0·1	12
13	0·7	—	—	—	—	0·3	0·22	0·2	—	0·4	—	0·21	13
14	0·6	0·8	0·43	—	0·5	—		0·7	—	0·3	—	0·7	14
15	0·87	0·10	0·1	—	0·32	0·29		—	—	—	—	0·25	15
16	0·23	—	0·36	—	0·8	—		0·9	—	0·8	—	0·1	16
17	0·5	—	0·36	—	0·2	—		0·84	—	—	—	0·11	17
18	0·1	0·2	0·7	—	—	—		0·25	—	—	—	—	18
19	—	0·4	0·28	—	—	0·2	0·2	0·10	—	—	—	—	19
20	0·5	0·5	0·47	—	0·12	—	0·1	0·12	—	0·34	—	0·2	20
21	—	0·28	0·19	—	0·24	—	0·2	0·5	—	0·5	—	—	21
22	0·36	0·39	0·21	—	0·2	0·2	0·10	0·8	—	0·5	0·4	0·12	22
23	0·56	0·19	0·19	—	—	0·20	0·3	0·56	—	0·10	0·8	—	23
24	0·14	0·5	0·2	—	—	0·33	—	0·2	—	—	—	0·21	24
25	0·16	0·1	—	—	—	0·21	—	0·26	—	0·28	0·34	0·23	25
26	—	0·4	—	—	—	—	0·1	0·1	—	0·19	0·38	0·41	26
27	—	0·4	—	—	—	0·28	0·39	0·28	—	1·42	—	0·66	27
28	—	0·12	—	—	—	0·42	0·12	0·51	0·26	0·49	0·28	0·57	28
29	—	0·42	—	—	—	0·14	0·16	0·5	0·56	0·52	—	0·67	29
30	—		0·11	—	—	0·51	0·13	—	0·44	0·35	—	—	30
31	—		0·29	—	—		0·32	0·1	—	0·2	—	0·4	31
Total	4·78	3·96	5·56	0·13	1·26	4·28	1·80	6·24	1·37	5·12	1·72	5·59	TOTAL for year [illegible]
No. of Rain Days.	19	23	24	3	10	19	20	22	5	16	9	23	198

W. 8,000, X. '11.

[illegible] 23·3·14

Cor. by obser. 3. IV. 14.

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Greens Park Paignton

in the County of S Devonshire 4

by A Guy Holman

Lat. .... Long. —

Time of Observation 9 am

Nearest Railway Station Paignton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·15	0·20	0·06	0·04				0·06	0·08	0·34	0·02	1
2	0·39	0·18		0·14	·28 ~~0·24~~		0·08			0·13	0·10		2
3	0·59		0·09	0·05	0·20				0·07	0·16		0·15	3
4	1·09		0·12	0·13	0·04	0·03			0·10	0·66	0·06	0·23	4
5	0·15	0·06			0·06	0·07			0·61	0·36	0·44	0·24	5
6	0·08	0·12	0·08		0·04	0·06				0·53	0·17	0·01	6
7	0·01	0·49	0·06		0·65	0·07	0·14			0·07	·30 ~~0·39~~		7
8	0·03	0·36			0·15			0·02		0·02	0·01		8
9	0·04	0·02			0·14	0·02	0·01	0·15			0·35	0·01	9
10	0·88				0·04	0·01		0·04		0·15	0·06		10
11	0·54			0·03	0·13	0·02				0·10	0·83	0·04	11
12	0·04				0·69	0·02			0·03		0·26		12
13	0·10		0·12	0·07	0·13			0·05	0·09		0·12		13
14	0·47		0·12	0·02	0·27						0·05		14
15	0·26		0·51	0·75					0·22		0·02		15
16	0·46		0·60	0·02			0·01		1·04				16
17	0·13		0·04	0·14							0·05		17
18	·02 ~~0·62~~		0·30	0·09							0·09		18
19	0·54		0·03			0·13			0·27	0·03			19
20	0·17		0·21	0·22		0·01				0·07	0·31		20
21	–		0·35	0·02	0·03			0·03		0·05	0·29		21
22	0·20		0·36			0·06		0·05	0·01			0·25	22
23	–		0·03			0·01			0·01		0·05	1·02	23
24	0·03	0·10		0·06		0·03		0·04			0·03		24
25				0·43				0·02	0·04	0·12			25
26				1·09				0·11		0·02		0·24	26
27	0·36		0·21	0·31				0·07		0·34			27
28	0·22		0·02	0·28						0·24		0·10	28
29	0·30		0·64	0·24	0·02				0·01	0·22			29
30	0·70				0·01			0·14	0·01	0·66			30
31	0·13		0·21				0·07	0·40		0·15			31
Total	7·93	1·48	4·30	4·15	2·92 ~~2·94~~	·54 ~~0·44~~	0·31	1·12	2·57	4·16	3·93	2·31	YEAR'S TOTAL 35·72
Rain Days.	26	8	20	19	17	13	5	13	14	20	20	11	185

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Queens Park Paignton

in the County of Devonshire S 4

by A J Holman

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Paignton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.04	.	-	.05	.22	.39	-	-	.53	.11	1
2	-	-	.02	.03	.04	-	.27	.01	-	-	.38	.46	2
3	.01	-	.10	.11	.61	-	-	-	-	-	.01	.03	3
4	.03	-	.02	.47	.08	-	.67	.13	.02	-	.54	.61	4
5	.17	-	.06	.17	.04	-	-	-	.04	-	.04	.01	5
6	-	.05	.06	.09	.09	-	.01	.01	-	-	-	.94	6
7	.04	.93	.25	.17	.05	.02	.37	.11	.14	-	-	.38	7
8	.07	-	.70	.10	-	.10	.01	.08	.04	-	.01	.23	8
9	.03	.05	.41	.11	.15	.30	-	.18	.90	-	-	-	9
10	.10	.48	.06	.13	.02	.05	-	-	.46	-	-	.13	10
11	-	.15	.38	-	-	.13	-	-	-	-	.02	.90	11
12	-	.18	.10	-	-	-	-	-	.19	.07	.01	.67	12
13	-	.59	.23	-	.	-	.05	-	.10	.21	.26	.18	13
14	-	.35	.36	-	-	.05	-	.65	-	.03	.52	.18	14
15	.02	.	.12	-	-	-	.14	.09	-	.08	.35	.14	15
16	.02	.	-	-	-	-	-	-	.29	-	-	.01	16
17	-	.44	.26	-	-	-	-	-	-	-	-	.83	17
18	-	.09	.10	-	-	-	.05	-	.15	-	-	.22	18
19	-	.02	.92	-	-	-	1.24	-	.01	-	.05	.16	19
20	-	.42	.10	-	-	.60	-	-	-	-	-	.26	20
21	-	.47	.	-	-	.02	-	-	-	.51	-	-	21
22	-	.11	.	.01	.18	-	-	.63	-	.15	.	-	22
23	-	.11	.37	-	-	.05	-	-	-	.39	-	-	23
24	.	.04	.	-	.22	-	-	.03	-	.01	.01	-	24
25	.09	-	.19	-	.01	-	-	.41	-	.41	.05	.67	25
26	.03	.05	-	-	-	-	.02	.05	-	.09	.27	.62	26
27	-	-	.06	-	-	-	.02	-	-	.01	.16	.43	27
28	.01	.04	.29	-	.13	-	-	-	-	.16	.18	.87	28
29	.28	-	.16	-	.10	-	.04	-	-	.04	.60	.01	29
30	-	X	.09	.02	-	-	-	-	-	.29	.68	.88	30
31	.12	X	-	X	-	X	.38	-	X	.71	X	.30	31
Total	1.02	4.57	5.45	1.41	1.72	.87	3.49	2.17	2.34	3.16	4.67	10.23	YEAR'S TOTAL 41.10
Rain Days.	14	18	25	11	13	10	14	13	11	15	19	26	189

W. 8,000. X. 14.

returned 27.vi.16

cwd per auth 26 vi.16

1821

FORM A. BRITISH RAINFALL.

25 APR 1916

REGISTER OF RAINFALL IN 19~~16~~ 15

Kept at Queen's Park Paignton

in the County of Devonshire

by aJ Holman

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·17	–	–	–	–	–	·53	·44	·40	·03	·31	1
2	36	·33	·09	·03	–	·03	–	·39	·01	·06	–	·62	2
3	·03	3 ·18	·11	·03	·60	–	–	·01	–	·01	–	·74	3
4	·02	·16	–	–	·02	–	–	–	–	–	–	·26	4
5	·01	·91	–	·15	–	–	–	·33	–	–	–	·56	5
6	80	·12	–	·40	·01	–	·36	–	–	–	–	·27	6
7	50	·65	–	·05	–	–	·10	–	–	·19	·03	·37	7
8	·07	·52	–	·01	–	–	·11	·06	–	·02	·10	·25	8
9	–	·12	–	·01	–	–	–	–	–	–	·32	·88	9
10	·18	·52	·03	·05	–	–	–	–	–	·12	·04	·12	10
11	06	·55	·30	–	–	–	·03	·08	–	·33	1·07	·15	11
12	02	·49	–	·06	·55	–	–	·07	–	·05	·35	–	12
13	–	·58	–	–	1·79	–	–	·11	·02	–	·05	·01	13
14	11	·01	–	–	–	–	·27	·06	·05	–	–	1·10	14
15	15	–	–	–	·32	–	·23	–	–	·04	·01	·03	15
16	–	1·80	–	–	·23	–	1·02	·01	–	–	–	·22	16
17	–	·56	–	–	·07	–	–	·01	·01	–	–	·02	17
18	–	·23	–	–	–	–	–	–	–	–	–	–	18
19	·02	–	–	·01	·33	–	05	–	–	–	–	–	19
20	·08	·04	–	·16	–	·13	–	–	–	·23	–	·08	20
21	·14	·08	–	–	·04	·03	·39	–	–	·16	–	–	21
22	·10	·05	·27	·03	·01	·02	·52	–	–	·05	–	·42	22
23	–	·02	·12	–	–	·05	·04	–	·12	1·26	–	·87	23
24	–	–	·01	·01	–	·04	·25	–	·16	·13	–	·61	24
25	01	–	·01	·06	–	·59	·01	–	–	–	–	·36	25
26	·02	28		–	–	·11	·25	–	·05	–	–	1·12	26
27	·05	·03		–	–	·15	·01	–	–	·53	–	·01	27
28	–	·05		–	–	·19	–	·01	·31	·08	·01	·05	28
29	–			–	–	·84	·33	–	·05	·01	·25	·13	29
30	·30	X		–	–	·15	·02	–	–	·72	·62	·42	30
31	·05	X		X	–	X	–	·04	X	1·30	X	·25	31
Total	3·45	8·40	·94	1·12	3·97	2·33	3·99	1·71	1·22	5·69	2·88	~~9·43~~ 10.23	YEAR'S TOTAL 45.93
Rain Days.	22	24	8	14	11	12	17	13	10	19	12	27	189

W. 8,000. X. 15.

1478

FORM A.
BRITISH RAINFALL.

23. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Paignton (Queens Park)
in the County of Devonshire
by A. Jno Holman

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Paignton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
33 1	28	01	04	-	19	06	02	-	17	17	15	-	1
2	24	13	03	-	-	-	-	-	15	19	43	-	2
3	05	1·34	-	-	34	01	-	-	12	55	30	-	3
4	13	08	-	-	13	18	01	-	02	08	80	-	4
5	01	13	03	-	-	12	-	-	-	10	08	-	5
6	02	13	-	-	18	12	60	-	-	10	12	-	6
7	04	12	30	-	02	11	-	-	-	02	63	07	7
8	-	37	38	-	25	20	-	-	-	-	05	15	8
9	-	13	01	-	-	21	-	-	-	-	15	17	9
10	-	39	-	03	04	-	01	-	-	-	01	-	10
11	-	01	-	03	-	02	-	-	-	-	-	-	11
12	01	06	14	06	15	-	02	26	-	-	-	-	12
13	-	29	15	02	01	-	-	12	-	02	-	07	13
14	-	64	20	04	04	-	-	23	-	-	-	-	14
15	01	28	13	07	-	-	-	12	-	11	-	65	15
16	14	10	-	08	-	-	-	25	-	04	-	06	16
17	19	04	-	04	-	-	-	-	07	36	93	-	17
18	19	06	50	-	-	-	-	-	12	01	-	14	18
19	24	10	24	03	-	-	-	-	-	-	11	14	19
20	10	1·19	15	05	-	-	-	-	-	-	17	1·35	20
21	02	10	10	-	05	-	-	-	-	-	-	40	21
22	-	-	-	-	-	10	-	06	-	43	01	64	22
23	01	01	-	02	-	09	-	14	-	06	41	03	23
24	-	28	02	15	29	-	-	69	-	64	06	41	24
25	-	39	20	-	03	01	-	41	-	02	12	01	25
26	02	16	07	-	01	37	-	19	1·35	84	02	11	26
27	-	-	1·27	-	-	46	-	12	41	19	-	-	27
28	-	10	-	-	-	-	-	08	92	39	-	46	28
29	-	10	04	-	-	52	-	3·05	07	36	-	41	29
30	-	X	-	-	-	04	-	-	-	82	-	-	30
31	-	X	-	X	-	X	-	05	X	53	X	-	31
Total	1·75	6·94	4·00	·62	1·73	2·62	·66	5·17	3·40	6·03	4·55	5·27	YEAR'S TOTAL 42·54
Rain Days.	17	27	19	12	14	16	5	14	10	22	18	17	191

W. 8,000, VIII. 16

1048

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19. JAN 1918

Kept at Queens Park Paignton

in the County of Devonshire

by A J Holman

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·29		·21		·33	·02		·03	·04	1
2				09		·01							2
3	·07			04			·15			·25	·40		3
4	·03	·01	·60				·28	·13	·05	50	32		4
5	·07		·24	·12		·73				·05			5
6	·01		·16			·05				09	·10	·02	6
7	·29						·05	·65		·10	·13	·02	7
8	·06		·42	·08			·14	·03	·02	·33	07	·25	8
9			·08	·05	·03		·07			13	·15		9
10	·07		·34	·31				·25			·12	·02	10
11	·02		1·29	·51				·03		·38	·17		11
12	·17		·01		35 ~~35~~					·31	·01		12
13			·22	·19	~~07~~	·01		·23	·02	01			13
14				·13	~~30~~		·27	·01		·30			14
15	·09						·19	·11		·42		·51	15
16		·12		·04	·08			·03	·04	·71		·10	16
17		·06		·01	·30	·02	·23	·12	·82	·01			17
18		·08			~~05~~	·17	·27		·71		·01		18
19		·35	·06		~~[illegible]~~	·12		·26	20				19
20	·02	·05	·01		46	06			01			·10	20
21			·01			·04		·06		·08	·01		21
22	02		·02		05	05		·25		·06			22
23		·07			23			·52		·15			23
24						03	·41	·05		·09	·01		24
25		·01						·81	·04		·07		25
26					·22	·07		·54	·06	·08			26
27						·73		·95		·04			27
28			·07		·08	·16		·38				·13	28
29			·09		·04	·35		·01		·59	·02	·12	29
30		X	·39				·45	·23		04	·02		30
31		X	·08	X	05	X			X	·13	X	03	31
Total	·92	·75	4·09	1·86	1·88	2·81	2·51	5·98	1·99	4·25	1·64	1·34	YEAR'S TOTAL 30·02
Rain Days.	12	8	17	12	11	16	11	22	11	23	16	11	170

·78

W. 8,000, IX. 17.

43

FORM A. BRITISH RAINFALL. 10 1 19

W [illegible] [illegible]

REGISTER OF RAINFALL IN 1918

Kept at Queen's Park Paignton

in the County of Devonshire

by A J Holman

Lat. Long.

Time of Observation 9am

Nearest Railway Station Paignton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		28		06	01			70		01	77		1
2		19		06						01	03	40	2
3		15		1-04	10			08	01	03	08	01	3
4				04				10	55		1-08	15	4
5			07	02	52			20	44	30	01	01	5
6	·20	30	03	12				29		14		07	6
7		10			04			03	29	04	41	19	7
8	02	28							04	16			8
9	06			02		07	43		50	01	01	41	9
10	01			33			38		10	14		27	10
11	12	01	13	13			65		12	07	01	03	11
12	01	12	11		23		20		14		02	01	12
13	01				10		25		29	09		18	13
14	23				03	03	04		37	04		17	14
15	74				03	08	43		03	(·02)		26	15
16	65		02	18		08	03		18			04	16
17	29		01	16			20		01	46		28	17
18	80		02			79	10		51	04		29	18
19	17		13	04		06	15		02	10		12	19
20	04	08		17			09		30	15			20
21	06	05		01		01			65	07		42	21
22	01	01			14		52		20		05	17	22
23	16				05		39		02		01	15	23
24		20					10	08	01	04	10	25	24
25	01			01	01		14	69		01	17	01	25
26							15		11	03	01	10	26
27	02	02	17					11	04	03	06	01	27
28		10	28	02								02	28
29			14						1-25	09	03	02	29
30		×	41							01	05	11	30
31		×	30	×		×			×		×		31
Total	3-61	1-89	1-82	2-41	1.26 ~~80~~	1-12	4-25	2-28	6-18	2.09	2·90	4-15	YEAR'S TOTAL 33-96
Rain Days.	19	14	13	16	11	7	17	9	24	23	17	27	197

W. 8,000, IX. 17.

1603

Form A.1. METEORO … GANIZATION.

F … 19.

Kept at Paignt … h. G.M.T. 9h

in the County of D …

by …

ain Gauge……in.
bove Ground……ft……in.
,, Sea Level……ft.

IMPORTANT NO … entered to the previous day.

If an Observer prefers … the reading at 9 a.m. on … this paragraph. Full ins … and particulars as to th … sent post-free on applic … Square, London, N.W. 1. … quested to add … t at the end of … of rain gauges, … nfall Observers," … n, 62, Camden … rm.

Jan. 1, following.

PAIGNTON

M.O.

DEVON

1919 - 1920

Date	Jan.	Feb.								Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	0.38	-								.12	-	0.05	1
2	0.28	-	0.08	-	0.02		0.10	-	0.18	0.05	-	0.63	2
3	0.47	-	0.05	-	0.01		-	-	0.14	-	-	0.01	3
4	0.85	0.70	0.47	-	-	0.05	-	0.12	0.18	-	-	0.01	4
5	0.01	0.23	0.41	-	-	-	-	-	0.44	-	0.08	0.03	5
6	0.47	0.89	0.47	0.02	-	-	0.01	-	0.46	-	0.01	0.08	6
7	0.31	-	0.08	0.07	-	-	0.01	-	-	-	-	0.26	7
8	0.37	-	0.45	-	0.01	-	-	-	-	-	-	0.04	8
9	0.25	-	0.20	0.09	0.06	0.01	-	-	-	-	0.80	-	9
10	0.15	-	0.02	0.01	0.01	-	-	-	-	0.01	0.33	0.09	10
11	0.16	-	0.54	-	0.33	-	0.06	-	-	-	0.07	0.19	11
12	0.20	-	0.27	0.15	0.01	-	-	-	-	0.04	-	0.28	12
13	0.11	0.12	0.02	0.50	-	-	-	-	-	0.01	0.08	0.10	13
14	0.62	0.14	0.13	0.48	0.25	-	-	-	-	-	-	0.03	14
15	0.27	0.17	-	0.09	-	-	-	-	-	-	-	0.46	15
16	0.11	1.16	-	-	-	-	-	-	-	0.01	-	0.01	16
17	0.02	0.60	-	-	-	-	-	-	-	-	0.05	-	17
18	-	0.47	0.47	-	-	-	0.20	0.01	-	-	0.23	-	18
19	0.65	0.51	-	-	-	-	0.67	0.27	0.19	-	0.24	-	19
20	0.41	-	0.10	-	-	0.57	-	0.24	0.01	-	0.15	-	20
21	0.08	1.16	0.02	-	0.06	-	-	-	0.06	-	0.15	0.05	21
22	-	-	-	-	-	-	0.02	0.03	0.06	-	-	0.03	22
23	-	-	0.02	-	-	-	-	0.08	0.10	0.01	-	0.01	23
24	-	-	0.08	-	-	0.25	-	0.28	-	0.63	0.06	0.31	24
25	0.10	0.05	-	0.01	-	0.11	-	0.26	-	0.30	0.07	0.28	25
26	0.10	-	-	0.12	-	-	-	0.04	0.02	-	0.04	0.42	26
27	0.28	-	-	0.15	-	-	0.10	1.85	-	-	-	0.02	27
28	0.01	-	0.05	0.05	-	-	0.02	0.08	-	-	0.51	0.35	28
29	-		0.26	0.02	-	-	-	0.08	0.02	0.01	-	0.18	29
30	-		0.01	0.02	-	0.02	-	0.03	0.02	0.05	0.77	0.62	30
31	-		0.01		-		-	-		-		0.92	31
TOTAL	6.66	6.20	4.21	1.78	0.83	1.01	1.30	3.37	1.90	1.24	3.64	5.46	YEAR'S TOTAL 37.60
Days with ·01 in. or more	24	12	22	14	10	6	10	13	14	11	16	26	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3202.

1603

FORM A.1. METEORO GANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Paignton (M.O.)

in the County of Devonshire

by

Lat. Long.

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·38	-	-	-	0·07		0·11	-	0·02	0·12	-	0·05	1
2	0·28	-	0·08	-	0·02		0·10	-	0·18	0·05	-	0·63	2
3	0·47	-	0·05	-	0·01		-	-	0·14	-	-	0·01	3
4	0·85	0·70	0·47	-	-	0·05	-	0·12	0·18	-	-	0·01	4
5	0·01	0·23	0·41	-	-	-	-	-	0·44	-	0·08	0·03	5
6	0·47	0·89	0·47	0·02	-	-	0·01	-	0·46	-	0·01	0·08	6
7	0·31	-	0·08	0·07	-	-	0·01	-	-	-	-	0·26	7
8	0·37	-	0·45	-	0·01	-	-	-	-	-	-	0·04	8
9	0·25	-	0·20	0·09	0·06	0·01	-	-	-	-	0·80	-	9
10	0·15	-	0·02	0·01	0·01	-	-	-	-	0·01	0·33	0·09	10
11	0·16	-	0·54	-	0·33	-	0·06	-	-	-	0·07	0·19	11
12	0·20	-	0·27	0·15	0·01	-	-	-	-	0·04	-	0·28	12
13	0·11	0·12	0·02	0·50	-	-	-	-	-	0·01	0·08	0·10	13
14	0·62	0·14	0·13	0·48	0·25	-	-	-	-	-	-	0·03	14
15	0·27	0·17	-	0·09	-	-	-	-	-	-	-	0·46	15
16	0·11	1·16	-	-	-	-	-	-	-	0·01	-	0·01	16
17	0·02	0·60	-	-	-	-	-	-	-	-	0·05	-	17
18	-	0·47	0·47	-	-	-	0·20	0·01	-	-	0·23	-	18
19	0·65	0·51	-	-	-	-	0·67	0·27	0·19	-	0·24	-	19
20	0·41	-	0·10	-	-	0·57	-	0·24	0·01	-	0·15	-	20
21	0·08	1·16	0·02	-	0·06	-	-	-	0·06	-	0·15	0·05	21
22	-	-	-	-	-	-	0·02	0·03	0·06	-	-	0·03	22
23	-	-	0·02	-	-	-	-	0·08	0·10	0·01	-	0·01	23
24	-	-	0·08	-	-	0·25	-	0·28	-	0·63	0·06	0·31	24
25	0·10	0·05	-	0·01	-	0·11	-	0·26	-	0·30	0·07	0·28	25
26	0·10	-	-	0·12	-	-	-	0·04	0·02	-	0·04	0·42	26
27	0·28	-	-	0·15	-	-	0·10	1·85	-	-	-	0·02	27
28	0·01	-	0·05	0·05	-	-	0·02	0·08	-	-	0·51	0·35	28
29	-		0·26	0·02	-	-	-	0·08	0·02	0·01		0·18	29
30	-		0·01	0·02	-	0·02	-	0·03	0·02	0·05	0·77	0·62	30
31	-		0·01		-		-	-		-		0·92	31
TOTAL	6·66	6·20	4·21	1·78	0·83	1·01	1·30	3·37	1·90	1·24	3·64	5·46	YEAR'S TOTAL 37·60
Days with ·01 in. or more	24	12	22	14	10	6	10	13	14	11	16	26	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

1518

4 MAR 1921

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Paignton (MO)
in the County of Devon
by C. Bellinger, for Town Council

Lat. 50°26′N Long. 3°34′W
Time of Observation 9h & 18h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.25	-	0.01	0.09	0.50	-	0.46	-	0.07	0.17	0.03	1.08	1
2	0.36	-	-	0.19	0.02	-	0.01	.03	0.05	0.08	-	0.09	2
3	0.04	0.07	-	0.15	-	-	0.04	-	-	0.40	-	0.12	3
4	-	-	-	-	-	-	0.04	.62	-	0.28	-	-	4
5	-	-	0.09	0.18	0.04	-	0.20	.44	-	0.10	-	-	5
6	-	-	0.40	-	0.18	-	0.26	-	-	-	-	-	6
7	0.05	-	0.10	0.11	0.02	-	0.47	-	-	-	-	-	7
8	0.13	0.03	-	0.23	0.01	-	0.04	-	-	-	-	0.18	8
9	0.87	0.06	-	-	-	0.12	0.16	-	-	-	-	-	9
10	1.30	0.13	0.30	-	-	0.25	0.31	-	-	-	-	-	10
11	0.53	-	0.16	0.70	0.29	0.07	0.15	-	-	-	-	-	11
12	0.23	0.09	0.35	0.10	-	0.07	0.03	-	-	-	0.11	0.17	12
13	0.17	0.03	0.53	0.10	-	-	-	-	-	0.03	-	0.28	13
14	0.07	0.04	0.51	0.80	-	-	0.02	-	0.16	0.30	0.34	01	14
15	-	0.06	0.03	0.18	0.05	-	-	-	0.03	0.50	0.04	-	15
16	-	0.02	0.01	-	-	0.05	0.11	-	0.14	0.01	0.01	-	16
17	-	-	-	0.08	0.27	-	0.02	-	0.32	-	-	-	17
18	0.10	0.01	-	0.13	0.06	0.23	0.04	.28	-	-	-	-	18
19	-	0.01	-	0.37	-	0.34	-	-	0.06	-	-	-	19
20	-	0.08	-	0.10	0.14	0.31	-	-	-	0.07	-	0.53	20
21	-	-	-	0.05	-	-	0.05	-	0.01	0.04	-	0.06	21
22	0.04	-	-	0.05	-	-	0.02	-	-	-	-	0.39	22
23	-	-	-	-	-	-	0.15	.05	-	-	-	0.56	23
24	0.01	-	0.21	-	-	-	0.05	-	-	-	0.15	0.20	24
25	0.01	-	0.13	-	-	-	0.57	-	-	-	-	0.02	25
26	0.29	-	0.33	-	-	-	0.05	-	-	-	0.16	0.07	26
27	0.82	0.07	0.16	0.03	0.01	0.09	0.10	-	-	-	0.36	0.51	27
28	0.60	0.02	0.12	0.01	-	0.01	0.03	-	-	-	-	0.12	28
29	0.55	0.03	0.51	0.01	-	0.01	-	-	-	-	0.36	0.48	29
30	0.20		0.21	-	-	0.20	0.07	-	0.82	-	0.25	0.63	30
31	0.07		0.29		-		-	-		0.38		0.15	31
TOTAL	6.69	0.75	4.45	3.66	1.59	1.75	3.45	1.42	1.66	2.36 ~~2.32~~	1.81	5.65	YEAR'S TOTAL 35.24
Days with ·01 in. or more	21	15	19	20	12	12	25	5	9	12	10	19	179
	19	8	16	17	8	10	19	4	7	9	8	17	142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 10/3202.

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

REG

PARKHAM

MELBURY COTTAGE

DEVON.

1911 -

Kept at Melbury Co

in the County of Dev

by Baldwin La

in.

ound 1 ft. " in.

Level 623·33 ft.

ne

ance Direction

IMPORTANT NOTE.- … e result entered to the previous day. If an Obse… sal rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … t of rain, the selection and placing … h Rainfall Organization are given in " … lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	·02	·19	·24	·01	–	·90 T.R	–	·05	·17	·10	1
2	–	–	·01	–	·23	–	–	·30	–	·85	·32	·15	2
3	–	·01 W.F	·05	·01	·46	–	–	·02	·02	·02	·36	·17 H.R	3
4	–	·01 W.F	·09	–	–	–	–	·30	–	–	·56	·97 H.R	4
5	·59	–	·11	·02 S	–	–	–	·23	–	·08	·16 T.H.R	·14 H.R	5
6	·32	–	·05	–	–	–	–	·06	–	–	·26 H.R	1.00	6
7	·16	–	–	–	–	–	–	–	–	–	·835 H.R	·01	7
8	·31	–	·08	–	–	–	–	–	–	–	·38 H.R	·90 H.R	8
9	·20	–	·01	–	–	–	–	–	–	–	·79 H.R	·35 H.R	9
10	·09	·04	·72	–	·16 T.H.R	–	–	–	–	–	·03 H.R	·67 H.R	10
11	·57 T.R	–	–	–	·01 T.R	–	–	–	·09	–	·50	·15 H.R	11
12	–	–	·72 H.R	–	–		–	–	·49	·02	·22 H.R	·21	12
13	–	–	·04 S.H.R	·02	–	–	–	–	·10	·36 T.H.R	·11	·28 H.R	13
14	–	·27	·06 S.H.R	–	–	–	–	–	–	·10	·065	·28	14
15	·05	·10	·165 H.R	–	–	·06	–	–	–	–	·60	·13 H.R	15
16	·03	·02	–	–	–	·30	–	–	–	–	·22	·35	16
17	·01	·15	·02	·03	–	·40	·035	–	–	–	·36	·71	17
18	–	·48	·04	·20	–	·25	·005	–	–	·20	·37 H.R	·61	18
19	–	–	–	·15	–	·60 T.R	–	–	·85	·04	·22 H.R	·79	19
20	·01	·13	·03	·51	–	·02	–	·02	·44	·67	·01 W.F	·30	20
21	·04	·45	–	–	–	·18	–	·14 T.R	·39 H.R	·24	–	·13	21
22	·04	·13	–	·22	–	·31	–	·01	·27	·41	–	·42	22
23	·01	·20	–	·01	–	·01	–	·04	·27	·15	·24 H.R	·21	23
24	·03	·35	–	–	–	·86	–	·28	·08	·33 T.R	–	·25	24
25	·15	–	–	·49	–	·09	–	·01	·12	·30	–	·17	25
26	·02	·20	–	·59	·08	–	·35	·42	–	·38	·01 H.R	·37	26
27	–	1·24	·01	·02	–	–	–	·51	·24	·50	–	·27	27
28	–	·23	–	·59	–	–	–	·08	–	–	·28	·02	28
29	–		–	·10	–	1·29	·16 T.R	·04	·49	·41	·01	·01	29
30	–		–	·01	–	·10	·03	·01	·06	·35 H.R	·10	·05	30
31	–		–		–		·04	–		·32		·03	31
Total	2·72	4·01	2·225	3·16	1·18	4·48	·62	3·37	3·91	5·78	7·18	10·20	TOTAL for year 48·835
No. of Rain Days	18	16	17	16	6	14	5	17	14	20	25	31	199

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at Melbury Cottage, Parkham
in the County of Devon. N 3
by Baldwin Latham.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 623·33 ft.
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	·02	·19	·24	·01	–	·90 T.R	–	·05	·17	·10	1
2	–	–	·01	–	·23	–	–	·30	–	·85	·32	·15	2
3	–	·01 W.F	·05	·01	·46	–	–	·02	·02	·02	·36	·17 H.R	3
4	–	·01 W.F	·09	–	–	–	–	·30	–	–	·56	·97 H.R	4
5	·59	–	·11	·02 S	–	–	–	·23	–	·08	·16 T.H.R	·14 H.R	5
6	·32	–	·05	–	–	–	–	·06		–	·26 H.R	1·00	6
7	·16	–	–	–	–	–	–	–	–	–	·835 H.R	·01	7
8	·31	–	·08	–	–	–	–	–	–	–	·38 H.R	·90 H.R	8
9	·20	–	·01	–	–	–	–	–	–	–	·79 H.R	·35 H.R	9
10	·09	·04	·72	–	·16 T.H.R	–	–	–	–	–	·03 H.R	·67 H.R	10
11	·57 T.R	–	–	–	·01 T.R	–	–	–	·09	–	·50	·15 H.R	11
12	–	–	·72 H.R	–	–	–	–	–	·49	·02	·22 H.R	·21	12
13	–	–	·04 S.H.R	·02	–	–	–	–	·10	·36 T.H.R	·11	·28 H.R	13
14	–	·27	·06 S.H.R	–	–	–	–	–	–	·10	·065	·28	14
15	·05	·10	·165 H.R	–	–	·06	–	–	–	–	·60	·13 H.R	15
16	·03	·02	–	–	–	·30	–	–	–	–	·22	·35	16
17	·01	·15	·02	·03	–	·40	·035	–	–	–	·36	·71	17
18	–	·48	·04	·20	–	·25	·005	–	–	·20	·37 H.R	·61	18
19	–	–	–	·15	–	·60 T.R	–	–	·85	·04	·22 H.R	·79	19
20	·01	·13	·03	·51	–	·02	–	·02	·44	·67	·01 W.F	·30	20
21	·04	·45	–	–	–	·18	–	·14 T.R	·39 H.R	·24	–	·13	21
22	·04	·13	–	·22	–	·31	–	·01	·27	·41	–	·42	22
23	·01	·20	–	·01	–	·01	–	·04	·27	·15	·24 H.R	·21	23
24	·03	·35	–	–	–	·86	–	·28	·08	·33 T.R	–	·25	24
25	·15	–	–	·49	–	·09	–	·01	·12	·30	–	·17	25
26	·02	·20	–	·59	·08	–	·35	·42	–	·38	·01 H.R	·37	26
27	–	1·24	·01	·02	–	–	–	·51	·24	·50	–	·27	27
28	–	·23	–	·59	–	–	–	·08	–	–	·28	·02	28
29	–		–	·10	–	1·29	·16 T.R	·04	·49	·44	·01	·01	29
30	–		–	·01	–	·10	·03	·01	·06	·35 H.R	·10	·05	30
31	–		–		–		·04	–		·32		·03	31
Total	2·72	4·01	2·225	3·16	1·18	4·48	·62	3·37	3·91	5·78	7·18	10·20	TOTAL for year 48·835
No. of Rain Days	18	16	17	16	6	14	5	17	14	20	25	31	199

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Melbury Cottage, Parkham.
in the County of Devon. N3
by Baldwin Latham.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 〃 in.
" " " " Sea Level 623·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	〃	·60	·04	·07	H.R ·47	·04	·05	·09	1·85	〃	H.R. ·36	1
2	〃	〃	·35	·04	·03	H.R 2·03	·02	·01	〃	·03	·07	·02	2
3	·09	·05 s	·35	·02	·02	·10	·05	1·04	·26	〃	〃	·08	3
4	·71	〃	1·09	·04	·045	·27	〃	·21	·03	〃	·24	〃	4
5	S.H.R ·81	·05	·38	·05	·02	·005	·04	·80	〃	〃	·01	·08	5
6	·80	·06	·02	〃	·34	〃	T.H.R ·24	·30	〃	〃	·01	·09	6
7	·11	·41	·18	·02	·32	·35	·22	·55	·02	〃	〃	·12	7
8	·53	·10	·14	·035	·01	·14	〃	·04	·03	〃	〃	·02	8
9	·01	·40	·31	·04	〃	·17	·18	T.H.R ·44	·02	〃	·03	·86	9
10	·36	·06	·10	·02	〃	·17	·12	·02	〃	〃	H.R ·12	·06	10
11	〃	·02	〃	〃	〃	·01	·05	〃	〃	〃	H.R ·24	H.R. 1·02	11
12	·12	·07	·35	·01	·07	〃	·19	·16	〃	〃	H.R ·04	·04	12
13	·30	〃	·025	〃	〃	·02	·15	·04	〃	·17	·01	·06	13
14	·20	·05	·56	〃	·09	·01	·01	·33	·01	·01	·01	·11	14
15	·21	·08	·025	〃	·015	1·42	〃	·02	〃	·01	·02	H.R ·91	15
16	·18	·01	·31	〃	H.R ·06	·09	〃	·46	〃	·28	·07	H.R ·19	16
17	〃	〃	H.R ·28	〃	·04	·22	〃	·65	〃	〃	·03	H.R ·27	17
18	〃	·06	H.R ·20	〃	〃	·01	〃	·60	〃	·33	·03	H.R ·10	18
19	·02	·15	H.R.S ·06	〃	·04	·01	·04	1·04	〃	·10	·02	·08	19
20	·03	·08	H.R ·31	〃	·01	〃	〃	·34	〃	H.R ·68	·10	·01	20
21	·03	·25	H.R ·69	〃	·46	〃	·01	·43	〃	T.H.R ·25	〃	〃	21
22	·26	·36	·32	〃	·04	·03	·01	·54	〃	·06	·09	·20	22
23	·09	·40	·35	〃	·03	·75	·02	1·40	〃	·28	·23	·48	23
24	·01	·08	·13	〃	〃	·45	·10	·01	〃	·085	·02	·19	24
25	·10	·01	·01	〃	〃	·60	·01	·20	〃	·34	1·00	T.R ·92	25
26	〃	·16	·05	〃	〃	〃	·03	·15	〃	·57	H.R ·56	·15	26
27	〃	·03	·09	〃	〃	·63	·43	·06	〃	·90	·01	1·11	27
28	〃	·13	·16	〃	〃	·25	T.R ·50	·95	·31	·15	H.R ·56	·53	28
29	〃	·35	·14	〃	·02	·23	1·00	·31	·29	·36	〃	·16	29
30	〃		·18	·02	〃	·50	·29	·01	·03	·48	〃	·04	30
31	〃		H.R ·48		〃		·31	·06		·03		·30	31
Total	4·98	3·37	8·24	·335	1·73	8·935	4·06	11·22	1·09	6·905	3·52	8·56	YEAR'S TOTAL 62·945
Rain Days.	21	24	30	11	19	24	24	30	10	20	23	29	265

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

11 MAR 1914

Kept at Melbury Cottage, Parkham,
in the County of Devon. N3
by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 〃 in.
〃 〃 〃 〃 Sea Level 623·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·34	·42	·17	·04	〃	〃	〃	·01	〃	·30	·14	1
2	·03	·22	·02	·05	·19	·03	〃	〃	〃	·58 TR	·25	·09	2
3	·12	·02	·07	〃	·23 HR	〃	〃	〃	〃	〃	·01	·35 THR	3
4	·97	〃	·05	〃	·01	·07	·04	〃	·16 T.R	·60 TR	·08	·26 HR	4
5	·22	·02	·05	〃	·27	·68	·18	〃	·17	·04	·63	·67	5
6	·12	·11	·24	〃	·04	·47	〃	〃	〃	·08	·56	·29	6
7	·04	·52	·13	〃	·54	·21	〃	〃	〃	·98 TR	·18	·01	7
8	·06	·36	·01	〃	·10	〃	·02	·08	〃	·02	·005 WF	·05	8
9	·01	·11	·40	·025	·23 HR	·40	·12	·20	·06	〃	·57	·14	9
10	·41	·01	·24	〃	·09	·01	〃	·04	〃	·57	·45	·01	10
11	·40 THR	〃	·02	·03	·26	·24	·02	〃	·05	·04	·76	·12	11
12	·25 HR	·02 W.F.	〃	·11	·02	·07	〃	·01	·30	〃	·51 HR	·04	12
13	·19 H.R.	·01 W.F.	·84	·02	〃	〃	·05	·14	·43	〃	·18 HR	〃	13
14	·17 H.R.	〃	·30	·14	〃	〃	·04	〃	·20 HR	·19	·18 HR	·08	14
15	·12 HR	〃	·54 TH.R.	1·37	〃	〃	〃	〃	·02	·005 WF	·32	·09	15
16	·16	〃	·89 T.S.H.R.	·09 H.R.	〃	〃	·05	〃	·04	〃	·07	·005	16
17	·55 THR	〃	·04 S.H.R.	·15 HR	〃	〃	·08	〃	〃	〃	·23	〃	17
18	·28 T.H.R	〃	·37 HR	·33	〃	·04	·07	〃	〃	〃	·25	〃	18
19	·58 T.H.R	〃	·13 HR	〃	·23	·02	·04	〃	·32	·44	·01	〃	19
20	·28 THR	〃	·27 H.R.	·34	·01	〃	〃	·01	·06	·24	·85	〃	20
21	·08 HR.	〃	·19	·22	·21 TR	〃	〃	·05	·04	·11	·27	〃	21
22	·92	〃	·77	·10	·05	·29	·21	·37	·07	〃	〃	·28 HR.	22
23	·03	〃	·025	·02 TR	〃	·01	〃	·16	·09	〃	·21	·63	23
24	·11	·04	〃	·16	〃	·04	〃	·01	〃	〃	·25	·015	24
25	〃	·02	〃	·58 HR	〃	〃	〃	·01	·05	·03	·21	·28	25
26	·01	·01	〃	·91 HR	·01	·03	〃	·02	〃	·03	·04	·61	26
27	·40	〃	·16	·27	〃	〃	〃	·02	〃	·33 TR	·02	·11 HR	27
28	·06	〃	·15	·33	·28	〃	〃	〃	·04	·31 TR	·01	·17 THSR	28
29	·06		·32	1·06 T.R	〃	〃	〃	〃	〃	·13	·06	〃	29
30	·70 SHR		·02	·02	·08	〃	〃	〃	〃	·38	·09	〃	30
31	·19 T.S.H.R		·69		·12 HR		〃	·25		·03		〃	31
Total	7·58 ✓	1·81 ✓	7·355 ✓	6·495 ✓	3·01 ✓	2·61 ✓	0·92 ✓	1·37 ✓	2·11 ✓	5·135 ✓	7·555 ✓	4·44 ✓	YEAR'S TOTAL 50·39 ✓
Rain Days.	30 ✓	14 ✓	27 ✓	22 ✓	20 ✓	15 ✓	12 ✓	14 ✓	17 ✓	~~19~~ 20 ✓	28 ✓	~~21~~ 22 ✓	~~239~~ ✓

241

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
-1 FEB 1915

Kept at Melbury Cottage, Parkham
in the County of Devon
by Baldwin Latham

N3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 623.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.10 HR	.10	-	.17	.04 TR	.73	-	-	.17	.14 THR	1
2	-	-	-	-	.02	-	.21 TR	.70	-	-	.01	.57 THR	2
3	.10	-	.33	.36	.66 TR	-	-	.17	-	.01	.04	.24 THR	3
4	.31	-	.37	.47	.015	-	.67	.78	-	-	.34	1.50 THR	4
5	.12 HR	-	.53	.51	.02	-	.15	.03	-	-	.12	.52 THR	5
6	-	.05	.20	.07 HR	.18	.03	.37	.12	-	-	.04 TR	.34	6
7	.11	.58 HR	.71	.175 HR	.20	.11 HR	.44	.39	.15 TR	-	.005	.27 TR	7
8	.21	-	.94 SR	.04	.07 HR	.41 THR	.01	.34	.01 WF	-	.01	.07	8
9	.27	.08	.40 HS	.11 HR	.27	1.11	-	.45	.44	-	.01	.07	9
10	.15	.36	.10 H	.40	.16	.03	-	-	.36	-	.02	.07	10
11	-	.23	.90 HR	.01	.04	.14	-	-	.01	-	.07	.505	11
12	-	.64 THR	.15	-	-	-	-	-	.48	-	.18	.10	12
13	-	.70 HR	.58 HR	-	-	-	.19	-	.61	.10	.41 HR	.15	13
14	-	.62 HR	.59	-	-	-	.11	1.53 TR	.01	.02	.39 HR	.09	14
15	-	.01	.30 HR	-	-	-	.11	.10	.11	.01	1.13 THR	.25 HR	15
16	-	.005 WF	.03 H	-	-	-	.04	-	.21	-	.01 WF	.07	16
17	.01 WF	.60 HR	.30 HS	-	-	-	.09	-	.015	-	.02	.96	17
18	-	.20 HR	.38 TSHR	-	-	-	.10	-	.30	-	-	.66 THR	18
19	-	.05	.30 TSH	-	-	-	1.24	-	.08	-	.065	.23 THR	19
20	-	.45 HR	.25 THR	-	-	.18	-	-	-	-	-	.16 HR	20
21	-	.33 HR	.01 WF	-	-	.03	.11	.01	-	.15	-	.07 WF THR	21
22	-	.10 HR	.08	.06	.05	.08		.07	-	.86	-	.01 WF	22
23	.01 WF	.10 HR	.17	-	-	.02	.20	.10	.01 WF	.16	.02 WF	-	23
24	-	.015 WF	.14	-	-	.03	.05	.01	-	.05	.25 HR	.02 WF	24
25	.35	.01	.18 HR	-	-	-	.08	.77	-	.55	.07	.55	25
26	.23 HR	.005	.07 HR	-	-	-	.17	-	-	.11	.60 HR	.55	26
27	.09	.06	.06	-	-	-	.04	-	-	.49 HR	.65	.44	27
28	.06	.07	.17	-	.12	-	-	-	-	.36	.20	.71 HR	28
29	.57	X	.60	-	.10	-	-	-	-	.15	.69	.05 HR	29
30	.02	X	.33	-	-	-	-	-	.02 WF	.10	.86 HR	.47	30
31	.13	X	-	X	.06	X	.60	-	X	.32	X	.46	31
Total	2.74	5.305	9.30	2.305	1.965	2.34	5.02	6.30	2.815	3.44	6.38	10.295	YEAR'S TOTAL 58.205
Rain Days.	16	22 21	29	11	14	12	21	16	15	15	26 25	30	227 225

W. 8,000. X. 14.

1969

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Melbury Cottage, Parkham,
in the County of Devon.
by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 623·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42^{TR}	·33	·005^{H}	-	·11	-	-	·40	·18	·32	-	·78^{HR}	1
2	·42^{HR}	·37	·33	·19	-	·12	·02	·25	·24^{THR}	·01	-	·60	2
3	·04	·20	·27	·36	·26	-	·02	·02	-	·01	-	·50	3
4	·03	·45	·05	-	·02	·01	·10^{THR}	·005	-	-	-	·61	4
5	·05	·32	·04	·19	-	·02	-	·57	-	-	-	·50	5
6	·65	·09	·02	·48^{HR}	-	-	·26	·11	-	-	·02	·51^{HR}	6
7	·46^{THR}	·86^{TSHR}	-	·03	·62^{TR}	·01	·37	·04	-	·40	·02	·38	7
8	·36^{HR}	·64^{TSHR}	-	-	-	-	·01	·23	-	-	·86	·25	8
9	·08	·29^{SHR}	-	·21	-	-	-	·10	-	-	·44^{THR}	1·16	9
10	·50^{HR}	·43^{S}	·15	·15	-	·005	·01	·02	-	·08	·03^{HR}	·03^{HR}	10
11	·02^{HR}	·01^{WF}	-	·005	·02	-	·04	·02	-	·11	1·15	·10^{HSR}	11
12	·08	·26	-	·05	·46	-	·01	·09	-	·04	·33^{THR}	·13^{S}	12
13	·09	·68	-	·06	·62	-	·15	·06	·14	·05	·25^{HR}	·14	13
14	·15	-	-	-	-	-	·14	·19	·22	-	·08^{HR}	1·58	14
15	·25	·01^{WF}	-	-	·33	-	·32	·01	·11	·01	·15^{HR}	·30^{HR}	15
16	-	1·35	-	·07	·15	-	1·40	·01	·01	-	-	·02^{HWF}	16
17	·005^{S}	·30	-	-	·23	-	-	-	·02	-	-	·01^{WF}	17
18	·03	·39	-	-	-	-	·08	-	-	-	-	-	18
19	·10	·02	-	·19	·24	-	·35	-	-	-	-	-	19
20	·80	·01^{WF}	-	·11	-	·09	·05	-	·17	·19	-	·11	20
21	·21^{SHR}	·32^{S}	-	-	·19	·05	·50	-	-	·31^{THR}	-	·27	21
22	·06^{SR}	·13^{SR}	·20	·03	-	·05	·27	-	·02	·39	-	·57^{HR}	22
23	·03	·04^{S}	·07	-	-	·03	·21	-	·02	·66	-	·96^{THR}	23
24	·01^{WF}	-	·02	·05	-	·09	·08	-	·10^{HR}	·47	-	·49^{HR}	24
25	-	-	·02	-	-	·25	·11	-	·01	·01	-	·21^{THR}	25
26	-	·22	-	-	·02^{TR}	·16	·09	-	·16	-	-	·58	26
27	-	·08	-	-	-	·34	·06	-	·09	·68	-	·08	27
28	-	·08^{H}	·005^{S}	-	-	·06	-	·03	·38^{HR}	·24^{HR}	·03	·01	28
29	-	X	-	-	-	·30	-	·04	·16^{HR}	·37^{HR}	·35^{HR}	·04	29
30	·27	X	-	·03	-	·06	-	-	·14^{HR}	·35	·43^{THR}	·40	30
31	·01^{WF}	X	-	X	-	X	·11	·13	X	·30	X	·37	31
Total	5·125	7·88	1·18	2·205	3·27	1·645	4·76	2·325	2·17	5·00	4·14	11·69	YEAR'S TOTAL 51·39
Rain Days.	~~24~~ 25	25	~~10~~ 11	15	13	~~15~~ 16	24	18	17	20	13	29	223 226

00; X. 15

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Melbury Cottage, Parkham
in the County of Devon
by Frank Harding Per G. B. Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 01 in.
" " " " Sea Level 623·32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	45		02		14	38	21		01	33	02		1
2	71	08	40		08		01	01	28	52	24		2
3	03	1·26		01	23	25	13		04	44	1·15	02	3
4	50	30		02	11	81			19	04	37		4
5	20	55	05		06	08	21		02	42	46	01	5
6	17	17	005	02	20	48	15			25	75		6
7	17	38	04	01	38	12				02	40	24	7
8		36	02		35	08				03	19	19	8
9		06	01		03	01	09			10	07	62	9
10		1·03	005	16	04		03		10	03	02		10
11		02	01	28	14		09		05	015	04		11
12	09	15	09	18	26		10	20		38	03	04	12
13		65	04	03	04		01	28		08	005	06	13
14	12	61	01		16		01	30		10		02	14
15	04	48	07	22	015			50		02			15
16	02	01		32	01		09	21		·25		02	16
17	32	28	01	03					1·38	39	76	02	17
18	01	43	40	08				04	16	02		12	18
19	59	15		21				01			74	13	19
20	23	52	31								34	27	20
21	19	09	15		02	07					26	23	21
22	01			17		09		20		30	16	66	22
23	06	03	01			114		16		11	35	08	23
24	01	02	30	17	09	05		11		44	03	32	24
25		08	29		06	08		37	03	28	32	01	25
26	17	01	09		02	14		02	1·06	48	07	01	26
27	05		95		08	06		12	16	1·18	005	01	27
28		27	01			05		16	35	54	01	1·25	28
29		52	02			·83		1·15	06	45	005	63	29
30		✕				22		09	-	35	02	05	30
31		✕	015	✕		✕		21	✕	68	✕	10	31
Total	4·14 ✓	8·51 ✓	3·325 ✓	1·91 ✓	2·595	6·94 ✓	1·13 ✓	4·14 ✓	3·89 ✓	8·245 ✓	5·780 ✓	5·11 ✓	YEAR'S TOTAL ✓ 53715
Rain Days.	21 ✓	26 ✓	24	15 ✓	21 ✓	18 ✓	12 ✓	18 ✓	14 ✓	28 ✓	~~23~~ 24	24 ✓	265

W. 8,000, VIII. 16

30

REGISTER OF RAINFALL IN 1918

Ex. [illegible]

FORM A.
BRITISH RAINFALL.
4 . 1 . 19

Kept at Melbury Cottage (Horns Cross) S.O
in the County of Devon
by Frank Harding, (Northam U.D.C.)

Lat. Long.
Time of Observation 9. a.m. Greenwich
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 633.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·10	—	·24	·03	·10	—	·82	—	·02	—	·09	1
2	—	·18	—	·04	—	—	—	·10	·11	—	·16	·77	2
3	—	·09	—	—	—	—	—	·20	·30	·18	·20	·10	3
4	—	·07	—	·04	·12	—	—	·70	—	·19	·76	·75	4
5	—	·02	·12	·43	·10	—	—	·01	T.R. ·60	·61	H.T. ·20	—	5
6	—	·94	·09	·54	—	—	—	·01	·50	·28	·01	—	6
7	HR ·20	·39	—	—	—	·04	—	·08	T.HR. ·38	H.R. ·09	H.R. ·28	·03	7
8	S ·07	·03	—	—	—	—	·17	—	T.HR. ·50	·38	H ·02	·12	8
9	H.S. ·13	·02	—	·04	—	—	~~HR~~ ·05	—	T.HR. ·78	·16	—	·60	9
10	·15	·10	—	·40	—	—	H.R. 1·07	—	·76	·16	·13	·61	10
11	H ·02	·15	·20	·02	·02	—	H.R. ·50	—	·64	·02	·13	·34	11
12	·06	·03	·10	—	·25	·02	—	—	—	·02	—	·14	12
13	S. ·35	·20	—	—	—	·20	·21	—	1·17	·21	—	·09	13
14	·40	—	—	—	·12	—	·40	·04	·70	·08	—	·16	14
15	H.R. 1·63	—	—	—	·02	—	·66	—	·04	·20	—	·82	15
16	S H.R. ·63	—	—	S.R. ·40	—	·04	·06	—	·20	—	—	·28	16
17	S.R. ·60	—	—	·16	—	—	·05	·20	·15	—	—	·25	17
18	1·75	·05	·12	—	—	·70	·26	·06	·85	·28	—	T.HR. ·50	18
19	·12	·05	·23	S ·09	—	—	·24	·005	·15	·03	—	—	19
20	·30	·30	—	·16	—	·09	·13	·005	·20	·02	—	—	20
21	·13	—	—	·01	—	·24	·30	—	·78	·09	—	·34	21
22	·02	—	—	—	T.R. ·18	—	·21	—	·25	·03	—	·50	22
23	·24	·02	—	—	·07	·03	H ·56	—	·08	—	—	T.HR. ·30	23
24	—	·34	—	—	—	·12	·12	·18	·44	·28	·47	·05	24
25	—	—	—	—	T.R. ·32	—	·60	·26	—	—	21 ·26	·10	25
26	—	·20	·09	—	—	—	·62	—	·28	—	·16	·80	26
27	—	·22	·26	—	—	—	—	—	·58	·12	·52	·15	27
28	—	S ·26	—	—	—	—	—	—	·10	—	·27	·30	28
29	—		—	—	—	—	—	—	1·50	—	—	·11	29
30	—	X	·56	·07	—	—	—	·18	·07	—	·09	—	30
31	—	X	·42	X	—	X	—	·06	X	·15	X	·06	31
Total	6·80	3·75	2·19	2·64	1·23	1·58	6·21	2·91	12·11	3·60	3·61	8·36	YEAR'S TOTAL 54·99
Rain Days.	17	21	10	14	10	10	18	15 ~~26~~	26	22	15	26	2·04 ~~2·05~~

~~14~~

204
~~203~~

W. 8,000, IX. 17.

[illegible] 30 3 20

cont/f marks [illegible]　Obs. agrees.　1722

JAN 20

Form A. 10　**METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at *Melbury Moor Parkham*
in the County of *Devon*
by *Frank Harding. (R.U.D.C.)*

Lat. Long.
Time of Observation 9.am
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 633 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	HR. ·60	—	—	H.S. ·23	·32	—	J.HR. ·10	—	·17	—	—	1·46	1
2	HR. ·32	—	·20	—	·12	—	J.HR. ·10	—	—	·26	—	·36	2
3	·03	—	·15	—	·13	—	—	·16	—	·36	—	1·09	3
4	·07	·31	·20	—	·04	·14	—	—	·37	·06	—	·02	4
5	HR. ·20	·42	·33	—	—	—	—	—	·05	—	—	HR ·48	5
6	·32	·33	·47	—	—	—	—	—	·16	—	—	·29	6
7	·08	—	·35	·08	—	—	—	—	·01	—	·02	·39	7
8	·40	—	·08	·02	—	·10	—	—	—	—	S.R ·12	·15	8
9	H.S.R ·32	—	·27	·20	—	—	—	—	—	—	S.R. 1·40	·02	9
10	H.S.R ·28	—	1·30	·12	·22	·02	—	—	—	—	—	·67	10
11	HR. ·15	—	·47	·18	·23	J.R. ·05	·17	—	—	—	—	·02	11
12	HR. ·45	—	·10	H.S.R. ·20	·03	·39	·08	—	—	·19	—	·01	12
13	·30	·02	·15	H.S.R. ·50	—	—	—	—	—	·17	—	·20	13
14	·86	·11	—	·44	J.HR. ·44	—	·04	—	·09	·20	—	·15	14
15	HR. ·37	·03	—	·09	—	—	—	—	—	·04	—	·55	15
16	J. HR. ·20	1·75	—	—	—	—	—	—	—	·05	S.R. ·41	·02	16
17	H.F. H.R. ·02	S.H.R. ·12	·02	—	·09	·02	—	·09	—	—	·87	·07	17
18	·08	·12	·64	—	—	·05	·22	·57	·16	—	·70	·05	18
19	·45	·23	H.R. ·38	—	—	·12	—	·55	H.R. ·47	—	H.R. ·40	·08	19
20	·25	·10	S.H.R. ·15	—	·04	·10	·09	·07	—	—	HR ·15	HR ·36	20
21	HR. ·15	·80	·02	—	·23	—	·50	—	·12	—	·02	·02	21
22	H.F. ·02	·06	—	—	·03	·04	·12	—	·25	—	·12	·25	22
23	—	—	—	—	—	—	—	·02	·37	·25	HR ·15	S.HR. ·25	23
24	HR. ·15	—	—	—	—	·32	—	·01	·02	·23	HR ·25	·43	24
25	S.HR. ·20	—	—	—	—	—	—	J.R. ·60	·05	—	S.HR. ·18	·13	25
26	S.R. ·30	—	·21	·20	—	·06	—	·05	—	—	—	·65	26
27	S.HR. ·09	S ·01	H. ·01	S.H. ·16	—	—	—	·35	—	·48	—	·09	27
28	H.F. ·02	—	·39	J.R. ·21	—	—	—	H. ·05	—	·07	S.R ·20	·73	28
29	—		S. ·02	·27	—	—	—	·30	—	—	S.HR. ·05	·22	29
30	—		S ·03	·12	—	·32	·09	·18	—	—	·56	HR ·60	30
31	S. ·02		H.S. ·26		—		—	—		—		·65	31
TOTAL	6·69	~~3·43~~ 4·41	6·20	3·02	1·92	1·73	1·51	3·00	2·29	2·36	5·60	10·46	YEAR'S TOTAL ~~48·21~~ 49·19
Days with ·01 in. or more	28	14	23	15	12	13	10	13	13	12	16	31	200

Melbury Waterworks
Horns Cross S.O
March 31st 1920

1919
February

Date	Cot	Res
1	—	—
2	—	—
3	—	—
4	·31	·38
5	·42	·45
6	·33	·35
7	—	—
8	—	—
9	—	—
10	—	—
11	—	—
12	—	—
13	·02	·03
14	·11	·13
15	·03	·04
16	1·75	1·88
17 S.HR.	·12	·12 S.HR.
18	·12	·12
19	·23	·22
20	·10	·14
21	80	·90
22	·06	·06
23	—	—
24	—	—
25	—	—
26	—	—
27	S ·01	·01 S
28	—	—
	4·41	4·83

Dear Sir

I beg to thank you for your letter, I am giving the records for February again, I am sorry to give any trouble my main object in giving information is to be thoroughly correct and reliable, I might have entered unknowingly a figure in the wrong column if so please excuse the error

Yours faithfully
Frank Harding

John Glasspoole Esq
Mt. Office
London

The correct total for Cottage is 4·41 apparently I placed the three instead of one in adding the first column. sorry for error I have only one before in over twenty years.

W WRO 1-34

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Melbury Cottage Parkham
in the County of Devon
by Hauk Harding, Northam U.D.C.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground [illegible] ft. in.
" " " " Sea Level 630.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	·02	·05	·44	—	1·54	·28	·20	·06	·04	·51	1
2	·24	·01	—	·38	—	—	·15	·01	·44	·31	—	H.R. ·27	2
3	·24	·11	—	·02	—	—	·05	·18	·10	·87	—	H.R. ·21	3
W. Frost 4	·01	·03	·09	—	·02	—	—	·82	·11	·29	—	·11	4
5	·01	·02	·09	—	·31	—	·50	·07	·05	·28	—	—	5
6	·01	—	·50	—	·66	—	·17	—	—	·28	·06	—	6
H.R. 7	·04	—	—	·34	·05	—	·17	—	—	·01	·03	·05	7
H.R. 8	·06	·40	·08	·65	·19	—	·45	·25	—	—	—	—	8
9	1·30	·45	—	·23	—	·09	·51	·06	·08	—	·07	W.F. ·01	9
H.R. 10	1·55	·56	—	·53	—	T.H.R. 1·15	·21	—	—	—	·25	—	10
T.S.H.R. 11	·43	·20	·13	T.R. ·34	T.R. ·20	·01	·16	—	—	—	—	—	11
12	·50	·04	·20	·18	·04	T.R. ·08	·11	·06	—	—	·35	S ·01	12
13	·25	·10	·60	·21	—	T.H.R. ·16	·01	—	—	·79	·04	—	13
14	·25	·08	·01	·65	—	T.H.R. ·18	·18	—	·38	·52	·85	—	14
15	·05	·12	·08	—	T.R. ·15	·16	—	—	—	·39	·10	—	15
16	·06	—	·08	—	·05	·09	·11	·03	T.R. ·50	·83	H.R. ·12	—	16
17	·27	—	—	·65	·35	—	—	·03	1·71	·08	W.F. ·02	—	17
18	·44	·05	—	·07	·05	·20	—	·45	·20	—	—	—	18
19	·14	·15	—	·85	·03	·25	·01	—	H.R. ·03	—	—	—	19
20	·08	—	—	·07	—	—	·01	—	·05	·09	—	H.R. ·38	20
21	·02	—	—	·05	—	—	·07	—	—	·09	—	H.R. ·57	21
22	·08	—	—	·02	—	—	·09	—	—	—	—	H.R. ·54	22
23	·44	—	·10	—	—	—	·91	·01	—	—	—	·84	23
24	·14	·08	·36	·03	—	·12	·01	·35	—	—	·10	·34	24
25	·04	·20	H.R. ·30	—	—	·08	·90	—	—	—	·01	·24	25
26	·18	·06	H.R. ·45	—	—	·12	·22	—	—	—	·17	·04	26
27	·65	·14	·15	H.R. ·22	·11	·55	·06	—	—	—	1·01	·30	27
28	·69	·02	·50	H.R. ·22	—	·19	·18	—	—	—	·13	·08	28
T.H.S. 29	·33	·01	·45	H.R. ·14	·34	·01	·10	—	—	—	·25	·68	29
30	·08	╳	·67	·01	·09	·40	·20	—	1·27	·24	·26	·83	30
31	·24	╳	·48	╳	—	╳	·24	—	╳	·74	╳	·28	31
Total	8·86	2·82	5·33 4	5·91	3·08	3·84	7·32	2·605	5·12	5·87	3·86	6·29	Year's Total 60·945
Days with ·01 in. or more	31	21	20	22	16	17	27	13	13	16	18	19	233
Days with ·04 in. or more	·27	14	18	18	14	15	23	9	12	15	15	17	197

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL
23 FEB 1912
185

RE 1.

PARKHAM.

MÊLBURY RES

DEVON

1911 –

Kept at Melbury
in the County of De
by Baldwin

5 in.
Ground 1 ft. " in.
Sea Level 515·78 ft.
Name
Distance Direction

IMPORTANT NOTI … the result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the read … ar in the space provided for it at the end of this … ent of rain, the selection and placing … ish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	–	·01	·20	·26	·03	–	T.R ·94	–	·06	·27	·10	1
2	–	–	·02	–	·24	–	–	·31	–	·75	·33	·16	2
3	–	·01 W.F	·11	·01	·53	–	–	·025	·03	·01	·49	H.R ·18	3
4	–	·01 W.F	·12	–	–	–	–	·30	–	–	·87	H.R ·97	4
5	·64	–	·13	·01 S	–	–	–	·28	–	·07	T.H.R ·24	H.R ·10	5
6	·28	–	·03	–	–	–	–	·075	–	–	H.R ·46	1·09	6
7	·19	–	–	–	–	–	–	–	–	–	H.R ·70	·01	7
8	·31	–	·12	–	–	–	–	–	–	–	H.R ·39	H.R ·99	8
9	·21	–	·02	–	–	–	–	–	–	–	H.R ·76	HR ·37	9
10	·10	·05	·81	–	T.H.R ·23	–	–	–	–	–	H.R ·03	HR ·81	10
11	T.R ·63	–	–	–	T.R ·02	–	–	–	·10	–	·50	H.R ·19	11
12	–	–	H.R ·61	–	–	–	–	–	·50	–	H.R ·28	·42	12
13	–	–	S.H.R ·06	·03	·11	–	–	–	·12	T.H.R ·41	·10	HR ·26	13
14	–	·28	S.H.R ·09	–	–	–	–	–	–	·12	·15	·31	14
15	·07	·15	H.R ·105	–	–	·06	–	–	–	–	·75	H.R ·14	15
16	·02	·05	–	–	–	·26	–	–	–	–	·25	·50	16
17	·01	·22	·05	·04	–	·42	·03	–	–	–	·40	·81	17
18	–	·61	·07	·20	–	·24	·01 ~~·005~~	–	–	·27	·39	·61	18
19	–	–	–	·20	–	T.R ·65	–	–	·84	·07	·15	·81	19
20	·02	·21	·065	·60	–	·03	–	·01	·41	·69	·01	·31	20
21	·04	·53	–	–	–	·18	–	T.R ·14	39	·25	–	·17	21
22	·07	·22	–	·25	–	·33	–	·01	·28	·53	–	·41	22
23	·03	·25	–	·01	–	·01	–	·10	·27	·17	·26	·19	23
24	·03	·40	–	–	–	·74	–	·24	·06	T.R ·47	–	·20	24
25	·15	–	–	·53	–	·08	–	·02	·10	·28	–	·23	25
26	·02	·15	–	·66	·09	–	·38	·46	–	·45	·04	·40	26
27	–	1·43	–	·03	–	–	–	·45	·26	·37	–	·32	27
28	–	·12	–	·68	–	–	–	·08	–	–	·31	·03	28
29	–	X	–	·12	–	1·32	·19	·02	·62	·50	·01	·02	29
30	–	X	–	·01	–	·08	·03	·01	·03	H.R ·47	·11	·06	30
31	–	X	–	X	–	X	·05	–	X	·27	X	·03	31
Total	2·94 ✓	4·69 ✓	2·42 ✓	3·58 ✓	1·48 ✓	4·43 ✓	·69 ✓	3·47	4·01 ✓	6·21 ✓	8·25 ✓	11·20	TOTAL for year ~~53·3~~ ✓
No. of Rain Days.	18 ✓	16 ✓	16 ✓	16 ✓	7 ✓	14 ✓	5 6 ✓	17 ✓	14 ✓	18 ✓	25 ✓	31 ✓	197 ✓

53·37 ✓

W. 8,000, X. '11.

185

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at Melbury Reservoir, Parkham

in the County of Devon. N 3

by Baldwin Latham.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 515·78 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	–	·01	·20	·26	·03	–	·94 T.R	–	·06	·27	·10	1
2	–	–	·02	–	·24	–	–	·31	–	75 ~~·7~~	·33	·16	2
3	–	·01 W.F	·11	·01	·53	–	–	·025	·03	01 ~~·[illegible]~~	49 ~~·[illegible]~~	·18 H.R	3
4	–	·01 W.F	·12	–	–	–	–	·30	–	–	·87	·97 H.R	4
5	·64	–	·13	·01 S	–	–	–	·28	–	·07	·24 T.H.R	·10 H.R	5
6	·28	–	·03	–	–	–	–	·075	–	–	·46 H.R	1·09	6
7	·19	–	–	–	–	–	–	–	–	–	·70 H.R	·01	7
8	·31	–	·12	–	–	–	–	–	–	–	·39 H.R	·99 H.R	8
9	·21	–	·02	–	–	–	–	–	–	–	·76 H.R	·37 HR	9
10	·10	·05	·81	–	·23 T.H.R	–	–	–	–	–	·03 H.R	·81 HR	10
11	·63 T.R	–	–	–	·02 T.R	–	–	–	·10	–	·50	·19 H.R	11
12	–	–	·61 H.R	–	–	–	–	–	·50	–	·28 H.R	·42	12
13	–	–	·06 S.H.R	·03	·11	–	–	–	·12	·41 T.H.R	·10	·26 HR	13
14	–	·28	·09 S.H.R	–	–	–	–	–	–	·12	·15	·31	14
15	·07	·15	·105 H.R	–	–	·06	–	–	–	–	·75	·14 H.R	15
16	·02	·05	–	–	–	·26	–	–	–	–	·25	·50	16
17	·01	·22	·05	·04	–	·42	·03	–	–	–	·40	·81	17
18	–	·61	·07	·20	–	·24	01 ~~·005~~	–	–	·27	·39	·61	18
19	–	–	–	·20	–	·65 T.R	–	–	·84	·07	·15	·81	19
20	·02	·21	·065	·60	–	·03	–	·01	·41	·69	·01	·31	20
21	·04	·53	–	–	–	·18	–	·14 T.R	39 ~~·35 H.R~~	·25	–	·17	21
22	·07	·22	–	·25	–	·33	–	·01	·28	·53	–	·41	22
23	·03	·25	–	·01	–	·01	–	·10	·27	·17~~5~~	·26	·19	23
24	·03	·40	–	–	–	·74	–	·24	·06	·47 T.R	–	·20	24
25	·15	–	–	·55	–	·08	–	·02	·10	·28	–	·23	25
26	·02	·15	–	·66	·09	–	·38	·46		·45	·04	·40	26
27	–	1·43	–	03 ~~·025~~	–		–	·45	·26	·37	–	·32	27
28	–	·12	–	·68	–	–	–	·08	–	–	·31	·03	28
29	–	X	–	·12	–	1·32	·19	·02	·62	·50	·01	·02	29
30	–	X	–	·01	–	·08	·03	·01	·03	·47 H.R	·11	·06	30
31	–	X	–	X	–	X	·05	–	X	·27	X	03 ~~·025~~	31
Total	2·94 ✓	4·69 ✓	2·42 ✓	3·58 ~~[illegible]~~ ✓	1·48 ✓	4·43 ✓	·69 ~~[illegible]~~ ✓	3·47 ✓	4·01 ~~[illegible]~~ ✓	6·2~~[illegible]~~ 1 ✓	8·2~~[illegible]~~5 ✓	11·20 ~~[illegible]~~	TOTAL for year ✓ ~~53·3[illegible]~~
No. of Rain Days.	18 ✓	16 ✓	16 ✓	16 ✓	7 ✓	14 ✓	~~5~~ 6 ✓	17 ✓	14 ✓	18 ✓	25 ✓	31 ✓	197 ✓

53·37 ~~[illegible]~~ ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL FORMS 1357
27 JAN 1913

Kept at Melbury Reservoir, Parkham
in the County of Devon N3
by Baldwin Latham.

[illegible]

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 515·78 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	"	·60	·01	·07	H.R. ·48	·03	·04	·08	2·00	"	H.R ·41	1
2	"	"	·36	·04	·04	H.R 2·02	·01	·01	"	·02	·07	·02	2
3	S.H.R ·17	S ·05	·52	·03	·01	·12	·05	1·13	·34	"	"	·08	3
4	·83	"	1·35	·03	·05	·28	"	·27	·02	"	·36	"	4
5	1·12	·15	·36	·06	·03	·01	·04	·75	"	"	·05	·09	5
6	·72	·07	·03	"	·35	"	T.H.R ·10	·31	"	"	·02	·06	6
7.	·12	·42	·23	·03	·30	·36	·22	·45	·01	"	"	·11	7
8	·53	·10	·08	·04	·01	·14	"	·01	·02	"	"	·02	8
9	·02	·40	·38	·05	"	·11	·19	T.H.R ·47	·01	"	·03	1·00	9
10	·39	·05	·13	·02	"	·18	·15	·04	"	"	H.R ·24	·07	10
11	"	·02	"	"	"	"	·02	"	"	"	H.R ·18	H.R 1·06	11
12	·12	·02	·36	·01	·07	"	·20	·12	"	"	H.R ·03	·07	12
13	·35	"	·05	"	"	·03	·14	·05	"	·19	"	·07	13
14	·25	·05	·66	"	·10	·01	·01	·31	·01	·01	·01	·32	14
15	·26	·07	·03	"	·01	1·48	"	·03	"	·01	·02	H.R 1·13	15
16	·15	·01	·47	"	H.R ·05	·10	"	·52	"	·30	·09	H.R ·22	16
17	"	"	H.R ·31	"	·04	·26	"	·60	"	"	·04	H.R ·30	17
18	"	·06	H.R ·24	"	"	"	"	·79	"	·39	·05	H.R ·09	18
19	·02	·19	H.R.S ·05	"	·04	·02	·03	·79	"	·08	·03	·07	19
20	·04	·10	H.R ·35	"	·01	"	"	·32	"	H.R ·79	·10	·01	20
21	·04	·29	H.R ·70	"	·48	"	·01	·41	"	T.H.R ·18	"	"	21
22	·27	·40	·35	"	·06	·03	·01	·67	"	·13	·10	·24	22
23	·10	·39	·32	"	·03	·81	·01	1·57	"	·30	·25	·43	23
24	·02	·09	·19	"	"	·51	·10	·02	"	·07	·02	·24	24
25	·09	·01	·01	"	"	·63	·01	·19	"	·36	1·20	T.R 1·03	25
26	"	·21	·04	"	"	"	·04	·18	"	·40	·75	·21	26
27	"	·03	·10	"	"	·67	·43	·04	"	·97	·01	1·27	27
28	"	·17	·15	"	"	·30	T.R ·76	1·01	·33	·20	H.R ·53	·59	28
29	"	·37	·12	"	·04	·24	1·08	·30	·28	·42	"	·11	29
30	"	X	·16	·02	"	·36	·36	·01	·03	·49	"	·03	30
31	"	X	H.R ·49	X	"	X	·22	·06	X	·05	X	·36	31
Total	5·62	3·72	9·19	·34	1·79	9·10	4·22	11·47	1·13	7·36	4·18	9·71	YEAR'S TOTAL 67·83
Rain Days.	20	24	30	11	19	23	24	29	10	20	22	29	261

30 262

1857

FORM A. BRITISH RAINFALL

11 MAR 1914

REGISTER OF RAINFALL IN 19~~12~~ 13

Kept at Melbury Reservoir, Parkham,

in the County of Devon N3

by Baldwin Latham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . in.

" " " " Sea Level 515·48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·38	·45	·12	·02	"	"	"	·01	"	·33	·29	1
2	·06	·18	·03	·06	·18	05 ~~·045~~	"	"	"	·58 TR	·28	·15	2
3	·13	·02	·18	"	·25 HR	"	"	"	"	"	·01	·44 THR	3
4	·95	"	·09	"	·01	·07	·04	"	·09 TR	·71 TR	·38	·30 HR	4
5	·22	·03	·05	"	·27	·90	·10	"	·19	·02	·37	·74	5
6	·15	·20	·26	"	05 ~~·045~~	·36	"	"	"	·12	·47	·25	6
7	03 ~~·025~~	63 ~~·625~~	·14	"	·60	·28	"	"	"	·80 TR	·20	·04	7
8	·04	·45	·01	"	·10	"	·03	·08	"	·03	·01 WF	·07	8
9	·016	13 ~~·125~~	37 ~~·365~~	·03	·25 HR	·62	13 ~~·125~~	·20	·05	"	·61	·21	9
10	·64	·01	·26	"	·10	·01	"	·06	"	·59	·43	·01	10
11	·45 THR	"	03 ~~·025~~	·03	·30	·24	·02	"	·06	·06	·75	·22	11
12	·30 HR	·02 WF	"	·12	·03	·11	"	·01	·37	"	·57 HR	·01	12
13	·10 HR	·016 WF	·86	·07	"	"	·05	·15	·48	"	·31 HR	"	13
14	·21 HR	"	·29	·13	"	"	·05	"	·34 HR	·21	·20 HR	·14	14
15	·13 HR	"	·56 THR	1·84	"	"	"	"	·02	01 WF ~~·025~~	·25	13 ~~·125~~	15
16	·33	"	·90 TSHR	·13 HR	"	"	·05	"	·05	"	·10	01 ~~·125~~	16
17	·40 THR	"	·036 SHR	·16 HR	"	"	·12	"	"	"	·53	"	17
18	·32 THR	"	·27 HR	·36	"	·04	·07	"	"	"	·18	"	18
19	·55 THR	"	·23 HR	"	·12	·02	·05	"	·34	·48	·02	"	19
20	·31 THR	"	·28 HR	·35	·01	"	"	03 ~~·025~~	·07	·23	1·00	"	20
21	·08 HR	"	·20	·21	·24 TR	"	"	·07	·03	·116	·15	"	21
22	·80	"	·92	·11	·07	·29	·20	·37	·09	"	"	·32 HR	22
23	·035	"	·03	·016 TR	"	·01	"	·20	·03	"	·21	·65	23
24	·15	·075	"	·16	"	·04	"	·02	"	"	·22	·02	24
25	"	·02	"	·55 HR	"	"	"	·07	·08	·03	·23	·35	25
26	·01	·01	"	1·12 HR	·016	·04	"	03 ~~·025~~	"	·03	·01	·82	26
27	·46	"	·19	·29	"	"	"	03 ~~·025~~	"	·34 TR	·01	·12 HR	27
28	·06	"	·17	·35	·30	"	"	"	·05	19 TR ~~·185~~	·01	·10 THSR	28
29	·06	×	·36	1·08 TR	"	"	"	"	"	·20	·07	"	29
30	·96 SHR	×	·02	·03	·08	"	"	"	"	·415	·14	"	30
31	·27 TSHR	×	·77	×	·09 HR	×	"	·25	×	·03	×	"	31
Total	8·27 ~~[illegible]~~	2·16	7·95 ~~7·945~~	7·266	3·08	3·08 ~~3·075~~	0·91 ~~0·905~~	1·51 ~~1·495~~	2·35	5·18	8·05	5·35 6	YEAR'S TOTAL ~~55·12~~
Rain Days.	30	14	27	22	20	15	12	14	17	20 ~~19~~	29	21	~~240~~

55·15 241

W.7,000, XI. 13

Ex D.L.

1857

FORM A. BRITISH RAINFALL.
-1 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Melbury Reservoir, Parkham.

in the County of Devon

by Baldwin Latham.

N3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 515·78 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·10 HR	·10	-	·19	·04 TR	·73	-	-	·18	·17 THR	1
2	-	-	-	-	·03	-	·40 TR	·69	-	-	·02	·61 THR	2
3	·15	-	·40	·41	·72 TR	-	-	·13	-	·01	·06	·63 THR	3
4	·50	-	·29	·47	·01	-	·68	·87	-	-	·35	·87 THR	4
5	·09 HR	-	·55	·49	·02	-	·12	·04	-	-	·12	·07 THR	5
6	-	·07	·29	·10 HR	·19	·03	·38	·12	-	-	·03 TR	·37	6
7	·16	·72 HR	·78	·17 HR	·21	·11 HR	·43	·47	·21 TR	-	·02	·26 TR	7
8	·26	-	1·30 SR	·04	·12 HR	·50 THR	·03	·21	·01 WF	-	·02	·05	8
9	·33	·09	·20 HR	·15 HR	·32	1·04	-	·38	·59	-	·01	·07	9
10	·13	·47	·13 H	·40	·17	·02	-	-	·36	-	·01	·10	10
11	-	·23	·97 HR	·02	·02	·14	-	-	·01	-	·11	·53	11
12	-	·79 THR	·15	-	-	-	-	-	·58	-	·45	·10	12
13	-	·75 HR	·63 HR	-	-	-	·11	-	·72	·45	·32 HR	·17	13
14	-	·70	·49	-	-	-	·15	1·11 TR	·02	·02	·41 HR	·10	14
15	-	·01	·35 HR	-	-	-	·01	·10	·14	·01	1·04 THR	·31 HR	15
16	-	·01 WF	·01 H	-	-	-	·03	-	·25	-	·01 WF	·05	16
17	·01 WF	·68 HR	·29 HS	-	-	-	·10	-	·01	-	·02 WF	·96	17
18	-	·20 HR	·50 TSHR	-	-	-	·15	-	·33	-	-	·66 THR	18
19	-	·05	·28 TSH	-	-	-	1·25	-	·09	-	·07	·21 THR	19
20	-	·50 HR	·13 THR	-	-	·18	-	-	-	-	-	·20 HR	20
21	-	·26 HR	·01 WF	-	-	·03	·11	·01	-	·19	-	·05 WFTHR	21
22	-	·08 HR	·08	·06	·05	·08	-	·07	-	·88	-	·01 WF	22
23	·01 WF	·09 HR	·19	-	-	·02	·19	·09	·01 WF	·11	·02 WF	-	23
24	-	·01 WF	·14	-	-	·03	·07	·01	-	·08	·24 HR	·02 WF	24
25	·42	·01	·18 HR	-	-	-	·10	·80	-	·53	·09	·58	25
26	·12 HR	·01	·11 HR	-	-	-	·20	-	-	·16	·59 HR	·63	26
27	·11	·06	·01 HR	-	-	-	·01	-	-	·50 HR	·51	·45	27
28	·06	·10	·16	-	·11	-	-	-	-	·21	·12	·79 HR	28
29	·62	╳	·54	-	·09	-	-	-	-	·14	·79	·10 HR	29
30	·03	╳	·32	-	-	-	-	-	·02 WF	·11	·81 HR	·46	30
31	·18	╳	-	╳	·08	╳	·57	-	╳	·35	╳	·45	31
Total	3·18	5·90	9·58	2·41	2·14	2·37	5·13	5·83	3·35	3·75	6·42	10·03	YEAR'S TOTAL
Rain Days.	16	~~21~~ 22	29	11	14	12	21	~~15~~ 16	15	15	26	30	22~~2~~7

60·09

W. 8,000. X. 14.

1857 1970

FORM A. BRITISH RAINFALL.

1-FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Melbury Reservoir, Parkham
in the County of Devon.
by Baldwin Latham.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 515·78 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40 TR	·32	·01 H	–	·15	–	–	·84	·20	·31	–	·83 HR	1
2	·32 HR	·35	·38	·25	–	·09	·02	·16	·28 THR	·01	–	·61	2
3	·09	·18	·28	·52	·25	–	·02	·02	–	·01	–	·62	3
4	·05	·46	·05	–	·02	·01	·04 THR	·01	–	–	–	·61	4
5	·05	·68	·04	·25	–	·02	–	·46	–	–	–	·55	5
6	·62	·04	·02	·39 HR	–	–	·37	·12	–	–	·01	·51 HR	6
7	·47 THR	·82 TSHR	–	·05	·82 TR	·01	·36	·04	–	·40	·01	·38	7
8	·34 HR	·66 TSHR	–	–	–	–	·01	·24	–	–	·75	·25	8
9	·08	·30 SHR	–	·25	–	–	–	·12	–	–	·38 THR	1·28	9
10	·58 HR	·46 S	·15	·10	–	·01	·01	·05	–	·08	·04 HR	·03 HR	10
11	·02 HR	·01 WF	–	·01	·03	–	·05	·02	–	·11	1·41	·10 HSR	11
12	·12	·28	–	·05	·45	–	·01	·08	–	·05	·18 THR	·14 S	12
13	·10	·75	–	·07	·61	–	·15	·05	·14	·05	·25 HR	·14	13
14	·17	–	–	–	–	–	·12	·18	·21	–	·11 HR	1·60	14
15	·25	·01 WF	–	–	·36	–	·31	·01	·11	·01	·17 HR	·27 HR	15
16	–	1·48	–	·05	·19	–	1·35	·01	·01	–	–	·02 HWF	16
17	·01 SH	·29	–	–	·39	–	–	–	·02	–	–	·01 WF	17
18	·03	·40	–	–	–	–	·09	–	–	–	–	–	18
19	·10	·03	–	·20	·27	–	·37	–	–	–	–	–	19
20	·81	·01 WF	–	·11	–	·07	·05	–	·19	·21	–	·13	20
21	·22 SHR	·36 S	–	–	·17	·03	·61	–	–	·34 THR	–	·29	21
22	·06 SR	·14 SR	·32	·03	–	·04	·25	–	·02	·41	–	·57 HR	22
23	·06	·04 S	·02	–	–	·04	·26	–	·02	·71	–	1·07 THR	23
24	·01 WF	–	·02	·04	–	·09	·03	–	·11 HR	·24	–	·55 HR	24
25	–	–	·02	–	–	·24	·17	–	·01	·02	–	·20 HR	25
26	–	·21	–	–	·02 TR	·18	·11	–	·17	–	–	·65	26
27	–	·08	–	–	–	·33	·08	–	·11	·75	–	·09	27
28	–	·09 H	·01 S	–	–	·08	–	·03	·40 HR	·28 HR	·04	·01	28
29	–	✕	–	–	–	·36	–	·04	·11 HR	·29 HR	·35 HR	·05	29
30	·25	✕	–	·03	–	·06	–	–	·10 HR	·45	·45 THR	·44	30
31	·01 WF	✕	–	✕	–	✕	·14	·13	✕	·24	✕	·38	31
Total	5·22	8·51	1·32	2·40	3·73	1·65	4·98	2·61	2·21	4·96	4·15	12·38	YEAR'S TOTAL ~~54·15~~
Rain Days.	~~24~~ 25	25	~~10~~ 11	15	13	~~15~~ 16	24	18	17	20	13	29	~~223~~ 226

54·13

W. 8,000. X. 15.

1857 921

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Melbury Reservoir Parkham

in the County of Devon.

by Frank Harding Per G. B. Latham

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 515·780 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	51		02		13	37	21		01	34	01		1
2	93	11	40		10		015	01	28	54	24		2
3	05	1·31			23	25	135		04	51	12	02	3
4	69	33		(015)	11	90			19	05	43		4
5	15	58	05	(025)	06	10	21		02	50	58	005	5
6	40	~~·135~~ ·19	005		20	60	15			28	78		6
7	07	38	045	(02)	38	11				03	42	24	7
8		39	02	(01)	37	08				04	19	24	8
9		09	01		05	01	09			10	08	45	9
10		~~1·005~~ 11	005	18	04		02		10	03	02		10
11		03	·005	28	15		09		06	03	04		11
12	10	15	09	18	26		10	20		54	025	04	12
13		67	04	03	04		01	29		07	005	05	13
14	12	59	01		15		005	31		17		02	14
15	04	69	06	22	02			46		02			15
16	04	01		33	01		09	41		25		02	16
17	34	31	015	03					1·22	40	87	02	17
18	01	44	30	11				05	15	03		12	18
19	61	14		22				015			84	13	19
20	21	52	31								40	28	20
21	20	09	15		02	07					07	22	21
22	01	–		20		09		19		32	14	65	22
23	065	03	·01			95		15		09	46	07	23
24	01	02	·28	19	10	04		11		505	03	29	24
25		08	·25		05	09		37	03	25	39	015	25
26	17	01	·13		01	15		025	1·05	59	09	01	26
27	05		58		18	07		08	15	1·30	005	01	27
28		19	·015			05		10	34	50	01	1·21	28
29		42	·02			87		1·19	06	45	005	80	29
30		×				22		09		35	02	06	30
31		×	·015	×		×		22	×	68	×	11	31
Total	4·775 ✓	17 8·815 ✓	2·835 ✓	2·035 ✓	2·66 ✓	5·02 ✓	1·125 ✓	4·07 ✓	3·70 ✓	10 8·955 ✓	6·27 ✓	3·38	YEAR'S TOTAL 55·640
Rain Days.	21	26 ✓	~~27~~	15 ✓	21 ✓	18 ✓	~~11~~	18 ✓	14 ✓	28 ✓	~~23~~	~~23~~	243

W. 8,000, VIII. 16

24 12 24 22

Section **A** for the entry of Daily Observations   Station No. 1857

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at MELBURY RES , PARKHAM

in the County of DEVON

COPY

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	51		02		13	37	21		01	84	01			1
2	93	11	40		10		01	01	28	54	24			2
3	05	131		01	23	25	13		04	51	12	02		3
4	69	33		02	11	90			19	05	43			4
5	15	58	05		06	10	21		02	50	58	01		5
6	40	19	01	02	20	60	15			28	78			6
7	07	38	05	01	38	11				03	42	24		7
8		39	02		37	08				04	19	24		8
9		09	01		05	01	09			10	08	75		9
10		11	01	18	04		02		10	03	02			10
11		03	01	28	15		09		06	03	04			11
12	10	15	09	18	26		10	20		54	03	04		12
13		67	04	03	04		01	29		07	01	05		13
14	12	59	01		15		01	31		17		02		14
15	04	69	06	22	02			46		02				15
16	04	01		33	01		09	21		25		02		16
17	34	31	01	03					122	40	87	02		17
18	01	44	30	11				05	15	03		12		18
19	61	14		22				01			84	13		19
20	21	52	31								40	28		20
21	20	09	15		02	07					07	22		21
22	01			20		09		19		32	14	65		22
23	07	03	01			95		15		09	46	07		23
24	01	02	28	19	10	04		11		51	03	29		24
25		08	25		05	09		37	03	25	39	01		25
26	17	01	13		01	15		03	105	59	09	01		26
27	05		58		18	07		08	15	130	01	01		27
28		19	01			05		10	34	50	01	121		28
29		42	02			87		119	06	45	01	80		29
30		X				22		09		35	02	06		30
31		X	01	X		X		22	X	68	X	11		31
TOTAL	4·78	8 7·~~5~~8	2·84	2·03	2·66	5·02	1·12	4·07	3·70	8·97	6·29	5·36	Year's Total 54·44	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.   †Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

1857 1836

FORM A.
BRITISH RAINFALL
9 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Melbury Reservoir
in the County of Devon
by Northam U.D.C. (Frank Harding)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 517·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	·04	S ·31	—	·50	—	05	·15	—	·11	—	1
2	·08	—	·08	S ·33	—	·06	—	—	·02	·06	·70	—	2
3	·22	S ·26	—	·13	—	—	·65	—	—	·97	·07	—	3
4	—	—	SR ·58	·05	—	—	·14	—	·02	HR ·26	·37	—	4
5	·58	—	·20	·36	—	TR ·15	—	—	—	·23	HR ·43	·03	5
6	·05	—	SH ·26	·05	—	TR ·29	—	—	·02	·22	·17	·16	6
7	·61	—	—	·03	—	05	·06	·25	—	·23	THR ·15	HR ·22	7
8	HR ·01	—	S ·26	S ·14	—	·30	·37	·30	—	1·14	HR ·53	THR ·40	8
9	—	—	·21	S ·01	·13	—	—	·30	—	HR ·37	HR ·35	—	9
10	·23	—	·26	S ·50	·01	—	—	·05	—	·09	·03	—	10
11	SHR ·24	—	·26	·35	—	—	—	·02	—	HR ·83	·31	—	11
12	SHR 26	—	·04	·45	26	—	—	·06	—	HR 1·08	—	—	12
13	SR ·25	—	·23	·25	—	·05	—	·33	·81	HR ·40	—	·03	13
14	—	—	—	·05	—	—	—	·33	·08	HR ·21	·15	·10	14
15	—	—	—	—	—	—	—	·03	—	HR ·51	—	SHR ·20	15
16	S ·01	·06	—	·04	—	Hail very large THR ·18	—	—	·03	·13	·02	SHR ·30	16
17	—	·02	·08	·38	·02	—	·70	·25	·36	·09	·03	—	17
18	—	·02	—	·01	·09	—	·75	·01	1·35	·16	—	H.T. 01	18
19	—	·55	·14	—	—	·20	—	·02	·01	—	—	—	19
20	—	·13	—	—	TR ·37	·70	—	—	01	—	·03	—	20
21	—	—	S ·12	—	—	01	—	·16	—	·20	·12	—	21
22	—	·05	—	—	—	—	—	·51	—	HR ·36	·03	SR ·11	22
23	—	·26	—	—	—	·05	—	·56	—	THR ·30	·08	SR 05	23
24	—	—	—	—	—	·06	·33	·28	—	HR ·59	HR ·05	—	24
25	S ·01	·06	·05	—	—	·15	01	·76	·06	HR ·15	HR ·24	—	25
26	S 01	—	—	—	TR ·52	·09	·01	·14	·45	HR ·15	·26	—	26
27	—	—	01	—	—	·38	—	1·43	—	HR ·24	·04	—	27
28	—	·08	HR ·17	—	TR ·06	TR 2·35	—	·22	—	HR ·16	·07	—	28
29	—	×	HR ·33	—	—	—	—	·13	—	·55	·10	—	29
30	—	×	HR ·12	—	—	—	—	·48	—	·09	·07	SHR ·06	30
31	—	×	A ·01	×	·36	×	—	·34	×	·45	×	—	31
Total	2·61	1·49	3·45	3·44	1·82	5·57	3·02	7·00	3·37	10·22	4·51	1·67	YEAR'S TOTAL 48·17
Rain Days.	13	10	19	17	9	16	9	24	13	28	25	12	195

W. 8,000, IX. 17.

·05

1857 31

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 4. 19

Kept at Melbury Reservoir (Horns Cross S.O)

in the County of N Devon

by Frank Harding (Northam U.D.C.)

Lat. Long.

Time of Observation 9 a.m. Greenwich.

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 517·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·12	—	·22	·03	·11	—	·72	—	·02	—	·09	1
2	—	·21	—	·02	—	—	—	·40	·12	—	·19	·75	2
3	—	~~[illegible]~~ 05	—	—	—	—	—	·29	·33	·20	·20	·12	3
4	—	·04	—	·03	·11	—	—	·71	T.R. ·55	·22	·78	·78	4
5	—	·01	·11	·42	·10	—	—	·02	~~[illegible]~~	·70	·20	—	5
6	—	1·04	·09	·53	—	—	—	·01	T.H.R. ·51	·35	H.T. ·01	—	6
7	H.R. ·10	·37	—	—	—	·01	—	·08	T.H.R. 36	·14	H.R. ·28	·04	7
8	S ·03	·05	—	—	—	—	·16	—	T.H.R. ·51	·41	H ·02	·12	8
9	H.S. ·12	·02	—	·04	—	—	·03	—	T.H.R. ·80	·21	—	·61	9
10	·16	·09	—	·39	—	—	H.R. 1·03	—	·75	·17	·10	·61	10
11	H ·02	·16	·18	·02	·04	—	H.R. ·50	—	·64	·04	·13	·35	11
12	·06	·06	·10	—	·28	·01	—	—	—	·02	—	·16	12
13	S. ·32	·34	—	—	—	·19	·22	—	1·20	·21	—	·10	13
14	·39	—	—	—	·12	—	·43	·03	·80	·07	—	·18	14
15	H.R. 1·60	—	—	—	·02	—	·63	—	·04	·22	—	·84	15
16	S.H.R. ·70	—	—	S.R. ·38	—	·06	·09	—	·20	—	—	·26	16
17	S.R. ·63	—	—	·13	—	—	·06	·22	·17	—	—	·24	17
18	1·90	·05	·11	—	—	·75	·30	·09	·88	·27	—	T.H.R. ·55	18
19	·12	·04	·22	S ·08	—	—	·26	~~·05~~ ·01	·15	·03	—	—	19
20	·30	·26	—	·16	—	·10	·16	~~·05~~ ·01	·20	·02	—	—	20
21	·13	—	—	·01	—	·26	·33	—	·80	·08	—	·36	21
22	·02	—	—	—	T.R. ·19	—	·20	—	·30	·03	—	·52	22
23	·24	·02	—	—	·07	·02	H ·66	—	·08	—	—	T.H.R. ·29	23
24	—	·28	—	—	—	·14	·14	·30	·47	·28	·47	·04	24
25	—	—	—	—	T.R. ·31	—	·70	·40	—	—	·15	·09	25
26	—	·19	·09	—	—	—	·86	—	·25	—	·50	·90	26
27	—	·21	·26	—	—	—	—	—	·50	·12	·21	·15	27
28	—	S. ·25	—	—	—	—	—	—	·15	—	·26	·33	28
29	—	X	—	—	—	—	—	—	1·60	—	—	·14	29
30	—	X	·55	·07	—	—	—	·10	·09	—	·10	—	30
31	—	X	·42	X	—	X	—	·05	X	·15	X	·10	31
Total	6·84	3·86	2·13	2·50	1·27	1·64	6·76	~~3·42~~ 3·44	~~12·35~~ 12·45	3·96	3·60	8·72	YEAR'S TOTAL 57·06
Rain Days.	17	21	10	14	10	10	18	? ~~16~~ 15	26	22	15	26	205

14

57·17 2·03

W. 8,000, IX. 17.

1857

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Melbury Reservoir Parkham
in the County of Devon
by Hank Harding (R.U.D.C.)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 517 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	H.R. ·63	—	—	·24	·34	—	J.H.R. ·15	—	·18	—	—	1·25	1
2	H.R. ·34	—	·21	—	·14	—	J.H.R. ·15	—	—	·27	—	·37	2
3	·02	—	·17	—	·12	—	—	·19	—	·39	—	1·10	3
4	·09	·38	·20	—	·04	·15	—	—	·40	·07	—	·04	4
5	H.R. ·24	·45	·40	—	—	—	—	—	·06	—	—	HR ·50	5
6	·33	·35	·54	—	—	—	—	—	·16	—	—	·30	6
7	·10	—	·31	·08	—	—	—	—	·01	—	·03	·39	7
8	·40	—	·09	·03	—	·10	—	—	—	—	H.R. ·14	·16	8
9	H.S.R. ·35	—	·22	·21	—	—	—	—	—	—	HR 1·50	·02	9
10	H.S.R. ·28	—	1·25	·14	·19	·03	—	—	—	—	—	·68	10
11	H.R. 25 ~~[illegible]~~	—	·30	·20	·26	J.R. ·05	·18	—	—	—	—	·02	11
12	H.R. ·60	—	·02	H.S.R. ·30	·02	·40	·08	—	—	·20	—	·01	12
13	·35	·03	·15	H.S.R. ·62	—	—	—	—	—	·19	—	·23	13
14	·96	·13	—	·45	J.H.R. ·44	—	·06	—	·09	·21	—	·17	14
15	H.R. ·46	·04	—	·08	—	—	—	—	—	·05	—	·60	15
16	J.H.R. ·25	1·88	—	—	—	—	—	—	—	·06	S.R ·39	·02	16
17	H.J. HR ·02	SHR. ·12	·02	—	·08	·03	—	·10	—	—	·90	·08	17
18	·02	·12	·66	—	—	·06	·23	·60	·14	—	·75	·06	18
19	·43	·22	H.R. ·39	—	—	·12 ~~[illegible]~~	—	·54	H.R. ·50	—	HR ·50	·10	19
20	·25	·14	SHR. ·16	—	·05	·11	·09	·08	—	—	HR ·16	HR ·40	20
21	H.R. ·13	·90	·02	—	·22	—	·50	—	·13	—	·02	·04	21
22	H.J. ·02	·06	—	—	·04	·05	·13	—	·25	—	·12	·30	22
23	—	—	—	—	—	—	—	·03	·38	·30	HR ·16	J.HR ·50	23
24	HR ·16	—	—	—	—	·35	—	·01	·04	·22	HR ·24	·44	24
25	S.H.R. ·21	—	—	—	—	—	—	·61	·06	—	SHR ·16	·20	25
26	S.R. ·32	—	·21	·22	—	04 ~~[illegible]~~	—	06 ~~[illegible]~~	—	—	—	·80	26
27	S.H.R. ·09	01 ~~[illegible]~~	H ·01	S.H. ·17	—	—	—	·38	—	·51	—	·12	27
28	H.J. ·02	—	·40	J.R. ·20	—	—	—	H ·06	—	·70	S.R ·20	·90	28
29	—	✕	S ·02	·27	—	—	—	·29	—	—	SHR. ·06	·21	29
30	—	✕	S ·03	·22	—	·25	·09	·20	—	—	·60	HR ·66	30
31	S. ·03	✕	H.S. ·27	✕	—	✕	—	—	✕	—	✕	·65	31
TOTAL	7·35	4·83	6·05	3·43	1·94	1·74	1·66	3·15	2·40	3·17	5·93	11·32	YEAR'S TOTAL 52·97
Days with ·01 in. or more	28	14	23	15	12	13	10	13	13	12	16	31	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1857

28 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Melbury Reservoir Parkham
in the County of Devon
by Frank Harding, Northam U.D.C.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 517.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·01	·02	·06	·45	–	1·56	·29	·21	·07	·04	·87	1
2	·24	·01	–	·40	–	–	·17	·02	·46	·33	–	·30	2
3	·23	·12	–	·02	–	–	·03	·16	·09	1·16	–	·24	3
4	·01	·06	·08	–	·02	–	–	·75	·13	·40	–	·15	4
W. Frost 5	·01	·08	·09	–	·33	–	·51	·06	·07	·30	–	–	5
6	·02	–	·48	–	·66	–	·16	–	–	·31	·06	–	6
H.R. 7	·03	–	–	·35	·04	–	·16	–	–	·02	·03	·04	7
H.R. 8	·09	·40	·09	·67	·16	–	·46	·24	–	–	–	–	8
9	1·50	·50	–	·25	–	·10	·50	·03	·09	–	·07	H.T. ·01	9
H.R. 10	1·70	·60	–	·53	–	T.H.R. 1·45	·21	–	–	–	·22	–	10
T. S. H.R. 11	·60	·22	·14	·36	T.R. ·21	·02	·17	–	–	–	–	–	11
12	·55	·06	·21	·20	·04	T.R. ·10	·10	–	–	–	32	S ·01	12
13	·30	·09	·63	·22	–	T.H.R. ·12	·01	–	–	–	·03	–	13
14	·31	·06	·01	·70	–	T.H.R. ·20	·18	–	·40	·76	1·19	–	14
15	·06	·13	·09	–	·17	15 [illegible]	–	–	–	·50	·10	–	15
16	·06	–	·09	–	·05	·10	·14	·03	T.R. ·63	·39	H.R. ·14	–	16
17	·28	–	–	·66	·36	–	–	·03	1·74	·82	H.T. ·02	–	17
18	·50	·03	–	·09	·06	·21	–	·40	·20	·10	–	–	18
19	·18	·15	–	·90	·03	·26	·03	–	·04	–	–	–	19
20	·12	–	–	·06	–	–	·02	–	·06	–	–	·60	20
21	·02	–	–	·03	–	–	·09	–	–	·07	–	·66	21
22	·10	–	–	·02	–	–	·12	–	–	·09	–	·50	22
23	·48	–	·11	–	–	–	·96	·02	–	–	–	·86	23
24	·20	·09	·40	·04	–	·14	·03	·37	–	–	·09	·35	24
25	·06	·21	·36	–	–	·12	1·25	–	–	–	·02	·24	25
26	·25	·06	·50	–	–	·14	·22	–	–	–	·17	·06	26
27	·93	·14	·12	H.R. ·22	·11	·60	·05	–	–	–	97	·32	27
28	·70	·03	·45	H.R. ·22	–	·22	·17	–	–	–	·02	·10	28
T. H.S. 29	·60	·01-[illegible]	·36	H.R. ·14	·30	·01	·09	–	–	–	·30	·70	29
30	·12	✕	·58	·01	·03	·42	·21	–	1·26	·31	·30	·84	30
31	·30	✕	·32	✕	–	✕	·22	–	✕	·69	✕	·26	31
Total	10·60	3·06	5·13	6·15	3·02	4·36	7·82	2·40	5·38	6·32	4·09	7·11	Year's Total 65·44
Days with ·01 in. or more	31	21	20	22	16	17	27	12	13	16	18	19	232
Days with ·04 in. or more	26	16	18	~~17~~ 18	13	15	22	7	13	15	13	17	19~~2~~3

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

DEVON.
~~PETROCKSTOW.~~
HEANTON SATCHVILLE.

~~1911 – 1915~~
1911 – 1912, – 1914, 1915.

REG 11

Kept at Heanton Sat 5 in.

ove Ground 1 ft. — in.

in the County of Dev , Sea Level 332 ft.

a.m

by A. Eam

Name Torrington

Distance 8 Miles Direction N.N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12		02	36	02			28			02		1
2					30			20		51	34	15	2
3			08		48			02			20	07	3
4			10								44	43	4
5	36		12	02	02			60		04	32	08	5
6	16		28					03			18	72	6
7	06										69		7
8	11		19								09	62	8
9	07										50	17	9
10	05		28		34						09	43	10
11	36										74	26	11
12			51						22		22	33	12
13			06		08				46		03	17	13
14		09	08							10		23	14
15		03	09			11					40	13	15
16		07	04			23					19	30	16
17		04	13	02		18					18	40	17
18		33	04	20		85				12	74	47	18
19		02		23		97			17	13	32	56	19
20		05	04	13		04			42	26		21	20
21	05	35		02		08			32	36		15	21
22	05	10		10		26			23	35		66	22
23		28	06	01		13			26	20	03	15	23
24	04	24				53		40		43		28	24
25	03	07		25		08			06	20		22	25
26	02	08		43	02		26	15		26		28	26
27		57				02		41	16	60		20	27
28		29		55				04			29	02	28
29				45		57	15	05	25	29			29
30							04		08	34	06	08	30
31										18			31
Total	1·48	2·61	2·12	2·77	1·26	4·05	·45	2·18	2·63	4·37	6·07	7·77	TOTAL for year 37·76
No. of in	13	15	16	13	7	13	3	10	11	16	21	27	165

'11.

REG 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Heanton Satchville, Dolton

in the County of Devon – North 3

by A. Eames

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 332 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Torrington
Distance 8 Miles Direction N. N. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12		02	36	02			28			02		1
2					30			20		51	34	15	2
3			08		48			02			20	07	3
4			10								44	43	4
5	36		12	02	02			60		04	32	08	5
6	16		28					03			18	72	6
7	06										69		7
8	11		19								09	62	8
9	07										50	17	9
10	05		28		34						09	43	10
11	36										74	26	11
12			51						22		22	33	12
13			06		08				46		03	17	13
14		09	08							10		23	14
15		03	09			11					40	13	15
16		07	04			23					19	30	16
17		04	13	02		18					18	40	17
18		33	04	20		85				12	74	47	18
19		02		23		97			17	13	32	56	19
20		05	04	13		04			42	26		21	20
21	05	35		02		08			32	36		15	21
22	05	10		10		26			23	35		66	22
23		28	06	01		13			26	20	03	15	23
24	04	24				53		40		43		28	24
25	03	07		25		08			06	20		22	25
26	02	08		43	02		26	15		26		28	26
27		57				02		41	16	60		20	27
28		29		55				04			29	02	28
29				45		57	15	05	25	29			29
30							04		08	34	06	08	30
31										18			31
Total	1·48	2·61	2·12	2·77	1·26	4·05	·45	2·18	2·63	4·37	6·07	7·77	TOTAL for year 37·76
No. of [illegible] in	13	15	16	13	7	13	3	10	11	16	21	27	165

'11.

REGISTER OF RAINFALL IN 1912.

E22 D2

FORM A.
BRITISH RAINFALL.
9- JAN 1

Kept at Heanton Satchville, Dolton

in the County of Devon N.3

by A. Eames.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Torrington 8 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 332 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			15		01	30	05	03	12	1·41	02	34	1
2		02	28	02		1·20		02				04	2
3	04		1·34	01		11	10	93	15	03		02	3
4	45	02	29	01		45		08	02		19		4
5	62		04	01	04			45			04	04	5
6	74	09	06		37		10	18				11	6
7	02	27	38	03	19	42		60			04	06	7
8	38	09	06	07		28	09						8
9	05	23	02	06		01	11					43	9
10	36	02				21	05	23	03		18	13	10
11		03	17				05				58	46	11
12	04	04	02		14	03	09	15			06	09	12
13	18	02	45					19		16		47	13
14	12	04	04		07			18		05		16	14
15	12	02	25		21	1·03						58	15
16	09		25			03		25		08	21	23	16
17	02		22		14	15		53				28	17
18			05					34		12	08	09	18
19		20	29			07		64		15	03	08	19
20	02	06	44		15			48		64	05	02	20
21		10	26		59			28		23	04		21
22	28	17	40		18			27		15	04	06	22
23	10	63	08			11	02	93		20	14	26	23
24	06	03	02			17	03	04		12		18	24
25	08		16			72	02	22		16	56	47	25
26		10					09	13		47	67	35	26
27		03	01			43	47	16		90	02	82	27
28		10				32	30	44	39	28	38	66	28
29		07	05			22	38	02	44	26	04	19	29
30			43			13	27		08	32		02	30
31							20	07		08		23	31
Total	3·77	2·38	6·21	·21	2·09	6·39	2·42	7·84	1·23	5·81	3·32	6·87	YEAR'S TOTAL 48·54
Rain Days.	19	22	27	7	11	20	17	26	7	19	19	28	222

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

9 - JAN 1914

REGISTER OF RAINFALL IN 1913

Ex 88

Kept at Heanton Satchville, Dolton
in the County of N Devon 3
by A. Eames

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Torrington 7 Miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 332 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	07	35	26	17							23	18	1
2	05	22	04	20	21					17	19	04	2
3	06		08		44					20		23	3
4	98		12		02	08			18	61	03	32	4
5	05	05			25	45	08		11	08	29	69	5
6	03	07	21		03	33				16	28	30	6
7	02	55	11		33	12				39	21	02	7
8		12	02		12		03	08		02		02	8
9	02	08	03		19	30	06	35	02		19	05	9
10	18		01	05	05	05	02	10		33	14		10
11	64			11	21	10		02		36	56	11	11
12	08			06		06			06		34	06	12
13	05		30				04	07	12		17		13
14	06		32						04	09	22	02	14
15	08		47	1·10					02		15	06	15
16	22		64	15			07		14		09		16
17	20		04	10							13		17
18	29		22	32			03				10		18
19	48		26		09		06		28	24	03		19
20	58		22	11	03	05			08	25	24		20
21			05	38	16		09	02			33		21
22	54		65	09	07	20		25	07			21	22
23	03		04			05		25			12	67	23
24	03	10		07		03		05			08		24
25	02	03		33					13	03	06	06	25
26				68					05			38	26
27	16		19	18						31	02	08	27
28	14		04	15	13					28	02	29	28
29	05		38	42						23	05	03	29
30	55			88	03					56	06		30
31	35		53		06		08	38					31
Total	6·01	1·57	5·23	5·55	2·42	1·82	·56	1·57	1·30	4·31	4·33	3·82	YEAR'S TOTAL 38·49
Rain Days.	28	9	24	19	17	12	10	10	13	17	26	20	205

W. 7,500, XI. ·12

Ex. M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
8 - JAN 1915

Kept at Heanton Satchville, Dolton
in the County of Devon N 3 P. T.
by A. Eames

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Torrington L.S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 332 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06	10		19	31	53			14	14	1
2	03			03			24	09				42	2
3	07		23	28	38							04	3
4	29		15	23	05		21	84			44	83	4
5	12		23	33	04		07					04	5
6		03	16	15	06		09	13				34	6
7	05	41	37	29	12	15	31		10			09	7
8	12		98		09	24		24			02	06	8
9	13	03	40	22	11	63		08	54			03	9
10	09	22	18	41	09	04			30			05	10
11		13	63		02	11					12	33	11
12		42	08						42	09	15	18	12
13		33	36				08		32	21	54	19	13
14		30	43			05		48		02	28	03	14
15		04	19				34	20	25		50	23	15
16									11			02	16
17		39	28				07					59	17
18		36	20				~~1·06~~		09			39	18
19		07	45				1·56		13		10	25	19
20		25	18			35	02					18	20
21		16								10		14	21
22		10				15	10	02		92			22
23			15				02			12			23
24			06				02	14		06	21		24
25	15		20				26	20		30	02	25	25
26	21		10				03	04		09	20	47	26
27	11		05							23	12	28	27
28	05	16	11		13					40	18	80	28
29	02		07		10					07	30	03	29
30	05	✕	07							17	51	41	30
31	38	✕		✕	05	✕	32		✕	1·07	✕	15	31
Total	1·87	3·40	6·37	2·04	1·24	1·91	4·05	2·99	2·26	3·85	3·83	6·96	YEAR'S TOTAL 40·77
Rain Days.	15	16	26	9	12	9	17	12	9	14	16	28	183

W. 8,000. X. 14.

[illegible]

REGISTER OF RAINFALL IN 1915

1964

FORM A.
BRITISH RAINFALL.

7 JAN. 1916

Kept at Heanton Satchville

in the County of Devon N3

by A. Eames.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Torrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	39	22	01		10			49	25	28		50	1
2	29	23	24	19				77	08			54	2
3	10	06	15	10	25		02	03				42	3
4	03	60					08					91	4
5		31		09				40				39	5
6	83	10		32			46	03				45	6
7	40	40		10			18				03	39	7
8	17	41						15		41	13	06	8
9	04	22		25				08			43	1·14	9
10	40	32	03	09				49		06	06	04	10
11	03	02	05				06			11	72	06	11
12	11	30			49			06			40	03	12
13	03	66			63		03	13			34	14	13
14	12						17	26	15	12	01	81	14
15	22				35		10			06	19	06	15
16	03	57			28		1·29		08			02	16
17	01	24			05								17
18	03	25	02				03						18
19	05	03		05	16		14						19
20	59			20		14	03			06		03	20
21	25	11			19		05			21		33	21
22	13	14	29	02			35			24		31	22
23	07		02				15		10	1·13		82	23
24				02			03			41		53	24
25						32	17		11	04		22	25
26		13				08	15					49	26
27		10				28	12		18	47			27
28		12				03			35	23			28
29						33			05	09	14	06	29
30	23	X				04			09	28	36	26	30
31	02	X		X		X	04	07	X	19	X	23	31
Total	4·57	5·54	·81	1·43	2·50	1·22	3·65	2·96	1·44	4·39	2·81	9·24	YEAR'S TOTAL 40·56
Rain Days.	24	22	8	11	9	7	20	12	10	17	11	26	177

W. 8,000. X. 15.

PLYMOU~~TH~~
THE HOE
DEVON
1911 - 1920

FORM A2.
BRITISH RAINFALL.
JAN 1912
1635

AINFALL IN 1911

RAIN GAUGE	Pattern M.O.
	Diameter of top 8 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 117 ft.

Time of Observation 9 am

Nearest Railway Station: Name Plymouth; Distance ¾ mile; Direction W

ured daily at 9 a.m., and the result entered to the torm to this almost universal rule, he is earnestly uary of the following year in the space provided ctions for the measurement of rain, particulars as to the British Rainfall *Observers*," sent post-free on application to Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	0.04	0.20	-	0.01	0.03	-	0.01	0.03	-	1
2	-	-	-	0.25	0.30	-	0.01	0.83	-	0.02	0.18	0.37	2
3	-	-	0.04	-	0.18	-	-	0.01	0.02	-	0.17	0.13	3
4	-	-	0.07	-	-	-	-	0.33	-	0.01	0.33	0.50	4
5	0.50	-	0.23	-	-	-	-	0.41	-	0.13	0.11	0.02	5
6	0.30	-	0.08	-	-	-	-	-	-	0.02	0.10	1.30	6
7	0.07	-	-	0.02	-	-	-	-	-	-	0.46	0.02	7
8	0.03	-	0.22	-	-	-	-	-	-	-	0.04	0.47	8
9	-	-	0.02	-	0.03	-	-	-	-	-	0.11	0.62	9
10	-	0.10	1.03	-	-	-	-	-	-	-	0.08	0.28	10
11	0.24	-	-	-	-	- -	-	-	0.03	-	1.05	0.03	11
12	-	-	0.62	-	-	-	-	-	0.25	-	0.11	0.28	12
13	-	0.01	0.04	-	-	-	-	- -	0.09	-	0.10	0.23	13
14	-	0.10	0.02	-	-	- -	-	- -	-	0.07	0.14	0.19	14
15	-	0.05	0.07	-	-	0.04	-	-	-	-	0.20	0.06	15
16	-	0.02	0.01	-	-	0.36	-	-	-	0.01	0.46	0.43	16
17	-	0.05	0.61	0.02	-	0.08	-	-	-	-	0.22	0.55	17
18	-	0.24	0.26	0.10	-	0.03	-	-	-	0.17	0.26	0.37	18
19	-	0.01	-	0.03	-	0.42	-	-	0.47	0.13	0.13	0.73	19
20	-	0.15	0.01	0.12	-	0.02	-	-	0.06	0.79	-	1.07	20
21	0.01	0.34	-	0.02	-	0.07	-	-	0.37	0.08	-	0.15	21
22	0.11	0.05	0.01	0.20	-	0.05	-	0.34	0.56	0.33	-	0.37	22
23	0.02	0.15	-	-	-	-	-	0.07	0.08	0.27	-	0.39	23
24	0.04	0.38	-	-	-	0.34	-	0.12	-	0.10	-	0.38	24
25	0.00	0.01	-	0.23	-	0.03	-	-	0.07	0.43	-	0.11	25
26	0.02	0.20	-	0.47	-	-	-	0.17	-	0.47	-	0.47	26
27	-	0.76	-	0.03	0.06	-	-	0.19	0.11	0.11	0.01	0.21	27
28	-	0.20	-	0.33	-	-	-	0.01	0.01	-	0.23	-	28
29	-	X	-	0.29	0.19	0.50	1.34	-	0.14	0.34	-	-	29
30	-	X	-	0.04	-	0.01	0.02	-	0.02	0.10	0.24	0.04	30
31	-	X	0.35	X	-	X	0.07	-	X	0.01	X	0.01	31
Total	1.34	2.82	3.69	2.19	0.96	1.95	1.45	2.51	2.28	3.60	4.76	9.78	TOTAL for year 37.33
No. of Rain Days.	~~10~~	~~17~~	~~16~~ 17	~~15~~	~~6~~	~~12~~	~~5~~	~~11~~	~~14~~	~~20~~	~~22~~	~~28~~	~~177~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
JAN 1912

AINFALL IN 1911

Kept at "The Hoe" Plymouth
in the County of Devon S.2
by A. Victor Prigg

RAIN GAUGE	Pattern	M.O.
	Diameter of top	8 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	117 ft.

1635

Time of Observation 9 am

Nearest Railway Station: Name Plymouth
Distance 3/4 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	0·04	0·20	-	0·01	0·03	-	0·01	0·03	-	1
2	-	-	-	0·25	0·30	-	0·01	0·83	-	0·02	0·18	0·37	2
3	-	-	0·04	-	0·18	-	-	0·01	0·02	-	0·17	0·13	3
4	-	-	0·07	-	-	-	-	0·33	-	0·01	0·33	0·50	4
5	0·50	-	0·23	-	-	-	-	0·41	-	0·13	0·11	0·02	5
6	0·30	-	0·08	-	-	-	-	-	-	0·02	0·10	1·30	6
7	0·07	-	-	0·03	-	-	-	-	-	-	0·46	0·02	7
8	0·03	-	0·22	-	-	-	-	-	-	-	0·04	0·47	8
9	-	-	0·02	-	0·03	-	-	-	-	-	0·11	0·62	9
10	-	0·10	1·03	-	-	-	-	-	-	-	0·08	0·28	10
11	0·24	-	-	-	-	-	-	-	0·03	-	1·05	0·03	11
12	-	-	0·62	-	-	-	-	-	0·25	-	0·11	0·28	12
13	-	0·01	0·04	-	-	-	-	-	0·09	-	0·10	0·23	13
14	-	0·10	0·02	-	-	-	-	-	-	0·07	0·14	0·19	14
15	-	0·05	0·07	-	-	0·04	-	-	-	-	0·20	0·06	15
16	-	0·02	0·01	-	-	0·36	-	-	-	0·01	0·46	0·43	16
17	-	0·05	0·61	0·02	-	0·08	-	-	-	-	0·22	0·55	17
18	-	0·24	0·26	0·10	-	0·03	-	-	-	0·17	0·26	0·37	18
19	-	0·01	-	0·03	-	0·42	-	-	0·47	0·13	0·13	0·73	19
20	-	0·15	0·01	0·12	-	0·02	-	-	0·06	0·79	-	1·07	20
21	0·01	0·34	-	0·02	-	0·07	-	-	0·37	0·08	-	0·15	21
22	0·11	0·05	0·01	0·20	-	0·05	-	0·34	0·56	0·33	-	0·37	22
23	0·02	0·15	-	-	-	-	-	0·07	0·08	0·27	-	0·39	23
24	0·04	0·38	-	-	-	0·34	-	0·12	-	0·10	-	0·38	24
25	0·00	0·01	-	0·23	-	0·03	-	-	0·07	0·43	-	0·11	25
26	0·02	0·20	-	0·47	-	-	-	0·17	-	0·47	-	0·47	26
27	-	0·76	-	0·03	0·06	-	-	0·19	0·11	0·11	0·01	0·21	27
28	-	0·20	-	0·33	-	-	-	0·01	0·01	-	0·23	-	28
29	-	×	-	0·29	0·19	0·50	1·34	-	0·14	0·34	-	-	29
30	-	×	-	0·04	-	0·01	0·02	-	0·02	0·10	0·24	0·04	30
31	-	×	0·35	×	-	×	0·07	-	×	0·01	×	0·01	31
Total	1·34	2·82	3·69	2·19	0·96	1·95	1·45	2·51	2·28	3·60	4·76	9·78	TOTAL for year 37·33
No. of Rain Days.	~~10~~	~~17~~	~~16~~ 17	~~15~~	~~6~~	~~12~~	~~5~~	~~11~~	~~14~~	~~20~~	~~22~~	~~28~~	~~177~~

W. 8,000, X. '11.

Cor. by surr. stats. 28· IV·13

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL FORM A.

26 APR 1913

1635

Kept at "The Hoe" Plymouth.

in the County of Devon 2

by H. V. Prigg

Lat. 50° 21 N Long. 4' 8" W

Time of Observation 9 am

Nearest Railway Station Plymouth.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 117. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	0·18	–	0·03	0·43	0·03	–	0·10	0·53	–	0·26	1
2	–	–	0·20	0·01	–	0·92	–	0·04	–	0·02	–	0·02	2
3	0·05	–	0·34	–	–	0·16	0·01	1·15	0·07	–	–	0·06	3
4	0·20	(snow.) 0·03	0·21	–	0·07	0·13	–	0·09	–	–	0·37	–	4
5	0·72	0·16	0·46	–	0·09	0·00	0·08	1·94	0·01	–	0·01	0·06	5
6	0·27	0·11	0·00	–	Tw. (00·65)	0·14	–	0·18	–	–	0·02	–	6
7	0·18	0·82	0·06	0·04	(0·13)	0·64	0·01	0·12	–	–	0·03	0·22	7
8	0·59	0·16	0·11	–	0·02	0·11	0·03	–	–	–	–	– –	8
9	–	0·09	0·06	0·08	–	0·10	0·10	0·06	–	–	–	0·77	9
10	0·48	0·05	0·06	0·04	–	0·02	0·07	0·03	–	–	0·12	0·17	10
11	–	0·17	0·08	–	–	0·09	0·01	0·10	–	–	0·20	0·47	11
12	–	0·26	0·17	0·02	–	–	0·33	0·34	–	–	0·05	0·01	12
13	0·29	–	0·03	–	–	0·02	0·10	0·06	–	0·03	–	0·17	13
14	0·16	0·23	0·70	–	–	–	–	0·08	–	0·02	–	0·07	14
15	0·31	0·10	0·03	–	0·16	0·04	–	–	–	0·00	–	0·37	15
16	0·12	–	0·35	–	0·04	0·41	–	0·40	–	0·21	0·01	0·04	16
17	–	–	0·30	–	–	0·25	–	1·15	–	–	0·21	0·16	17
18	–	0·06	0·08	–	–	–	–	0·37	–	0·03	0·02	0·05	18
19	–	0·05	0·44	–	–	0·02	0·03	0·08	–	0·03	0·01	–	19
20	0·02	0·12	0·36	–	0·04	–	–	0·21	–	0·26	0·01	–	20
21	–	0·70	0·17	–	0·37	–	0·04	0·03	–	0·12	–	–	21
22	0·23	0·32	0·41	–	0·04	0·01	0·01	0·21	–	0·20	0·09	0·17	22
23	0·14	0·58	0·28	–	–	0·05	0·02	0·91	–	0·04	0·14	0·47	23
24	0·09	0·07	0·08	–	–	0·32	–	–	–	0·01	–	0·25	24
25	0·01	–	–	–	–	0·10	0·02	0·06	–	0·34	0·35	0·42	25
26	–	0·01	–	–	–	–	0·05	0·31	–	0·18	0·41	0·38	26
27	–	0·08	0·01	–	–	0·69	0·60	0·17	–	1–51	0·10	0·58	27
28	–	0·16	–	–	–	0·14	0·05	0·64	0·83	0·33	0·38	0·43	28
29	–	0·22	–	–	–	0·14	0·07	0·09	0·75	0·24	–	0·03	29
30	–	✗	0·07	–	–	0·09	0·22	–	0·23	0·37	–	0·01	30
31	–	✗	0·24	✗	0·01	✗	0·53	0·04	✗	0·03	✗	0·26	31
Total	3·86	4·55	5·58	0·59	0·65	5·02	2·41	8·86	1·99	4·50	2·53	5·90	YEAR'S TOTAL [illegible]
Rain Days.	~~16~~	~~22~~	~~26~~	~~5~~	~~12~~	~~23~~	~~21~~	~~26~~	~~6~~	~~19~~	~~18~~	~~25~~	~~279.~~

47·04

V. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

2 MAY 1914
1635

REGISTER OF RAINFALL IN 1913

Kept at The Hoe Plymouth
in the County of Devon S.2
by H. Victor Prigg

Lat. Long.
Time of Observation As before
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·23	0·40	0·14	0·13	—	—	—	0·02	0·30	0·33	—	1
2	0·05	0·22	0·01	0·27	0·35	0·01	—	—	—	0·11	0·14	0·03	2
3	0·50	—	0·08	—	0·16	—	—	—	0·56	—	—	0·17	3
4	1·18	0·01	0·08	0·01	—	0·12	—	—	0·04	0·10	0·05	0·27	4
5	0·07	0·03	0·06	—	0·43	0·08	0·04	—	0·97	0·10	0·38	0·48	5
6	0·07	0·10	0·03	—	0·15	0·14	—	—	—	0·34	0·23	—	6
7	0·02	0·32	0·05	—	0·73	0·05	—	—	—	0·24	0·35	—	7
8	0·13	0·19	—	—	0·24	—	0·20	0·39	—	0·04	0·01	0·12	8
9	0·12	0·09	—	—	0·06	0·02	—	0·16	—	—	0·41	0·01	9
10	0·95	—	—	0·01	0·01	0·04	—	0·02	—	0·25	0·10	—	10
11	0·44	0·01	—	—	0·66	0·03	—	—	0·02	0·02	0·79	0·06	11
12	0·10	—	—	—	0·02	—	—	—	0·06	—	0·20	0·01	12
13	0·05	0·01	0·08	0·21	—	—	—	0·01	0·15	—	0·16	—	13
14	0·37	—	0·14	—	0·09	—	—	—	0·03	—	0·04	0·03	14
15	0·22	—	0·51	0·63	—	—	—	—	0·25	—	0·15	0·01	15
16	0·29	—	0·45	0·04	—	—	—	—	0·11	—	0·03	—	16
17	0·05	—	0·03	0·07	—	—	0·01	—	—	—	0·02	—	17
18	0·03	—	0·26	0·13	—	—	—	—	—	—	0·04	—	18
19	0·58	—	0·08	—	0·02	0·04	—	—	0·45	0·09	—	—	19
20	0·25	—	0·10	0·26	0·01	—	—	—	—	0·14	0·46	—	20
21	0·03	—	0·19	0·29	0·01	0·02	—	—	0·01	0·08	0·14	—	21
22	0·20	—	0·38	—	—	0·21	—	0·01	0·04	0·12	—	0·25	22
23	0·03	—	0·02	—	—	—	—	—	—	—	0·05	0·90	23
24	0·04	0·11	0·00	0·13	—	0·05	—	—	—	—	0·01	—	24
25	—	0·03	—	0·62	—	—	—	0·05	0·07	0·07	0·03	0·02	25
26	—	—	—	0·65	—	—	—	0·05	—	0·03	—	0·16	26
27	0·84	—	0·26	0·41	—	—	—	0·17	—	0·31	—	0·03	27
28	0·16	—	0·17	0·24	0·04	—	—	—	0·13	0·17	—	0·11	28
29	0·12	X	0·44	0·15	0·01	—	0·07	—	—	0·41	0·01	—	29
30	0·64	X	—	0·07	0·01	—	0·08	—	—	0·82	0·01	—	30
31	0·13	X	0·22	X	—	X	—	0·30	X	0·14	X	—	31
Total	7·66	1·35	4·04	4·33	3·13	0·81	0·40	1·16	2·91	3·88	4·14	2·66	YEAR'S TOTAL 36·47
Rain Days.	~~28~~	~~12~~	~~22~~	~~18~~	~~18~~	~~12~~	~~5~~	~~9~~	~~15~~	~~20~~	~~24~~	~~16~~	~~197~~

W.7,000, XI. 13

1635

FORM A.
BRITISH RAINFALL.

1 - MAY 1915

REGISTER OF RAINFALL IN 1914

Kept at The Hoe

in the County of Devon S 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·04	0·30	0·00	0·16	0·16	0·61	0·00	0·00	1·10	0·07	1
2	0·01	0·00	0·08	0·01	0·07	0·01	0·12	0·01	0·00	0·00	0·11	0·35	2
3	0·02	0·00	0·12	0·24	0·63	0·00	0·00	0·01	0·00	0·00	0·01	0·00	3
4	0·12	0·00	0·04	0·54	0·09	0·00	0·90	0·15	0·10	0·00	0·04	0·46	4
5	0·17	0·00	0·23	0·14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·08	5
6	0·01	0·12	0·07	0·05	0·18	0·00	0·05	0·02	0·00	0·00	0·00	0·56	6
7	0·06	0·86	0·37	0·15	0·03	0·08	0·38	0·22	0·82	0·00	0·01	0·20	7
8	0·11	0·00	0·79	0·05	0·00	0·14	0·00	0·02	0·00	0·00	0·01	0·09	8
9	0·07	0·05	0·24	0·20	0·06	0·43	0·00	0·12	0·50	0·00	0·00	0·00	9
10	0·13	0·63	0·04	0·24	0·08	0·05	0·00	0·00	0·42	0·00	0·01	0·59	10
11	0·00	0·18	0·76	0·00	0·01	0·06	0·00	0·00	0·00	0·00	0·03	0·59	11
12	0·00	0·68	0·26	0·00	0·00	0·00	0·00	0·00	0·23	0·02	0·08	0·55	12
13	0·00	0·49	0·22	0·00	0·00	0·00	0·07	0·00	0·14	0·04	0·25	0·20	13
14	0·00	0·34	0·28	0·00	0·00	0·07	0·00	0·24	0·03	0·00	0·67	0·39	14
15	0·00	0·00	0·22	0·00	0·00	0·00	0·07	0·08	0·00	0·00	0·32	0·65	15
16	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·54	0·00	0·00	0·00	16
17	0·00	0·60	0·32	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·69	17
18	0·00	0·18	0·19	0·00	0·00	0·00	0·29	0·00	0·24	0·00	0·00	0·20	18
19	0·00	0·05	0·55	0·00	0·00	0·00	1·62	0·00	0·02	0·00	0·07	0·09	19
20	0·00	0·34	0·21	0·00	0·00	0·09	0·00	0·00	0·00	0·00	0·02	0·23	20
21	0·00	0·32	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·64	0·00	0·00	21
22	0·00	0·04	0·10	0·01	0·14	0·02	0·03	0·21	0·00	0·13	0·00	0·00	22
23	0·00	0·09	0·34	0·00	0·00	0·00	0·02	0·00	0·00	0·08	0·00	0·00	23
24	0·00	0·13	0·00	0·00	0·00	0·00	0·02	0·06	0·00	0·06	0·02	0·00	24
25	0·11	0·00	0·16	0·00	0·03	0·00	0·06	0·58	0·00	0·71	0·04	0·81	25
26	0·00	0·14	0·14	0·00	0·00	0·00	0·18	0·00	0·00	0·03	0·21	0·58	26
27	0·03	0·14	0·00	0·00	0·00	0·00	0·05	0·00	0·00	0·05	0·25	0·40	27
28	0·02	0·09	0·46	0·00	0·12	0·00	0·04	0·00	0·00	0·18	0·21	0·50	28
29	0·27	0·00	0·15	0·00	0·15	0·00	0·46	0·00	0·00	0·00	0·52	0·01	29
30	0·00	✕	0·13	0·04	0·01	0·07	0·00	0·00	0·00	0·07	0·23	1·05	30
31	0·05	✕	0·00	✕	0·00	✕	1·08	0·00	✕	0·84	✕	0·57	31
Total	1·18	5·47	6·51	1·97	1·60	1·18	5·63	2·33	3·04	2·85	4·21	9·91	YEAR'S TOTAL 45·88
Rain Days.	~~14~~	~~19~~	~~26~~	~~12~~	~~13~~	~~11~~	~~20~~	~~13~~	~~10~~	~~12~~	~~21~~	~~24~~	~~195~~

W. 8,000. X. 14.

Cod by Paton's copy of the Hallwell Charts

1635

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1916

Kept at The Hoe Plymouth

in the County of Devon

by N. Victor Prigg

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Millbay

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~1916~~
~~0.24~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	0.40	0.00	0.00	0.04	0.00	0.00	0.48	0.18	0.23	0.00	0.05	1
2	0.36	0.14	0.24	0.10	0.00	0.29	0.00	0.06	0.02	0.00	0.00	0.36	2
3	0.04	0.29	0.32	0.15	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.69	3
4	0.09	0.53	0.02	0.00	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.12	4
5	0.12	0.54	0.00	0.28	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.70	5
6	0.98	0.26	0.01	0.47	0.00	0.00	0.44	0.04	0.00	0.00	0.00	0.18	6
7	0.46	0.38	0.00	0.04	0.00	0.00	0.12	0.00	0.00	0.74	0.01	0.41	7
8	0.10	0.24	0.00	0.00	0.00	0.00	0.03	0.09	0.00	0.00	0.20	0.17	8
9	0.05	0.18	0.00	0.02	0.00	0.00	0.00	0.07	0.00	0.00	0.38	0.80	9
10	0.34	0.23	0.02	0.07	0.00	0.00	0.00	0.02	0.00	0.23	0.02	0.20	10
11	0.14	0.00	0.17	0.00	0.00	0.00	0.00	0.09	0.00	—	1.20	0.22	11
12	0.09	0.49	0.00	0.06	0.62	0.00	0.00	0.16	0.00	0.05	0.30	0.03	12
13	0.03	0.55	0.00	0.00	0.77	0.00	0.10	0.02	0.04	0.00	0.13	0.05	13
14	0.07	0.01	0.00	0.00	0.02	0.00	0.13	0.04	0.12	0.20	0.12	1.21	14
15	0.12	0.00	0.00	0.00	0.35	0.00	0.55	0.00	0.01	0.01	0.08	0.39	15
16	0.00	1.34	0.00	0.00	0.29	0.00	0.99	0.00	0.00	0.00	0.00	0.06	16
17	0.02	0.15	0.02	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.01	17
18	0.00	0.32	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	18
19	0.01	0.03	0.00	0.01	0.35	0.00	0.10	0.00	0.00	0.00	0.00	0.00	19
20	0.23	0.03	0.00	0.11	0.00	0.25	0.00	0.00	0.00	.17	0.00	0.00	20
21	0.22	0.18	0.00	0.00	0.23	0.09	0.79	0.00	0.01	.16	0.00	0.01	21
22	0.05	0.15	0.38	0.03	0.00	0.00	0.36	0.00	0.02	0.04	0.00	0.48	22
23	0.02	0.03	0.01	0.00	0.00	0.03	0.02	0.00	0.02	1.60	0.00	0.86	23
24	0.00	0.00	0.00	0.02	0.00	0.23	0.12	0.00	0.04	0.19	0.00	0.84	24
25	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.00	0.00	0.00	0.00	0.27	25
26	0.02	0.31	0.00	0.00	0.00	0.45	0.01	0.00	0.11	0.00	0.00	0.84	26
27	0.03	0.06	0.00	0.00	0.00	0.12	0.00	0.00	0.06	0.63	0.00	0.00	27
28	0.00	0.05	0.00	0.00	0.00	0.24	0.00	0.01	0.25	0.11	0.03	0.10	28
29	0.00	x	0.00	0.00	0.00	0.36	0.00	0.00	0.15	0.19	0.22	0.09	29
30	0.12	✕	0.00	0.01	0.00	0.06	0.01	0.00	0.09	0.62	0.49	0.41	30
31	0.03	✕	0.00	✕	0.00	✕	.19	0.01	✕	0.55	✕	0.29	31
Total	3.91	6.89	1.19	1.37	2.82	2.16	4.05	1.48	1.13	5.72	3.18	9.84	YEAR'S TOTAL 43.74
Rain Days.		~~24~~	~~9~~	~~13.~~	~~11~~	~~12~~	~~17~~	~~13~~	~~15~~	~~10~~	~~12~~	~~27~~	~~193~~

W. 8,000. X. 15.

✓

Cond'y Halliwell chants St Freedom Field 26.11.16
by Prigg's copy

1773
1635

FORM A.
BRITISH RAINFALL.

23 FEB 1916

REGISTER OF RAINFALL IN 19~~1~~15

Kept at The Hoe - Plymouth
in the County of Devon.
by James Paton Borough Engineer

S2

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·40	—	—	·04	—	—	·48	·18	·23	—	·05	1
2	·36	·14	·24	·10	—	·29	—	·06	·02	—	—	·36	2
3	·04	·29	·32	·15	·07	—	—	—	—	—	—	·69	3
4	·09	·53	·02	—	·03	—	—	—	·01	—	—	·12	4
5	·12	·57	—	·28	—	—	·44	·39	—	—	—	·70	5
6	·98	·26	·01	·47	—	—	·12	·04	—	—	—	·18	6
7	·46	·38	—	·04	—	—	·03	—	—	·74	·01	·41	7
8	·10	·24	—	—	—	—	—	·09	—	—	·20	·17	8
9	·05	·18	—	·02	—	—	·00	·07	—	—	·38	·80	9
10	·34	·23	·02	·07	—	—	—	·02	—	·23	·02	·20	10
11	·14	—	·17	—	—	—	—	·09	—	—	1·20	·22	11
12	·09	·49	—	·06	·62	—	—	·16	—	·05	·30	·03	12
13	·03	·55	—	—	·77	—	·10	·02	·04	—	·13	·05	13
14	·07	·01	—	—	·02	—	·13	·04	·12	·20	·12	1·21	14
15	·12	—	—	—	·35	—	·55	—	·01	·01	·08	·39	15
16	·00	1·34	—	—	·29	—	·99	—	—	—	—	·06	16
17	·02	·15	·02	—	·05	—	—	—	—	—	—	·01	17
18	—	·32	—	—	—	—	·03	—	—	—	—	—	18
19	·01	·03	—	·07	·35	—	·10	—	—	—	—	—	19
20	·23	·03	—	·11	—	·25	—	—	—	·17	—	—	20
21	·22	·18	—	—	·23	·09	·79	—	·01	·16	—	·01	21
22	·05	·15	·38	·03	—	—	·36	—	·02	·04	—	·48	22
23	·02	·03	—	—	—	·03	·02	—	·02	1·60	—	·86	23
24	—	—	·01	·02	—	·23	·12	—	·04	·19	—	·84	24
25	—	—	—	—	—	·04	·01	—	—	—	—	·27	25
26	·02	·31	—	—	—	·45	·06	—	·11	—	—	·84	26
27	·03	·06	—	—	—	·12	—	—	·06	·63	—	—	27
28	—	·05	—	—	—	·24	—	·01	·25	·11	·03	·10	28
29	—	—	—	—	—	·36	—	—	·15	·19	·22	·09	29
30	·12	✕	—	·01	—	·06	·01	—	·09	·62	·49	·41	30
31	·03	✕	—	✕	—	✕	·19	·01	✕	·55	✕	·29	31
Total	3.91	6·89 6·89	1·19	1·37	2·82	2·16	4·05	1·48	1·13	5·72	3·18	9·84	YEAR'S TOTAL 43·76 43·74
Rain Days.	26	24	9	13	11	11	17	13	15	16	12	27	195

W. 8,000. X. 15.

1733
1635

cwdly chart

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
18 JUN 1917

Kept at The Hoe, Plymouth
in the County of Devon
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Millbay
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·19	0·00	0·04	0·00	0·17	0·04	0·02	0·00	0·05	0·66	0·03	0·00	1
2	0·20	0·10	0·10	0·00	0·00	0·00	0·00	0·00	0·12	0·38	0·33	0·00	2
3	0·07	1·16	0·00	0·00	0·32	0·18	0·00	0·00	0·03	0·74	0·27	0·00	3
4	0·08	0·14	0·00	0·02	0·02	0·23	0·01	0·00	0·05	0·13	0·56	0·00	4
5	0·13	0·19	0·02	0·00	0·02	0·03	0·12	0·00	0·00	0·13	0·19	0·00	5
6	0·05	0·09	0·02	0·00	0·11	0·08	0·78	0·00	0·00	0·13	0·14	0·00	x 6
7	0·02	0·18	0·04	0·00	0·06	0·08	0·00	0·00	0·00	0·18	0·70	0·08	7
8	0·01	0·28	0·42	0·00	0·41	0·04	0·00	0·00	0·00	0·00	0·06	0·32	8
9	0·00	0·01	0·02	0·00	0·00	0·10	0·00	0·00	0·00	0·03	0·31	0·13	9
10	0·00	0·86	0·00	0·05	0·08	0·00	0·02	0·00	0·00	0·00	0·02	0·04	10
11	0·00	0·03	0·00	0·11	0·14	0·00	0·04	0·00	0·02	0·00	0·00	0·09	11
12	0·03	0·10	0·02	0·01	0·09	0·00	0·14	0·05	0·00	0·15	0·00	0·00	12
13	0·00	0·30	0·07	0·05	0·03	0·00	0·01	0·22	0·00	0·00	0·01	0·03	13
14	0·02	0·32	0·01	0·00	0·05	0·00	0·00	0·32	0·00	0·05	0·00	0·00	14
15	0·01	0·27	0·21	0·21	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·02	15
16	0·33	0·12	0·00	0·08	0·00	0·00	0·00	0·56	0·00	0·25	0·13	0·00	16
17	0·16	0·10	0·06	0·01	0·00	0·00	0·00	0·00	0·05	0·39	2·27	0·00	17
18	0·01	0·11	0·23	0·00	0·00	0·00	0·00	0·00	0·07	0·02	0·22	0·10	18
19	0·10	0·14	0·02	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·20	0·16	19
20	0·04	0·61	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	1·13	20
21	0·04	0·00	0·10	0·06	0·02	0·02	0·00	0·00	0·00	0·00	0·07	0·06	21
22	0·00	0·00	0·00	0·00	0·00	0·28	0·00	0·08	0·00	0·44	0·00	0·62	22
23	0·06	0·00	0·00	0·16	0·00	0·20	0·00	0·51	0·00	0·08	0·24	0·06	23
24	0·00	0·08	0·01	0·10	0·05	0·00	0·00	0·39	0·00	0·32	0·04	0·46	24
25	0·06	0·22	0·08	0·00	0·01	0·14	0·00	0·14	0·00	0·02	0·07	0·04	25
26	0·01	0·01	0·16	0·00	0·00	0·10	0·00	0·24	0·70	0·90	0·04	0·12	26
27	0·01	0·00	1·40	0·00	0·00	0·03	0·00	0·05	0·17	0·28	0·00	0·01	27
28	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·23	0·33	0·40	0·00	0·46	28
29	0·00	0·08	0·04	0·00	0·00	0·61	0·00	0·92	0·13	0·10	0·00	0·48	29
30	0·00	X	0·00	0·00	0·00	0·04	0·00	0·00	0·00	0·39	0·00	0·01	30
31	0·00	X	0·00	X	0·00	X	0·00	0·08	X	0·46	X	0·03	31
Total	1·63	5·54	3·20	0·98	1·58	2·20	1·14	3·79	1·72	6·63	6·94	4·45	YEAR'S TOTAL 39·80
Rain Days.	~~21~~	~~21 rain.~~ 3 Snow. 24	~~21~~	12	15	16	8	13	11	23	21	~~21~~	~~203 days rain~~ ~~3 Snow.~~ 2066

W. 8,000, VIII. 16

writ 19/1/17

1630

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Hoe, Plymouth

in the County of S Devon

by J. S. Paton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												0·00	1
2												0·00	2
3												0·00	3
4												0·00	4
5												0·00	5
6												0·00	6
7												0·08	7
8												0·32	8
9												0·13	9
10												0·04	10
11												0·09	11
12												0·00	12
13												0·03	13
14												0·00	14
15												0·02	15
16												0·00	16
17												0·00	17
18												0·10	18
19												0·16	19
20												1·13	20
21												0·06	21
22												0·62	22
23											0·24	0·06	23
24											0·04	0·46	24
25											0·07	0·04	25
26											0·04	0·12	26
27											0·00	0·01	27
28											0·00	0·46	28
29											0·00	0·48	29
30		✕									0·00	0·01	30
31		✕		✕		✕			✕		✕	0·03	31
Total												4·45	YEAR'S TOTAL
Rain Days.												✓	

W. 8,000, VIII. 16

[illegible] 10.11.17

from Halliwell charts

1733

1635

FORM A.
BRITISH RAINFALL.
21. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Plymouth The Hoe check gauge

in the County of S. Devon

by J Paton

Lat. Long.

Time of Observation 10 AM.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	-	·04	-	·17	·04	·02	-	·05	·66	·03	-	1
2	·20	·10	·10	-	-	-	-	-	·12	·38	·33	-	2
3	·07	1·16	-	-	·32	·18	-	-	·03	·74	·27	-	3
4	·08	·14	-	·02	·02	·23	·01	-	·05	·13	·56	-	4
5	·13	·19	·02	-	·02	·03	·12	-	-	·13	·19	-	5
6	·05	·09	·02	-	·11	·08	·78	-	-	·13	1·14	-	6
7	·02	·18	·04	-	·06	·08	-	-	-	·18	·70	·08	7
8	·01	·28	·42	-	·41	·04	-	-	-	-	·06	·32	8
9	-	·01	·02	-	-	·10	-	-	-	·03	·31	·13	9
10	-	·86	-	·05	·08	-	·02	-	-	-	·02	·04	10
11	-	·03	-	·11	·14	-	·04	-	·02	-	-	·09	11
12	·03	·10	·02	·01	·09	-	·14	·05	-	·15	-	-	12
13	-	·30	·07	·05	·03	-	·01	·22	-	-	·01	·03	13
14	·02	·32	·01	-	·05	-	-	·32	-	·05	-	-	14
15	·01	·27	·21	·21	-	-	-	-	-	-	-	·02	15
16	·33	·12	-	·08	-	-	-	·56	-	·25	·13	-	16
17	·16	·10	·06	·01	-	-	-	-	·05	·39	2·27	-	17
18	·01	·11	·23	-	-	-	-	-	·07	·02	·22	·10	18
19	·10	·14	·02	·12	-	-	-	-	-	-	·20	·16	19
20	·04	·61	·13	-	-	-	-	-	-	-	·04	1·13	20
21	·04	-	·10	·06	·02	·02	-	-	-	-	·07	·06	21
22	-	-	-	-	-	·28	-	·08	-	·44	~~[illegible]~~	·62	22
23	·06	-	-	·16	-	·20	-	·51	-	·08	·24	·06	23
24	-	·08	·01	·10	·05	-	-	·39	-	·32	·04	·46	24
25	·06	·22	·08	-	·01	·14	-	·14	-	·02	·07	·04	25
26	·01	·01	·16	-	-	·10	-	·24	·70	·90	·04	·12	26
27	·01	-	1·40	-	-	·03	-	·05	·17	·28	-	·01	27
28	-	·04	-	-	-	-	-	·23	·33	·40	-	·46	28
29	-	·08	·04	-	-	·61	-	·92	·13	·10	-	·48	29
30	-		-	-	-	·04	-	-	-	·39	-	·01	30
31	.		-		-		-	·08		·46		·03	31
Total	1·63	5·54	3·20	·98	1·58	2·20	1·14	3·79	1·72	6·63	6·94	4·45	YEAR'S TOTAL 39·80
Rain Days.	21	24	21	12	15	16	8	13	11	23	21	21	206

W. 8,000. X. 15.

1657
1635

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Hoe

in the County of Devon

by H. Victor Prigg

Lat. 50. 22 Long. 4. 8 W

Time of Observation 9 a

Nearest Railway Station ~~Bittaford Halt~~

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·00	0·00	0·30 Snow.	0·00	0·28	0·00	0·02	0·00	0·00	0·06	0·00	1
2	0·00	0·00	0·06	0·06 Snow Rain	0·00	0·06	0·00	0·00	0·00	0·01	0·10	0·00	2
3	0·05	0·00	0·00	0·02 Snow.	0·00	0·00	0·00	0·00	0·00	0·21	0·39	0·00	3
4	0·01	0·13 Snow	0·88	0·00	0·00	0·00	0·01	0·00	0·10	0·27	0·00	0·00	4
5	0·14	0·00	0·40	0·12	0·00	0·03	0·00	0·00	0·00	0·07	0·06	0·00	5
6	0·02	0·00	0·25	0·00	0·00	0·27	0·00	0·27	0·00	0·09	0·04	0·07	6
7	0·55	0·00	0·00	0·06	0·00	0·01	0·15	0·23	0·00	0·08	0·04	0·04	7
8	0·05	0·00	0·53 Snow. Rain.	0·11	0·00	0·00	0·22	0·11	0·03	0·38	0·14	0·46	8
9	0·00	0·00	0·20	0·06 Snow Rain	0·08	0·00	0·03	0·01	0·00	0·15	0·12	0·00	9
10	0·59	0·00	0·32	0·18	0·00	0·00	0·00	0·34	0·00	0·01	0·00	0·00	10
11	0·02	0·00	0·37	0·13 Snow Rain	0·00	0·00	0·00	0·00	0·05	0·53	0·37	0·00	11
12	0·17	0·00	0·02	0·01	0·43	0·00	0·00	0·00	0·00	0·47	0·00	0·00	12
13	0·09	0·00	0·24	0·02	0·00	0·02	0·00	0·11	0·08	0·26	0·00	0·03	13
14	0·00	0·00	0·00	0·05	0·00	0·00	0·13	0·11	0·03	0·04	0·00	0·00	14
15	0·18 Snow.	0·00	0·00	0·02	0·00	0·00	0·17	0·01	0·06	0·34	0·00	0·41	15
16	0·00	0·19	0·00	0·02	0·00	0·04	0·00	0·00	0·02	0·41	0·00	0·16	16
17	0·00	0·03	0·00	0·08	0·03	0·00	0·40	0·08	0·89	0·14	0·00	0·00	17
18	0·00	0·02	0·00	0·00	0·40	0·05	0·26	0·02	0·66	0·01	0·00	0·00	18
19	0·00	0·75	0·04	0·00	0·00	0·58	0·01	0·01	0·07	0·00	0·00	0·00	19
20	0·00	0·21	0·02	0·00	0·76	0·07	0·00	0·05	0·02	0·00	0·00	0·19	20
21	0·00	0·00	0·08 Snow	0·00	0·00	0·08	0·00	0·17	0·00	0·11	0·00	0·01	21
22	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·38	0·00	0·09	0·01	0·00	22
23	0·00	0·32	0·00	0·00	0·19	0·00	0·01	0·35	0·00	0·09	0·00	0·00	23
24	0·00	0·02	0·00	0·00	0·00	0·03	0·46	0·04	0·00	0·18	0·09	0·01	24
25	0·00	0·01	0·00	0·00	0·00	0·00	0·01	0·24	0·19	0·12	0·03	0·00	25
26	0·00	0·00	0·00	0·00	0·63	0·29	0·00	0·07	0·18	0·01	0·02	0·00	26
27	0·00	0·00	0·00	0·00	0·00	0·62	0·02	0·98	0·00	0·02	0·01	0·00	27
28	0·00	0·00	0·12	0·00	0·00	0·08	0·00	0·23	0·00	0·04	0·03	0·00	28
29	0·00	X	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·52	0·01	0·03	29
30	0·00	X	0·18	0·00	0·00	0·00	0·29	0·26	0·01 Dew.	0·02	0·01	0·00	30
31	0·00	X	0·10	X	0·33	X	0·00	0·01	X	0·18	X	0·01 Snow.	31
Total	1·88	1·68	3·94	1·24	2·87	2·51	2·17	4·10	2·39	4·85	1·53	1·42	YEAR'S TOTAL 30·58
Rain Days.	11 ~~Rain~~ 1 ~~Snow.~~	~~8 Rain.~~ 1 Snow.	16 Rain. ~~1 Snow.~~	13 Rain. ~~2 Snow.~~	9	15	~~14~~	23	~~14~~	~~28~~	~~17~~	10 Rain. 1 Snow.	~~178 Rain.~~ ~~6 Snow.~~
	12	9	17	15			31				11		184

W. 8,000, IX. 17.

1657

FORM A. BRITISH RAINFALL. 1635

20 MAR 1918

S. made

Check gauge

REGISTER OF RAINFALL IN 1917

Kept at The Hoe Plymouth

in the County of S. Devon

by J. Paton

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·30 s	—	·28	—	·02	—	—	·06	—	1
2	—	—	·06	·06	—	·06	—	—	—	·01	·10	—	2
3	·05	—	—	·02 S	—	—	—	—	—	·21	·39	—	3
4	·01	·13 S	·88	—	—	—	·01	—	·10	·27	—	—	4
5	·14	—	·40	·12	—	·03	—	—	—	·07	·06	—	5
6	·02	—	·25	—	—	·27	—	·27	—	·09	·04	·07	6
7	·55	—	—	·06	—	·01	·15	·23	—	·08	·04	·04	7
8	·05	—	·53 s	·11	—	—	·22	·11	·03	·38	·14	·46	8
9	—	—	·20	·06	~~·08~~	—	·03	·01	—	·15	·12	—	9
10	·59	—	·32	·18	—	—	—	·34	—	·01	—	—	10
11	·02	—	·37	·13	—	—	—	—	·05	·53	·37	—	11
12	·17	—	·02	·01	·43	—	—	—		·47	—	—	12
13	·09	—	·24	·02	—	·02	—	·11	·08	·26	—	·03	13
14	—	—	—	·05	—	—	·13	·11	·03	·04	—	—	14
15	·18 S	—	—	·02	—	—	·17	·01	·06	·34	—	·41	15
16	—	·19	—	·02	—	·04	—	—	·02	·41	—	·16	16
17	—	·03	—	·08	·03	—	·40	·08	·89	·14	—	—	17
18	—	·02	—	—	·40	·03	·26	·02	·66	·01	—	—	18
19	—	·75	·04	—	·76	·58	·01	·01	·07	—	—	—	19
20	—	·21	·02	—	—	·07	—	·05	·02	—	—	·19	20
21	—	—	·08 s	—		·08	—	·17	—	·11	—	·01	21
22	—	—	—	—	·02	—	—	·38	—	·09	·01	—	22
23	—	·32	—	—	·19	—	·01	·35	—	·09	—	—	23
24	—	·02	—	—	—	·03	·46	·04	—	·18	·09	·01	24
25	—	·01	—	—	—	—	·01	·24	·19	·12	·03	—	25
26	—	—	—	—	·63	·62	—	·07	·18	·01	·02	—	26
27	—	—	—	—	—	·29	·02	·98	—	·02	·01	—	27
28	—	—	·12	—	—	·08	—	·23	—	·04	·03	—	28
29	—		·13	—	—	—	—	—	—	·52	·01	·03	29
30	—	×	·18	—	—	—	·29	·26	·01	·02	·01	—	30
31	—	×	·10	×	·33	×	—	·01	×	·18	×	·01 S	31
Total	1·88	1·68	3·94	1·24	2·87	2·51	2·17	4·10	2·39	4·85	1·53	1·42	YEAR'S TOTAL 30·58
Rain Days.	12	9	17	15	9	15	14	23	14	26	17	11	184

W. 8,000, VIII. 16

31

Cor. by Halliwell charts (see alt. sheet)

3

FORM A. BRITISH RAINFALL 1635 16 4 19

REGISTER OF RAINFALL IN 1918

Kept at Plymouth Hoe

in the County of Devon

by H Victor Prigg

Lat. 50·22 Long. 4·8

Time of Observation 9a

Nearest Railway Station Millbay

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·33	–	·10	·03	–	–	·44	–	–	·83	·01	1
2	–	·28	–	·01	–	–	–	·02	–	·02	·03	·60	2
3	–	·12	–	·30	·04	–	–	–	·06	·01	·38	·18	3
4	–	·07	–	–	–	–	–	·46	·92	–	·49	·62	4
5	0·03	–	·32	·10	·13	–	–	·17	·27	·27	·02	·07	5
6	·36	·23	·24	·05	–	–	–	–	–	·07	–	·25	6
7	·02*	·19	–	·01	–	·81	–	·08	·49	·01	·29	·38	7
8	·02*	·04	–	–	–	·05	–	–	·09	·63	–	·03	8
9	·03	–	–	–	–	·05	·54	–	·48	·04	·02	·55	9
10	·07	–	–	·20	–	–	·24	–	·02	·08	·01	·25	10
11	·02	0·01	·31	–	–	–	·12	–	·10	–	·04	·11	11
12	·03	·11	–	–	·34	–	·01	–	·03	–	–	·04	12
13	–	–	–	–	·05	–	·24	–	·76	·35	–	·20	13
14	·33	–	·02	–	·06	·09	·03	–	·55	·13	–	·11	14
15	·46	–	–	–	·01	·06	·37	–	·09	·14	–	·30	15
16	·93	–	·03	·06	–	·11	·09	–	·23	–	–	·04	16
17	·07	–	–	·02	·02	·01	·03	·03	·18	–	–	·40	17
18	·91	–	·45	–	–	·67	·11	–	·57	·40	–	·34	18
19	·12	·12	·02	·07	–	–	·05	·02	·06	·01	–	·13	19
20	·03	·22	–	·16	–	·03	·01	·01	·27	..	–	–	20
21	·12	·01	–	–	–	·03	·22	–	·83	·15	–	·49	21
22	·03	–	–	–	·09	–	·90	–	·15	·16	·06	·19	22
23	·21	·04	–	–	·04	·01	·03	–	·08	–	·14	·17	23
24	·01	·22	–	–	–	–	·11	·23	·13	–	·22	·27	24
25	·04	–	–	·16	·02	–	·07	·63	·27	·07	·25	·01	25
26	·02	·03	–	·05	–	–	·25	–	·05	–	·06	·29	26
27	–	·10	·16	–	–	–	–	·04 ~~·05~~	·06	·03	·09	·03	27
28	–	·20*	·05	–	–	–	–	–	·16	·05	·05	·10	28
29	–	✕	·33	–	–	–	–	–	1·05	–	·04	·06	29
30	–	✕	·18	·12	–	–	–	–	·08	·05	·18	·05	30
31	–	✕	·17	✕	–	✕	·02	–	✕	·04	✕	·05	31
Total	3·86	2·32	2·28	1·41	·83	1·12	3·44	2·13	8·00	2·71	3·20	6·32	Y [illegible]
Rain Days.	~~21~~ 2 Snow	~~17~~ 1 Snow	~~12~~	~~14~~	~~11~~	~~10~~ 11	~~19~~	~~21~~	~~20~~ 27	~~20~~	~~19~~ 18	~~30~~	~~20~~ 211

37·62

W, 6,500, VII. 18. W W C

[illegible]

1562
1635

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Plymouth (M.O.)
in the County of Devonshire
by [illegible]

Lat. 50° 22' N Long. 4° 8' W
Time of Observation 9h & 21h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·88	-	0·23	0·23	0·04	-	0·21	-	0·11	0·28	-	0·92	1
2	0·18	-	0·01	-	0·01	-	0·02	-	0·01	0·03	-	0·12	2
3	0·27	-	0·38	-	0·08	-	-	-	0·07	-	0·03	0·08	3
4	0·13	1·09	0·66	-	-	0·01	0·02	0·24	0·78	-	0·02	0·01	4
5	-	0·16	0·53	-	0·01	-	-	-	0·13	-	-	0·05	5
6	0·40	1·13	0·13	-	-	-	-	-	-	-	-	0·26	6
7	0·39	-	0·31	0·09	-	-	0·03	-	-	-	-	0·23	7
8	0·18	-	0·30	0·31	0·02	0·02	-	-	-	-	0·60	-	8
9	0·07	-	·12	0·19	0·18	-	-	-	-	-	0·05	0·07	9
10	0·10	-	·87	0·02	-	-	-	-	-	-	-	0·47	10
11	0·12	-	0·24	0·16	0·31	0·02	0·06	-	0·01	0·08	0·04	0·70	11
12	0·25	-	0·02	0·08	-	0·01	-	-	-	0·08	0·09	-	12
13	0·20	0·12	0·28	0·58	-	-	0·06	-	0·02	0·05	-	0·25	13
14	0·83	0·14	-	0·66	0·62	-	-	-	0·06	0·06	-	0·17	14
15	0·11	0·10	-	0·01	-	-	-	-	-	·07	-	0·13	15
16	0·03	1·42	-	-	0·02	-	-	-	-	-	0·25	0·03	16
17	-	0·12	0·01	-	-	0·03	-	0·03	-	-	0·33	0·10	17
18	0·21	0·60	0·55	-	-	-	0·43	0·16	0·05	-	0·42	0·02	18
19	0·61	0·32	0·23	-	-	0·21	0·35	0·26	0·13	-	0·11	0·01	19
20	0·21	0·08	0·20	-	0·03	0·22	-	0·12	0·24	-	0·17	0·08	20
21	0·37	0·92	-	-	0·17	-	0·04	-	0·11	0·01	0·02	0·08	21
22	-	0·01	-	-	0·04	0·02	0·02	-	0·14	-	0·02	0·04	22
23	-	-	0·01	-	-	-	-	-	0·02	0·85	0·09	0·10	23
24	-	-	-	0·01	-	0·29	-	0·22	0·01	0·27	0·07	0·32	24
25	0·12	0·01	-	0·02	-	0·04	-	0·52	0·01	-	0·08	0·08	25
26	0·07	-	0·06	0·10	-	-	-	0·04	0·08	0·01	0·06	0·49	26
27	0·15	0·04	0·03	0·16	-	-	-	1·36	-	-	-	0·02	27
28	0·01	0·05	0·43	0·11	-	-	-	0·03	-	0·03	0·70	0·71	28
29	-	×	-	0·04	-	-	-	0·12	-	0·03		0·08	29
30	-	×	0·01	0·03	-	0·10	-	0·10	0·04	-	0·54	0·74	30
31	-	×	0·02	×	-	×	0·01	-	×	-	×	0·36	31
Total	5·89	6·31	5·63	2·80	1·53	0·97	1·25	3·20	2·02	1·85	3·69	6·72	Year's Total 41·86
Days with ·01 in. or more	~~23~~	~~16~~	~~22~~	~~17~~	~~12~~	~~11~~	~~11~~	~~12~~	~~18~~	~~13~~	~~19~~	~~29~~	~~20[illegible]~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3201.

~~X~~ Rg Cor. for arith + by Halliwell records. 1562

1635

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN

Kept at Plymouth Hoe.
in the County of Devon
by H Victor Prigg

Lat. 50°-22′ Long. 4°-8′
Time of Observation 9 & 21 hrs.
Nearest Railway Station Millbay.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·88	0·00	0·23	0·23	0·04	—	0·21	—	0·11	0·28	—	0·92	1
2	0·18	0·00	0·01	—	0·01	—	0·02	—	0·01	0·03	—	0·12	2
3	0·27	0·00	0·38	—	0·08	—	—	—	0·07	—	0·03	0·08	3
4	0·12	~~0·99~~ 1·09	0·66	—	—	0·01	0·02	0·24	0·78	—	0·02	0·01	4
5	0·00	0·16	0·53	—	0·01	—	—	—	0·13	—	—	0·05	5
6	0·40	1·03	0·73	—	—	—	—	—	—	—	Trace	0·26	6
7	0·39	0·00	0·31	0·09	—	—	0·03	—	—	—	—	0·23	7
8	0·18	0·00	~~0·30~~	0·31	0·02	0·02	—	—	—	—	0·60	—	8
9	0·07	0·00	~~[illegible]~~ ·12	0·19	0·18	—	—	—	—	—	0·05	0·07	9
10	0·10	0·00	~~0·44~~ ·87	0·02	—	—	—	—	—	Trace	—	0·47	10
11	0·12	0·00	0·24	0·16	0·31	0·02	0·06	—	0·01	0·08	0·04	0·70	11
12	0·25	0·00	0·02	0·08	—	0·01	—	—	—	0·08	0·09	—	12
13	0·20	0·12	0·28	0·58	—	—	0·06	—	0·02	0·05	—	0·25	13
14	~~0·11~~ ·84	0·14	—	0·66	0·62	—	—	—	0·06	0·06	—	0·17	14
15	0·11	0·10	—	0·01	—	—	—	—	—	0·07	—	0·13	15
16	0·03	1·42	—	—	0·02	—	—	—	—	—	0·25	0·03	16
17	0·00	0·12	0·01	—	—	0·03	—	0·03	—	—	0·33	0·10	17
18	0·21	0·60	0·55	—	—	—	0·43	0·16	0·05	—	0·42	0·02	18
19	0·61	0·32	0·23	—	—	0·21	0·35	0·26	0·13	Trace.	0·11	0·01	19
20	0·21	0·08	0·20	—	0·03	~~0·32~~ ·22	—	0·12	0·24	Trace.	0·17	0·08	20
21	0·37	0·92	—	—	0·17	—	0·04	—	0·11	0·01	0·02	0·08	21
·06 22	0·00	0·01	—	—	0·04	0·02	0·02	—	0·14	—	0·02	0·04	22
23	0·00	0·00	0·01	—	—	—	—	—	0·02	0·85	0·09	0·10	23
24	0·00	0·00	—	0·01	—	0·29	—	0·22	0·01	0·27	0·07	0·32	24
25	0·12	0·01	—	0·02	—	0·04	—	0·52	0·01	—	0·08	0·08	25
26	0·07	0·00	0·06	0·10	—	—	—	0·04	0·08	0·01	0·06	0·49	26
27	0·15	0·04	0·03	0·16	—	—	—	1·36	—	—	—	0·02	27
28	0·01	0·05	0·43	0·11	—	—	—	0·03	—	0·03	0·70	0·71	28
29	0·00	×	—	0·04	—	—	—	0·12	—	0·03	—	0·08	29
30	0·00	×	snow 0·01	0·03	—	0·10	—	0·10	0·04	—	0·54	0·74	30
31	0·00	×	0·02	×	—	×	0·01	—	×	—	×	0·36	31
TOTAL	5·89 ✓	6·31 ✓	~~5·04~~ 5·63	~~2·70~~ 2·80	1·53	0·97 ✓	~~1·24~~ 1·25	3·20	~~1·89~~ 2·02	1·58	3·69	6·72	YEAR'S TOTAL ~~40·76~~ 41·86
Days with ·01 in. or more	23	16	~~22~~ 23	17	12	11	11 ~~10~~	12.	18	13 ~~11~~	19.	29	~~30~~ [illegible]
										1·85			204

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Totals from charts only A.

1635

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MAR 19

Kept at Plymouth, The Hoe

in the County of S. Devon

by J. Paton Esq. CE

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. : in.

" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	·03	-	·43	-	·41	.	·05	-	·01	·48	1
2	·47	-	-	·16	-	-	·07	·05	·07	·01	-	·11	2
3	·66	·09	-	·06	-	-	-	.	trace	·45	-	·16	3
4	-	-	·01	-	-	.	trace	·68	trace	·42	-	-	4
5	-	-	·19	-	·19	-	·31	·08	-	·22	-	.	5
6	-	-	·06	·03	·24	-	·36	-	-	·15	-	-	6
7	·04	-	·07	·35	·01	-	·22	-	-	-	-	·48	7
8	·05	·02	-	·41	·02	-	·10	·01	-	-	-	·19	8
9	·61	~~·05~~	·10	·08	-	·02	·52	·01	·02	-	-	-	9
10	~~·61~~	~~·19~~	·12	-	-	·28	·18	-	-	-	trace	-	10
11	·21	~~·01~~	·21	·48	·24	-	·31	-	-	.	-		11
12	·33	·11	·13	·10	-	·01	·02	-	-	·04	·10	·21 ~~·45~~	12
13	·21	·02	·35	·03	-	-	-	-	-	(·38)	-	·55	13
14	·45	·04	·34	·51	-	-	·06	-	·18	·81	·17	-	14
15	·12	·09	·03	·02	·04	-	-	-	·03	·58	·11	-	15
16	·02	·04	·05	-	·01	·04	·12	-	·23	·01	·04	-	16
17	·05	-	trace	-	·29	-	·02	-	·47	·05	-	-	17
18	·18	trace	-	·05	·03	·23	·06	·15	·02	-	-	-	18
19	·06	·02	-	·35	-	·74	trace	-	·09	trace	-	.	19
20	·01	·02	-	·07	-	·11	-	-	-	·33	-	·25	20
21	-	-	-	·25	-	-	·01	-	-	·02	-	·08	21
22	·05	-	-	·05	-	-	·03	.	.	-	.	·35	22
23	·01	-	·03	-	-	-	·04	·04	-	-	-	·58	23
24	·03	trace	·19	-	-	-	·05	-	-	-	·20	·10	24
25	·07	·05	·09	-	-	-	·76	-	-	-	·01	·04	25
26	·31	trace	~~·20~~	-	-	·01	·03	-	.	.	·37	trace	26
27	·51	·05	·04	·04	-	·23	·12	-	.	-	·30	·25	27
28	·63	-	·45	·01	-	·02	·13	-	-	.	·01	·19	28
29	·27	.	·67	·02	-	·00	·01	-	·04	.	·30	·18	29
30	·20	×	-	-	-	·48	·25	-	·79	·07	·26	·63	30
31	·10	×	·37	×	-	×	-	-	×	·34	×	·13	31
TOTAL													YEAR'S TOTAL
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

W [illegible] MWR

1477
1635

21 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Plymouth (M.O)
in the County of Devonshire
by H. Victor Prigg, A.M.I.C.E.; for the Corporation

Lat. 50° 22′ N Long. 4° 8′ W
Time of Observation 9h & 21h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	-	0·03	-	0·43	-	0·41	-	0·05	-	0·01	0·48	1
2	0·47	-	-	0·16	-	-	0·07	0·05	0·07	0·01	-	0·11	2
3	0·66	0·09	-	0·06	-	-	-	-	-	0·45	-	0·16	3
4	-	-	0·01	-	-	-	-	0·68	-	0·42	-	-	4
5	-	-	0·19	-	0·19	-	0·31	0·03	-	0·22	-	-	5
6	-	-	0·06	0·03	0·24	-	0·36	-	-	0·15	-	-	6
7	0·04	-	0·07	0·35	0·01	-	0·22	-	-	-	-	0·48	7
8	0·05	0·02	-	0·41	0·02	-	0·10	0·01	-	-	-	0·19	8
9	0·61	0·04	0·10	0·08	-	0·02	0·52	0·01	0·02	-	-	-	9
10	0·53	0·18	0·12	-	-	0·28	0·18	-	-	-	-	-	10
11	0·21	-	0·21	0·48	0·24	-	0·31	-	-	-	-	-	11
12	0·33	0·11	0·13	0·10	-	0·01	0·02	-	-	0·04	0·10	0·21	12
13	0·21	0·02	0·35	0·03	-	-	-	-	-	0·38	-	0·55	13
14	0·45	0·04	0·34	0·51	-	-	0·06	-	0·18	0·81	0·17	-	14
15	0·12	0·09	0·03	0·02	0·04	-	-	-	0·03	0·58	0·11	-	15
16	0·02	0·04	0·05	-	0·01	0·04	0·12	-	0·23	0·01	0·04	-	16
17	0·05	-	-	-	0·29	-	0·02	-	0·47	0·05	-	-	17
18	0·18	-	-	0·05	0·03	0·23	0·06	0·15	0·02	-	-	-	18
19	0·06	0·02	-	0·35	-	0·74	-	-	0·09	-	-	-	19
20	0·01	0·02	-	0·07	-	0·11	-	-	-	0·33	-	0·25	20
21	-	-	-	0·25	-	-	0·01	-	-	0·02	-	0·08	21
22	0·05	-	-	0·05	-	-	0·03	-	-	-	-	0·35	22
23	0·01	-	0·03	-	-	-	0·04	0·04	-	-	-	0·58	23
24	0·03	-	0·19	-	-	-	0·05	-	-	-	0·20	0·10	24
25	0·07	0·05	0·09	-	-	-	0·76	-	-	-	0·01	0·04	25
26	0·31	-	0·14	-	-	0·01	0·03	-	-	-	0·37	-	26
27	0·51	0·05	0·04	0·04	-	0·23	0·12	-	-	-	0·30	0·25	27
28	0·63	0·02	0·45	0·02	-	0·02	0·13	-	-	-	0·01	0·19	28
29	0·27	-	0·67	0·02	-	-	0·01	-	0·04	-	0·30	0·18	29
30	0·20		-	-	-	0·48	0·25	-	0·79	0·07	0·26	0·63	30
31	0·10		0·37		-		-	-		0·34		0·13	31
TOTAL	6·19	0·49	3·67	3·08	1·50	2·17	4·19	0·97	1·99	3·88	1·88	4·96	YEAR'S TOTAL 35·27
Days with ·01 in. or more	~~27~~	~~11~~	~~21~~	~~19~~	~~12~~	~~11~~	~~21~~	~~7~~	~~11~~	~~15~~	~~12~~	~~18~~	~~189~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3201

REGISTER

DEVON.

PLYMOUTH.

"R.A.F. MET. STATION."

1918

FORM A.
BRITISH RAINFALL

22.

Kept at R.A.F. Meteorological Sta

in the County of Devon.

by Capt. A.J. Prince-Cox. R.A.

bay. G.W.R. 10

ge 8 in. above roof of House

round 4 ft. 10½ in.

ea Level 160 ft.

IMPORTANT NOTE.—Rai e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	7.8	-	2.2	1.0	-	-	11.0	0.1	-	21.0	0.4	1
2	-	7.3	-	0.4	-	0.1	-	0.8	0.1	0.6	0.8	15.0	2
3	-	2.7	-	7.3	0.9	-	-	-	1.3	0.4	10.0	4.5	3
4	-	1.2	-	0.1	-	0.2	-	11.5	22.9	-	12.0	15.8	4
5	0.7	-	7.8	2.5	3.0	0.2	-	5.0	6.6	6.8	0.8	1.3	5
6	8.4	5.6	6.6	1.4	0.1	-	-	0.1	-	1.4	-	6.4	6
7	0.6	4.6	-	0.4	-	0.1	-	1.8	12.0	-	7.0	10.0	7
8	0.6	1.0	-	-	0.1	1.2	-	-	2.0	16.0	-	0.6	8
9	0.8	0.1	-	-	-	0.8	14.6	-	4.8	1.0	0.6	14.0	9
10	1.6	-	-	4.5	-	0.1	6.0	-	0.6	1.3	0.6	6.0	10
11	0.6	0.2	7.5	-	-	0.2	2.5	-	2.3	0.1	0.4	3.0	11
12	0.7	1.6	-	-	8.7	-	0.4	-	0.8	-	0.8	0.8	12
13	-	0.1	-	-	0.9	-	6.0	-	19.2	8.6	-	5.0	13
14	8.0	0.1	0.6	-	1.4	2.5	0.8	-	14.0	3.2	-	2.7	14
15	11.5	-	-	-	0.4	1.1	9.0	-	2.3	3.6	-	7.6	15
16	22.8	-	0.6	1.3	-	2.6	1.2	-	6.0	-	-	1.0	16
17	1.8	-	-	0.5	0.6	-	0.8	0.8	3.6	-	-	10.0	17
18	22.0	-	11.0	-	-	16.0	2.5	-	14.8	10.0	-	8.5	18
19	2.6	2.6	0.6	1.6	-	-	1.1	0.6	1.4	0.6	-	3.0	19
20	0.7	5.7	-	3.5	-	0.8	0.4	0.4	7.0	-	-	-	20
21	2.5	0.4	-	-	-	0.8	5.6	-	20.6	3.7	-	12.0	21
22	0.7	0.1	0.2	-	2.2	-	21.8	-	3.6	3.8	1.6	5.0	22
23	5.1	0.8	0.2	-	0.9	-	0.7	-	1.8	-	3.0	4.0	23
24	0.2	5.2	-	-	-	-	2.3	6.0	3.6	-	5.6	6.7	24
25	1.0	-	-	3.8	0.8	-	1.8	15.8	2.4	1.7	6.0	0.4	25
26	0.5	0.8	-	1.1	-	-	6.2	-	0.1	0.6	1.3	7.2	26
27	-	2.5	4.0	-	-	-	-	1.2	1.3	0.8	1.8	0.8	27
28	-	4.4	1.0	-	-	-	-	-	3.8	1.3	0.9	2.4	28
29	-		7.6	-	-	-	-	-	26.0	-	0.9	1.2	29
30	-		4.2	2.6	-	-	-	0.1	2.4	1.2	4.1	1.6	30
31	-		3.6		-		0.8	0.1		1.2		1.0	31
Total	93.4	54.8	55.5	33.2	21.0	26.7	84.5	55.2	187.4	67.9	79.2	157.9	YEAR'S TOTAL 916.7
Rain Days	21	~~21~~ 17	14	~~15~~ 14	~~13~~ 11	~~14~~ 11	19	~~11~~ 11	~~29~~ 26	~~21~~ 20	19	30	~~220~~ 213

W. 6,500, VII. 18. W W C

N.B. The above readings are recorded in millimetres.

REGISTER

FORM A.
BRITISH RAINFALL.

Kept at R.A.F. Meteorological Station. Plymouth.

in the County of Devon.

by Capt. A.J. Prince-Cox. R.A.F.

Long. 4 8.

Time of Observation 9 am.

Nearest Railway Station Millbay. G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 10½ in. above roof of House

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	7·8	-	2·2	1·0	-	-	11·0	0·1	-	21·0	0·4	1
2	-	7·3	-	0·4	-	0·1	-	0·8	0·1	0·6	0·8	15·0	2
3	-	2·7	-	7·3	0·9	-	-	-	1·3	0·4	10·0	4·5	3
4	-	1·2	-	0·1	-	0·2	-	11·5	22·9	-	12·0	15·8	4
5	0·7	-	7·8	2·5	3·0	0·2	-	5·0	6·6	6·8	0·8	1·3	5
6	8·4	5·6	6·6	1·4	0·1	-	-	0·1	-	1·4	-	6·4	6
7	0·6	4·6	-	0·4	-	0·1	-	1·8	12·0	-	7·0	10·0	7
8	0·6	1·0	-	-	0·1	1·2	-	-	2·0	16·0	-	0·6	8
9	0·8	0·1	-	-	-	0·8	14·6	-	4·8	1·0	0·6	14·0	9
10	1·6	-	-	4·5	-	0·1	6·0	-	0·6	1·3	0·6	6·0	10
11	0·6	0·2	7·5	-	-	0·2	2·5	-	2·3	0·1	0·4	3·0	11
12	0·7	1·6	-	-	8·7	-	0·4	-	0·8	-	0·8	0·8	12
13	-	0·1	-	-	0·9	-	6·0	-	19·2	8·6	-	5·0	13
14	8·0	0·1	0·6	-	1·4	2·5	0·8	-	14·0	3·2	-	2·7	14
15	11·5	-	-	-	0·4	1·1	9·0	-	2·3	3·6	-	7·6	15
16	22·8	-	0·6	1·3	-	2·6	1·2	-	6·0	-	-	1·0	16
17	1·8	-	-	0·5	0·6	-	0·8	0·8	3·6	-	-	10·0	17
18	22·0	-	11·0	-	-	16·0	2·5	-	14·8	10·0	-	8·5	18
19	2·6	2·6	0·6	1·6	-	-	1·1	0·6	1·4	0·6	-	3·0	19
20	0·7	5·7	-	3·5	-	0·8	0·4	0·4	7·0	-	-	-	20
21	2·5	0·4	-	-	-	0·8	5·6	-	20·6	3·7	-	12·0	21
22	0·7	0·1	0·2	-	2·2	-	21·8	-	3·6	3·8	1·6	5·0	22
23	5·1	0·8	0·2	-	0·9	-	0·7	-	1·8	-	3·0	4·0	23
24	0·2	5·2	-	-	-	-	2·3	6·0	3·6	-	5·6	6·7	24
25	1·0	-	-	3·8	0·8	-	1·8	15·8	2·4	1·7	6·0	0·4	25
26	0·5	0·8	-	1·1	-	-	6·2	-	0·1	0·6	1·3	7·2	26
27	-	2·5	4·0	-	-	-	-	1·2	1·3	0·8	1·8	0·8	27
28	-	4·4	1·0	-	-	-	-	-	3·8	1·3	0·9	2·4	28
29	-		7·6	-	-	-	-	-	26·0	-	0·9	1·2	29
30	-		4·2	2·6	-	-	-	0·1	2·4	1·2	4·1	1·6	30
31	-		3·6		-		0·8	0·1		1·2		1·0	31
Total	93·4	54·8	55·5	33·2	21·0	26·7	84·5	55·2	187·4	67·9	79·2	157·9	YEAR'S TOTAL 916·7
Rain Days	21	~~21~~ 17	14	~~15~~ 14	~~13~~ 11	~~14~~ 11	19	~~14~~ 11	~~29~~ 26	~~21~~ 20	19	30	~~220~~ 213

W, 6,500, VII. 18. w w c

N.B. The above readings are recorded in millimetres.

FORM A.
BRITISH RAINFALL.

REC

PLYMOUTH.

BOVEYSAND LODGE

1917 - 1920

Kept at Boveysand
in the County of De
by H. Case

9. A M
Turnchapel L & SW R
in Gauge 5 in.
ove Ground 1 ft. 6 in.
Sea Level 75 ft.

IMPORTANT NO
previous day. If an C
requested to add the re
for it at the end of th
the selection and placi
Organization are given
Dr. H. R. Mill, 62, Ca

d the result entered to the
iversal rule, he is earnestly
ear in the space provided
ement of rain,
British Rainfall
application to

Jan. 1, following.

Date	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date.
1	3		18	12		45		3			24		1
2	2		11	23							3		2
3	6	15	6	11						15	40		3
4			55	3					14	30	5		4
5	20		45	31		3				9	5		5
6			24			25				5	2	6	6
7	60						25	14		6	2		7
8	6		58	10	12		36	18	6	26	10	43	8
9			22	6			6			15	15		9
10	45		34	22				45			36		10
11			31	18				3	6	46			11
12	20		5		53								12
13	9		19	3					6	25			13
14				8			9		3	35		2	14
15	22						4	8	8	3		50	15
16		11		3		3	41		88	25		14	16
17		4		9	4			8		43			17
18		2			45	8	18		65	12			18
19		62	6		80	45			9				19
20		16	11			5			2			29	20
21						2		5		5	3		21
22					4			75		9	6		22
23		25			17	2	52	29		6	4		23
24		2						3		11			24
25					68	28		22	11	6	2		25
26						67		12	13	5	3		26
27						23		96					27
28		15						15					28
29						2				48			29
30		X					29	27		2			30
31		X		X	22	X			X		X		31
Total	1-93	1-52	3-45	1-59	3-05	2-58	2.20 ~~2-79~~	3-83	2-31	3-87	1-60	1-44	YEAR'S TOTAL 29·37 ~~29.96~~
Rain Days.	10	9	14	13	9	13	9	16	12	22	15	6	148

W. 8,000, IX. 17.

1056

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Boveysand Lodge
in the County of Devon
by H. Case

Lat. Long.
Time of Observation 9. A M
Nearest Railway Station Turnchapel L&SWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3		18	12		45		3			24		1
2	2		11	23							3		2
3	6	15	6	11						15	40		3
4			55	3					14	30	5		4
5	20		45	31		3				9	5		5
6			24			25				5	2	6	6
7	60						25	14		6	2		7
8	6		58	10	12		36	18	6	26	10	43	8
9			22	6			6			15	15		9
10	45		34	22				45			36		10
11			31	18				3	6	46			11
12	20		5		53								12
13	9		19	3					6	25			13
14				8			9		3	35		2	14
15	22						4	8	8	3		50	15
16		11		3		3	41		88	25		14	16
17		4		9	4			8		43			17
18		2			45	8	18		65	12			18
19		62	6		80	45			9				19
20		16	11			5			2			29	20
21						2		5		5	3		21
22					4			75		9	6		22
23		25			17	2	52	29		6	4		23
24		2						3		11			24
25					68	28		22	11	6	2		25
26						67		12	13	5	3		26
27						23		96					27
28		15						15					28
29						2				48			29
30		X					29	27		2			30
31		X		X	22	X			X		X		31
Total	1-93	1-52	3-45	1-59	305	2-58	2.20 ~~2-79~~	3-83	2-31	3-87	1-60	1-44	YEAR'S TOTAL 29 34 ~~29.96~~
Rain Days.	10	9	14	13	9	13	9	16	12	22	15	6	148

W. 8,000, IX. 17.

~~w~~ Case

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7. 1. 19

Kept at Boveysand Lodge

in the County of S Devon

by J F Case

Lat. Long.

Time of Observation 9. A M

Nearest Railway Station Turnchapel

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		45		8	4			43			79		1
2		19		2	4			3	4	4		35	2
3		10		35	5				3		45	16	3
4								58	96		31	39	4
5			25	16	16			12	43	25	2	9	5
6	48	22	19							8		20	6
7		18						6	42		35	31	7
8	8	5							4	49		2	8
9	3						53		41	5	6	38	9
10	3			17			33		6	8		26	10
11	3		29				20		15			9	11
12	3	10			37				4			3	12
13					10		36		59	28		9	13
14	29		2		(05)		3		44			12	14
15	46						47		6	17		31	15
16	77		5	7		25	10		20			9	16
17	3						6		16			29	17
18	76		35			54	10		63	35		27	18
19	16	12	2	6			3		3			8	19
20	6	14		20			2		28				20
21	15					3	19		44	25	2	45	21
22	3				9		87		22	8	8	14	22
23	13	3					2		7			10	23
24		23					3	36	10		25	25	24
25	3	3		19	4		6	72		8	26		25
26	2			4			20		4	4	2	28	26
27		10	20					4	3	3	8		27
28		23		2					20	5	3	8	28
29			25						96		3	2	29
30			29	9					8	3	22 ~~1~~2	9	30
31			3							5		12	31
Total	3.57	2.17	1-94	1-45	-94	-82	3.60	2.34	7.11	2.40	2.97	5-06	YEAR'S TOTAL 34·37
Rain Days.	18	14	11	12	9	3	17	8	27	17	15	27	148

W, 6,500, VII. 18. W W C

1561

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Boveysand

in the County of Devon

by H. Case

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Turnchapel

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55		12	8	3		17		8	26		71	1
2	15											8	2
3	31		31		11				16		7	6	3
4	28	1,04	92					21	61		2		4
5		16	20						20			11	5
6	41	1,18	13									16	6
7	35		29	10								20	7
8	25		30	26		3					65		8
9	5		6	19	16						3	8	9
10	14		60	8								44	10
11	16		25	21	34		8			11		68	11
12	17		4	3						7	10		12
13	20	9	32	41			2			2		16	13
14	53	15		(47)	56				7	6		20	14
15	12	17								9		49	15
16	2	1,20			2						23	4	16
17		15				3					18		17
18	17	51	55				33	6	6		46		18
19	71	35				26	46	16	11		5	5	19
20	25	25	18		6	25		20	20		20	7	20
21	←	67	26		18		5		8		2	2	21
22	40	3	2		4				14			5	22
23			2							68	(·09)	15	23
24				3		33		25		42			24
25	9			2				50		2		10	25
26	3		3	15				3	4			40	26
27	15		2	11				1,54			6		27
28		12	36	5				7		2	56	66	28
29				4				4			2	10	29
30			3	2		9		7	6		46	74	30
31												35	31
TOTAL	5.49	6,17	5,91	2,25	1,50	,99	1,11	3,13	1,81	1,75	3,26	6,10	YEAR'S TOTAL 38·41
Days with ·01 in. or more	22	14	21	16	9	6	6	11	12	10	16	24	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

See adjoining sheets

1476

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Boveysand

in the County of Devon

by J. T. Hase

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			4	2	43		30		2	6		(·75) ~~1.00~~	1
2	46			20				5	6			10	2
3	74	8						5		53		29	3
4								72		50			4
5			26	3	22		32	2		34			5
6			8	3	26		44			19			6
7			3	35	2		39					46	7
8	6			45	5		15					22	8
9	66	2	5	4		2	38						9
10	54	10	12	13		25	18						10
11	19		21	39	33		36						11
12	24	12	11	11		2	3			5	12		12
13	24		39		4					29		62 Snow.	13
14	31	4	45	63			5		18	52	15		14
15	10	9	2	6	5				3	66	14		15
16	2	3	4			5	12		16		10		16
17	3			2	(23)				72				17
18	13			4	4	25	4	19	3				18
19	3			39		75			20	4			19
20		5		5		44	2			45		32	20
21				24								7	21
22	4		2	2			3					41	22
23							6	3		2		56	23
24	3		17				5				20	7	24
25	4		15				75				2	5	25
26	38		19				4				33	7	26
27	34	7	6	2		22	8				42	28	27
28			22			4	10				2	15	28
29	30		56	6					6		24	20	29
30	18	×				56	25		86	7	(·25)	55	30
31	6	×	39	×		×			×	52	×	15	31
TOTAL	5.72	.60	3.56	3.28	1.67	2.60	4.14	1.06	2.32	4.24	~~1.74~~ (1.99)	5.59 (5.32)	YEAR'S TOTAL 35.90
Days with ·01 in. or more													
Days with ·04 in. or more	22 18	9 7	20 17	20 14	10 9	10 8	21 18	6 4	10 7	14 13	16 9	18 18	179 162

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

40

DEV~~ON~~

PLYMOUTH
MENTAL HOSPITAL

1918 - 1919

REC 91~~8~~9

FORM A.
BRITISH RAINFALL

Long.
Kept at Plymouth B
9am
in the County of S. De
ation Bittaford Halt.
of Rain Gauge 5 in.
by
auge above Ground 1 ft. 0 in.
" Sea Level 607½ ft.

IMPORTANT NO m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·54	·01 Snow	·10	·05	—	—	·40	—	—	·80	·02	1
2	—	·33	—	·05	—	—	—	·05	—	·03	·02	·52	2
3	—	·20	·02	·30	·03	—	—	·01	·03	·10	·30	·11	3
4	—	·03	—	—	—	—	—	·38	·44	—	·95	·46	4
5	—	—	·15	·05	·33	—	—	·37	·25	·50	·02	·05	5
6	·32	·36	·08	·21	·01	·02	—	·10	—	·17	—	77	6
7	—	·12	—	·02	·01	·02	—	·04	·37	·03	·46	·43	7
8	·02 (Snow)	·12	—	—	—	—	—	—	·06	·87	—	·02	8
9	·16	·01	—	·01	—	·13	·30	—	·45	·16	·06	·52	9
10	·04	—	—	·28	—	—	·40	—	·07	·20	·03	·30	10
11	·06	·05	·38	·03	—	—	·50	—	·15	·01	·10	·21	11
12	·03	·17	·03	—	·48	—	·23	—	·02	—	·02	·07	12
13	—	—	—	—	·10	—	·25	—	·68	·46	—	·30	13
14	·50	—	—	—	·08	·20	·08	—	1·10	·08	—	·28	14
15	·75	—	—	·18	·04	·10	·50	—	·10	·08	—	·30	15
16	1·05	—	·05	—	—	—	·07	—	·10	—	—	·10	16
17	·25	—	—	·07	—	—	·55	·04	·08	—	—	·65	17
18	1·15	—	·21	—	—	·76	·10	—	·92	·24	—	·32	18
19	·16	·08	·20	·05	—	—	·12	—	·04	·02	—	·11	19
20	·14	·45	—	·17	—	·03	—	·05	·25	·04	—	—	20
21	·07	·08	—	—	—	·17	·16	—	·46	·09	—	·42	21
22	·02	·02	—	—	·08	—	1·06	·01	·24	·14	·04	·23	22
23	·30	·02	—	—	·03	—	·30	·01	·04	—	·06	·19	23
24	·05	·23	—	—	—	·02	·10	·30	·30	—	·28	·16	24
25	·06	—	—	·06	·05	—	·11	·70	·03	·07	·28	—	25
26	·04	·24	—	·20	—	—	·15	·01	·08	·05	·03	·40	26
27	·03	·31	·10	—	—	—	—	·08	·12	·06	·19	·06	27
28	—	·15 (Snow)	·30	·02	—	—	—	—	·05	·06	·04	·24	28
29	—		·38	—	—	—	—	—	·80	—	·02	·18	29
30	—		·39	—	—	—	—	·03	·02	·04	·08	·12	30
31	—		·17		—		—	·02		·03		·04	31
Total	5·20	3·51	2·47	1·80	1·29	1·45	4·98	2·60	7·25	3·53	3·78	6·98	YEAR'S TOTAL 44·84
Rain Days.	~~19~~ 20 (Snow)	~~18~~ 19 1 (Snow)	~~13~~ 14 (Snow)	16	12	9	17	17	27	23	19	29	219 Rain 3 Snow 222

W. 6,500, VII. 18. W W C

40

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 191~~8~~9

Kept at Plymouth ~~Borough Asylum~~ Mental Hospital Blackadon Ivybridge

in the County of S. Devon

by

Lat. Long. —

Time of Observation 9 am

Nearest Railway Station Bittaford Halt.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 607½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·54	·01 Snow	·10	·05	—	—	·40	—	—	·80	·02	1
2	—	·33	—	·05	—	—	—	·05	—	·03	·02	·52	2
3	—	·20	·02	·30	·03	—	—	·01	·03	·10	·30	·11	3
4	—	·03	—	—	—	—	—	·38	·44	—	·95	·46	4
5	—	—	·15	·05	·33	—	—	·37	·25	·50	·02	·05	5
6	·32	·36	·08	·21	·01	·02	—	·10	—	·17	—	77	6
7	—	·12	—	·02	·01	·02	—	·04	·37	·03	·46	·43	7
8	·02 (Snow)	·12	—	—	—	—	—	—	·06	·87	—	·02	8
9	·16	·01	—	·01	—	·13	·30	—	·45	·16	·06	·52	9
10	·04	—	—	·28	—	—	·40	—	·07	·20	·03	·30	10
11	·06	·05	·38	·03	—	—	·50	—	·15	·01	·10	·21	11
12	·03	·17	·03	—	·48	—	·23	—	·02	—	·02	·07	12
13	—	—	—	—	·10	—	·25	—	·68	·46	—	·30	13
14	·50	—	—	—	·08	·20	·08	—	1·10	·08	—	·28	14
15	·75	—	—	·18	·04	·10	·50	—	·10	·08	—	·30	15
16	1·05	—	·05	—	—	—	·07	—	·10	—	—	·10	16
17	·25	—	—	·07	—	—	·55	·04	·08	—	—	·65	17
18	1·15	—	·21	—	—	·76	·10	—	·92	·24	—	·32	18
19	·16	·08	·20	·05	—	—	·12	—	·04	·02	—	·11	19
20	·14	·45	—	·17	—	·03	—	·05	·25	·04	—	—	20
21	·07	·08	—	—	—	·17	·16	—	·46	·09	—	·42	21
22	·02	·02	—	—	·08	—	1·06	·01	·24	·14	·04	·23	22
23	·30	·02	—	—	·03	—	·30	·01	·04	—	·06	·19	23
24	·05	·23	—	—	—	·02	·10	·30	·30	—	·28	·16	24
25	·06	—	—	·06	·05	—	·11	·70	·03	·07	·28	—	25
26	·04	·24	—	·20	—	—	·15	·01	·08	·05	·03	·40	26
27	·03	·31	·10	—	—	—	—	·08	·12	·06	·19	·06	27
28	—	·15 (Snow)	·30	·02	—	—	—	—	·05	·06	·04	·24	28
29	—		·38	—	—	—	—	—	·80	—	·02	·18	29
30	—	✕	·39	—	—	—	—	·03	·02	·04	·08	·12	30
31	—	✕	·17	✕	—	✕	—	·02	✕	·03	✕	·04	31
Total	5·20	3·51	2·47	1·80	1·29	1·45	4·98	2·60	7·25	3·53	3·78	6·98	YEAR'S TOTAL 44·84
Rain Days.	~~19~~ 20 1 (Snow)	~~18~~ 19 1 (Snow)	~~13~~ 14 1 (Snow)	16	12	9	17	17	27	23	19	29	219 Rain 3 Snow 222

W. 6,500, VII. 18. W W C

15

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 ~~20~~ 19

9 JAN 20

Kept at Plymouth Mental Hospital.
in the County of Devon
by A Victor Prigg

Lat. Long.
Time of Observation 9 & 21 hrs
Nearest Railway Station Bittaford Halt.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 607½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.54	—	0.28	—	0.07	—	0.19	—	0.15	0.22	—	0.52	1
2	0.28	—	0.04	—	0.05	—	0.20	—	0.17	0.04	—	0.14	2
3	0.29	—	0.40	—	0.18	—	—	—	0.42	—	0.04	0.18	3
4	snow 0.50	0.50	0.52	—	—	—	—	0.57	0.73	—	0.06	0.02	4
5	0.04	0.26	0.45	—	—	—	0.20	—	0.43	—	0.04	0.14	5
6	0.38	0.85	0.16	0.08	—	—	—	—	0.02	—	0.02	0.15	6
7	0.37	—	0.40	0.11	—	—	—	—	0.02	—	—	0.14	7
8	0.23	—	0.35	0.08	—	0.08	0.30	—	—	—	0.50	—	8
9	0.05	—	0.20	0.28	0.18	—	—	—	—	—	snow 0.25	0.03	9
10	0.20	—	1.17	0.05	0.02	—	—	—	—	—	—	0.45	10
11	0.15	—	0.45	0.34	0.60	0.04	—	—	—	0.04	0.02	0.50	11
12	0.42	—	0.04	0.04	—	0.02	0.03	—	—	0.22	0.11	0.02	12
13	0.18	0.15	0.19	0.50	—	—	0.06	—	0.01	0.12	—	0.22	13
14	0.68	0.17	—	0.42	0.83	—	0.02	—	0.03	0.13	—	0.12	14
15	0.14	0.10	—	0.07	—	—	—	—	—	0.10	—	0.23	15
16	0.06	1.12	—	0.01	0.05	0.05	—	—	—	—	0.25	0.03	16
17	—	snow 0.30	—	—	—	0.06	—	0.02	—	—	0.11	0.08	17
18	0.06	0.25	0.56	—	—	—	0.56	0.20	0.02	—	0.29	0.03	18
19	0.90	0.42	0.23	—	—	0.24	0.56	0.30	0.23	—	0.08	0.08	19
20	0.38	0.03	0.06	—	—	0.13	0.20	0.17	0.22	—	0.26	0.26	20
21	0.22	0.78	—	—	0.02	—	0.50	—	0.05	—	0.03	0.13	21
22	—	0.02	0.03	—	—	—	0.02	—	0.21	—	0.04	0.07	22
23	—	—	0.19	—	—	—	—	0.04	0.06	0.57	0.13	0.13	23
24	—	0.02	—	0.01	—	0.15	—	0.11	0.02	0.40	0.09	0.37	24
25	snow 0.24	0.07	—	0.05	—	0.08	—	0.54	0.01	—	0.17	0.05	25
26	0.12	snow 0.01	0.17	0.05	—	—	—	0.08	0.14	0.04	0.06	0.78	26
27	0.13	—	snow 0.27	snow 0.37	—	—	—	1.50	—	—	—	0.08	27
28	—	0.03	0.49	0.13	—	—	—	0.18	—	0.01	0.50	0.65	28
29	0.05	—	—	0.01	—	—	—	0.08	—	0.07	0.02	0.12	29
30	snow 0.01		—	0.05	—	0.07	—	0.15	0.03	—	0.53	0.69	30
31	snow 0.01		snow 0.02		—		0.02	—		—		0.32	31
Total	6.63	5.08	6.67	2.65	2.00	0.89	2.86	3.94	2.97	1.96	3.60	6.73	Year's Total 45.98
Days with ·01 in. or more	22 snow 4	15 snow 2	20 snow 2	17 snow 1	9	10	13	13	19	12	21 snow 1	30	~~201~~ snow 10

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

26 17 22 18

22

211

DEVON.

PLYMOUTH,
(CATTEWATER)
1920

FORM A. 2. METEOROLO ORGANIZATION.

RE 1920.

Kept at Catte

in the County of

by Meteorologi

Long 4 8 W

0700 G.M.T

tion Turnchapel (S.W.R)

of Rain Gauge 8 in.

ge above Ground 1 ft 0 in.

„ Sea Level 59 ft.

27 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1									1.0	-	1.7	23.8	1
2									1.9	0.6	-	2.9	2
3									-	15.5	-	6.3	3
4									0.2	12.3	-	-	4
5									-	5.1	-	-	5
6									-	5.0	-	-	6
7									-	-	-	12.7	7
8									-	-	-	4.5	8
9									0.4	-	-	-	9
10									-	-	-	-	10
11									-	-	-	-	11
12									-	1.3	3.0	0.9	12
13									-	7.8	1.5	22.0?	13
14									3.7	8.1	3.7	-	14
15									1.0	24.9	3.8	-	15
16									4.4	3.7	1.4	-	16
17									17.7	1.2	-	-	17
18									4.3	-	-	-	18
19									2.2	-	-	-	19
20									-	8.3	-	7.2	20
21									-	2.1	-	4.0	21
22									-	-	-	10.6	22
23									0.1	-	-	14.4	23
24									-	-	6.3	3.1	24
25									-	-	-	0.7	25
26									-	-	9.9	-	26
27									-	0.1	8.6	7.5	27
28									-	-	0.1	3.1	28
29									0.2	-	8.5	5.9	29
30		X							24.3	1.8	7.3	12.8	30
31		X		X		X			X	10.9	X	7.3	31
TOTAL									61.4	108.7	55.8	149.7	YEAR'S TOTAL 375.6
Days with 0·2 mm. or more									12	15	~~12~~ 11	18	~~57~~ 56
									9	14	11	16	50

Dec. 13th. Snow.

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

27 JAN 1921

Kept at Cattewater, Plymouth
in the County of Devon
by Meteorological Office

Lat 50 22′ N. Long 4 8 W.
Time of Observation 0700 G.M.T
Nearest Railway Station Turnchapel (S.W.R)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1									1·0	-	1·7	23·8	1
2									1·9	0·6	-	2·9	2
3									-	15·5	-	6·3	3
4									0·2	12·3	-	-	4
5									-	5·1	-	-	5
6									-	5·0	-	-	6
7									-	-	-	12·7	7
8									-	-	-	4·5	8
9									0·4	-	-	-	9
10									-	-	-	-	10
11									-	-	-	-	11
12									-	1·3	3·0	0·9	12
13									-	7·8	1·5	22·0?	13
14									3·7	8·1	3·7	-	14
15									1·0	24·9	3·8	-	15
16									4·4	3·7	1·4	-	16
17									17·7	1·2	-	-	17
18									4·3	-	-	-	18
19									2·2	-	-	-	19
20									-	8·3	-	7·2	20
21									-	2·1	-	4·0	21
22									-	-	-	10·6	22
23									0·1	-	-	14·4	23
24									-	-	6·3	3·1	24
25									-	-	-	0·7	25
26									-	-	9·9	-	26
27									-	0·1	8·6	7·5	27
28									-	-	0·1	3·1	28
29									0·2	-	8·5	5·9	29
30									24·3	1·8	7·3	12·8	30
31										10·9		7·3	31
Total									61·4	108·7	55·8	149·7	Year's Total 375·6
Days with 0·2 mm. or more									12	15	~~12~~ 11	18	~~57~~ 56
									9	14	11	16	50

Dec. 13th: Snow.

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cattewater, Plymouth
in the County of Devon,
by Meteorological Office

Lat. 50 22 N Long. 4 8 W
Time of Observation 0700
Nearest Railway Station Turnchapel (SWR)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1										-	1.7	23.8	1
2										0.6	-	2.9	2
3										15.5	-	6.3	3
4										12.3	-	-	4
5										5.1	-	-	5
6										5.0	-	-	6
7										-	-	12.7	7
8										-	-	4.5	8
9										-	-	-	9
10										-	-	-	10
11										-	-	-	11
12										1.3	3.0	0.9	12
13										7.8	1.5	22.0	13
14										8.1	3.7	-	14
15										24.9	3.8	-	15
16										3.7	1.4	-	16
17										1.2	-	-	17
18										-	-	-	18
19										-	-	-	19
20										8.3	-	7.2	20
21										2.1	-	4.0	21
22										-	-	10.6	22
23										-	-	14.4	23
24										-	6.3	3.1	24
25										-	-	0.7	25
26										-	9.9	-	26
27										0.1	8.6	7.5	27
28										-	0.1	3.1	28
29										-	8.5	5.9	29
30										1.8	7.3	12.8	30
31										10.9		7.3	31
TOTAL										108.7	55.8	149.7	YEAR'S TOTAL 314.2
Days with 0·2 mm. or more										15	11	18	44

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

PLYMOUTH
FREEDOM FIELDS
DEVON
1911 – 1920

19*11*

M.O.

FORM A2.
BRITISH RAINFALL.
JAN 1912

Kept at *Freedom*
in the County of
by *H V*

of top *8* in.
top above Ground *1* ft. *0* in.
„ „ Sea Level *208* ft.
on *9 am*
Station { Name *Mutley*
Distance *¾ mile* Direction *SE*

IMPORTANT …n., and the result entered to the previous day. If …st universal rule, he is earnestly requested to add t… …wing year in the space provided for it at the end… …neasurement of rain, the selection and… the British Rainfall Organization are g… …ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	0·04	0·12	–	0·01	–	–	–	0·04	–	1
2	–	–	–	0·34	0·44	–	–	0·76	–	0·02	0·14	0·36	2
3	–	–	0·03	–	0·21	–	–	–	–	–	0·20	0·07	3
4	–	–	0·08	–	–	–	–	0·29	–	–	0·45	0·51	4
5	0·38	–	0·19	–	–	–	–	0·47	–	0·06	0·12	–	5
6	0·40	–	0·11	–	–	–	–	–	–	0·11	0·11	1·10	6
7	0·07	–	–	0·02	–	–	–	–	–	–	0·51	0·02	7
8	0·06	–	0·12	–	–	–	–	–	–	–	0·05	0·60	8
9	0·05	–	–	–	–	–	–	–	–	–	0·14	0·66	9
10	0·09	0·12	1·14	–	–	–	–	–	–	–	0·04	0·37	10
11	0·30	–	–	–	–	–	–	–	0·02	–	1·04	0·05	11
12	–	–	0·63	–	–	–	–	–	0·27	–	0·17	0·27	12
13	–	–	0·07	–	–	–	–	–	0·07	–	0·10	0·24	13
14	–	0·10	0·02	–	–	–	–	–	–	0·03	0·10	0·25	14
15	–	0·05	0·11	–	–	0·01	–	–	–	–	0·36	0·05	15
16	–	0·03	0·01	–	–	0·39	–	–	–	–	0·50	0·40	16
17	–	0·05	0·57	0·02	–	0·10	–	–	–	–	0·23	0·58	17
18	–	0·34	0·32	0·12	–	0·03	–	–	–	0·12	0·54	0·39	18
19	–	0·01	–	0·03	–	0·49	–	–	0·56	0·19	0·15	0·68	19
20	–	0·08	0·02	0·16	–	–	–	–	0·05	0·82	–	1·06	20
21	0·02	0·46	–	0·01	–	0·08	–	–	0·34	0·13	–	0·08	21
22	0·17	0·05	0·01	0·21	–	0·06	–	0·39	0·55	0·26	–	0·47	22
23	–	0·21	–	0·02	–	–	–	0·03	0·12	0·28	–	0·43	23
24	0·03	0·35	–	–	–	0·37	–	0·18	–	0·09	–	0·39	24
25	0·03	0·02	–	0·22	–	0·01	–	–	0·06	0·33	–	0·22	25
26	–	0·20	–	0·47	–	–	–	0·16	–	0·58	–	0·43	26
27	–	0·70	–	0·05	0·12	–	–	0·15	0·15	–	–	0·24	27
28	–	0·20	–	0·29	–	–	–	0·05	–	–	0·28	–	28
29	–	–	–	0·30	0·20	0·57	1·27	–	0·17	0·40	–	–	29
30	–	–	–	–	–	0·02	0·18	–	0·03	0·16	0·26	0·06	30
31	–	–	0·10	–	–	–	0·07	–	–	0·03	–	–	31
Total	1·60	2·97	3·53	2·30	1·09	2·13	1·53	2·48	2·39	3·61	5·53	9·98	TOTAL for year
No. of Rain Days.	11	16	16	15	5	11	4	9	12	16	21	26	39·14

177
162

W. 8,000, X. '11.

19*11*

FORM A2. BRITISH RAINFALL. 9 JAN 1912

Kept at Freedom Fields, Plymouth

in the County of Devon S.2

by H. Victor Prigg

RAIN GAUGE
Pattern M.O.
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 208 ft.

Time of Observation 9 am

Nearest Railway Station
Name Mutley
Distance ¾ mile Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	-	-	0·04	0·12	-	0·01	-	-	-	0·04	-	1
2	—	-	-	0·34	0·44	-	-	0·76	-	0·02	0·14	0·36	2
3	—	-	0·03	-	0·21	-	-	-	-	-	0·20	0·07	3
4	—	-	0·08	-	-	-	-	0·29	-	-	0·45	0·51	4
5	0·38	-	0·19	-	-	-	-	0·47	-	0·06	0·12	-	5
6	0·40	-	0·11	-	-	-	-	-	-	0·11	0·11	1·10	6
7	0·07	-	-	0·02	-	-	-	-	-	-	0·51	0·02	7
8	0·06	-	0·12	-	-	-	-	-	-	-	0·05	0·60	8
9	0·05	-	-	-	-	-	-	-	-	-	0·14	0·66	9
10	0·09	0·12	1·14	-	-	-	-	-	-	-	0·04	0·37	10
11	0·30	—	-	-	-	-	-	-	0·02	-	1·04	0·05	11
12	—	-	0·63	-	-	-	-	-	0·27	-	0·17	0·27	12
13	—	-	0·07	-	-	-	-	-	0·07	-	0·10	0·24	13
14	—	0·10	0·02	-	-	-	-	-	-	0·03	0·10	0·25	14
15	—	0·05	0·11	-	-	0·01	-	-	-	-	0·36	0·05	15
16	—	0·03	0·01	-	-	0·39	-	-	-	-	0·50	0·40	16
17	—	0·05	0·57	0·02	-	0·10	-	-	-	-	0·23	0·58	17
18	—	0·34	0·32	0·12	-	0·03	-	-	-	0·12	0·54	0·39	18
19	—	0·01	-	0·03	-	0·49	-	-	0·56	0·19	0·15	0·68	19
20	—	0·08	0·02	0·16	-	-	-	-	0·05	0·82	-	1·06	20
21	0·02	0·46	-	0·01	-	0·08	-	-	0·34	0·13	-	0·08	21
22	0·17	0·05	0·01	0·21	-	0·06	-	0·39	0·55	0·26	-	0·47	22
23	—	0·21	-	0·02	-	-	-	0·03	0·12	0·28	-	0·43	23
24	0·03	0·35	-	-	-	0·37	-	0·18	-	0·09	-	0·39	24
25	0·03	0·02	-	0·22	-	0·01	-	-	0·06	0·33	-	0·22	25
26	—	0·20	-	0·47	-	-	-	0·16	-	0·58	-	0·43	26
27	—	0·70	-	0·05	0·12	-	-	0·15	0·15	-	-	0·24	27
28	—	0·20	-	0·29	-	-	-	0·05	-	-	0·28	-	28
29	—	-	-	0·30	0·20	0·57	1·27	-	0·17	0·40	-	-	29
30	—	-	-	-	-	0·02	0·18	-	0·03	0·16	0·26	0·06	30
31	—	-	0·10	-	-	-	0·07	-	-	0·03	-	-	31
Total	1·60	2·97	3·53	2·30	1·09	2·13	1·53	2·48	2·39	3·61	5·53	9·98	TOTAL for year 39·14
No. of Rain Days.	11	16	16	15	5	11	4	9	12	16	21	26	177

162

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
26 APR 1913

Kept at Freedom Fields Plymouth
in the County of Devon 2
by H. V. Prigg

Lat. 50°21' N Long. 4° 8" W
Time of Observation 9am
Nearest Railway Station Mutley
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	0·18	–	0·02	0·42	–	–	0·18	0·82	–	0·27	1
2	–	–	0·19	–	–	0·95	–	0·08	–	0·01	–	0·01	2
3	0·05	–	0·27	–	–	0·15	–	1·19	0·08	–	–	0·08	3
4	0·21	0·01	0·32	–	0·07	0·14	–	0·05	–	–	0·33	–	4
5	0·69	0·20	0·37	–	0·05	–	0·05	2·05	–	–	0·02	0·07	5
6	0·31	0·11	0·04	–	0·64	0·14	–	0·28	–	–	0·02	–	6
7	0·17	0·88	0·30	0·04	0·11	0·86	0·02	0·12	–	–	0·05	0·25	7
8	0·73	0·15	0·21	0·01	–	0·11	–	–	–	–	–	–	8
9	–	0·11	0·05	0·11	–	0·10	–	0·10	–	–	–	0·37	9
10	0·42	0·06	0·26	0·07	–	0·02	0·08	0·04	–	–	0·14	0·23	10
11	0·01	0·10	0·22	–	–	0·08	–	0·09	–	–	0·21	0·55	11
12	0·02	0·41	0·18	–	0·03	–	0·35	0·31	–	–	–	–	12
13	0·33	–	0·05	–	–	–	0·09	0·08	–	0·04	–	0·27	13
14	0·16	0·21	0·72	–	–	–	–	0·03	–	0·04	–	0·09	14
15	0·38	0·18	0·05	–	0·05	0·47	–	–	–	–	–	0·46	15
16	0·17	–	0·38	–	–	0·02	–	0·39	–	0·20	–	0·07	16
17	–	0·03	0·30	–	–	0·22	–	1·23	–	–	0·18	0·14	17
18	–	0·05	0·09	–	–	–	–	0·40	–	–	0·04	0·04	18
19	–	0·05	0·40	–	0·06	0·02	0·02	0·09	–	0·05	0·02	–	19
20	0·02	0·14	0·34	–	0·21	–	–	0·07	–	0·24	0·01	–	20
21	–	0·62	0·35	–	0·29	–	0·02	0·04	–	0·21	–	–	21
22	0·25	0·48	0·38	–	–	–	0·02	0·27	–	0·19	0·12	0·16	22
23	0·15	0·54	0·30	–	–	0·02	–	1·01	–	–	0·15	0·41	23
24	0·09	0·09	0·12	–	–	0·34	–	0·01	–	0·02	–	0·28	24
25	–	–	–	–	–	0·09	–	0·08	–	0·32	0·44	0·48	25
26	–	0·02	–	–	–	0·01	0·10	0·16	–	0·24	0·46	0·47	26
27	–	0·08	0·03	–	–	0·74	0·58	0·15	–	1·50	0·09	0·63	27
28	–	0·17	–	–	–	0·14	0·06	0·70	0·58	0·33	0·37	0·50	28
29	–	0·23	–	–	–	0·29	0·07	0·07	0·82	0·22	–	0·05	29
30	–		0·06	–	–	0·27	0·21	–	0·24	0·42	–	–	30
31	–		0·19	–	–		0·61	–		0·04		0·34	31
Total	4·16	4·92	6·35	0·23	1·53	5·60	2·28	9·09	1·90	4·89	2·65	6·22	YEAR'S TOTAL 49·82
Rain Days.	17	23	27	4	10	22	14	26	5	17	16	23	204

W. 7,500, XI. '12

Smade

Feb. 9. Cor. by the Hol & duration chart. 20.VI.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAY 1914

Kept at Freedom Fields Plymouth

in the County of Devon S.2

by A. Victor Prigg

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station As before.

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·26	0·37	0·13	0·25	—	—	—	0·03	0·12	0·41	—	1
2	0·08	0·20	0·01	0·24	0·36	—	—	—	—	0·03	0·18	0·05	2
3	0·49	—	0·12	—	0·24	—	—	—	0·61	0·01	—	0·18	3
4	1·28	—	0·10	—	—	0·15	—	—	0·05	0·14	0·07	0·36	4
5	0·05	0·05	0·03	—	0·44	0·13	0·03	—	0·32	0·12	0·40	0·51	5
6	0·10	0·10	0·08	—	0·16	0·18	—	—	—	0·42	0·28	0·01	6
7	0·02	0·37	0·08	—	0·82	0·05	—	—	—	0·18	0·42	—	7
8	0·17	0·21	—	—	0·20	—	0·19	0·57	—	0·03	0·02	0·11	8
9	0·10	·10	—	—	0·08	0·03	—	0·23	—	—	0·52	0·02	9
10	1·06	—	—	0·01	—	—	—	0·02	—	0·22	0·08	—	10
11	0·53	—	—	—	0·76	—	—	—	0·03	0·04	0·76	0·09	11
12	0·06	—	—	—	0·02	—	—	—	0·04	—	0·28	0·02	12
13	—	—	0·08	0·14	0·08	—	—	0·01	0·16	—	0·19	—	13
14	0·41	—	0·19	—	—	—	—	—	0·04	0·01	0·05	0·05	14
15	0·23	—	0·54	0·76	—	—	—	—	0·13	—	0·16	0·02	15
16	0·46	—	0·56	0·06	—	—	—	—	0·08	—	0·05	—	16
17	0·05	—	0·04	0·07	—	—	0·03	—	—	—	0·03	—	17
18	0·03	—	0·34	0·18	—	—	—	—	—	—	0·09	—	18
19	0·61	—	0·09	—	0·03	0·12	—	—	0·50	0·10	—	—	19
20	0·24	—	0·09	0·28	—	—	—	—	—	0·15	0·44	—	20
21	0·03	—	0·18	0·32	0·02	—	0·03	0·01	0·02	0·14	0·33	—	21
22	0·25	—	0·43	—	0·01	0·23	—	—	0·05	0·06	—	0·25	22
23	—	—	0·01	—	—	—	—	—	—	—	0·06	0·90	23
24	0·04	0·14	—	0·14	—	0·05	—	—	—	—	0·01	—	24
25	0·08	0·03	—	0·57	—	—	—	0·06	0·06	0·07	0·04	0·01	25
26	0·00	—	—	0·62	—	—	—	0·01	—	0·04	—	0·23	26
27	0·84	—	0·28	0·35	—	—	—	0·21	—	0·29	—	0·07	27
28	0·23	—	0·17	0·25	0·04	—	—	—	0·23	0·16	—	0·12	28
29	0·14		0·45	0·17	—	—	0·06	—	—	0·39	0·02	—	29
30	0·74		—	0·07	—	—	0·07	—	—	0·81	0·01	—	30
31	0·10		0·20		—		—	0·28		0·20		—	31
Total	8·34	1·~~7~~46	4·44	4·36	3·51	0·94	0·41	1·40	2·35	3·73	4·90	3·00	YEAR'S TOTAL 38·84
Rain Days.	26	~~8~~9	22	17	15	8	6	9	15	22	24	17	~~189~~ 190

W.7,000, XI. 13

1·46

FORM A.
BRITISH RAINFALL.

1 MAY 1915

[illegible]

REGISTER OF RAINFALL IN 1914

Kept at Freedom Fields
in the County of Devon S. 2
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·05	0·26	0·00	0·16	0·25	0·64	0·00	0·00	1·13	0·09	1
2	0·01	0·00	0·09	0·00	0·12	0·00	0·13	0·02	0·00	0·00	0·14	0·39	2
3	0·01	0·00	0·15	0·16	0·69	0·00	0·00	0·02	0·00	0·00	0·00	0·01	3
4	0·18	0·00	0·05	0·54	0·10	0·00	1·01	0·16	0·09	0·00	0·06	0·62	4
5	0·17	0·00	0·25	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·05	5
6	0·00	0·10	0·10	0·07	0·18	0·00	0·05	0·00	0·00	0·00	0·00	0·69	6
7	0·05	0·88	0·43	0·23	0·08	0·18	0·40	0·29	0·73	0·00	0·00	0·25	7
8	0·15	0·00	0·89	0·04	0·00	0·13	0·00	0·05	0·00	0·00	0·01	0·14	8
9	0·08	0·06	0·36	0·23	0·08	0·10	0·00	0·15	0·74	0·00	0·00	0·00	9
10	0·14	0·63	0·05	0·28	0·11	0·45	0·00	0·00	0·34	0·00	0·00	0·35	10
11	0·00	0·20	0·79	0·00	0·00	0·08	0·00	0·00	0·03	0·00	0·04	0·82	11
12	0·00	0·71	0·26	0·00	0·00	0·07	0·00	0·00	0·27	0·02	0·05	0·61	12
13	0·00	0·60	0·24	0·00	0·00	0·00	0·07	0·00	0·19	0·04	0·31	0·22	13
14	0·00	0·40	0·36	0·00	0·00	0·06	0·00	0·15	0·03	0·00	0·70	0·36	14
15	0·00	0·01	0·28	0·00	0·00	0·00	0·03	0·11	0·02	0·05	0·38	0·67	15
16	0·00	0·64	0·01	0·00	0·00	0·00	0·02	0·00	0·50	0·00	0·00	0·00	16
17	0·00	0·00	0·31	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·86	17
18	0·00	0·11	0·15	0·00	0·00	0·00	0·25	0·00	0·22	0·00	0·00	0·20	18
19	0·00	0·07	0·55	0·00	0·00	0·00	1·75	0·00	0·03	0·00	0·06	0·08	19
20	0·00	0·39	0·22	0·00	0·00	0·09	0·00	0·00	0·00	0·00	0·03	0·21	20
21	0·00	0·41	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·55	0·00	0·00	21
22	0·00	0·10	0·10	0·00	0·15	0·02	0·00	0·16	0·00	0·32	0·00	0·00	22
23	0·00	0·10	0·38	0·00	0·00	0·00	0·05	0·00	0·00	0·09	0·00	0·00	23
24	0·00	0·09	0·01	0·00	0·00	0·00	0·02	0·08	0·00	0·07	0·02	0·00	24
25	0·19	0·00	0·16	0·00	0·10	0·00	0·09	0·61	0·00	0·81	0·05	0·88	25
26	0·03	0·15	0·24	0·00	0·00	0·00	0·23	0·00	0·00	0·04	0·23	0·59	26
27	0·04	0·22	0·00	0·00	0·00	0·00	0·13	0·00	0·00	0·04	0·22	0·41	27
28	0·02	0·11	0·50	0·00	0·11	0·00	0·09	0·00	0·00	0·18	0·30	0·54	28
29	0·33		0·17	0·00	0·16	0·00	0·77	0·00	0·00	0·00	0·53	0·00	29
30	0·00	✕	0·13	0·02	0·00	0·09	0·00	0·00	0·00	0·00	0·33	1·06	30
31	0·08	✕	0·00	✕	0·00	✕	1·17	0·00	✕	0·84	✕	0·49	31
Total	1·48	5·98	7·28	2·00	1·88	1·43	6·53	2·44	3·19	3·05	4·59	10·59	YEAR'S TOTAL 50·44
Rain Days.	14	20	28	10	11	11	19	12	12	12	18	24	191

W. 8,000. X. 14.

✓

1776

FORM A.
BRITISH RAINFALL.

[illegible] FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Freedom Park Plymouth

in the County of Devon 52

by James Paton, Borough Engineer.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·32	0·39	0·00	0·00	0·05	0·00	0·00	0·47	0·25	0·27	0·00	0·13	1
2	0·36	0·14	0·22	0·11	0·00	0·28	0·00	0·07	0·00	0·00	0·00	0·37	2
3	0·06	0·30	0·20	0·19	0·09	0·00	0·00	0·00	0·00	0·00	0·00	0·66	3
4	0·09	0·63	0·03	0·00	0·01	0·03	0.00	0·00	0·09	0·00	0·00	0·28	4
5	0·15	0·61	0·01	0·16	0·00	0·00	0·00	0·50	0·00	0·00	0·00	0·85	5
6	1·06	0·23	0·00	0·56	0·00	0·00	0·43	0·03	0·00	0·00	0·00	0·24	6
7	0·44	0·48	0·10	0·05	0·00	0·00	0·16	0·00	0·00	0·73	0·01	0·49	7
8	0·10	0·23	0·00	0·04	0·00	0·00	0·01	0·11	0·00	0·01	0·21	0·13	8
9	0·00	0·21	0·00	0·01	0·00	0·00	0·00	0·03	0·00	0·00	0·40	1·00	9
10	0·42	0·19	0·03	0·09	0·00	0·00	0·04	0·03	0·00	0·18	0·02	0·20	10
11	0·21	0·00	0·18	0·00	0·00	0·00	0·00	0·11	0·00	0·00	1·26	0·26	11
12	0·11	0·60	0·00	0·09	0·62	0·00	0·00	0·17	0·00	0·04	0·39	0·05	12
13	0·02	0·59	0·00	0·00	0·83	0·00	0·05	0·03	0·01	0·00	0·23	0·05	13
14	0·11	0·03	0·00	0·00	0·00	0·00	0·21	0·08	0·18	0·25	0·10	1·49	14
15	0·17	0·00	0·00	0·00	0·32	0·00	0·62	0·01	0·02	0·02	0·09	0·22	15
16	0·01	1·50	0·00	0·00	0·37	0·00	1·14	0·00	0·00	0·02	0·00	0·27	16
17	0·02	0·15	0·03	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	17
18	0·04	0·30	0·00	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	18
19	0·00	0·02	0·00	0·00	0·42	0·00	0·13	0·00	0·00	0·00	0·00	0·00	19
20	0·28	0·04	0·00	0·11	0·00	0·23	0·00	0·00	0·00	0·17	0·00	0·00	20
21	0·28	0·15	0·00	0·00	0·32	0·08	0·57	0·00	0·00	0·12	0·00	0·03	21
22	0·03	0·19	0·43	0·01	0·00	0·00	0·37	0·00	0·00	0·04	0·00	0·58	22
23	0·04	0·06	0·03	0·00	0·00	0·03	0·09	0·00	0·05	1·61	0·00	0·85	23
24	0·00	0·00	0·00	0·04	0·00	0·22	0·08	0·00	0·04	0·19	0·00	0·87	24
25	0·00	0·00	0·00	0·00	0·00	0·05	0·17	0·00	0·00	0·00	0·00	0·31	25
26	0·00	0·37	0·00	0·00	0·00	0·40	0·01	0·00	0·05	0·00	0·00	0·82	26
27	0·02	0·05	0·00	0·00	0·00	0·15	0·00	0·00	0·02	0·71	0·00	0·00	27
28	0·00	0·08	0·00	0·00	0·00	0·20	0·00	0·00	0·29	0·11	0·00	0·11	28
29	0·00		0·00	0·00	0·00	0·26	0·00	0·00	0·12	0·16	0·29	0·09	29
30	0·19	✕	0·00	0·00	0·00	0·11	0·00	0·00	0·07	0·74	0·53	0·46	30
31	0·03	✕	0·00	✕	0·00	✕	0·23	0·01	✕	0·68	✕	0·33	31 47·78
Total	4·56	7·54	1·26	1·46	3·04	2·04	4·32	1·65	1·19	6·05	3·53	11·14	YEAR'S TOTAL 47·78
Rain Days.	24	24	10	12	10	12	17	13	12	18	11	26	189

W. 8,000. X. 14.

cord. by Paton's copy 1·III·16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

1 Mar 19

Kept at Freedom Fields

in the County of Devon

by H Victor Prigg

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Mutley

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~1916~~ ~~0.33~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.32	0.39	0.00	0.00	0.05	0.00	0.00	0.47	0.25	0.27	0.00	0.13	1
2	0.36	0.14	0.22	0.11	0.00	0.28	0.00	0.07	0.00	0.00	0.00	0.37	2
3	0.06	0.30	0.20	0.19	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.66	3
4	0.09	0.63	0.03	0.00	0.01	0.03	0.00	0.00	0.09	0.00	0.00	0.28	4
5	0.15	0.61	0.01	0.16	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.85	5
6	1.06	0.23	0.00	0.56	0.00	0.00	0.43	0.03	0.00	0.00	0.00	0.24	6
7	0.44	0.48	0.10	0.05	0.00	0.00	0.16	0.00	0.00	0.73	0.01	0.49	7
8	0.10	0.23	0.00	0.04	0.00	0.00	0.01	0.11	0.00	0.01	0.21	0.13	8
9	0.00	0.21	0.00	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.40	1.00	9
10	0.42	0.19	0.03	0.09	0.00	0.00	0.04	0.03	0.00	0.18	0.02	0.20	10
11	0.21	0.00	0.18	0.00	0.00	0.00	0.00	0.11	0.00	0.00	1.26	0.26	11
12	0.11	0.60	0.00	0.09	0.62	0.00	0.00	0.17	0.00	0.04	0.39	0.05	12
13	0.02	0.59	0.00	0.00	0.83	0.00	0.05	0.03	0.01	0.00	0.23	0.05	13
14	0.11	0.03	0.00	0.00	0.00	0.00	0.21	0.08	0.18	0.25	0.10	1.49	14
15	0.17	0.00	0.00	0.00	0.32	0.00	0.62	0.01	0.02	0.02	0.09	0.22	15
16	0.01	1.50	0.00	0.00	0.37	0.00	1.14	0.00	0.00	0.02	0.00	0.27	16
17	0.02	0.15	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.04	0.30	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	18
19	0.00	0.02	0.00	0.00	0.42	0.00	0.13	0.00	0.00	0.06	0.00	0.00	19
20	0.28	0.04	0.00	0.11	0.00	0.23	0.00	0.00	0.00	0.17	0.00	0.00	20
21	0.28	0.15	0.00	0.00	0.32	0.08	0.57	0.00	0.00	0.12	0.00	0.03	21
22	0.03	0.19	0.43	0.01	0.00	0.0[illegible]	0.37	0.00	0.00	0.04	0.00	0.58	22
23	0.04	0.06	0.03	0.00	0.00	0.03	0.09	0.00	0.05	1.61	0.00	0.85	23
24	0.00	0.00	0.00	0.04	0.00	0.22	0.08	0.00	0.04	0.19	0.00	0.87	24
25	0.00	0.00	0.00	0.00	0.00	0.05	0.17	0.00	0.00	0.00	0.00	0.31	25
26	0.00	0.37	0.00	0.00	0.00	0.40	0.01	0.00	0.05	0.00	0.00	0.82	26
27	0.02	0.05	0.00	0.00	0.00	0.15	0.00	0.00	0.02	0.71	0.00	0.00	27
28	0.00	0.08	0.00	0.00	0.00	0.20	0.00	0.00	0.29	0.11	0.00	·11 0.11	28
29	0.00		0.00	0.00	0.00	0.26	0.00	0.00	0.12	0.16	0.29	0.09	29
30	0.19	X	0.00	0.00	0.00	0.11	0.00	0.00	0.07	0.74	0.53	0.46	30
31	0.03	X	0.00	X	0.00	X	0.23	0.01	X	0.68	X	0.33	31
Total	4.56	7.54	1.26	1.46	3.04	2.04	4.32	1.65	1.19	6.05	3.53	~~10.98~~ 11.14	YEAR'S TOTAL ~~47.62~~ 47.78
Rain Days.	24	24	10	12	10	12	17	13	12	18	11	26	189

W. 8,000. X. 15.

1736

FORM A.
BRITISH RAINFALL.
18 JUN 1917

cwd by charts

REGISTER OF RAINFALL IN 1916

Kept at Freedom Fields, Plymouth.
in the County of Devon
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Mutley GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·23	0·00	0·02	0·00	0·17	0·03	0·04	0·00	0·05	0·66	0·06	0·00	1
2	0·35	0·10	0·10	0·00	0·00	0·00	0·00	0·00	0·14	0·35	0·41	0·00	2
3	0·07	1·16	0·00	0·00	0·32	0·08	0·00	0·00	0·04	0·80	0·35	0·00	3
4	0·12	0·17	0·00	0·00	0·03	0·10	0·01	0·00	0·04	0·15	0·64	0·00	4
5	0·12	0·32	0·03	0·00	0·05	0·05	0·03	0·00	0·00	0·15	0·20	0·00	5
6	0·06	0·09	0·03	0·00	0·17	0·08	0·95	0·00	0·00	0·14	1·14	0·00	6
7	0·06	0·18	0·05	0·00	0·05	0·07	0·00	0·00	0·00	0·19	0·73	0·09	7
8	0·02	0·27	0·17	0·00	0·47	0·02	0·00	0·00	0·00	0·00	0·07	0·30	8
9	0·00	0·12	0·08	0·00	0·02	0·07	0·00	0·00	0·00	0·03	0·32	0·13	9
10	0·00	0·90	0·00	0·06	0·12	0·00	0·00	0·00	0·00	0·00	0·05	0·03	10
11	0·00	0·03	0·00	0·10	0·09	0·00	0·00	0·00	0·04	0·00	0·00	0·06	11
12	0·05	0·11	0·03	0·05	0·17	0·00	0·18	0·07	0·00	0·16	0·00	0·00	12
13	0·00	0·49	0·09	0·01	0·04	0·00	0·07	0·30	0·00	0·01	0·00	0·02	13
14	0·02	0·49	0·00	0·00	0·07	0·00	0·00	0·44	0·00	0·05	0·00	0·00	14
15	0·02	0·35	0·18	0·20	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·02	15
16	0·37	0·14	0·00	0·11	0·00	0·00	0·00	0·46	0·00	0·21	0·04	0·00	16
17	0·15	0·16	0·04	0·00	0·00	0·00	0·00	0·00	0·08	0·54	1·90	0·00	17
18	0·00	0·15	0·24	0·00	0·00	0·00	0·00	0·00	0·09	0·04	0·21	0·13	18
19	0·22	0·15	0·04	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·21	0·14	19
20	0·07	0·61	0·16	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	1·25	20
21	0·04	0·01	0·10	0·07	0·02	0·01	0·00	0·00	0·00	0·00	0·05	0·07	21
22	0·00	0·00	0·00	0·00	0·00	0·32	0·00	0·06	0·00	0·37	0·02	0·65	22
23	0·08	0·00	0·00	0·15	0·00	0·22	0·00	0·58	0·00	0·24	0·29	0·05	23
24	0·00	0·04	0·03	0·18	0·04	0·00	0·00	0·26	0·00	0·36	0·05	0·45	24
25	0·07	0·35	0·08	0·00	0·00	0·12	0·00	0·30	0·00	0·02	0·07	0·03	25
26	0·02	0·00	0·11	0·00	0·00	0·28	0·00	0·35	0·62	1·04	0·03	0·00	26
27	0·01	0·07	1·42	0·00	0·00	0·05	0·00	0·08	0·23	0·37	0·00	0·01	27
28	0·00	0·08	0·03	0·00	0·00	0·00	0·00	0·16	0·31	0·47	0·01	0·60	28
29	0·00	0·05	0·03	0·00	0·00	0·64	0·00	1·14	0·15	0·28	0·00	0·63	29
30	0·00	✕	0·01	0·00	0·00	0·03	0·00	0·00	0·00	0·46	0·00	0·02	30
31	0·00	✕	0·00	✕	0·00	✕	0·00	0·09	✕	0·40	✕	0·02	31
Total	2·15	6·59	3·09	1·05	1·83	2·47	1·28	4·40	1·89	7·49	6·89	4·80	YEAR'S TOTAL 43·80
Rain Days.	20	25	22	10	15	16	6	14	17	24	22	21	206

W. 8,000, VIII. 16

1736

from Hyetograph charts

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
21. MAR 1917

Kept at Plymouth, Freedom Park
Check 9.
in the County of S. Devon
by J. Paton

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	-	·02	-	·17	·03	·04	-	·05	·66	·06	-	1
2	·35	·10	·10	-	-	-	-	-	·14	·35	·41	-	2
3	·07	1·16	-	-	·32	·08	-	-	·04	·80	·35	-	3
4	·12	·17	-	-	·03	·40	·01	-	·04	·15	·64	-	4
5	·12	·32	·03	-	·05	·05	·03	-	-	·15	·20	-	5
6	·06	·09	·03	-	·17	·08	·95	-	-	·14	1·14	-	6
7	·06	·18	·05	-	·05	·07	-	-	-	·19	·73	·09	7
8	·02	·27	·17	-	·47	·02	-	-	-	-	·07	·30	8
9	-	·12	·08	-	·02	·07	-	-	-	·03	·32	·13	9
10	-	·90	-	·06	·12	-	-	-	-	-	·05	·03	10
11	-	·03	-	·10	·09	-	-	-	·04	-	-	·06	11
12	·05	·11	·03	·05	·17	-	·18	·07	-	·16	-	-	12
13	-	·49	·09	·01	·04	-	·07	·30	-	·01	-	·02	13
14	·02	·49	-	-	·07	-	-	·44	-	·05	-	-	14
15	·02	·35	·18	·20	-	-	-	·01	-	-	-	·02	15
16	·37	·14	-	·11	-	-	-	·46	-	·21	·04	-	16
17	·15	·16	·04	-	-	-	-	-	·08	·54	1·90	-	17
18	-	·15	·24	-	-	-	-	-	·09	·04	·21	·13	18
19	·22	·15	·04	·12	-	-		-	-	-	·21	·14	19
20	·07	·61	·16	-	-	-	-	-	-	-	·04	1·25	20
21	·04	·01	·10	·07	·02	·01	-	-	no chart (-)✓	-	·05	·07	21
22	-	-	-	-	-	·32	-	·06	-	·37	·02	·65	22
23	·08	-	-	·15	-	·22	-	·58	-	·24	·29	·05	23
24	-	·04	·03	·18	·04	-	-	·26	-	·36	·05	·45	24
25	·07	·35	·08	-	-	·12	-	·30	-	·02	·07	·03	25
26	·02	·07	·11	-	-	·28	-	·35	·62	1·04	·03	·10	26
27	·01	-	1·42	-	-	·05	-	·18	·23	·37	-	·01	27
28	-	·05	·03	-	-	-	-	·16	·31	·47	·01	·60	28
29	-	·08	·03	-	-	·64	-	1·14	·15	·28	-	·63	29
30	-	X	·01	-	-	·03	-	-	-	·46	-	·02	30
31	-	X	-	X	-	X	-	·09	X	·40	X	·02	31
Total	2·15	6·59	3·07	1·05	1·83	2·47	1·28	4·40	1·79	7·49	6·89	4·80	YEAR'S TOTAL 43·81
Rain Days.	20✓	25✓	22✓	10✓	15✓	16✓	6✓	14✓	11✓	24✓	22✓	21✓	206

W. 8,000. X. 15.

Check Gauge 5 made

1660

FORM A.
BRITISH RAINFALL.

[illegible] MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Freedom Park Plymouth

in the County of S. Devon

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	·20 s	—	·36	—	·01	—	—	·10	—	1
2	·04	—	·06	·10 s	—	·05	—	—	—	·62	·01	—	2
3	·07	—	—	·03 s	—	—	—	—	—	·27	·58	—	3
4	·01	·16 s	·81	—	—	—	—	—	·10	·30	—	—	4
5	·15	—	·40	·11	—	·04	—	—	—	·10	·11	—	5
6	·02	—	·22	—	—	·25	—	·06	—	·12	·07	·09	6
7	·60	—	—	·03	—	·01	·14	·18	—	·13	·05	·07	7
8	·06	—	·23 s	·11	—	—	·19	·25	·04	·43	·19	·49	8
9	—	—	·24	·04	·07	—	·03	—	—	·15	·12	—	9
10	·61	—	·41	·24	—	—	—	·40	—	—	—	—	10
11	·03	—	·39	·12	—	—	—	·01	·05	·61	·36	—	11
12	·18	—	·03	—	·47	—	—	—	—	·58	—	—	12
13	·16	—	·24	·04	—	·03	—	·05	·08	·28	—	·04	13
14	—	—	—	·10	—	—	·09	·19	·05	·05	—	—	14
15	·21 s	—	—	·02	—	—	·28	—	·08	·42	—	·45	15
16	—	·15	—	·03	—	·05	—	·02	·03	·44	—	·21	16
17	—	·04	—	·10	·03	—	·40	·06	1·00	·18	—	—	17
18	—	·03	—	—	·48	·04	·26	·06	·73	·01	—	—	18
19	—	·77	·05	—	—	·62	·01	—	·09	—	—	—	19
20	—	·23	·04	—	·72	·10	·01	·04	·03	—	—	·16	20
21	—	—	·08 s	—	—	·08	—	·12	—	·41	—	·12	21
22	—	—	—	—	·02	—	—	·50	—	·10	·01	—	22
23	—	·30	—	—	·20	—	—	·41	—	·10	—	—	23
24	—	·03	—	—	—	·04	·50	·12	—	·19	·14	·02	24
25	—	·02	—	—	—	—	·01	·25	·20	·09	·03	—	25
26	—	—	—	—	·60	·29	—	·10	·18	·01	·03	—	26
27	—	—	—	—	—	·82	·01	1·05	—	·01	·01	—	27
28	—	—	·12	—	—	·04	—	·34	—	—	·09	—	28
29	—		·14	—	—	·01	—	—	—	·62	·02	·03	29
30	—	✕	·21	—	—	—	·42	·28	—	·01	·02	—	30
31	—	✕	·11	✕	·27	✕	—	—	✕	·20	✕	(·01)	31
Total	2·16 ✓	1·73 ✓	3·78 ✓	1·27 ✓	2·86 ✓	2·83 ✓	2·35 ✓	4·50	2·66	5·53 ✓	1·94 ✓	1·7[illegible] ✓	YEAR'S TOTAL 33·32 ✓
Rain Days.	13 ✓	9 ✓	17 ✓	14 ✓	9 ✓	16 ✓	13 ✓	21 ✓	13	26 ✓	17 ✓	11 ✓	179 ✓

W. 8,000. X. 15.

Cmd by Paton's copy C4d 082

1660

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Freedom Fields

in the County of Devon

by H Victor Prigg

Lat. 50. 23 Long. 4 · 7 W

Time of Observation 9 a

Nearest Railway Station Mutley Plymouth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·00	0·00	0·20	0·00	0·36	0·00	0·01	0·01	0·00	0·10	0·00	1
2	0·04	0·00	0·06	0·10	0·00	0·05	0·00	0·00	0·00	0·02	0·01	0·00	2
3	0·07	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·27	0·58	0·00	3
4	0·01	0·16 Snow.	0·81	0·01	0·00	0·00	0·00	0·00	0·10	0·30	0·00	0·00	4
5	0·15	0·00	0·40	0·11	0·00	0·04	0·00	0·00	0·00	0·10	0·11	0·00	5
6	0·02	0·00	0·22	0·00	0·00	0·25	0·00	0·06	0·00	0·12	0·07	0·09	6
7	0·60	0·00	0·00	0·03	0·00	0·01	0·14	0·18	0·00	0·13	0·05	0·07	7
8	0·06	0·00	0·23	0·11	0·00	0·00	0·19	0·25	0·04	0·43	0·19	0·48	8
9	0·00	0·00	0·24 Snow.	0·04	0·07	0·00	0·02	0·00	0·00	0·15	0·12	0·00	9
10	0·61	0·00	0·41	0·24	0·00	0·00	0·00	0·40	0·00	0·00	0·00	0·00	10
11	0·03	0·00	0·39	0·12	0·00	0·00	0·00	0·01	0·05	0·63	0·36	0·00	11
12	0·18	0·00	0·03	0·01	0·47	0·00	0·00	0·02	0·00	~~0·63~~ ·58	0·00	0·00	12
13	0·16	0·00	0·24	0·04	0·00	0·03	0·00	0·05	0·08	0·28	0·00	0·04	13
14	0·00	0·00	0·00	0·10	0·00	0·00	0·09	0·19	0·05	0·05	0·00	0·00	14
15	0·21	0·00	0·00	0·02	0·00	0·00	0·28	0·00	0·08	0·42	0·00	0·45	15
16	0·00	0·15	0·00	0·03	0·00	0·05	0·00	0·02	0·03	0·44	0·00	0·21	16
17	0·00	0·04	0·00	0·10	0·03	0·00	0·40	0·06	1·00	0·18	0·00	0·00	17
18	0·00	0·03	0·00	0·00	0·48	0·04	0·27	0·06	0·73	0·01	0·00	0·00	18
19	0·00	0·77	0·05	0·00	0·00	0·62	0·01	0·00	0·09	0·00	0·00	0·00	19
20	0·00	~~0·00~~ ·23	0·04	0·00	0·72	0·10	0·01	0·04	0·03	0·00	0·00	0·16	20
21	0·00	0·00	0·08	0·00	0·00	0·08	0·00	0·12	0·00	0·11	0·00	0·12	21
22	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·50	0·00	0·10	0·01	0·00	22
23	0·00	0·30	0·00	0·00	0·20	0·00	0·00	0·41	0·00	0·10	0·00	0·00	23
24	0·00	0·03	0·00	0·00	0·00	0·04	0·50	0·12	0·00	0·19	0·14	0·02	24
25	0·00	0·02	0·00	0·00	0·00	0·00	0·01	0·25	0·20	0·09	0·03	0·00	25
26	0·00	0·00	0·00	0·00	0·60	0·29	0·00	0·20	0·18	0·01	0·03	0·00	26
27	0·00	0·00	0·00	0·00	0·00	0·82	0·01	1·05	0·00	0·02	0·01	0·00	27
28	0·00	0·00	0·12	0·00	0·00	0·04	0·00	0·34	0·00	0·00	0·09	0·00	28
29	0·00		0·14	0·00	0·00	0·01	0·00	0·00	0·00	0·62	0·02	0·05	29
30	0·00	✕	0·21	0·00	0·00	0·00	0·42	0·28	0·00	0·01	0·02	0·00	30
31	0·00	✕	0·11	✕	0·27	✕	0·00	0·00	✕	0·20	✕	0·01	31
Total	2·16	1·73	3·78	1·27	2·86	2·88	2·35	4·50	2·66	5·53	1·95	1·79	YEAR'S TOTAL 33·32
Rain Days.	13	7 Rain. 1 Snow. 9	15 Rain. 1 Snow. 17	14	9	16	13	20	13	26	16	10	170 Rain. 2 Snow. 179

W. 8,000, IX. 17.

Cor. by Hyetograph records (see att. sheet)

6

FORM A.
BRITISH RAINFALL.

16 4 19

REGISTER OF RAINFALL IN 1918

Kept at Freedom Fields, Plymouth.
in the County of Devon
by N. Victor Prigg

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Friary (L.S.W.R.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·39	—	0·09	0·04	—	—	0·49	—	—	~~0·88~~ ·80	0·01	1
2	—	0·37	—	0·02	—	—	—	0·04	0·05	0·02	0·03	0·59	2
3	—	0·14	—	0·33	0·04	—	—	0·10	0·09	~~0·04~~ ·03	0·25	0·22	3
4	—	~~0·08~~ ·07	—	—	—	—	—	0·45	0·94	—	0·62	0·61	4
5	—	—	0·29	0·10	0·15	—	—	~~0·11~~ ·19	0·27	0·37	·04	0·10	5
6	0·39	0·30	0·25	0·12	—	—	—	—	—	0·11	—	0·25	6
7	0·02	0·21	—	0·02	—	0·01	—	—	0·50	—	0·36	0·46	7
8	0·03	0·05	—	—	—	0·05	—	—	0·08	~~0·62~~ ·63	—	0·01	8
9	0·07	—	—	—	—	0·12	0·34	—	0·49	0·06	0·02	0·50	9
10	0·06	—	—	·24	—	—	~~0·26~~ ·28	—	0·11	0·11	—	0·25	10
11	·03	0·01	0·37	0·01	—	—	0·11	—	0·13	—	0·07	0·13	11
12	0·03	0·10	—	—	0·30	—	0·06	—	0·06	—	—	0·05	12
13	—	—	—	—	~~0·08~~ ·07	—	0·21	—	~~0·73~~ ·63	~~0·42~~ ·44	—	0·27	13
14	0·32	—	0·02	—	0·08	0·08	0·04	—	0·74	~~0·05~~ ·08	—	0·14	14
15	0·62	—	—	—	—	~~0·11~~ ·03	~~0·44~~ ·40	—	0·11	0·13	—	0·32	15
16	0·96	—	0·01	0·09	—	0·11	0·09	—	0·24	—	—	0·04	16
17	0·14	—	0·02	0·04	—	—	~~0·06~~ ·04	0·01	0·15	—	—	~~0·54~~ ·51	17
18	1·03	—	0·38	—	—	0·75	~~0·11~~ ·10	0·02	0·78	0·43	—	0·39	18
19	0·16	0·08	0·16	0·06	—	—	~~0·10~~ ·02	0·01	0·05	—	—	0·14	19
20	0·05	0·27	—	0·18	—	0·04	0·06	—	0·27	—	—	—	20
21	0·14	0·01	—	—	—	0·06	0·20	—	0·73	0·14	—	0·53	21
22	~~0·04~~ ·03	—	—	—	0·09	—	1·03	—	0·16	~~0·17~~ ·21	0·10	0·23	22
23	0·23	0·01	—	—	0·04	—	—	—	~~0·23~~ ·26	—	—	0·19	23
24	0·02	0·21	—	—	—	—	0·11	0·35	0·14	—	0·38	0·23	24
25	0·06	—	—	0·14	0·04	·01	~~0·04~~ ·05	0·56	—	0·09	0·26	—	25
26	0·02	0·04	—	0·06	—	—	0·30	—	·08	0·03	0·09	0·40	26
27	—	0·08	0·11	—	—	—	—	0·06	~~0·17~~ ·16	0·03	0·11	0·02	27
28	—	0·27	~~0·13~~ ·12	—	—	—	—	—	0·11	0·08	0·05	0·13	28
29	—	✕	0·37	—	—	—	—	—	1·20	—	·04	0·07	29
30	—	✕	0·22	0·05	—	—	—	—	0·09	~~0·04~~ ·05	0·18	0·07	30
31	—	✕	0·19	✕	—	✕	0·01	—	✕	0·03	✕	0·03	31
Total	~~4·39~~ 4·41	~~2·62~~ 2·61	~~2·52~~ 2·51	~~1·31~~ 1·55	~~0·86~~ ·85	~~1·33~~ 1·26	~~3·57~~ 3·45	~~2·20~~ 2·28	8·62	~~2·97~~ 3·07	3·40	~~6·92~~ 6·89	YEAR'S TOTAL ~~40·71~~ 40·90
Rain Days.	~~18~~ 20	17	~~13~~ 12	~~14~~ 15	9	~~9~~ 10	18	11	~~26~~ 27	19	~~14~~ 16	29	~~197~~ 203 1 (Snow)

W, 6,500, VII. 18. W W C

Cor. fa [illegible] & by Hyetograph records.

1866

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at Freedom Park, Plymouth.
in the County of Devon.
by H Victor [illegible]

Lat. Long.
Time of Observation 9a 21 hrs.
Nearest Railway Station Friary (L.S.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.90	—	0.32	0.34	0.10	—	0.12	—	0.13	0.28	—	0.90	1
2	0.23	—	0.02	0.04	0.01	—	0.02	—	0.02	0.02	—	0.09	·10 2
3	0.29	—	0.32	—	0.10	—	—	—	0.12	—	0.01	0.10	3
4	0.14	0.95	0.55	—	—	—	—	0.34	0.80	—	—	—	4
5	0.02	0.30	0.53	—	0.02	—	—	—	0.18	—	—	0.07	·08 5
6	0.50	1.20	0.13	—	—	—	—	—	—	—	—	0.27	6
7	0.54	—	0.33	0.06	—	—	—	—	—	—	—	0.24	7
8	0.23	—	0.32	0.25	0.01	0.06	—	—	—	—	0.74	0.01	8
9	0.10	—	0.11	0.23	0.28	—	—	—	—	—	0.07	0.05	9
10	0.13	—	0.77	0.02	—	—	—	—	—	—	—	0.66	10
11	0.13	—	0.31	0.22	0.39	0.01	0.05	—	0.01	0.08	0.05	0.70	11
12	0.25	—	0.07	0.06	—	0.08	—	—	—	0.05	0.11	—	12
13	0.20	0.08	0.27	0.50	—	—	0.04	—	—	0.05	—	0.28	13
14	0.80	0.16	—	0.87	0.69	—	—	—	0.05	0.09	—	0.17	14
15	0.10	0.11	—	0.07	—	—	—	—	—	0.10	—	0.49	15
16	0.06	1.53	—	—	0.01	—	—	—	—	—	0.22	—	16
17	—	0.15	—	—	—	0.03	—	0.01	—	—	0.35	0.19	17
18	0.14	0.54	0.67	—	—	—	0.39	0.15	0.05	—	0.38	0.02	18
19	0.71	0.40	0.27	—	—	0.19	0.36	0.25	0.14	—	0.19	—	19
20	0.25	0.04	0.11	—	0.06	0.26	—	0.25	0.28	—	0.19	0.07	20
21	0.39	1.08	—	—	0.14	—	0.07	—	0.08	—	0.03	~~0.11~~ ·09	21
22	—	—	—	—	0.03	—	0.03	—	0.20	—	0.02	0.05	22
23	—	—	—	—	—	—	—	—	0.01	0.97	0.09	0.10	23
24	—	—	—	0.02	—	0.27	—	0.23	0.02	·30 0.03	0.08	0.27	24
25	0.15	0.01	—	0.03	—	0.09	—	0.60	—	—	0.06	0.08	25
26	0.06	—	0.08	0.07	—	—	—	0.07	0.10	0.01	0.08	0.55	26
27	0.13	0.03	0.04	0.21	—	—	—	1.38	—	—	—	0.04	27
28	—	0.03	0.36	0.10	—	—	—	0.01	—	0.02	0.66	0.75	28
29	—		—	0.05	—	—	—	0.17	—	0.03	—	0.06	29
30	—		—	0.05	—	0.09	—	0.10	0.05	—	0.54	0.78	30
31	—		0.02		—		0.01	—		—		0.34	31
TOTAL	6.45	6.61	5.60	3.19	1.84	1.08	1.09	~~4.56~~ 3.56	2.24	~~1.73~~ 2.00	3.87	7.42	YEAR'S TOTAL ~~45.68~~
Days with ·01 in. or more	23	15	20	18	12	9	9	12	16	12	18	27	191

44.95

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

13th Dec [illegible]

1480

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Plymouth, Freedom Park

in the County of S Devon

by J Paton Esq C.E.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	-	·03	-	·47	-	·43	-	·05	-	·02	·91	1
2	·55	-	-	·25	-	-	·09	·06	·12	·02	.	·18	2
3	·76	·10	-	·01	-	.	-	.	·01	·55	-	·28	3
4	-	-	·02	-	-	-	trace	·86	-	·50	.	.	4
5	-	-	·29	trace	·13	-	·32	·08	-	·20	.	.	5
6	-	-	·10	·04	·30	-	·34	-	-	·20	.	.	6
7	·06	.	·04	·36	·02	-	·40	-	-	-	.	·50	7
8	·04	·02	-	·46	·04	-	·10	-	-	-	.	·18	8
9	1.02	·06	·09	·04	-	·02	·45	-	·02	-	.	-	9
10	1.00	·20	·28	·09	-	·30	·30	-	-	-	-	-	10
11	·34	·02	·23	·61	·30	-	·36	-	-	-	-	-	11
12	·51	·21	·13	·11	-	trace	·04	-	-	·04	·11	·45	12
13	·20	·04	·45	·02	-	-	-	-	-	·42	.	(·20)	13
14	·37	·06	·45	·78	-	-	·06	-	·17	·75	·26	-	14
15	·14	·09	·04	·07	·04	-	-	-	·07	·70	·10	-	15
16	·02	·05	·05	·01	·02	·04	·14	-	·17	·10	·03	-	16
17	·08	-	·01	-	·40	-	-	-	·41	·04	.	-	17
18	·12	·01	-	·06	·04	·23	·09	·18	·08	-	.	-	18
19	·06	·02	-	·40	-	·65	-	-	·10	-	-	-	19
20	-	·04	-	·24	-	·32	-	-	-	·37	-	·36	20
21	-	-	-	·17	-	-	·02	-	-	·03	.	·11	21
22	·05	-	-	·20	-	-	·06	-	-	.	-	·42	22
23	·02	-	·05	-	-	-	·09	(·04)	.	-	.	(·72)	23
24	·02	trace	·26	-	-	-	}	-	.	-	·28	·15	24
25	·05	·05	·08	-	-	-	}·93	-	-	-	·01	·04	25
26	·34	trace	·20	.	-	.	·05	-	.	-	·39	-	26
27	·07	·05	·09	·06	-	·22	·12	-	.	-	·45	·27	27
28	·81	·01	·55	-	-	·05	·24	-	-	.	·02	·22	28
29	·37	-	·82	trace	-	-	·02	-	·02	.	·38	·27	29
30	·26	×	-	-	trace	·47	·23	-	·97	0.9	·26	·67	30
31	·19	×	·40	×	-	×	-	-	×	·40	×	(·13)	31
TOTAL	8.08	1.03	4.66	3.96	1.76	2.30	4.88	1.22	2.19	4.41	2.31	6.06	YEAR'S TOTAL 42·86
Days with ·01 in. or more	26	16	22	19	10	9	23	5	12	15	12	18	187
Days with ·04 in. or more	22	11	19	16	8	8	21	5	9	13	8	18	158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PLYM~~OU~~TH
DRAKE'S RES
DEVON
1911 – 1920

13 JAN 1912

REC … 1911

Kept at Drake's R… …ank Howarth

in the County of … 5°

… above Ground 1 ft 0 in

Lat. … Lon. … ,, ,, Sea Level 149 ft.

Date.	Jan.	Feb.	M							Oct.	Nov.	Dec.	Date.
	in.	in.								in.	in.	in.	
1											·04		1
2										·01	·13	·35	2
3			·01		·22				·01		·13	·06	3
4			·08					·25			·42	·52	4
5	·32		·19					·50		·06	·12		5
6	·48		·10							·10	·12	1·13	6
7	·07			·01							·56	·02	7
8	·03		·19								·07	·54	8
9	·04										·12	·62	9
10	·09	·11	1·09						·01		·03	·28	10
11	·29										1·04	·05	11
12			·64						·24		·15	·26	12
13			·05						·07		·10	·29	13
14		·10	·01							·06	·09	·21	14
15		·03	·10			·04					·33	·04	15
16		·01				·33					·49	·39	16
17		·03	·53	·02		·10					·23	·50	17
18		·33	·33	·09		·02				·16	·27	·39	18
19				·02		·49			·57	·10	·12	·71	19
20		·07	01	·15		·01			·04	·75		·99	20
21		·50				·06			·38	·15		·06	21
22	·17	·04	·01	·20		·04		·40	·51	·24		·48	22
23		·23		·02				·05	·13	·30		·41	23
24	·02	·36				·32		·11		·08		·35	24
25	01	·01		·21					·06	·24		·14	25
26		·20		·51				·14		·64		·40	26
27		·76		·04	·10			·19	·13	·22		·23	27
28		·24		·31							·25		28
29				·26	·36	·51	1·25		·16	·39			29
30							·07		·01	·15	·24	·05	30
31			·14				·05			·01			31
Totals	1·52	3·02	3·48	2·16	1·27	1·92	1·37	2·41	2·32	3·66	5·05	9·47	Total for year 37·65
Nº of ~~Total from Jan. 1~~ Rain Days	10	15	15	14	5	10	3	9	13	17	21	26	158

13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Drake's Place Reservoir. by Frank Howarth

in the County of Devon S.2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. Lon. Time of Observation 9 AM. " " " Sea Level 149 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08	·14			·01			·04		1
2				·24	·45			·76		·01	·13	·35	2
3			·01		·22				·01		·13	·06	3
4			·08					·25			·42	·52	4
5	·32		·19					·50		·06	·12		5
6	·48		·10							·10	·12	1·13	6
7	·07			·01							·56	·02	7
8	·03		·19								·07	·54	8
9	·04										·12	·62	9
10	·09	·11	1·09						·01		·03	·28	10
11	·29										1·04	·05	11
12			·64						·24		·15	·26	12
13			·05						·07		·10	·29	13
14		·10	·01							·06	·09	·21	14
15		·03	·10			·04					·33	·04	15
16		·01				·33					·49	·39	16
17		·03	·53	·02		·10					·23	·50	17
18		·33	·33	·09		·02				·16	·27	·39	18
19				·02		·49			·57	·10	·12	·71	19
20		·07	01	·15		·01			·04	·75		·99	20
21		·50				·06			·38	·15		·06	21
22	·17	·04	·01	·20		·04		·40	·51	·24		·48	22
23		·23		·02				·05	·13	·30		·41	23
24	·02	·36				·32		·11		·08		·35	24
25	01	·01		·21					·06	·24		·14	25
26		·20		·51				·14		·64		·40	26
27		·76		·04	·10			·19	·13	·22		·23	27
28		·24		·31							·25		28
29				·26	·36	·51	1·25		·16	·39			29
30							·07		·01	·15	·24	·05	30
31			·14				·05			·01			31
Totals	1·52	3·02	3·48	2·16	1·27	1·92	1·37	2·41	2·32	3·66	5·05	9·47	Total for year 37·65
Nº of ~~Total from Jan. 1~~ Rain Days	10	15	15	14	5	10	3	9	13	17	21	26	158

Ex J L

1 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Drakes Place Reservoir by Frank Howarth

in the County of Devon S 2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. ______ Lon. ______ Time of Observation 9. A.M. " " " Sea Level 149

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·17		·01	·40	·01		·10	·69		30	1
2			·18			·95		·08					2
3	·03		·26			·15		1·19	·07			·08	3
4	·20	·02	·30		·06	·12		·05			·37		4
5	·75	·10	·36		·04		·06	1·86			·01	·06	5
6	·30	·17	·09		·61	·10		·27			·01		6
7	·14	·78	·30	·05	·11	·71		·10			·03	·20	7
8	·70	·17	·17			·09	·03						8
9		·10	·07	·10		·09	·10	·13				·69	9
10	·42	·04	·20	·05			·06	·06			·10	·23	10
11		·10	·07			·09	·01	·07			·19	·50	11
12	·01	·37	·18		·02		·35	·35			·06		12
13	·32		·04				·10	·06		·03		·27	13
14	·16	·20	·75		·17			·01		·03		·09	14
15	·33	·18	·03		·04	·47						·46	15
16	·17		·37			·01		·37		·18		·06	16
17			·29			·22		1·22			·17	·12	17
18		·07	·07					·29		·02	·02	·04	18
19		·05	·41		·04	·01	·02	·10		·03	·01		19
20	·02	·14	·36		·19			·15		·22	·01		20
21		·60	·18		·26		·02	·02		·19			21
22	·23	·42	·40				·01	·26		·18	·10	15	22
23	·13	·51	·34			·02		1·00		·02	·14	·46	23
24	·09	·08	·09			·33		·02		·01		·27	24
25	·02					·06	·01	·09		·31	·41	·43	25
26							·04	·12		·23	·47	·42	26
27		·06	·01			·71	·63	·16		1·50	·08	·70	27
28		·16				·13	·03	·71	·84	·33	·41	·49	28
29		·18	·06			·34	·06	·06	·73	·25		·03	29
30						·14	·19		·23	·41			30
31			·21				·57	·01		·02		·32	31
Totals	4·02	4·50	5·96	·20	1·55	5·14	2·30	8·81	1·97	4·65	2·59	6·37	Total for Year 48·06
No of Rain Days ~~Total from Jan. 1~~	17	21	27	3	11	20	18	27	5	18	17	22	206

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
28 JAN 1914

Kept at Drakes Place

in the County of S Devon

by Frank Howarth

RAIN GAUGE: Pattern ……
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 149 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·27	·43	·15	·25				·05	·14	·46		1
2	·05	·21		·27	·35					02	·16	·06	2
3	·43		12		·19				·59			·18	3
4	1·21		·09			·12			·04	·09	·06	·34	4
5	·14	·03	·08		·45	·11	·03		·50	·12	·46	·51	5
6	·08	·09	·03		·15	·17				·37	·22	·02	6
7	·01	·38	·06		·74	·05				·22	·38		7
8	·15	·20			·16		·18	·43		·01	·01	·10	8
9	·11	·10			·16	·03		·31			·45	·01	9
10	·88				·02	·08		·01		·21	·12		10
11	·55				·65	·03			·01	·03	·88	·06	11
12	·05				·01				·06		·27	·01	12
13	·07		·08	·14					·13		·18		13
14	·38		·18		·09				·03		·03	·03	14
15	·24		·57	·73					·17		·17		15
16	·32		·60	·05					·08		·03		16
17	·04		·03	·07			·01				01		17
18	·03		·31	·17							·08		18
19	·65		·10		·02	·05			·49	·09			19
20	·25		·12	·28						·14	·39		20
21	·02		·18	·29						·15	·33		21
22	·26		·39			·21			·04	07		·26	22
23			·02								04	·92	23
24	·03	·12		·13				·01					24
25		·02		·59				·05	·06	·07	·04	·01	25
26				·57				·02		·03		·22	26
27	·76		·22	·40				·19		·31		·05	27
28	·24		·16	·26	·03				·19	·17		·11	28
29	·12		43	·17			·06			·38			29
30	·74			·09	·02		·05			·90			30
31	·10		·22					·35		22			31
Total	7·91	1·42	4·42	4·36	3·29	·85	·33	1·37	2·44	3·74	4·77	2·89	TOTAL for year 37·79
No. of Rain Days	27	9	21	16	15	9	5	8	14	20	21	16	181

9,000, IX. '10.

29 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Drake's Place Reservoir* by *Frank Howarth*

in the County of *Devon* S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. ...... Lon. ...... Time of Observation 9 A.M. ,, ,, ,, Sea Level 149 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·26		·16	·19	·66			1·03	·08	1
2			·08		·08	01	14	·01			·09	·46	2
3	·05		·13	·26	·72			·03					3
4	·13		·04	·56	10		·92	·15	·07		·04	·62	4
5	·19		·26	·18	·01							·07	5
6	·01	·08	·09	·05	·18		04	·03				·63	6
7	·04	·85	·43	·24	05	·11	·38	·24	·66			·28	7
8	·14		·89	·03		·14		·02				·14	8
9	·08	·05	·34	·25	·09	·46		·12	·54				9
10	·12	·57	·06	·26	11	·09			·35		·01	·31	10
11		·18	·81			·07					·03	·86	11
12		·70	·25						·24	·02	·04	·57	12
13		·57	·23				07		·15	·04	·28	·20	13
14		·39	35			·05		·20	·03		·65	·34	14
15			27				·02	·09		·01	·34	·61	15
16							·01		·53				16
17		·70	·32									·82	17
18		·11	·17				14		·21			·21	18
19		·08	·58				1·79		·02		·07	·09	19
20		·36	·20			·07					·01	23	20
21		·39					·03			·61			21
22		·08	·06	01	·12		·03	·15		·28			22
23		·09	·38							·06			23
24		·15					·03	·06		·03	·01		24
25	·19		·17		·09		06	·62		·74	·04	·82	25
26	·01	·13	18				·18			·03	·24	·52	26
27	·03	·20					·04			·03	·21	·39	27
28	·02	·10	·52		·11		·04			·16	·32	·52	28
29	·33		·15		·14		·60				·48		29
30			13	04		·09				·07	·31	1·07	30
31	·07						1·04			·78		·41	31
Totals	1·41	5·78	7·12	2·14	1·80	1·25	5·75	2·38	2·80	2·86	4·20	10·25	Years Total 47·74
Ra ~~Total from Jan. 1~~ Days	14	19	26	11	12	10	19	13	10	13	18	23	188

1774

13 JAN

REGISTER OF RAINFALL IN 1915

Kept at Drake's Place by Frank Howarth.

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1' 0"

Lat. Lon. Time of Observation 9. AM.

" " " Sea Level 149 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·38			·03			·49	·22	·11		·11	1
2	·37	·18	·20	·11		·23		·04		·26		·36	2
3	·04	·25	·30	·16	·07							·60	3
4	·08	·58	·02		·02	·01			·08			·24	4
5	·14	·53		·16				·45				·78	5
6	1·09	·20		·56			·40	·03				·28	6
7	·43	·54		·04			·13			·73	01	·49	7
8	·10	·28					·02	·12			·20	·12	8
9		·21		·01				·02			·38	·96	9
10	·41	·29	·02	·07				·03		·18	·01	·16	10
11	·11		·18				·02	·14			1·21	·27	11
12	·09	·53		·05	·60			·18		·05	·40	·03	12
13	·01	·55			·79		·05	·01	·02		·22	·07	13
14	·10	02					·20	·07	·15	·21	·11	1·41	14
15	·18				·31		·61				·10	·30	15
16		1·43			·35		1·08			·01		·24	16
17	·02	·14	·02		·02								17
18		·29					·03						18
19	·02				·36		·13						19
20	·22	·04		·12		·23				·17			20
21	·27	·13			·23	·07	·50			·11		·02	21
22	·01	·18	·43	·02			·39		·02	·04		·48	22
23	·04	·05	·02			·03	·09		·02	1·51		·83	23
24						·23	·09		·03	·20		·88	24
25						·06	·13					·30	25
26		·34				·42	·01		08			·88	26
27	·03	·04				·14			·03	·67			27
28		·06				·21			·30	·12	·01	·12	28
29						·20			·11	·13	·32	·09	29
30	·16					·12				·65	57	·42	30
31	·01						·21			·71		·30	31
Totals	4·29	7·24	1·19	1·30	2·78	1·95	4·09	1·58	1·06	5·86	3·54	10·74	Years Total 45·62
Rain ~~Total from,~~ Days ~~Jan. 1~~	23	23	8	10	10	12	17	11	11	17	12	26	180

Exd FW

177

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Drake's Place *by* Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9 AM ,, ,, ,, Sea Level 149 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25		·03		·17	·05	·01		·04	·64	·06		1
2	·35	·09	·09						·12	·31	·36		2
3	·06	1·14			·32	·07			·03	·79	·34		3
4	·14	·16		01	·02	·54			03	·15	·55		4
5	·10	·22	·02		·02	11				·14	·18		5
6	·07	·09			·15	·06	·88			·14	1·06		6
7	·03	·16	·07		·03	·10				·18	·69	·09	7
8	·01	·31	·21		·42						·18	·30	8
9		·11	·21			·13				·03	·31	·21	9
10		·89		·05	·10						·04	·05	10
11		·03		·10	·07				·04			·06	11
12	·04	·08		·06	·15		·17	·06		·14			12
13		·37	·10	·02	·02		·03	·30			·01	·02	13
14	·02	·45			·05			·37		·06			14
15		·33	·19	·19				·04		·02		·01	15
16	·36	·11		·11				·50		·19	·03		16
17	·18	·13	·03						·05	·50	2·22		17
18		·13	·21						·07	·03	·20	·12	18
19	·13	·15	·05	·11							·20	·12	19
20	·09	·60	·14								·03	1·28	20
21	·04		·10	·07	·02						·05	·09	21
22						·28		·06		·31	·01	·61	22
23	·07			·13		·23		·52		·35	·23	·04	23
24		·03	·04	·15	03			·15		·33	·04	·41	24
25	·07	·32	·08			·03		·39		·02	·05	·02	25
26	01	01	·10			·36		·35	·38	·92	·04	·11	26
27			1·42			·04		·16	·43	·37			27
28		04	·01					·10	·32	·43		·61	28
29		·08	·03			·60		1·20	14	·28		·62	29
30						·04				·51			30
31								·08		·46		03	31
Totals	2·02	6·03	3·13	1·00	1·57	2·44	1·09	4·28	1·65	7·30	6·88	4·80	Years Total 42·19
Rain Days Total from Jan.	18	24	19	11	14	14	4	14	11	24	22	19	194

FORM A.
BRITISH RAINFALL.

19. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Drake's Place Reservoir
in the County of Devon
by Frank Howarth.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station –
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 149 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·24		·40		·02			·08		1
2			·07	·07		·06						·07	2
3	·06			·02						·32	·52		3
4		·09	·74						·11	·30			4
5	·14		·41	·11		·04				·09	·10		5
6	·01		·25			·28		·08		·08	·05	·06	6
7	·57			·07			·14	·10		·13		·06	7
8	·07		·29	·09		·01	·18	·37	·03	·41	·22	·50	8
9			·45	·03	·08		·02			·16	·10		9
10	·63		·40	·25				·45					10
11	·02		·37	·14				·03	·08	·64	·38		11
12	·17		·02	·01	·49					·57			12
13	·11		·26	·03		·02		·05	·08	·31		·05	13
14				·11			·09	·11	·04	·05			14
15	·02			·02			·32		·05	·47		·44	15
16	·04	·15		·03		·05		·01	·03	·40		·23	16
17		·03		·09	·03		·41	·06	·97	·17			17
18		·03			·47	·05	·30	·03	·71				18
19		·79	·07			·61			·09				19
20		·23	·03		·70	·06	·02		·03			·15	20
21			·06					·05		·10		·08	21
22					·02	·08		·55		·09			22
23		·26			·20			42		·08			23
24		·06				·04	·46	·09		·19	·10		24
25		·01	·03					·11	·18	·10	·08		25
26					·65	·18		·17	·19				26
27						·78	·02	1·10					27
28			·11			·21		31			·05		28
29		X	·10			·01				·57			29
30		X	·19			—	·36	·21					30
31		X	·09	X	24	X			X	·23	X		31
Total	1·86	1·65	3·94	1·31	2·88	2·88	2·32	4·32	2·59	5·46	1·68	1·64	YEAR'S TOTAL 32·53
Rain Days.	12	9	18	15	9	16	11	20	13	21	10	9	163

W. 8,000. X. 15.

4

FORM A.
BRITISH RAINFALL.

14 2 19

REGISTER OF RAINFALL IN 1918

Kept at Drake's Place
in the County of S Devon
by Mr F. Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 149. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·36		·29	·03			·42			·80		1
2		·33							·03	·02	·01	·55	2
3		·17		·31	·05				·07	·03	·24	·18	3
4		·07						·39	·86		·69	·56	4
5			·21		·15			·22	·35	·37		·09	5
6	·41	·33	·29	·22				·09		·13		·25	6
7		·29						·06	·50		·36	·38	7
8		·05							·09	·63		·01	8
9	·10					·13	·31		·45	·05		·50	9
10	·06			·26			·27		·12	·11	·02	·26	10
11			·37				·12		·12		·04	·13	11
12		·10			·28		·08		·05			·03	12
13	·06				·07		·15		·71	·39		·28	13
14	·26				·08	·08	·06		·73	·06		·13	14
15	·68					·10	·35		·12	·22		·30	15
16	·90			·09		·12	·14		·24			·05	16
17	·19						·09		·14			·53	17
18	1·02		·32			·70	·10		·66	·40		·39	18
19	·12	·08	·27	·09			·02		·04			·12	19
20	·04	·27		·19					·27				20
21	·14					·10	·18		·67	·14		·49	21
22	·03				·10		·83		·14	·16	·09	·23	22
23	·22						·18		·14			·20	23
24	·07	·28					·11	·16	·15		·39	·26	24
25				·09	·05		·03	·75		·08	·28		25
26				·05			·24		·08		·08	·37	26
27		·17						·06	·15	·05	·10	·01	27
28		·26	·22						·03	·09	·04	·11	28
29			·28						1·34		·03	·06	29
30		╳	·30	·08					·07	·03	·19	·10	30
31		╳		╳		╳			╳	·04	╳	·04	31
Total	4·33	2·76	2·26	1·67	·81	1·23	3·26	2·15	8·32	3·00	3·36	6·61	YEAR'S TOTAL 39·76
Rain Days.	16 ✓	13 ✓	8 ✓	10 ✓	8 ✓	6 ✓	17 ✓	8 ✓	27 ✓	18 ✓	15 ✓	28 ✓	174 ✓

W. 8,000, VIII. 16

1504

14 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Drake's Place Reservoir by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. Lon. Time of Observation 9 AM

" " " Sea Level 149 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	90		·30	·26	·10		·16		·15	·25		88	1
2	25						·02		01	·03		·10	2
3	28		·34		·11				·09		·02	09	3
4	·16	·90	·47			·01		·35	·79		·01		4
5	05	·30	·67		·01				·18			·08	5
6	42	1·19	·14									·25	6
7	·45		·31	·08			·01					·27	7
8	21		·31	·25	·01	·02					·69		8
9	·09		·09	·26	·16						·09	·03	9
10	·10		·74		·02							·58	10
11	·13		·26 *	·24	·33	·03	·05			·05	·05	·68	11
12	·27		·06	·07		·04				·07	·07		12
13	·19	·09	·27	·44			·03			·05	·02	·25	13
14	·75	·17		·91	·71		·03		·03	·09		·13	14
15	·10	·08		·07						·10		·48	15
16	05	1·42			·03						·19	·01	16
17		·18				·02		·01			·34	·13	17
18	·15	·51	·65				·37	·11	·04		·39	·02	18
19	·74	·37	·28			·19	·35	·22	·12		·18		19
20	·23	·07	·17		·03	·26		·18	·23		·18	·07	20
21	·39	1·04			·15		·06		·06		·01	·05	21
22					·04	·01	·02		·23		·01	·07	22
23										·82	·10	·10	23
24				·01		·26		·18	·02	·23	·07	·27	24
25	·13			·02		·08		·65			·05	·08	25
26	·05		·07	·12				09	·09	01	·07	·54	26
27	·14	·03	·04	·15				1·38				04	27
28			·38	·11						·02	·59	·73	28
29				·04				·17		·03		06	29
30				·03		·09		·12	03		·52	69	30
31			·01									35	31
Totals	6·23	6·35	5·56	3·06	1·70	1·01	1·10	3·46	2·07	1·75	3·65	7·03	42·97
Rain Days Total from Jan. 1	23	13	19	16	12	11	10	11	14	12	20	27	188

1478

26 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Drake's Place Reservoir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 149 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03		·44		·41		·04		02	·75	1
2	·49			·24			·12	·05	·08	·03		·18	2
3	·67	·10		·01						·48		·26	3
4			·01					·80		·40			4
5			·26		·15		·33	·08		·19			5
6			·08	·02	·29		·32			·21			6
7	·05		·03	·38	·01		·30					·53	7
8	·04			·43	·02		·16					·21	8
9	1·01	·05	·09	·03		·01	·42		·02				9
10	1·01	·22	·23	·04		·27	·33						10
11	·31	·02	·22	·58	·28		·34						11
12	·46	19	·17	·11			·04			·04	·09	01	12
13	21	·03	·47	·02						·40		03	13
14	·35	·04	41	·76			·05		·15	·66	·25	·59	14
15	·13	·09	·03	·06	·04				·06	·66	·09	·02	15
16	·01	·03	·06			·03	·13		·15	·10	·02		16
17	·06			·01	·38		·02		·44	·05			17
18	·18			·05	·03	·22	·08	·18	·04				18
19	·05	·02		·39		·63			·08				19
20	01	01		·24		·26				·38		·42	20
21				·16			·01			·02		·09	21
22	·04			19			·03					·40	22
23	·01		·04				·07	·04				·68	23
24	·01		·24				·01				·24	·14	24
25	·03	·05	·08				·82					·03	25
26	·31		·26				·04				·38		26
27	·52	·04	·08	·04		·23	·12				·37	·30	27
28	·73		·47			·04	·24				·01	·18	28
29	·37	·01	·80				·01		·01		·32	·27	29
30	·27					·48	·22		·90	·07	·28	·63	30
31	·15		·40							·36		·24	31
TOTAL	7·49	·90	4·46	3·76	1·64	2·17	4·62	1·15	1·99	4·05	2·07	5·96	YEAR'S TOTAL 40·24
Days with ·01 in. or more	27	14	21	19	9	9	24	5	11	15	11	20	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

24 21 8 17 14 6 7 19 5 9 13 8 16 143

DEVON — PLYMPTON

LEIGHAM

1911 – 1914

REGIS

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Leigham, Pl

in the County of Devon

by Vere Cholmo

...er Snowdon

5 in.

...e Ground 1 ft. in.

Sea Level 50 ft.

a.m.

Name Marsh Mills

Distance 1¼ m Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·	·14	·	·	·	·	·	·03	·01	1
2	·	·	·	·26	·52	·	·	·86	·	·10	·13	·42	2
3	·	·	·03	·	·27	·	·	·	·01	·	·12	·07	3
4	·	·	·12	·	·	·	·	·30	·	·	·44	·58	4
5	·38	·	·16	·	·	·	·	·58	·	·04	·12	·	5
6	·43	·	·12	·	·	·	·	·	·	·13	·12	1·25	6
7	·09	·	·	·01	·	·	·	·	·	·	·50	·02	7
8	·05	·	·22	·	·	·	·	·	·	·	·06	·72	8
9	·07	·	·	·	·	·	·	·	·	·	·17	·75	9
10	·08	·15	1·30	·	·	·	·	·	·	·	·06	·35	10
11	·34	·	·	·	·	·	·	·	01	-	1·10	·03	11
12	·	·	·80	·	·	·	·	·	·22	·	·17	·31	12
13	·	·	·07	·	·	·	·	·	·07	·	·08	·34	13
14	·	·10	·04	·	·	·	·	·	·	·02	·09	·32	14
15	·	·08	·11	·	·	·02	·	·	·	·	·35	·05	15
16	·	·02	·	·	·	·44	·	·	·	·	·49	·45	16
17	·	·04	·44	·02	·	·07	·	·	·	·	·30	·61	17
18	·	·36	·28	·14	·	·01	·	·	·	·05	·34	·37	18
19	·	·04	·	·01	·	·66	·	·	·73	·06	·10	·90	19
20	·01	·08	·02	·21	·	·	·	·	·10	·87	·	1·00	20
21	·	·50	·	·01	·	·06	·	·	·29	·22	·	·07	21
22	·11	·07	·03	·23	·	·09	·	·36	·43	·18	·	·60	22
23	·	·19	·	·01	·	·04	·	·03	·14	·31	·	·55	23
24	·03	·35	·	·	·	·46	·	·14	·	·21	·	·33	24
25	·02	·03	·	·26	·	·02	·	·02	·06	·25	·	·19	25
26	·01	·21	·	·59	·	·	·	·22	·	·72	·	·51	26
27	·	·75	·	·06	·85	·	·	·21	·19	·19	·	·24	27
28	·	·26	·	·32	·	·	·	·01	·01	·	·30	·	28
29	·		·	·26	·09	·55	1·14	·	·14	·58	·	·	29
30	·		·	·	·	·03	·11	·	·02	·19	·34	·06	30
31	·		·10		·		·05	·		·03		·	31
Total	1·62	3·23	3·84	2·39	1·87	2·45	1·30	2·73	2·42	4·15	5·41	11·10	TOTAL for year 42·57
No. of Rain Days.	12	16	15	14	5	12	3	10	14	17	21	27	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2-JAN 1912

REGIS

Kept at Leigham plympton

in the County of Devon S. 2

by Vere Cholmondeley

RAIN GAUGE
Pattern Copper Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Marsh Mills
Distance 1¼ m Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.	·14	.	.	.	.	.	·03	·01	1
2	.	.	.	·26	·52	.	.	·86	.	·10	·13	·42	2
3	.	.	·03	.	·27	.	.	.	·01	.	·12	·07	3
4	.	.	·12	.	.	.	.	·30	.	.	·44	·58	4
5	·38	.	·16	.	.	.	.	·58	.	·04	·12	.	5
6	·43	.	·12	.	.	.	.	.	.	·13	·12	1·25	6
7	·09	.	.	·01	.	.	.	.	.	.	·50	·02	7
8	·05	.	·22	.	.	.	.	.	.	.	·06	·72	8
9	·07	.	.	.	.	.	.	.	.	.	·17	·75	9
10	·08	·15	1·30	.	.	.	.	.	.	.	·06	·35	10
11	·34	.	.	.	.	.	.	.	01	.	1·10	·03	11
12	.	.	·80	.	.	.	.	.	·22	.	·17	·31	12
13	.	.	·07	.	.	.	.	.	·07	.	·08	·34	13
14	.	·10	·04	.	.	.	.	.	.	·02	·09	·32	14
15	.	·08	·11	.	.	·02	.	.	.	.	·35	·05	15
16	.	·02	.	.	.	·44	.	.	.	.	·49	·45	16
17	.	·04	·44	·02	.	·07	.	.	.	.	·30	·61	17
18	.	·36	·28	·14	.	·01	.	.	.	·05	·34	·37	18
19	.	·04	.	·01	.	·66	.	.	·73	·06	·10	·90	19
20	·01	·08	·02	·21	.	.	.	.	·10	·87	.	1·00	20
21	.	·50	.	·01	.	·06	.	.	·29	·22	.	·07	21
22	·11	·07	·03	·23	.	·09	.	·36	·43	·18	.	·60	22
23	.	·19	.	·01	.	·04	.	·03	·14	·31	.	·55	23
24	·03	·35	.	.	.	·46	.	·14	.	·21	.	·33	24
25	·02	·03	.	·26	.	·02	.	·02	·06	·25	.	·19	25
26	·01	·21	.	·59	.	.	.	·22	.	·72	.	·51	26
27	.	·75	.	·06	·85	.	.	·21	·19	·19	.	·24	27
28	.	·26	.	·32	.	.	.	·01	·01	.	·30	.	28
29	.		.	·26	·09	·55	1·14	.	·14	·58	.	.	29
30	.		.	.	.	·03	·11	.	·02	·19	·34	·06	30
31	.		·10		.		·05	.		·03		.	31
Total	1·62	3·23	3·84	2·39	1·87	2·45	1·30	2·73	2·42	4·15	5·41	11·10	TOTAL for year 42·57
No. of Rain Days.	12	16	15	14	5	12	3	10	14	17	21	27	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at Leigham, Plympton
in the County of Devon S. 2
by Vera Cholmondeley

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Marsh Mills
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·25		·02	·45	·02		·09	1·11		·35	1
2			·23	·01		·91	·01	·01		·01	·01		2
3	·16		·28			·22		1·28	·09			·17	3
4	·31	·01	·41		·05	·16		·13			·37	·08	4
5	·85	·11	·27		·03	·14		2·13			·04	·01	5
6	·29	·10	·08		·61	·10		·16			·02		6
7	·13	·88	·31	·05	·13	·67	·01	·28			·07	·20	7
8	·83	·20	·20	·02	·01	·05	·02						8
9	·02	·10	·04	·22		·19	·08	·13				·76	9
10	·48	·04	·14	·03		·01	·10	·20			·13	·20	10
11		·08	·16		·04		·02	·05			·22	·65	11
12	·01	·49	·21	·01			·32	·25			·06		12
13	·44	·01	·04				·14	·01	~~·10~~	·10		·30	13
14	·21	·19	·77		·09	·01		·04	~~·03~~	·03		·10	14
15	·52	·29	·06		·19	·52						·49	15
16	·21		·42		·04	·02		·48	~~·22~~	·22	·01	·11	16
17			·26		·02	·24		1·60			·13	·12	17
18		·06	·08					·39	~~·04~~	·04	·03	·03	18
19		·08	·46		·04	·02	·02	·17	~~·03~~	·03	·02	·01	19
20	·02	·13	·38		·18			·16	~~·37~~	·37	·02		20
21		·71	·15		·27		·01	·04	~~·40~~	·40			21
22	·20	·54	·36		·01	·01	·03	·30	~~·19~~	·19	·08	·21	22
23	·14	53	·34			·03	·05	1·22	~~·01~~	·01	·25	·46	23
24	·05	·11	·10			·39						·34	24
25	·01					·06	·12	·08	~~·31~~	·31	·46	·40	25
26		·02					·06	·22	~~·32~~	·32	·51	·46	26
27		·08	·03			1·04	·53	·23		1·70	·03	·69	27
28		·15				·12	·08	·80	·42	·31	·52	·51	28
29		·28	·01			·10	·08	·17	·94	·24		·04	29
30			·06		·03	·03	·26	·01	·19	·26			30
31			·24				·67			·01		·45	31
Total	4·78	5·19	6·34	·34	1·76	5·49	2·63	10·56	1·73	5·66	2·98	7·14	YEAR'S TOTAL 54·60
Rain Days.	18	23	28	6	16	23	20	26	5	18	19	24	226

W. 7,500, XI. ·12

✓ cndly own stats 1911-14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
2 - JAN 1914

Kept at Leigham Plympton
in the County of S Devon
by Vere Cholmondeley

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Marsh Mills
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·06~~	·32	·42	·11	·14				·02	·08	·52	·01	1
2	·06 ~~·55~~	·11	·01	·25	·41	·01					·15	·05	2
3	·55 ~~1·29~~		·14	·01	·37				·37	·01		·23	3
4	1·29		·09	·01	·02	·12			·05	·13	·09	·34	4
5	·15	·04	·06		·40	·18	·01		·02	·09	·58	·49	5
6	·17	·15	·05		·25	·20				·44	·35	·03	6
7	·04	·47	·10		·97	·05	·01			·15	·46		7
8	·20	·27			·28		·15	·38		·08	·01	·11	8
9	·12	·13		·02	·08	·05	·01	·12			·57	·01	9
10	1·07				·02	·08		·02		·21	·07		10
11	·62			·01	·75	·05			·03	·06	1·01	·10	11
12	·03				·02	·01			·07		·40	·02	12
13	·06		·11	·04				·02	·14		·24		13
14	·46		·20	·04	·18				·06	·01	·05	·06	14
15	·23		·41	1·00					·21		·13	·02	15
16	·74		·65	·05				·02	·14		·05		16
17	·06		·01	·10			·01				·02		17
18	·05		·41	·22							·11		18
19	·56		·04		·03	·15			·54	·08			19
20	·20		·10	·33	·01					·25	·55		20
21	·02		·04	·31	·01		·01			·22	·34		21
22	·26		·67		·01	·23		·01	·03			·20	22
23			·15					·01	·01	·02	·06	·80	23
24	·03	·17		·14		·04					·01		24
25		·02		·70				·07	·03	·04	·04	·02	25
26				·66				·01		·03		·34	26
27	·72		·28	·37				·17		·41		·04	27
28	·28		·14	·21	·04				·17	·23		·14	28
29	·11		·65	·26			·05			·49	·02		29
30	1·00			·10	·01		·01			·72	·01		30
31	·10		·24					·32		·31			31
Total	9·18	1·68	4·97	4·94 ✓	4·00	1·17	·26	1·15	1·89	4·06	5·84	3·81	YEAR'S TOTAL 42·15 ✓
Rain Days.	24	9	22	21 ✓	19	12	8	11	15	21	24	18	207 ✓

W.7,000, XI. 13

Exe 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Leigham, Plympton
in the County of Devon S2
by Vere Cholmondeley

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Marsh Mills G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·22		·12	·44	·63			1·07	·05	1
2			·04	·01	·13	·07	·12	·02			·12	·40	2
3	·02		·21	·24	·77					·01		·01	3
4	·11		·03	·58	·09		1·08	·10	·04		·09	·67	4
5	·24		·26	·16	·01							·07	5
6		·12	·19	·07	·16		·05	·05			·02	·77	6
7	·07	·88	·47	·32	·09	·12	·44	·25	·94			·36	7
8	·27		·90	·05		·35		·05			·01	·14	8
9	·09	·04	·27	·30	·08	·42		·18	·25				9
10	·15	·62	·13	·30	·13	·05			·41		·02	·28	10
11		·09	·91		·01	·06					·03	·74	11
12		·80	·16						·34	·03	·05	·60	12
13		·75	·29				·09		·22	·02	·32	·28	13
14		·49	·37			·03		·07	·05		·75	·38	14
15			·41				·04	·17	·02	·02	·33	·55	15
16			·01				·03		·52			·01	16
17		·70	·46				·01		·01			1·10	17
18		·14	·12				·23		·18			·24	18
19		·08	·51				1·94		·05		·08	·07	19
20		·41	·25			·08						·28	20
21		·51					·03		~~·52~~	·52		·01	21
22		·06	·04	·01	·15	·01		·15	~~·45~~	·45			22
23		·15	·47				·03	·01	~~·08~~	·08			23
24		·01	·01				·02	·05	~~·04~~	·04	·03		24
25	·15		·23		·06		·10	·76	~~·82~~	·82	·09	1·07	25
26	·02	·08	·24				·19		~~·03~~	·03	·23	·56	26
27	·07	·29					·03		~~·03~~	·03	·23	·48	27
28	·08	·14	·51		·09		·05		~~·11~~	·11	·50	·61	28
29	·41		·20		·13		·93		~~·07~~	~~[illegible]~~	·61	·01	29
30		×	·14	·02	·01	·03			~~·90~~	·07	·34	·98	30
31	·10	×		×	·01	×	1·18		×	·90	×	·46	31
Total	1·78	6·36	7·90	2·28	1·92	1·29	7·03	2·49	3·03	3·13	4·92	11·18	YEAR'S TOTAL 53·31
Rain Days.	13	19	28	12	15	11	20	13	12	14	19	27	203

W. 8,000. X. 14.

DEVON.

POST BRIDGE

1914-1916

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTE

Kept at Redgate, Postbr

in the County of Devon

by Herbert J. Pot

°W.

un

inctown

5 in.

Ground 1 ft. 1 in.

Sea Level 1,200 ft.

IMPORTANT NOTE.—Ra he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												.17	1
2												1.18	2
3												.28	3
4												1.31	4
5												.17	5
6												1.24	6
7												.49	7
8											—	.04	8
9											.01	.01	9
10											.01	.28	10
11											.32	.83	11
12											.23	.70	12
13											.89	.28	13
14											.61	.02	14
15											.56	.51	15
16											—	.07	16
17											—	2.00	17
18											—	.39	18
19											—	.33	19
20											.10	.19	20
21											—	—	21
22											—	—	22
23											—	—	23
24											.27	—	24
25											.26	.85	25
26											1.10	1.21	26
27											.72	.68	27
28											.48	.61	28
29											2.10	.17	29
30		X									1.40	2.20	30
31		X		X		X			X		X	.86	31
Total											~~9.06~~	17.07	YEAR'S TOTAL
Rain Days.											imp	27	

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTE

Kept at Redgate, Postbridge
in the County of Devon
by Herbert J. Roberts

Lat. 50.30 Long. 4° W.
Time of Observation 9. am
Nearest Railway Station Princetown
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 1,200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.17	1
2												1.18	2
3												.28	3
4												1.31	4
5												.17	5
6												1.24	6
7												.49	7
8											—	.04	8
9											.01	.01	9
10											.01	.28	10
11											.32	.83	11
12											.23	.70	12
13											.89	.28	13
14											.61	.02	14
15											.56	.51	15
16											—	.07	16
17											—	2.00	17
18											—	.39	18
19											—	.33	19
20											.10	.19	20
21											—	—	21
22											—	—	22
23											—	—	23
24											.27	—	24
25											.26	.85	25
26											1.10	1.21	26
27											.72	.68	27
28											.48	.61	28
29											2.10	.17	29
30		X									1.40	2.20	30
31		X		X		X			X		X	.86	31
Total											9.06	17.07	YEAR'S TOTAL
Rain Days.											imp	27	

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
4. JAN 19

REGISTER OF RAINFALL IN 1915

Kept at Redgate, Postbridge,
in the County of Devon
by Herbert James Roberts

5

Lat. 50.30 N. Long. 4° W
Time of Observation 9. am
Nearest Railway Station Princetown
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.61	.49	–	–	.06	–	–	1.46	.47	.39	.12	.65	1
2	.45	.64	.10	.25	–	.10	–	.63	.09	.02	–	.82	2
3	.25	.77	.42	.61	.26	–	.03	.10	–	–	–	.73	3
4	.07	.47	.54	.01	.05	.01	–	.01	–	–	–	1.32	4
5	.11	1.31	.04	.23	–	–	–	.22	–	–	–	1.17	5
6	1.40	.26	.06	.81	.01	.01	.78	.08	–	–	–	.44	6
7	.79	1.12	.04	.16	–	–	.42	.01	–	.20	.03	.40	7
8	.43	.79	–	.01	–	–	.02	.07	.01	.04	.30	.22	8
9	.01	.22	–	.68	–	–	–	.01	–	.03	.96	1.93	9
10	1.19	.66	–	.04	–	–	.01	.04	–	.24	.20	.25	10
11	.13	.05	.08	–	.01	–	.01	.30	–	.22	1.44	.27	11
12	.12	.95	.06	.07	.89	–	–	.07	–	.16	.62	.01	12
13	.06	2.00	–	–	1.59	–	.02	.21	.02	.03	.26	.14	13
14	.32	.01	–	–	.01	–	.36	.23	.22	.12	.02	2.90	14
15	.36	2.64	–	–	.40	–	.17	–	.10	.09	.10	.32	15
16	.05	.50	.01	–	.22	–	1.68	–	.01	.01	–	.30	16
17	.08	.40	.01	–	.06	–	–	–	.01	–	–	.01	17
18	.01	.46	.01	–	–	–	.03	–	–	–	–	–	18
19	.04	–	–	.05	.32	–	.28	–	–	.16	–	–	19
20	1.23	.01	–	.22	.03	.13	–	–	–	–	–	.01	20
21	.19	.07	–	–	.15	.02	.59	–	–	.20	–	.40	21
22	.15	.31	.41	.01	–	.01	.64	–	–	.04	–	1.17	22
23	.10	.03	.05	–	–	.06	.24	–	.12	.90	–	1.19	23
24	.01	.01	–	.03	–	.09	.08	–	.19	.30	–	1.39	24
25	.01	–	.01	.06	–	.26	.20	–	.01	–	.04	1.03	25
26	–	–	–	–	–	.60	–	–	.15	–	–	1.89	26
27	–	.52	–	–	–	.34	.36	–	.05	.87	–	.07	27
28	–	.20	–	–	–	.18	.01	.03	.28	.29	.02	.08	28
29	–		–	–	–	1.09	–	–	.12	.01	.38	.31	29
30	.30		–	.01	–	.09	.06	–	.03	1.50	.96	1.17	30
31	.17		–		–		.18	.13		1.12		.77	31
Total	8.64	14.89	1.84	3.25	4.06	2.99	6.17	3.60	1.88	6.94	5.45	21.36	YEAR'S TOTAL 81.07
Rain Days.	27	25	14	16	14	14	21	16	16	22	14	29	228

W. 8,000. X. 14.

Exd C.S.E

1799

FORM A.
BRITISH RAINFALL.

12 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Postbridge

in the County of Devon.

by Herbert J. Roberts

Lat. 50.35 Long. 3.50

Time of Observation 9. am

Nearest Railway Station Princetown

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.29	—	.02	—	.15	.25	.26	—	.04	.33	.14	.01	1
2	1.57	.17	.11	—	.05	—	.01	—	.18	.41	.61	T	2
3	.20	2.39	—	—	.37	.08	.02	—	.14	1.09	.70	.01	3
4	.87	.26	—	.02	.02	1.09	.11	—	.29	.44	2.09	.01	4
5	.19	.65	.04	—	.12	.25	—	—	—	.81	.86	.01	5
6	.35	.57	.05	—	.25	.17	.78	—	—	1.14	1.60	.01	6
7	.24	.54	.20	—	.31	.10	—	—	—	.13	1.23	.15	7
8	.01	.47	.50	—	.26	.18	—	—	—	—	.37	.33	8
9	.01	.18	—	—	.03	.23	T	—	.01	.34	.15	.37	9
10	.04	.98	—	.16	.04	—	T	—	—	.19	.02	.02	10
11	—	.07	—	.36	.03	.05	—	—	.10	.01	.01	.01	11
12	.34	.20	.08	.38	.12	—	.70	.17	.02	.28	—	.01	12
13	—	.89	.14	.08	.01	—	.02	.59	.04	.09	.01	.03	13
14	.07	.93	.07	—	.26	—	—	.33	—	.53	.02	T	14
15	.04	1.80	.17	.10	—	—	—	.22	—	.04	—	.01	15
16	.38	.15	—	.53	.01	—	.05	1.04	—	.17	—	.03	16
17	.77	.32	—	.09	—	—	—	—	1.00	.65	1.47	.01	17
18	.08	.94	.57	.17	—	—	—	—	.46	.23	.03	.08	18
19	1.06	.25	.31	.40	—	—	—	—	—	T	.55	.11	19
20	.35	.94	.28	.02	—	—	—	—	—	T	.18	.62	20
21	.39	.09	.09	.13	.02	—	—	—	—	—	.02	.30	21
22	.01	—	.03	.01	—	.21	—	.06	—	.81	.18	.56	22
23	.17	.10	—	.12	—	.23	—	.26	—	.41	.95	.36	23
24	—	.40	.07	.67	.19	.04	—	.28	—	.97	.11	.35	24
25	.01	.30	.58	.01	.04	.02	—	.64	.02	.05	.52	.06	25
26	.10	.40	.18	—	.05	.16	—	1.36	.85	1.91	.10	.01	26
27	.06	—	.94	—	.14	.01	—	.70	.28	1.39	.01	.01	27
28	.01	.15	—	—	—	—	—	.10	1.35	.77	.05	1.18	28
29	—	.17	.13	—	—	.91	—	2.38	.15	.59	.01	1.61	29
30	—		.02	—	—	.14	—	.04	—	.55	.01	.05	30
31	—		—		—		—	.34		.47		.16	31
Total	7.61	14.31	4.58	3.25	2.47	4.12	1.95	8.51	4.93	14.80	12.00	6.48	YEAR'S TOTAL 85.01
Rain Days.	25	26	21	16	20	17	8	15	15	27	27	29	246

W. 8,000. X. 15. "T" means that the inside of the receiver was damp but there was nothing to pour out.

FORM A.
BRITISH RAINFALL.

16 JUL 1913

REGI

PRINCETOWN

H. M. PRISON

DEVON

1912 - 1917

1919 - 1920

Kept at Princetow

in the County of Dev

by Met. Office

.in.

ft. in.

ft.

IMPORTANT NOTI … lt entered to the previous day. If an Obs … e, he is earnestly requested to add the readi … space provided for it at the end of this … rain, the selection and placing … infall Organization are given in … on to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.									Dec.	Date.
1	-	-	·47	-	·10	·44	·14	·10	·24	1·13	-	·73	1
2	-	-	·72	·24	-	1·26	·12	·08	·02	·09	·05	·08	2
3	·20	-	·60	·03	-	·50	·09	1·70	·43	-	-	·77	3
4	·82	·30	1·44	-	-	·53	-	·43	-	-	·75	-	4
5	1·05	·26	·27	·09	·15	-	·05	1·33	-	-	·10	·10	5
6	1·26	·26	·09	·04	·72	-	-	·81	·03	-	·05	·02	6
7	·17	1·27	·59	·20	·70	·56	-	·63	·03	-	·10	·58	7
8	·97	·38	·97	·10	-	·63	·11	·04	-	-	·02	·02	8
9	·07	·38	·25	·23	-	·13	·10	·12	-	-	·02	1·08	9
10	·50	·15	·02	·05	-	·02	·42	·30	-	-	·57	·28	10
11	·02	·17	-	-	-	-	·35	·07	-	-	·80	1·70	11
12	·08	·98	·83	-	·12	-	·34	·34	-	-	·06	·05	12
13	·66	·02	·17	-	-	-	·20	·13	-	·37	-	·80	13
14	·68	·06	1·20	-	-	·06	-	·45	-	·11	-	·33	14
15	1·40	·46	·22	-	·40	1·45	-	·12	-	-	-	1·40	15
16	·52	·05	1·26	-	·38	·08	-	1·32	-	·47	·06	·25	16
17	-	-	·38	-	·12	·74	-	2·77	-	-	·07	·17	17
18	-	·09	·45	-	-	·02	-	·54	-	·36	·14	·16	18
19	·29	·56	·43	-	-	·10	·16	·62	-	·09	·12	·24	19
20	·08	·08	·72	-	·19	-	-	·55	-	·60	·57	·05	20
21	-	1·05	·63	-	·52	-	-	·34	-	·78	·04	-	21
22	·63	1·75	·34	-	·13	-	·05	·66	-	·17	·07	·43	22
23	·28	1·08	·44	-	-	·06	·03	2·53	-	·09	·60	·68	23
24	·06	·24	·40	-	-	1·13	·09	·18	-	-	-	·57	24
25	·17	·08	·06	-	-	·69	·47	·06	-	·23	1·05	·68	25
26	-	·29	-	-	-	-	·07	·34	-	1·38	1·10	·88	26
27	-	·26	·12	-	-	1·59	·68	·16	-	3·57	·13	1·78	27
28	-	·31	·13	-	-	·46	·32	1·79	1·59	·59	1·23	·69	28
29	-	·76	·02	-	-	·07	·22	·47	·59	·73	·04	·29	29
30	-		·22	-	-	·17	·38	-	·15	·74	-	·02	30
31	-		·45		-		·47	·09		·05		1·08	31
Total	9·91	11·29	13·89	·98	3·53	10·69	4·86	19·07	3·08	11·55	7·74	15·91	YEAR'S TOTAL 112·50
Rain Days.	20	25	29	8	11	21	21	30	8	18	23	29	243

XI. ·12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JUL 1913

Kept at Princetown Prison Ex. H66
in the County of Devon - S. 4.
by Met. Office - G. Perry.

~~Lat.~~ Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·47	-	·10	·44	·14	·10	·24	1·13	-	·73	1
2	-	-	·72	·24	-	1·26	·12	·08	·02	·09	·05	·08	2
3	·20	-	·60	·03	-	·50	·09	1·70	·43	-	-	·77	3
4	·82	·30	1·44	-	-	·53	-	·43	-	-	·75	-	4
5	1·05	·26	·27	·09	·15	-	·05	1·33	-	-	·10	·10	5
6	1·26	·26	·09	·04	·72	-	-	·81	·03	-	·05	·02	6
7	·17	1·27	·59	·20	·70	·56	-	·63	·03	-	·10	·58	7
8	·97	·38	·97	·10	-	·63	·11	·04	-	-	·02	·02	8
9	·07	·38	·25	·23	-	·13	·10	·12	-	-	·02	1·08	9
10	·50	·15	·02	·05	-	·02	·42	·30	-	-	·57	·28	10
11	·02	·17	-	-	-	-	·35	·07	-	-	·80	1·70	11
12	·08	·98	·83	-	·12	-	·34	·34	-	-	·06	·05	12
13	·66	·02	·17	-	-	-	·20	·13	-	·37	-	·80	13
14	·68	·06	1·20	-	-	·06	-	·45	-	·11	-	·33	14
15	1·40	·46	·22	-	·40	1·45	-	·12	-	-	-	1·40	15
16	·52	·05	1·26	-	·38	·08	-	1·32	-	·47	·06	·25	16
17	-	-	·38	-	·12	·74	-	2·77	-	-	·07	·17	17
18	-	·09	·45	-	-	·02	-	·54	-	·36	·14	·16	18
19	·29	·56	·43	-	-	·10	·16	·62	-	·09	·12	·24	19
20	·08	·08	·72	-	·19	-	-	·55	-	·60	·57	·05	20
21	-	1·05	·63	-	·52	-	-	·34	-	·78	·04	-	21
22	·63	1·75	·34	-	·13	-	·05	·66	-	·17	·07	·43	22
23	·28	1·08	·44	-	-	·06	·03	2·53	-	·09	·60	·68	23
24	·06	·24	·40	-	-	1·13	·09	·18	-	-	-	·57	24
25	·17	·08	·06	-	-	·69	·47	·06	-	·23	1·05	·68	25
26	-	·29	-	-	-	-	·07	·34	-	1·38	1·10	·88	26
27	-	·26	·12	-	-	1·59	·68	·16	-	3·57	·13	1·78	27
28	-	·31	·13	-	-	·46	·32	1·79	1·59	·59	1·23	·69	28
29	-	·76	·02	-	-	·07	·22	·47	·59	·73	·04	·29	29
30	-	×	·22	-	-	·17	·38	-	·15	·74	-	·02	30
31	-	×	·45	×	-	×	·47	·09	×	·05	×	1·08	31
Total	9·91	11·29	13·89	·98	3·53	10·69	4·86	19·07	3·08	11·55	7·74	15·91	YEAR'S TOTAL 112·50
Rain Days.	20	25	29	8	11	21	21	30	8	18	23	29	243

XI. ·12

Cordly sum stats 20·III·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

4 - JAN 1914

Kept at Princetown. (H.M. Prison)

in the County of S Devon 4

by George Perry.

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Princetown. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 1360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	0·29	0·62	0·23	0·45	0·00	0·00	0·00	0·02	0·15	1·06	0·15	1
2	0·17	0·40	0·21	0·28	0·44	0·02	0·00	0·00	0·02	0·09	0·47	0·29	2
3	1·04	0·04	0·81	0·10	0·51	0·00	0·00	0·00	1·67	0·00	0·00	0·61	3
4	1·98	0·02	0·77	0·02	0·03	25	0·00	0·00	0·56	0·10	0·26	0·64	4
5	0·17	0·05	0·05	0·00	0·24	1·06	0·09	0·00	1·37	0·03	0·57	0·92	5
6	1·24	0·36	0·27	0·00	0·18	0·61	0·03	0·00	0·00	0·71	0·69	0·75	6
7	0·43	1·52	0·10	0·00	2·07	0·37	0·02	0·00	0·00	0·65	0·39	0·14	7
8	0·12	0·79	0·06	0·00	0·75	0·10	0·13	0·12	0·00	0·33	0·03	0·27	8
9	0·22	0·20	0·18	0·00	0·03	0·21	0·02	0·27	0·04	0·00	1·08	0·14	9
10	0·69	0·00	0·11	0·14	0·14	0·19	0·02	0·01	0·00	0·38	0·19	0·02	10
11	1·07	0·00	0·00	0·20	0·73	0·24	0·00	0·00	0·12	0·08	1·59	0·22	11
12	0·13	0·00	0·00	0·00	0·15	0·08	0·00	0·00	0·41	0·00	0·79	0·15	12
13	0·18	0·00	0·59	0·04	0·12	01	0·06	0·26	0·44	0·00	0·31	0·00	13
14	0·61	0·00	0·76	0·17	0·13	0·00	0·03	0·00	0·23	0·07	0·19	0·14	14
15	0·27	0·00	0·66	1·94	0·00	0·00	0·00	0·00	0·11	0·00	0·79	0·11	15
16	0·81	0·00	1·11	0·49	0·00	0·00	0·07	0·95	0·79	0·00	0·18	0·00	16
17	0·24	0·00	0·25	0·23	0·00	0·00	0·13	0·00	0·00	0·00	0·39	0·00	17
18	0·23	0·00	1·07	0·77	0·06	0·03	0·08	0·00	0·00	0·00	0·46	0·00	18
19	1·10	0·00	0·05	0·00	0·18	0·10	0·19	0·00	0·57	0·17	0·02	0·00	19
20	0·32	0·00	0·14	0·78	0·03	0·00	0·00	0·00	0·07	0·47	2·23	0·00	20
21	0·21	0·00	0·34	0·24	0·41	01	0·14	0·08	0·00	0·06	0·35	0·00	21
22	0·63	0·00	0·86	0·23	20	0·26	0·00	·28	0·05	0·04	0·00	0·28	22
23	0·09	0·00	0·11	0·00	0·01	0.00	0·00	0·16	0·01	0·00	0·28	0·77	23
24	0·06	0·40	0·00	0·34	0·00	0.05	0·00	0·00	0·00	0·00	0·08	0·03	24
25	0·02	0·05	0·00	0·97	0·00	0·00	0·00	0·00	0·10	0·09	0·29	0·35	25
26	0·00	0·00	0·00	2·78	0·00	0·06	0·00	0·05	0·00	0·04	0·01	0·96	26
27	0·32	0·00	0·45	0·70	0·08	0·00	0·00	0·10	0·00	0·60	0·06	0·13	27
28	0·28	0·00	0·24	0·65	0·24	0·00	0·00	0·00	0·03	0·46	0·00	0·96	28
29	0·16	X	0·90	0·70	0·01	0·00	0·03	0·00	0·02	0·80	0·13	0·00	29
30	1·33	X	0·00	0·11	0·07	0·00	0·09	0·00	0·01	1·16	0·19	0·00	30
31	0·13	X	0·34	X	0·00	X	0·00	0·44	X	0·09	X	0·00	31
Total	14·27	4·12	11·05	12·11	7·26	3·65	1·13	2·72	6·64	6·57	12·58	8·03	YEAR'S TOTAL 90·13
Rain Days.	~~30~~	~~11~~	~~25~~	~~22~~	~~23~~ 4	~~16~~ 7	~~15~~	~~11~~	~~20~~	~~21~~	~~27~~	~~21~~	~~244~~

W.7,000, XI. 13

Exc Mg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Princetown

in the County of Devon S4

by George Perry.

Lat. 50·33" Long. 3·59" W.
Time of Observation 9 Am
Nearest Railway Station Princetown
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·62	·12	·22	-	·09	·83	·75	-	-	·84	·10	1
2	·05	-	·30	·04	·24	·02	·24	·06	-	-	·12	·90	2
3	·10	-	·93	·37	1·43	-	-	·47	-	-	·06	·10	3
4	·59	-	·35	·89	·21	-	1·04	·42	-	-	·29	·93	4
5	·23	-	·83	·64	·23	-	-	-	-	-	-	·15	5
6	-	·26	·55	·26	·38	·03	·60	·32	-	-	·06	1·40	6
7	·12	2·62	1·33	·28	·66	·04	·46	·03	·41	-	-	·48	7
8	·63	-	2·20	·30	·09	·45	·03	·70	-	-	·05	·09	8
9	·38	·11	·77	1·17	·23	·55	-	·93	·83	-	·06	-	9
10	·37	1·85	·42	·13	·58	·14	-	-	·68	-	·07	·39	10
11	-	·35	1·37	-	-	·14	-	-	·10	-	·19	·74	11
12	-	1·38	·50	-	-	-	-	-	·72	·09	·23	·57	12
13	-	2·02	·95	-	-	·11	·23	-	1·00	·03	·73	·28	13
14	-	1·48	·75	-	-	·68	-	·60	·11	·03	·88 ~~·45~~	·25	14
15	-	-	·67	-	-	-	·11	·12	·03	·05	·45 ~~[illegible]~~	·82	15
16	-	·04	·04	-	-	-	·10	-	·89	-	-	·06	16
17	-	1·26	·85	-	-	-	·10	-	·10	-	-	1·80	17
18	-	·27	·27	-	-	-	·35	-	·30	-	~~[illegible]~~ -	·36	18
19	-	·21	1·29	-	-	-	2·26	-	·15	-	·15	·30	19
20	-	1·05	·40	-	-	·25	-	-	Trace	-	-	·35	20
21	-	1·00	·11	-	-	·10	-	-	-	·48	-	-	21
22	-	·17	·10	·06	·15	·17	-	·26	-	·82	-	-	22
23	-	·14	·57	-	-	-	·35	·03	Trace	·15	- -	-	23
24	·10	·06	·17	-	-	-	·19	·10	-	·09	·27	-	24
25	·07	Trace	·53	-	·13	-	·27	1·45	-	·83	·39 ~~[illegible]~~	1·28	25
26	·22	·06	·20	-	-	-	·56	·13	-	·14	·94	1·48	26
27	·07	·26	-	-	-	-	·15	-	-	·12	·70	1·20	27
28	·55	·32	·65	-	-	-	·19	-	-	·37	·37	·86	28
29	1·15	X	·71	-	·33	-	·11	-	-	·15	3·17	·21	29
30	·14	X	·56	-	·07	-	-	-	-	·24	·64	2·74	30
31	·41	X	-	X	·12	X	1·35	-	X	1·80	X	·90	31
Total	5·18	14·93	18·49	4·36	4·85	2·77	9·52	6·37	5·32	5·39	10·66	18·74	YEAR'S TOTAL 106·58
Rain Days.	16	21	29	11	14	13	20	15	12	15	21	26	213

W. 8,000. X. 14.

[illegible] 15.III.16

1834

FORM A. BRITISH RAINFALL.

3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Princetown

in the County of Devon

by George Perry.

S4

Lat. 50° 33" Long. 3° 59' W.

Time of Observation 9 Am.

Nearest Railway Station Princetown.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 1359 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	1·10	—	—	·13	—	—	1·87	·38	·37	·10	·35	1
2	·32	·50	·52	·13	Trace	·20	—	·75	·06	·01	—	·72	2
3	·35	·95	·80	·57	—	—	·03	·05	—	—	—	·72	3
4	·09	·75	·09	—	·10	·01	—	·02	—	—	—	·93	4
5	·08	1·35	·10	·41	—	Trace	—	·32	—	—	—	1·44	5
6	1·63	·60	—	1·00	—	·01	·85	·23	—	—	—	·45	6
7	·63	1·42	—	·11	—	—	·72	·04	—	·25	·08	·52	7
8	·10	·72	—	—	—	—	·03	·09	—	·02	·54	·22	8
9	·14	·22	—	—	—	—	Trace	·06	—	Trace	·68	1·77	9
10	·33	·62	·23	·06	—	—	·04	·10	—	·32	·27	·19	10
11	·38	·05	·10	Trace	·06	—	·10	·37	—	·17	1·80	·26	11
12	·25	·70	—	·10	·78	—	—	·06	—	·15	·75	·04	12
13	·23	1·78	—	—	1·50	—	·03	·07	·05	·02	·33	·30	13
14	·27	—	—	—	—	—	·48	·19	·35	·20	·03	3·95	14
15	·32	—	—	Trace	·31	—	·33	—	·27	—	·04	·30	15
16	·06	3·80	—	—	·45	—	2·10	—	·04	—	—	·25	16
17	·04	·15	Trace	—	·03	—	·02	—	—	—	—	Trace	17
18	·20	·35	Trace	—	—	—	·13	—	—	—	—	—	18
19	·12	·05	—	·05	·62	—	·45	—	—	—	—	—	19
20	·95	·02	—	·27	·03	·11	—	—	—	·36	—	·03	20
21	·64	·50	—	—	·25	·02	·32	—	—	·05	—	·73	21
22	·82	·22	·50	·09	—	·02	1·04	—	Trace	·03	—	1·12	22
23	·10	—	·12	—	—	·02	·36	—	·30	·82	—	·90	23
24	—	—	·04	·01	—	·02	·42	—	·09	·87	—	1·15	24
25	—	—	Trace	·06	—	·34	·40	—	·01	—	·02	·87	25
26	—	·83	—	—	—	·70	—	—	·14	·02	—	1·45	26
27	—	·09	—	—	—	·52	·14	—	·04	1·18	—	·04	27
28	—	—	—	—	—	·45	·02	·05	·35	·29	·05	·10	28
29	—	✕	—	Trace	—	1·00	—	—	·11	·01	·55	·54	29
30	·26	✕	—	Trace	—	·20	{·08}	—	·05	1·15	·80	1·18	30
31	·10	✕	—	✕	—	✕	·16	·18	✕	·60	✕	·87	31
Total	8·46	16·71	2·50	2·86	4·26	3·62	8·25	4·15	2·24	6·89	6·04	21·29	YEAR'S TOTAL 87·33
Rain Days.	25	~~34~~ 22	9	12	11	14	22	16	14	20	14	28	209

W. 8,000. X. 15.

W Exd C.F.E 1791

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Princetown (Dartmoor)

in the County of Devon

by George Perry

Lat. 50°33" Long. 3°59" W

Time of Observation 9.0 Am

Nearest Railway Station Princetown (G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	/	·07	/	·11	·26	·21	/	·05	·36	·22	/	1
2	1·54	·32	·12	/	·10	/	·01	/	·20	·85	·65	/	2
3	·29	2·76	/	/	·32	·04	·07	/	·17	1·32	·82	/	3
4	·90	·30	/	/	·02	1·18	·04	/	·30	·86	2·45	·03	4
5	·12	·66	·05	·01	·13	·15	·07	/	/	·58	·70	/	5
6	·30	·46	·08	/	·31	·30	1·20	/	/	1·10	1·92	/	6
7	·21	·30	1·15	/	·35	·03	·03	/	/	·18	1·45	·20	7
8	·03	·30	·54	Trace	·43	·09	/	/	/	/	·17	·23	8
9	·08	·18	·05	/	/	·07	·03	/	/	·39	·20	·42	9
10	·05	1·37	·04	·23	·11	·20	·02	/	/	·33	·04	·02	10
11	/	·03	·06	·29	·13	/	/	/	·20	/	/	/	11
12	·30	·20	·12	·22	·28	/	·90	·38	·03	·63	/	/	12
13	/	·86	·15	·10	·12	/	·11	·35	·04	·10	/	·25	13
14	·17	·80	·04	Trace	·20	/	/	·45	/	·45	/	/	14
15	·09	·90	·25	·32	/	/	/	·13	·01	·07	/	/	15
16	·63	·20	/	·52	·04	/	·19	1·10	/	·23	/	/	16
17	·86	·40	/	·14	/	/	/	·04	1·00	1·11	·50	/	17
18	·06	·60	·47	·15	/	/	/	/	·60	·26	·04	·10	18
19	·87	·18	·12	·37	/	/	/	/	/	/	·78	·22	19
20	·29	·82	·30	·06	/	/	/	/	/	/	·27	1·00	20
21	·29	·18	·11	·25	·04	/	/	/	/	/	·08	·12	21
22	/	/	·02	/	/	·36	/	·11	/	·69	·40	·50	22
23	·26	·25	·01	·25	/	·36	/	·22	/	·35	1·20	·35	23
24	/	·04	·14	1·50	·25	·20	/	·08	/	1·07	·17	·27	24
25	·01	·45	·38	/	·03	·21	/	·30	/	·04	·46	/	25
26	·13	/	·17	/	Trace	·32	/	1·43	·90	1·40	·07	·03	26
27	·09	·02	1·05	/	/	·08	/	·35	·10	1·15	/	/	27
28	/	·04	·10	/	/	·05	/	/	·78	·82	·20	1·32	28
29	/	·23	·25	/	/	1·10	/	1·45	·06	·54	/	1·41	29
30	/	X	·02	/	/	·26	/	·10	/	·54	/	·10	30
31	/	X	/	X	/	X	/	·40	X	·50	X	·18	31
Total	7·99	12·85	5·86	4·41	2·97	5·26	2·88	6·86	4·44	15·92	12·79	6·75	YEAR'S TOTAL 88·98
Rain Days.	23	26	26	14	17	18	12	15	14	26	21	18	230

W. 8,000, VIII. 16

1713

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 19

Kept at PRINCETOWN. (H.M. Prison.

in the County of Devon.

by George Perry.

Lat. 50'33" Long. 3'59 W.

Time of Observation 9.0 Am.

Nearest Railway Station Princetown Gwr.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1. ft. in.

" " " " Sea Level 1359. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'21	Nil	Trace	'60*	Nil	'43	Nil	'23	'15	Nil	'18	'02	1
2	'15	"	'03	'35*	"	'02	"	Nil	Nil	'07	'06	Nil	2
3	'33	"	Nil	'27*	"	Nil	'32	"	"	1'35	'90	"	3
4	Trace	"	'45*	Nil	"	"	'40	"	'07	'72	'03	"	4
5	'45	"	'64	'46	"	1'00	Nil	Trace	Nil	35	'50	"	5
6	'04	"	'45	Nil	"	'30	"	'80	'23	'60	'23	'22	6
7	1'18	"	'04	"	"	02	08	'15	Nil	'25	18	'13	7
8	'23	"	'02	30	'11 ~~09~~	'05	1'00	'75	13	'90	'50	'54	8
9	Nil	"	'14	'10*	'09 ~~Nil~~	Nil	'13	Trace	Nil	'62	1'00	'02*	9
10	'56	"	'45	'35*	Nil	"	Nil	54	"	'05	'20	15	10
11	'05*	"	'50	'68*	'11	"	"	'18	'15	'85	'40	Nil	11
12	'60*	"	Nil	'10*	'42 ~~Nil~~	"	"	05	Nil	'88	'02	"	12
13	'05*	"	'35	'30	Nil ~~03~~	'30	"	'50	'75	'40	Nil	08	13
14	Nil	"	Nil	'10	'02 ~~Nil~~	Nil	'20	'95	30	'15	02	'05	14
15	'25*	"	"	'08*	Nil	"	'16	'17	05	1'35	Nil	'30*	15
16	Nil	'20	"	'17	'11 ~~10~~	'04	'02	'08	10	'70	"	'75*	16
17	"	'04	Nil	'43	'10 ~~'00~~	Nil	'42	'38	1'10	'25	"	Nil	17
18	"	'06	'01	'05	1'00 ~~Nil~~	'08	'95	02	1'10	03	"	"	18
19	"	1'00	'23	Trace	Nil ~~88~~	'72	Trace	02	'10	Trace	'15	"	19
20	"	'28	'10	Nil	'88 ~~Nil~~	12	Trace	'08	'15	Nil	23	'35	20
21	"	'03	'15	"	Nil ~~02~~	'05	Nil	'15	Nil	'30	36	'04	21
22	"	Nil	'08*	"	'02 ~~24~~	Nil	"	1'00	"	35	'10	Nil	22
23	Trace*	'33	Nil	"	'24 ~~Nil~~	'37	"	'52	"	'35	'16	'04	23
24	Nil	Trace.	"	"	Nil	'30	'42	15	"	'75	'45	'12	24
25	"	'14	22	"	"	Nil	12	'95	'48	30	'09	Nil	25
26	"	'04	02*	"	'34	'05	05	'48	'43	'18	'36	"	26
27	"	Nil	02	"	Nil	'45	Nil	2'20	Nil	'12*	'02	"	27
28	"	'20	05	"	"	53	"	1'50	Trace	Nil	'10	'02*	28
29	"	X	'15*	"	"	'10	"	'10	Nil	1'92	'15	'02*	29
30	"	X	28 ~~28~~*	"	"	Nil	'20	'68	"	'08	'04	Nil	30
31	"	X	'04*	X	1'14	X	Nil	'15	X	'42	X	"	31
Total	4'10	2'32	5'25	4'64	4'31	5'53	4'77	12'78	5'29	14'29	6'43	2'45	YEAR'S TOTAL 72'46
Rain Days.	12	10	22	15	10	18	14	26	15	27	25	16	210

W. 8,000, IX. 17.

* = Snow melted. are counted as days of Rain

43

1615

G+P cnt by MO

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Princetown, Dartmoor
in the County of Devon
by H Shrimpton Engineer HMP

Lat. 50° 33" Long. 3° 59"
Time of Observation 9. am.
Nearest Railway Station Princetown.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 12" 30·5 centimetres
" " " " Sea Level 1335 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Daily Readings not known	—	·40	—	·25	—	·31	—	·15	·44	—	1·26	1
2		—	·11	—	·14	—	·04	—	·05	·03	—	·20	2
3		—	·53	—	·37	—	—	—	·35	·05	·03	·15	3
4		—	·81	—	·02	·02	·15	·61	2·15	—	—	·01	4
5		·43	·78	—	·04	—	—	—	·38	—	·09	·35	5
6		~~·05~~ ·55	·63	—	—	—	—	—	·01	—	·01	1·05	6
7		·94	3·04	·24	—	·02	—	—	·03	—	—	·15	7
8		—	·45	·08	·02	·06	—	—	—	—	—	—	8
9		—	·18	·67	·17	—	—	—	—	—	·77	·21	9
10		—	1·98	·15	·01	·14	—	—	—	·05	—	1·36	10
11		—	1·50	·64	·85	—	·07	—	—	—	·09	·71	11
12		·10	·25	·15	·01	·08	—	—	—	·34	·10	—	12
13		·10	·14	1·05	—	—	—	—	·02	·17	·05	·86	13
14		·27	—	·76	·64	—	·37	—	—	·26	·03	·23	14
15		·12	—	·21	—	—	—	·01	·04	·32	·01	·48	15
16		2·0	—	—	·08	·03	—	—	—	—	1·20	·04	16
17		·43	·03	—	—	·15	—	·08	—	—	·80	·19	17
18		·27	1·07	—	—	—	·60	·72	·11	—	·83	·05	18
19		·58	·56	—	—	·33	·50	·94	·39	—	·48	·41	19
20		·11	·18	—	—	—	·04	·10	·46	·01	·35	·44	20
21		1·50	—	—	·03	·33	·88	·02	·54	—	·05	·26	21
22		·10	—	—	—	·06	·11	—	·28	—	·05	·47	22
23		—	·09	—	—	—	—	·22	·05	—	·50	·66	23
24		·01	—	—	—	·29	—	·16	·11	1·00	·19	·12	24
25		·02	—	·04	—	·08	—	1·40	·07	1·01	·08	·50	25
26		·01	·26	·21	—	·04	—	·19	·31	·09	·27	1·05	26
27		—	·07	·49	—	·03	—	1·30	·01	—	—	·35	27
28		·03	·64	·21	—	—	—	·02	—	·09	·10	·89	28
29		—	·03	·21	—	—	—	·25	—	·09	—	·36	29
30		✕	·18	·27	—	·14	—	—	·05	—	1·19	1·47	30
31		✕	·18	✕	—	✕	·11	—	✕	—	✕	·45	31
TOTAL	13·59	~~7·01~~ 7·57	~~9·12~~ 12·12	5·38	2·63	1·47	3·18	~~5·94~~ 6·02	6·16	3·94	7·27	15·63	YEAR'S TOTAL ~~84·63~~ 87·23
Days with ·01 in. or more	(24)	18	24	15	13	14	11	13	20	13	22	29	(217)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cnd by A ~~[illegible]~~ W R/L

1615

3 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Princetown, Dartmoor (M.O)
in the County of Devonshire.
by [illegible]

Lat. 50° 33' N Long. 3° 59' W
Time of Observation 9h. L.M.T., 10h in "Summer Time"
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1336 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-	0.405	-	0.25	-	0.31	-	0.75	0.44	-	1.26	1
2		-	0.11	-	0.14	-	0.04	-	0.05	0.035	-	0.20	2
3		-	0.53	-	0.37	-	-	-	0.35	0.~~005~~ .01	-	0.75	3
4		.435	0.81	-	0.028	0.025	0.15	0.613	2.15	-	0.03	0.01	4
5		0.545	0.78	-	0.048	-	-	-	0.38	-	0.09	0.35	5
6		94	0.63	-	-	-	-	-	0.01	-	0.01	1.05	6
7			3.04	0.24	-	0.023	-	-	0.03	-	-	0.15	7
8		-	0.45	0.08	0.02	0.06	-	-	-	-	-	-	8
9		-	0.18	0.67	0.17	-	-	-	-	-	0.77	0.21	9
10		-	1.98	0.15	0.015	-	-	-	-	-	-	1.36	10
11		-	1.50	0.64	0.85	0.14	0.07	-	-	0.05	0.09	0.71	11
12		0.10	0.25	0.15	0.01	0.08	-	-	-	0.34	0.10	-	12
13		0.105	0.14	0.05	-	-	-	-	0.025	0.17	0.05	0.86	13
14		0.27	-	0.76	0.64	-	0.37	-	-	0.26	0.03	0.23	14
15		0.12	-	0.21	-	-	-	0.01	0.04	0.32	0.01	0.48	15
16		2.00	-	-	0.08	0.035	-	-	-	-	1.20	-	16
17		0.43	0.03	-	-	.15	-	0.08	0.11	-	0.80	0.04	17
18		0.27	1.07	-	-	-	0.60	0.72	0.39	-	0.83	0.19	18
19		0.58	0.56	-	-	0.33	0.50	0.94	0.46	-	0.48	0.05	19
20		0.11	0.18	-	-	0.33	0.04	0.105	0.54	0.01	0.35	0.41	20
21		1.50	-	-	0.03	-	0.88	0.02	-	-	0.05	0.44	21
22		0.10	-	-	-	0.06	0.11	-	0.28	-	0.05	0.26	22
23		-	0.09	-	-	-	-	0.225	0.05	1.00	0.50	0.47	23
24		0.01	-	-	-	0.29	-	0.16	0.11	1.01	0.19	0.66	24
25		0.02	-	0.04	-	0.08	-	1.40	0.07	-	0.08	0.12	25
26		0.01	0.26	0.21	-	0.04	-	0.19	0.31	0.09	0.27	0.50	26
27		-	0.07	0.49	-	-	-	1.30	0.01	-	-	1.05	27
28		0.03	0.675	0.21	-	-	-	0.02	-	0.09	0.10	0.35	28
29			0.03	0.21	-	-	-	0.25	-	0.09	-	0.89	29
30			0.18	0.27	-	0.14	-	-	0.05	-	1.19	0.36	30
31			0.18		-		0.115	-		-		1.77	31
TOTAL	13.59	7.578	14.130	5.38	2.63	1.77	3.185	6.083	6.165	3.91	7.27	~~15.18~~ .45 15.63	YEAR'S TOTAL 87.23
Days with ·01 in. or more	...	18	24	15	13	13	11	14	20	14	22	29	

No return

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

4° W.A.D.

1531

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Princetown, Dartmoor (M.O)

in the County of Devonshire

by H. W. Shrimpton for the Governor.

Lat. 50° 33' N Long. 3° 59' W

Time of Observation 9h. L.M.T. + 10 h in "Summer Time"

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1336 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·31	-	0·04	0·50	1·20	-	1·30	0·08	-	0·07	-	1·25	1
2	0·70	0·04	-	0·17	0·20	-	0·58	0·41	0·19	0·25	0·01	0·59	2
3	0·81	0·23	-	0·09	0·03	-	0·06	0·03	0·53	2·53	-	0·71	3
4	–	-	0·03	-	0·04	-	0·05	1·78	0·06	0·54	-	-	4
5	–	0·04	0·60	-	0·19	-	0·82	0·55	-	0·30	-	-	5
6	–	-	0·60	0·13	0·45	-	0·32	-	-	0·21	-	-	6
7	0·27	-	-	0·97	0·10	-	0·65	-	-	0·01	0·03	0·20	7
8	0·12	0·11	-	0·68	0·24	-	0·50	0·12	-	0·04	-	0·21	8
9	1·80	0·27	0·09	0·10	-	0·07	1·12	-	0·07	-	-	-	9
10	1·58	0·51	0·48	0·02	-	0·48	0·65	-	-	-	0·03	-	10
11	1·40	0·04	0·22	0·98	0·38	-	0·07	-	-	-	-	-	11
12	0·76	0·53	0·45	0·38	0·08	0·05	0·23	-	-	0·07	0·41	0·02	12
13	0·21	0·11	0·83	0·18	-	0·02	-	-	-	0·45	-	0·36	13
14	0·41	0·26	0·60	1·24	-	-	0·20	-	0·36	0·87	1·33	-	14
15	0·19	0·45	0·44	1·22	0·01	-	-	-	0·14	0·78	0·31	-	15
16	0·04	0·07	0·37	0·40	0·02	0·07	0·34	-	0·64	0·06	0·05	-	16
17	0·28	-	0·11	0·02	0·85	0·04	-	-	1·49	0·34	-	-	17
18	0·64	-	0·09	0·27	0·28	0·21	-	·43	0·07	-	-	-	18
19	0·25	-	-	0·77	0·17	0·10	0·03	-	0·05	0·02	-	-	19
20	0·27	-	-	0·43	-	0·73	0·08	-	-	0·15	-	1·59	20
21	–	-	-	0·28	-	-	0·04	-	0·05	0·06	-	0·26	21
22	0·23	-	0·01	0·15	-	-	0·56	-	0·02	0·01	-	0·23	22
23	0·12	-	0·08	-	-	-	0·30	0·25	0·03	-	-	0·21	23
24	0·09	-	1·39	0·07	-	-	0·25	-	0·01 ~~0·005~~	-	0·57	1·93	24
25	0·20	0·07	0·27	0·02	-	0·04	2·00	-	-	-	0·01	0·09	25
26	0·81	0·09	0·49	-	-	0·32	0·22	-	-	-	0·40	0·17	26
27	1·87	0·23	0·35	0·50	-	0·68	0·18	-	-	-	0·38	0·66	27
28	0·83	0·03	0·37	0·05	-	0·56	0·50	-	-	-	0·66	0·16	28
29	1·39	0·02	0·53	0·09	0·15	0·14	0·18	-	0·01	-	0·78	1·06	29
30	0·46	╳	-	0·03	0·12	0·75	0·61	-	1·17	0·42	0·53	1·65	30
31	0·30	╳	0·65	╳	-	╳	0·08	-	╳	0·72	╳	0·62	31
TOTAL	16·34	3·10	9·09	9·74	4·51	4·26	11·92	3·~~22~~ 65	4·89	7·90	5·50	11·97	YEAR'S TOTAL 92·87
Days with ·01 in. or more	27	14	23	26	17	15	27	8	16	20	14	19	229
	[illegible]	[illegible]	[illegible]	[illegible]	4	14	26	7	12	17	10	18	203

(44,283). Wt. [illegible] 938—[illegible] 7500. 10/19. Gp. [illegible] A.&E.W.

Copied from M.O 3202

W RA

Wrny Bay

REG … 11

FORM A2.
BRITISH RAINFALL.
24 AUG 1912

DEVON.
~~PRINCETOWN~~
TWO BRIDGES.
"MOOR LODGE"
1911, 1914-15, 17, 1919.

Kept at Moor Lodge … 5 in.

… above Ground … ft. 6 in.

in the County of Devo… „ Sea Level 1170 ft.

… 30 a.m. (approximately)

by J. C. Bri… Name Princetown

Distance 1 3/4 miles Direction South

IMPORTANT NOTE.– … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									–	·01	·13	·04	1
2									–	–	·46	·04	2
3									–	·01	·34	1·08	3
4									·02	·02	·62	·24	4
5									–	·01	1·30	1·07	5
6									–	·04	·22	·04	6
7									–	·10	·11	1·97	7
8									–	–	·07	·01	8
9									·01	·07	·12	1·30	9
10									·01	–	·01	1·57	10
11									·01	–	·01	·97	11
12									·05	·01	1·26	·23	12
13									·24	·01	·23	·55	13
14									·12	·09	·24	·71	14
15									–	–	·30	·78	15
16									–	·01	1·36	·42	16
17									–	·01	·53	1·43	17
18									–	·01	·29	1·54	18
19									–	·32	·32	1·09	19
20									1·30	·33	·40	1·26	20
21									·21	1·71	–	·09	21
22									·29	·61	–	·20	22
23									·32	·54	–	·79	23
24									·26	·74	·04	1·03	24
25									·01	·43	–	·60	25
26									·50	·67	–	·22	26
27									·01	·25	(snow) ·01	·52	27
28									·39	·25	–	·57	28
29									–	·01	·31	·01	29
30									·40	1·15	–	·04	30
31										·71		·18	31
									·01	·13	·84	·01	
Total									~~4·23~~ 4·24	~~8·06~~ 8·18	~~10·78~~ 10·99	~~22·27~~ 21·44	TOTAL for year
No. of Rain Days.									~~17~~ 18	26	23	31	

W. 8,000, X. '11.

[illegible]

REG 11

FORM A2.
BRITISH RAINFALL.
24 AUG 1912

Kept at Moor Lodge Two Bridges
in the County of Devon
by T. C. Bridges.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 1170 ft.
Time of Observation 9·30 a.m. (approximately)
Nearest Railway Station
Name Princetown
Distance 1 3/4 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									–	·01	·13	·04	1
2									–	–	·46	·04	2
3									–	·01	·34	1·08	3
4									·02	·02	·62	·24	4
5									–	·01	1·30	1·07	5
6									–	·04	·22	·04	6
7									–	·10	·11	1·97	7
8									–	–	·87	·01	8
9									·01	·07	·12	1·30	9
10									·01	–	·81	1·57	10
11									·051	–	·01	·97	11
12									·05	·01	1·26	·23	12
13									·24	·01	·23	·55	13
14									·12	·09	·24	·71	14
15									–	–	·30	·78	15
16									–	·01	1·36	·42	16
17									–	·01	·53	1·43	17
18									–	·01	·29	1·54	18
19									–	·32	·32	1·09	19
20									1·30	·33	·40	1·26	20
21									·21	1·71	–	·09	21
22									·29	·61	–	·28	22
23									·32	·54	–	·79	23
24									·26	·74	·04	1·03	24
25									·01	·43	–	·60	25
26									·50	·67	–	·22	26
27									·01	·25	(snow) ·01	·52	27
28									·39	·25	–	·57	28
29									–	·01	·31	·01	29
30									·40	1·15	–	·04	30
31										·71		·68	31
Total									·01 ~~4·23~~ 4·24	·73 ~~8·06~~ 8·18	·84 ~~10·78~~ 10·99	·61 ~~22·27~~ 21·44	TOTAL for year
No. of Rain Days.									~~17~~ 18	26	23	31	

W. 8,000, X. '11.

From original ret. to Observer

J. W. M. G. Cor. for auth. + pub. Wd. 16.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 MAR 1915

Kept at Two Bridges
in the County of Devon S. 14
by T. C. Bridges.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Princetown
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 1170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	·17	·15	–	–	·03	·56	–	–	·61	·16	1
2	·10	–	·25	·04	·16	·01	·81	·05	–	–	·15	·87	2
3	·30	–	·99	·40	1·37	–	·15	·41	–	·04	·03	s ·31	3
4	·30	–	·42	·82	·28	–	·87	·39	–	–	·35	s ·92	4
5	·03	–	·89	·30	·34	–	–	–	–	–	–	·15	5
6	·23	·26	·59	·33	·31	–	·62	·27	–	–	·07	1·10	6
7	·48	1·73	1·27	–	·75	·10	·46	·47	·33	–	·01	·46	7
8	·31	–	1·71	·26	·11	·45	·03	·65	–	–	·10	·10	8
9	·31	·09	s ·46	·62	·07	·49	–	·92	·68	–	·04	–	9
10	–	1·27	s ·21	·44	·68	·14	–	–	·67	–	·06	·30	10
11	–	·27	1·31	–	·01	·13	–	–	·10	–	·25	·49	11
12	–	1·23	·46	–	–	–	–	–	·69	·06	·34	·50	12
13	–	1·80	·86	–	–	·05	+	–	·95	·03	·61	·28	13
14	–	1·54	·71	–	–	T. ·89	·17	T. ·59	·15	·06	·75	·12	14
15	–	·02	·62	–	–	–	–	·10	·05	–	·42	1·01	15
16	–	–	·01	–	–	–	·12	–	·73	–	–	·07	16
17	–	1·23	s ·77	–	–	T. –	·04	–	·06	–	Dew ·01	1·58	17
18	–	·34	s ·12	–	–	–	·07	–	·15	–	Dew ·01	·63	18
19	–	·12	s ·43	–	–	–	·22	–	·09	–	·12	·18	19
20	–	·86	s ·45	–	–	·16	2·15	–	–	–	·07	·33	20
21	–	·58	·09	–	–	–	–	–	–	+	–	·06	21
22	–	·09	·12	·07	·11	·18	–	·18	–	·45	–	·01	22
23	–	·20	·51	–	–	–	·40	·04	–	·86	–	–	23
24	–	·01	·10	–	–	–	·12	–	–	·14	·20	·01	24
25	·26	–	·41	–	·02	–	·17	1·21	–	·07	·45	·92	25
26	·15	·04	·14	–	–	–	·37	·12	–	·62	·76	·90	26
27	·37	·11	–	–	–	–	·09	–	–	·09	·86	1·02	27
28	·07	·24	·45	–	·09	–	·16	–	–	–	·28	·86	28
29	1·20		·45	–	·18	–	·15	–	–	·09	2·21	·14	29
30	·14	×	·47	–	–	–	–	–	–	·18	·66	2·07	30
31	·42	×	–	×	·06	×	·99	–	×	1·41	×	·98	31
Total	4·70	12·07	15·44 15·44	3·43	4·54	2·60	8·19	5·96	4·65	4·10 4·10	9·42 9·42	16·53	YEAR'S TOTAL 91·60
Rain Days.	16	21	29	10	15	10	20	14	12	13	25	29	215

W. 8,000. X. 14.

1835

end for auth 15.III.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Moor Lodge, Two Bridges

in the County of Devon S4

by J. C. Bridges

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Princetown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 1170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	1·03	—	—	·12	—	—	1·36	·51	·35	·10	·59	1
2	·44	·45	·51	·36	—	·16	—	·67	·07	T	—	·73	2
3	·24	·02	·64	·42	·19	—	·02	·03	—	—	—	·79	3
4	·13	·54	·06	—	·04	·02	—	·01	—	—	—	·72	4
5	·02	1·24	·07	·63	—	—	—	·29	—	—	—	1·11	5
6	1·63	·39	·03	·65	—	·01	·67	·13	—	—	—	·50	6
7	·76	1·26	—	·14	—	—	·08	·03	T	·16	·09	·49	7
8	·32	·54	—	·02	—	—	·02	·02	—	·03	·20	·35	8
9	·27	·30	—	·56	—	—	T	·10	—	T	1·00	1·57	9
10	·74	·78	·23	·05	—	—	·01	·11	—	·30	·17	·15	10
11	·26	·05	·07	—	·06	—	·05	·31	—	·15	1·67	·36	11
12	·17	·51	—	·09	·02	—	—	·06	—	·13	·70	·07	12
13	·17	1·07	—	—	1·44	—	·03	·09	·13	·03	·37	·12	13
14	·27	·01	—	—	—	—	·43	·18	·21	·16	·05	2·97	14
15	·35	·01	—	—	·33	—	·27	·03	·20	·03	·10	·35	15
16	·08	2·52	—	—	·31	—	2·24	—	·02	·01	—	·26	16
17	·04	·71	·01	—	·04	—	—	—	—	—	—	·03	17
18	·02	·32	·03	—	—	—	·08	—	—	—	—	—	18
19	·10	—	—	·21	·42	—	·38	—	—	—	—	—	19
20	1·09	·05	—	·06	·04	·13	—	—	T	·21	—	·01	20
21	·26	·45	·01	—	·22	·04	·90	—	—	·15	—	·60	21
22	·27	·11	·47	·04	—	T	·70	—	—	·03	—	·95	22
23	—	—	·06	—	—	·02	·26	—	·24	·75	—	·98	23
24	·01	—	·01	·01	—	·04	·16	—	·09	·64	—	1·36	24
25	—	—	—	·06	—	·22	·33	—	·02	—	·03	·95	25
26	·02	·67	—	—	—	·68	·02	—	·22	—	—	1·29	26
27	·01	·13	—	—	—	·50	·16	—	·05	1·13	—	·34	27
28	—	·15	—	T	—	·32	·01	·34	·42	·37	·03	·06	28
29	—	X	—	—	—	1·27	—	—	·04	—	·48	·39	29
30	·50	X	—	T	—	·14	·02	—	·07	·76	·94	·78	30
31	·36	X	—	X	—	X	·15	·22	X	·73	X	·48	31
Total	8·42 8·46	14·61 14·61	2·20 2·20	3·30	4·03	3·56	7·76	3·68 3·68	2·29	6·12	5·93	19·05	YEAR'S TOTAL 80·95 80·98
Rain Days.	27	24	13	14	12	13	22	17	14	19	14	29	218

W. 8,000. X. 15.

✓ cnd [illegible] W. C. T. E. 1714

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Two Bridges
in the County of Devon
by T. C. Bridges

Lat. 50½ Long. 4
Time of Observation 9 a.m
Nearest Railway Station Princetown
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 1170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. frost

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	—	.15	.05	—	.55	—	.17	.21	—	.13	.01	1
2	.17	—	—	.22	—	.09	—	—	—	.05	.05	F. —	2
3	.10	—	.06	.26	—	—	.35	—	—	1.74	.71	F. —	3
4	.21	—	—	.23	—	—	.03	—	.04	.47	.01	F. —	4
5	.01	—	.46	.60	—	.76	—	.01	—	.31	.45	F. —	5
6	1.22	—	.45	.02	—	.21	—	.40	.46	.50	.25	.04	6
7	.04	—	.31	.05	—	—	.26	.05	—	.29	.18	.09	7
8	1.17	—	—	.19	—	—	.62	.75	.08	1.04	.55	.42	8
9	.14	—	—	.18 S.	.09	—	.16	.04	.04	1.16	.80	.05	9
10	—	—	.34	.48 S.	—	—	—	.46	—	.10	.30	.03	10
11	.50	—	.46	.36 S.	—	—	—	.14	.08	.73	.11	—	11
12	.02	—	.47	.13 S.	.43	—	—	.02	—	.96	.01	.02	12
13	.44	—	.02	.15	—	.27	—	.49	.71	.51	—	.03	13
14	snow	—	.34	.03	.02	—	.20	1.05	.21	.14	.02	.05	14
15	—	—	—	.15	—	—	.24	.21	.03	1.60	—	.50	15
16	—	—	—	.72	—	.02	.02	.10	.04	.37	.01	snow .20	16
17	—	.36	—	—	.04	—	.62	.40	1.11	.17	—	F. —	17
18	—	.08	.08	.07	.93	.04	1.22	.07	1.04	.02	—	F. —	18
19	—	.03	—	—	—	.90	—	.01	.11	—	.15	.05	19
20	—	.87	.16	—	.83	.11	.01	.03	.16	—	.16	.07	20
21	—	.28	.09	—	.01	.04	—	.08	—	.28	.11	F. —	21
22	—	.01	—	—	.02	—	—	.96	—	.32	.07	F. —	22
23	—	—	—	—	.22	.10	—	.58	—	.35	.15	.02	23
24	—	—	—	—	—	.47	.38	.27	—	1.02	.37	.08	24
25	frost	—	.06	—	—	—	.11	.49	.33	.33	sleet .10	F. —	25
26	—	.12	.09	—	.25	.03	.04	.72	.55	.19	.25	F. —	26
27	—	.01	.01	—	—	.89	—	2.11	—	.14	.14	F. —	27
28	—	—	—	—	—	.52	—	1.48	—	—	.09	F. —	28
29	—		.41	—	—	.23	.01	.17	—	1.64	.08	snow .11	29
30	—	✕	—	—	—	—	.23	.70	—	.08	.07	.01	30
31	—	✕	.57	✕	1.01	✕	—	.14	✕	.43	✕	snow .02	31
Total	4.18	1.76	4.53	3.89	3.85	5.23	4·50 4.30	12·10 12.16	5·20 5.30	14·94 14.97	5·32 5.22	1.80	YEAR'S TOTAL 67·30 67.51
Rain Days.	12	8	18	17	11	16	16	28	16	27	26	18	213

W. 8,000. X. 14.

1616

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Two Bridges, Princetown
in the County of Devon,
by L. C. Bridges

Lat. .... Long. ....
Time of Observation 9. A. M.
Nearest Railway Station Princetown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 1200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	Thunder in.	
1	1.23	7 —	.37	—	.29	—	.33	—	.65	.35	—	1.30	1
2	.12	7 —	.87	.09	.15	—	.02	—	.09	.03	—	.26	2
3	.48	7 —	.59	—	.33	—	—	—	.15	—	.04	.76	3
4	S .18	.40	.06	—	.01	—	.10	—	1.99	—	.04	.03	4
5	.35	.50	.45	—	.03	—	—	.52	.22	—	.08	.40	5
6	.71	.80	.72	—	—	—	—	—	.02	—	—	.79	6
7	.59	7. —	.75	.23	—	—	—	—	—	—	—	.23	7
8	.45	7. —	.40	.08	.03	.02	—	—	—	—	S .36	—	8
9	.26	7. —	.17	.64	.10	.05	—	—	—	—	S .26	.14	9
10	.25	7. —	2.20	.11	.04	—	—	—	—	.05	.02	.74	10
11	.15	7 —	.98	.67	.69	—	.06	—	—	.06	—	.83	11
12	.30	—	.18	.11	—	—	—	—	.02	.31	—	—	12
13	.69	.18	.12	.93	—	.12	.16	—	.01	.18	—	.40	13
14	1.89	.30	—	1.15	.48	.12	—	.01	.03	.22	—	.33	14
15	.47	.21	—	.17	—	—	.13	—	—	.30	—	.44	15
16	.23	1.82	—	—	.06	—	—	—	—	—	1.40	.04	16
17	.03	S .10	.04	—	.01	.04	—	.07	—	—	.90	.15	17
18	.12	.34	1.03	—	.02	.12	.48	.85	.10	—	1.12	.07	18
19	.83	.47	.44	—	—	.15	.46	.80	.37	.01	.50	.42	19
20	.70	.13	.23	—	—	.50	.07	.15	.41	—	.33	.62	20
21	.18	1.45	—	—	.04	.07	1.00	.03	.38	.02	.24	.16	21
22	7. —	.08	—	—	.01	—	.11	—	.31	—	.05	.61	22
23	7. —	—	S .02	—	—	.23	—	.20	.03	.71	.25	.73	23
24	7. —	.02	—	—	—	.06	—	.17	.10	.90	S .20	.60	24
25	.29	—	—	.07	—	.03	—	1.42	.03	.01	.18	.20	25
26	S .25	—	.28	.08	—	—	—	.23	.30	.12	—	1.04	26
27	S .27	.03	.08	.68	—	—	—	1.27	—	—	7. —	.18	27
28	7. —	.03	.85	.15	—	—	—	.07	.02	.06	.48	1.14	28
29	..04	—	S .03	.16	—	.13	—	.21	—	.11	—	.35	29
30	7. —	✕	S .11	.20	—	—	—	.32	.06	—	.94	1.98	30
31	7. —	✕	.15	✕	—	✕	.08	—	✕	—	✕	.43	31
TOTAL	~~11.05~~ 11.06	~~6.81~~ 6.86	~~10.42~~ 11.12	5.52	2.29	1.64	3.00	6.32	~~5.23~~ 5.29	3.44	~~7.50~~ 7.39	~~14.07~~ 15.37	YEAR'S TOTAL ~~77.31~~ 79.30
Days with ·01 in. or more	25	~~15~~ 16	24	16	15	13	12	15	20	~~24~~ 16	~~16~~ 15	29	~~220~~ ~~219~~

very hot spell

great heat

snow

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

315

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

PRINCETOWN

HUCCABY HOUSE

DEVON

1911 - 1920

Kept at Hucca

in the County of S

by R. Burn

in.
und ft. in.
Level ft.
e
ance Direction

IMPORTANT N … e result entered to the previous day. If an … al rule, he is earnestly requested to add the … in the space provided for it at the end of … of rain, the selection and p … Rainfall Organization are give … ication to Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·24	·28		·06	·03			·13	·07	1
2	·06		·05	·20	·50			·77		·08	·22	·71	2
3					·30			·04	·02		·16	·27	3
4			·07					·50		·03	·21	·94	4
5			·08					·63		·06	·20	·03	5
6	·55		·23					·02		·10	·10	1·51	6
7	·41			·03							·71	·05	7
8	·04		·17								·15	1·25	8
9	·05										·56	1·29	9
10	·13		·93		·18						·04	·62	10
11	·11	·02	·02						·04		1·25	·16	11
12	·36		·23						·18		·12	·74	12
13			·08						·11		·07	·62	13
14			·03							·12	·39	·91	14
15		·24	·09			·06					·32	·27	15
16		·04				·64					·48	1·28	16
17	·02	·03	1·12	·08		·43				·04	·21	1·33	17
18		·09	1·10	·61		·42				·21	·33	1·07	18
19		·36	·22	·06		·56			·74	·54	·32	1·11	19
20	·02	·24	·13	·09		·07			·13	1·17	·03	1·18	20
21	·03	·07	·02	·03		·12			·26	·35		·17	21
22	·03	·28		·14		·09			·35	·39		·81	22
23	·03	·06	·07	·02		·02			·05	·38		·40	23
24		·14				·24		·29		·22		·48	24
25	·02	·27		·24		·09			·21	·33		·13	25
26	·02	·13		·50	·08			·22		·58		·27	26
27		·07		·08	·13			·34	·16	·28		·24	27
28		·84	·04	·59				·02			·37		28
29			·02	·36	·27	·48	·27		·21	·35			29
30						·07	·25			·22	·49	·05	30
31							·16			·08			31
Total	1·88	2·88	4·72	3·27	1·74	3·29	·74	2·86	2·46	5·53	6·86	17·96	TOTAL for year 54·19
No. of Rain Days	15	15	20	15	7	13	4	10	12	19	22	28	180

9,000, IX. '10.

DL S. made

315

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Huccaby House

in the County of S. Devon 4

by R. Burnard

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.24	.28		.06	.03			.13	.07	1
2	.06		.05	.20	.50			.77		.08	.22	.71	2
3					.30			.04	.02		.16	.27	3
4			.07					.50		.03	.21	.94	4
5			.08					.63		.06	.20	.03	5
6	.55		.23					.02		.10	.10	1.51	6
7	.41			.03							.71	.05	7
8	.04		.17								.15	1.25	8
9	.05										.56	1.29	9
10	.13		.93		.18						.04	.62	10
11	.11	.02	.02						.04		1.25	.16	11
12	.36		.23						.18		.12	.74	12
13			.08						.11		.07	.62	13
14			.03							.12	.39	.91	14
15		.24	.09			.06					.32	.27	15
16		.04				.64					.48	1.28	16
17	.02	.03	1.12	.08		.43				.04	.21	1.33	17
18		.09	1.10	.61		.42				.21	.33	1.07	18
19		.36	.22	.06		.56			.74	.54	.32	1.11	19
20	.02	.24	.13	.09		.07			.13	1.17	.03	1.18	20
21	.03	.07	.02	.03		.12			.26	.35		.17	21
22	.03	.28		.14		.09			.35	.39		.81	22
23	.03	.06	.07	.02		.02			.05	.38		.40	23
24		.14				.24		.29		.22		.48	24
25	.02	.27		.24		.09			.21	.33		.13	25
26	.02	.13		.50	.08			.22		.58		.27	26
27		.07		.08	.13			.34	.16	.28		.24	27
28		.84	.04	.59				.02			.37		28
29			.02	.36	.27	.48	.27		.21	.35			29
30						.07	.25			.22	.49	.05	30
31							.16			.08			31
Total	1.88	2.88	4.72	3.27	1.74	3.29	.74	2.86	2.46	5.53	6.86	17.96	TOTAL for year 54.19
No. of Rain Days	15	15	20	15	7	13	4	10	12	19	22	28	180

9,000, IX. '10.

W DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 6 JAN 1913

Kept at Huccaby House, Dartmoor

in the County of DEVONSH

by Capt. H. H. Joll. R.A.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 900 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Princetown
Distance 6 M. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.19	.00	.00	.45	.30	.40	.15	1.03	.00	.45	1
2	.00	.00	.60	.50	.00	.69	.00	.15	.00	.08	.00	.00	2
3	.20	.00	.64	.00	.00	.56	.10	2.74	.03	.00	.00	.16	3
4	.35	.00	.65	.00	.20	.47	.00	.25	.00	.00	.19	.00	4
5	.90	.63	.22	.00	.60	.00	.70	1.21	.00	.00	.00	.33	5
6	.74	.80	.30	.00	.31	.00	.00	.32	.00	.00	.00	.02	6
7	.21	1.30	.77	.00	.14	.56	.00	.27	.00	.00	.00	.40	7
8	.74	.21	.53	.00	.00	.23	.70	.02	.00	.00	.00	.00	8
9	.80	.28	.17	.17	.00	.70	.30	.13	.00	.00	.00	.80	9
10	.32	.19	.50	.00	.00	.10	.11	.13	.00	.00	.25	.22	10
11	.00	.15	.00	.00	.00	.00	.30	.10	.00	.00	.41	.61	11
12	.00	.48	.15	.00	.00	.00	.80	.35	.00	.00	.03	.03	12
13	.59	.30	.00	.00	.00	.20	.23	.03	.00	.09	.00	.23	13
14	.25	.90	.78	.00	.50	.00	.00	.12	.00	.02	.00	.15	14
15	1.55	.13	.18	.00	.34	.58	.00	.62	.00	.00	.00	.28	15
16	.43	.00	.70	.00	.22	.30	.00	.39	.00	.11	.00	.13	16
17	.00	.00	.40	.00	.20	.13	.00	1.32	.00	.00	.00	.10	17
18	.00	.50	.22	.00	.00	.00	.00	.80	.00	.05	.07	.04	18
19	.70	.25	.15	.00	.00	.20	.70	.94	.00	.04	.02	.10	19
20	.13	.90	1.03	.00	.15	.00	.00	.74	.00	.37	.09	.00	20
21	.00	.64	.49	.00	.68	.00	.17	.13	.00	.21	.00	.00	21
22	.71	.43	.28	.00	.30	.50	.60	.24	.00	.10	.00	.23	22
23	.43	.38	.25	.00	.00	.13	.40	.95	.00	.00	.00	.35	23
24	.15	.60	.50	.00	.00	.57	.70	.00	.00	.00	.15	.32	24
25	.11	.40	.00	.00	.00	.12	.70	.14	.00	.33	.34	.54	25
26	.00	.60	.00	.00	.00	.00	.13	.14	.00	.61	.50	.52	26
27	.00	.20	.00	.00	.00	.87	.52	.15	.00	2.48	.09	.74	27
28	.00	.21	.20	.00	.00	.29	.32	1.23	1.00	.61	.73	.48	28
29	.00	.66	.00	.00	.00	.30	.25	.30	.62	.58	.00	.19	29
30	.00		.90	.00	.00	.13	.24	.00	.12	.52	.00	.00	30
31	.00		.41		.00		.49	.00		.04		.15	31
Total	8.31	11.14 11.15	11.21	.67	3.64	8.08	8.76	13.69	1.92	7.27	2.87	7.57	TOTAL for year 85.13
No. of Rain Days.	18	23	25	2	11	21	21	28	5	17	12	25	85.14

W. 8,000, X. '11.

Total No. of Days with rain 208 ✓

Written 25·1·14

cod frwaiths 20.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at HUCCABY HOUSE

in the County of S DEVON 4

by CAPT. H. H. JOLL R.F.A.

Lat. 50·31·80" Long. 3·52·45"

Time of Observation 9·0 am.

Nearest Railway Station Princetown

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Reading at 9·0 am for 31st Dec

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·21	·53	·09	·22	·00	·00	·00	·13	·22	·40	·08	1
2	·31	·31	·03	·08	·28	·00	·00	·00	·00	·23	·14	·03	2
3	·56	·02	·15	·09	·24	·00	·00	·00	·70	·04	·02	·35	3
4	1·50	·00	·04	·00	·00	·09	·00	·00	·12	·09	·36	·59	4
5	·10	·03	·03	·00	·19	·40	·03	·00	1·39	·11	·38	·36	5
6	·40	·12	·13	·00	·24	·16	·04	·00	·00	·67	·36	·10	6
7	·17	·76	·09	·00	2·47	·10	·06	·00	·00	·56	·50	·00	7
8	·12	·37	·03	·00	·66	·00	·03	·02	·00	·09	·11	·02	8
9	·34	·02	·02	·00	·04	·04	·00	·38	·00	·00	1·30	·03	9
10	1·22	·00	·03	·03	·13	·00	·00	·00	·00	·42	·37	·00	10
11	·86	·00	·00	·06	1·18	·00	·00	·00	·00	·11	1·31	·00	11
12	·23	·00	·00	·00	·10	·00	·00	·00	·07	·00	·27	·05	12
13	·03	·00	·19	·00	·06	·04	·00	·02	·26	·00	·17	·00	13
14	·78	·00	·17	·07	·21	·00	·00	·00	·11	·00	·12	·00	14
15	·39	·00	·57	1·17	·00	·00	·00	·00	·14	·00	·16	·00	15
16	·67	·00	·57	·07	·00	·00	·00	1·36	1·50	·00	·12	·00	16
17	·05	·00	·09	·15	·00	·00	·00	·00	·00	·00	·08	·00	17
18	·21	·00	·54	·17	·06	·00	·00	·00	·00	·00	·11	·00	18
19	1·12	·00	·06	·00	·00	·08	·02	·00	·32	·12	·02	·00	19
20	·22	·00	·10	·64	·00	·00	·00	·00	·02	·11	·64	·00	20
21	·04	·00	·67	·18	·13	·00	·00	·00	·00	·08	·30	·00	21
22	·24	·00	1·04	·37	·00	·10	·00	·14	·05	·00	·00	·38	22
23	·02	·00	·04	·00	·00	·00	·00	·10	·00	·00	·09	·82	23
24	·00	·40	·00	·09	·00	·03	·00	·00	·00	·00	·02	·00	24
25	·00	·03	·00	1·06	·00	·00	·00	·00	·00	·10	·05	·07	25
26	·00	·00	·00	2·03	·00	·00	·00	·70	·00	·05	·00	·25	26
27	·73	·00	·56	·42	·00	·00	·00	·09	·00	·81	·00	·03 ×	27
28	·12	·00	·28	·66	·04	·00	·00	·00	·04	·36	·00	·06 ×	28
29	·13		1·13	·84	·02	·00	·00	·00	·00	·77	·00	·00	29
30	·74		·00	·00	·05	·00	·21	·46	·00	·93	·00	·00	30
31	·12		·16		·03		·00	·40		·27		·00	31
Total	11·44	2·27	7·25	8·27	6·35	1·04	·39	3·67	4·85 4·85	6·14	7·40	3·22	YEAR'S TOTAL ~~58·8~~ 62·29
Rain Days.	28	10	25	19	19	9	6	10	13	20	24	15	198

× Snow

W.7,000, XI. 13

written 19.III.15

[illegible] 23.III.15 Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

MAR 1915

Kept at Huccaby (Princetown)

in the County of Devon S 4.

by Mrs Wilson for Capt H. H. Joll, R.F.A.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Princetown

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 900 O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·10	0·10			0·40	0·33			·80	·05	1
2			0·18	0·04	0·12	0·03	0·09	0·07			·22	·64	2
3	0·05		0·36	0·33	1·00			0·03			–	·19	3
4	0·07		0·09	0·55	0·25		1·05	0·48			·58	·68	4
5	0·19		0·31	0·26	0·20						–	·18	5
6		0·41	0·19	0·15	0·16		0·38				·04	·87	6
7	0·05	1·58	0·43	0·29	0·32	0·07	0·24	0·36	0·27		–	·48	7
8	0·06		0·88	0·18	0·05	0·36		0·28	0·02		·02	·20	8
9	0·05	0·09	0·39	0·38	0·03	0·57		0·25	1·05		·02	–	9
10	0·07	1·00	0·08	0·43	0·13	0·09			0·30		–	·63	10
11		0·25	(·80) 8·80						0·05		·10	·97	11
12		1·03	0·22						0·21	0·11	·12	·92	12
13		0·75	0·89				0·13		0·37	0·03	·44	·25	13
14		0·72	0·38			0·32		0·71	0·02	0·03	·68	·04	14
15		0·02	0·17				0·11	0·24		0·10	·28	·57	15
16			0·04						0·55		–	·03	16
17		0·67	0·56						0·05		–	1·18	17
18		0·25	0·15				0·04		0·18		–	·29	18
19		0·03	0·92				3·23		0·06		·13	·32	19
20		0·37	0·25			0·07			0·04		·08	·19	20
21		1·04	0·03							0·72	–	–	21
22		0·13	0·05		0·15	0·15		0·03		0·42	–	–	22
23		·14 0·14	0·31				0·15			0·24	–	–	23
24			0·05				0·05	0·05		0·13	·16	–	24
25	0·10		0·41		0·11		0·08	0·66		0·36	·06	·73	25
26	0·06	0·11					0·18	0·08		0·07	·30	·98	26
27	0·16	0·06					0·03			0·08	·34	·72	27
28	0·05	0·05	0·58		0·08		0·14			0·23	·36	·72	28
29	0·49		0·38		0·11					0·05	·97	·17	29
30	0·03	╳	0·27			0·03				0·26	·51	1·77	30
31	0·16	╳		╳		╳	0·77		╳	1·20	╳	1·09	31
Total	1·59	8·70	9·47	2·71	2·71	1·69	7·07	3·57	3·17 3·17	4·03 4·03	6·19 6·21	14·86	YEAR'S TOTAL 65·78
Rain Days.	14	19	28	10	13	9	16	13	13	15	20	26	196

W. 8,000. X. 14.

8L ✓

cardly ann stats 15.III.16

~~320~~ A
1833

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Huccaby House, Princetown

in the County of Devonshire 54

by Capt. H. H. Toll, L. Wilsone

Lat.......... Long..........

Time of Observation..........

Nearest Railway Station..........

Diameter of Rain Gauge.......... in.

Height of top of Gauge above Ground.......... ft.......... in.

" " " " Sea Level.......... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·40			·03			1·69	·30	·34	·09	·29	1
2	·57	·27	·13	·05	1·00	·05		·59	·09			·81	2
3	·09	·72	·18	·21	·45			·02				·74	3
4	·03	·58			·06							·35	4
5	·04	1·72		·27	·02			·22				1·37	5
6	1·02	·18		·61			·81	·05				·40	6
7	·54	·55		·10			·38			·28	·03	·39	7
8	·18	·58					·03	·11			·16	·32	8
9	·09	·16		·26							·60	1·06	9
10	·42	·86	·04	·05				·08		·34	·14	·17	10
11	·24	·05	·07				·03	·13		·28	1·26	·14	11
12	·05	1·06		·04	·93			·05		·16	·36		12
13	·02	1·26			1·09		·02	·05	·02		·25	·10	13
14	·04						·41	·23	·04	·15	·03	1·95	14
15	·25				·38					·07		·25	15
16	·04	2·95			·29		·06					·30	16
17	·04	·27			·06								17
18		·36											18
19	·02	·03			·52		·13						19
20	·49			·09		·09				·21		·03	20
21	·14	·20			·15	·06	·33			·26		·19	21
22	·08		·37	·03			·53			·05		·64	22
23	·09	·05	(·08)			·08	·40		·08	1·20		·73	23
24						·15	·11		·20	·26		1·04	24
25				·07		·24	·21					·73	25
26		·55				·33			·07			1·16	26
27	·08	·05				·13	·08			·75		·02	27
28		·12				·18		·02	·21	·19		·11	28
29						·53	·02		·05		·53	·34	29
30	·21	✕				·08			·02	1·45	·79	·97	30
31	·05	✕		✕		✕	·22	·15	✕	1·42	✕	·37	31
Total	5·24	12·97	·87 ✓	1·78	4·98	1·92	3·77	3·39	1·08	7·41	4·24	14·97	YEAR'S TOTAL 62·62
Rain Days.	25	22	6 ✓	11	12	11	16	13	10	16	11	27	180 ✓ ~~179~~

W. 8,000. X. 14.

Df

cord fr auth

285

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Huccaby

in the County of S. Devonshire

by L. Wilsone

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27		·20		·14		·06			·24	·29		1
2	·43	·23	·06		·04				·18	·40	·67		2
3	·03	2·14			·35	·14			·05	·90	·53		3
4	·24	·18	·10		·03	·36	·11		·29		1·85		4
5	·05	·16			·21	·18				·20	·32		5
6	·07	·26			·21	·05	·93			·48	1·68		6
7	·12	·36	·30		·25					·13	1·01	·07	7
8		·31	·40		·33	·23					·20	·34	8
9		·15								·08	·08	·44	9
10	·03	·89		·08			·02				·01	·02	10
11				·11		·17							11
12	·14	·07	·11	·08	·13	·10	·20	·04		·28			12
13		·41	·15	·11				·13		·08			13
14		·64	·12		·07			·44					14
15	·03	·44	·38	·04				·44		·05			15
16	·35	·15		·10				·49		·20			16
17	·33	·19		·12					·33	·39	1·86		17
18	·07	·30	·62	·16					·32	·08	·04	·10	18
19	·17	·35	·38	·24							·35	·12	19
20	·08	1·67	·26	·05							·14	·97	20
21	·09	·10	·13		·04						·01	·57	21
22	·02			·04		·30				·80	·02	·76	22
23	·06			·12		·23		·43		·40	·36	·19	23
24		·21		·22	·22	·03		·44		·80	·02	·45	24
25		·56	·29					·33		·40	·25		25
26	·04	·18	·13			·19		·73	1·20	1·83	·07		26
27		·08	1·51					·22	·13	·39			27
28		·08						·16	1·44	1·03	·01	·49	28
29		·12	·19			·59		1·69		·29		·85	29
30		✕				·07				·53		·02	30
31		✕	✕		·10	✕		·13	✕	·55	✕	·06	31
Total	2·62	10·23 10·23	5·33	1·47	2·12	2·64	1·32	5·67	3·94 ~~2·94~~	10·53 ~~11·48~~	9·77	5·45	YEAR'S TOTAL 61·09 ~~62·04~~
Rain Days.	19 ~~17~~	25	17	13	13	13	5	13	8	23	21	15	185

W. 8,000. X. 15.

1712

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Huccaby House
in the County of Devon
by Lorna Wilsone

Lat. 50° 31· 8" N. Long. 3° 52· 45" W.
Time of Observation 9 a.m.
Nearest Railway Station Princetown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·00	·00	·00	·00	·71	·00	·15	·05	·00	·10	·06	1
2	·02	·00	·04	·04	·00	·15	·00	·02	·01	·00	·00	·00	2
3	·11	·00	·00	·03	·00	·00	·02	·00	·00	·36	·06	·00	3
4	·00	·00	1·75	·00	·00	·00	·14	·00	·00	·45	·91	·00	4
5	·23	·00	·55	·32	·00	·97	·00	·00	·08	·22	·00	·00	5
6	·02	·00	·45	·33	·00	·13	·00	·11	1·24	·07	·09	·00	6
7	·80	·00	·00	·00	·00	·00	·43	·07	·00	·21	·13	·02	7
8	·10	·00	·00	·02	·00	·00	·50	·55	·08	·33	·06	·00	8
9	·00	·00	·24	·09	·11	·00	·11	·02	·10	·35	·25	·30	9
10	·18	·00	·63	·06	·00	·00	·00	·46	·00	·00	·57	·00	10
11	·01	·00	·83	·26	·00	·00	·00	·25	·12	·37	·34	·03	11
12	·22	·00	·01	·14	·82	·06	·00	·05	·00	·39	·21	·00	12
13	·00	·00	·30	·01	·00	·00	·00	·61	·17	·23	·00	·00	13
14	·00	·00	·00	·14	·01	·00	·15	·33	·09	·07	·00	·00	14
15	·00	·04	·00	·09	·00	·00	·33	·18	·02	·41	·00	·00	15
16	·00	·15	·00	·05	·00	·01	·00	·06	·02	·21	·00	·41	16
17	·00	·05	·03	·26	·06	·00	·35	·17	·55	·06	·00	·00	17
18	·00	·18	·00	·02	1·77	·04	·23	·02	·45	·00	·00	·00	18
19	·14	·53	·05	·00	·06	·63	·00	·03	·12	·00	·00	·00	19
20	·04	·21	·04	·00	·74	·06	·00	·00	·10	·03	·04	·00	20
21	·04	·00	·03	·00	·00	·00	·00	·03	·00	·00	·02	·21	21
22	·03	·00	·03	·00	·02	·00	·00	·87	·00	·05	·00	·00	22
23	·00	·05	·00	·00	·20	·06	·00	·20	·00	·03	·00	·00	23
24	·00	·00	·00	·00	·00	·05	·27	·09	·00	·24	·01	·00	24
25	·00	·04	·08	·00	·00	·07	·02	·43	·09	·31	·15	·00	25
26	·00	·00	·00	·00	·36	1·42	·00	·45	·10	·20	·03	·02	26
27	·00	·00	·00	·00	·00	·37	·00	1·51	·00	·06	·09	·00	27
28	·00	·04	·18	·00	·00	·30	·55	1·10	·00	·04	·04	·00	28
29	·00		·14	·00	·00	·43	·00	·15	·00	·00	·00	·00	29
30	·00	X	·40	·00	·00	·00	·00	·27	·00	·78	·00	·04	30
31	·00	X	·00	X	·48	X	·00	·07	X	·18	X		31
Total	1·98	1·29	5·78	1·80	4·57	5·46	3·10	8·25	3·39	5·65	3·10	1·09	YEAR'S TOTAL 45·46
Rain Days.	14	9	18	14	~~9~~ 10	16	12	27	17	24	17	8	186

W. 8 000, IX. 17.

Exd 9n95. 55

FORM A.
BRITISH RAINFALL.

3. 1. 19

REGISTER OF RAINFALL IN 19/8

Kept at Huccaby House

in the County of S Devon

by Major H. H. Joll. R.A.

Lat. .... Long. ....

Time of Observation 9.0 am

Nearest Railway Station Princetown

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	00	00	00	18	02	00	00	46	04	00	1·71	04	1
2	00	78	00	1·00	00	00	00	01	00	00	34	35	2
3	00	54	00	00	06	00	00	00	05	15	1·28	10	3
4	00	04	00	04	50	00	00	23	78	00	00	56	4
5	00	02	48	08	00	00	00	97	60	22	00	14	5
6	25	28	00	31	00	00	00	22	08	35	00	26	6
7	00	18	00	06	00	00	00	00	65	12	67	75	7
8	00	17	00	04	00	00	00	00	30	40	00	53	8
9	09	00	00	00	00	47	46	00	71	07	03	76	9
10	00	00	31	27	00	00	17	00	56	16	02	17	10
11	00	02	00	14	02	00	25	00	39	00	00	14	11
12	00	01	00	00	28	00	04	00	19	00	00	36	12
13	04	16	00	00	27	00	47	00	55	00	00	24	13
14	52	00	00	04	00	25	29	00	29	06	00	23	14
15	83	00	00	00	00	19	37	00	17	00	00	14	15
16	96	00	00	47	00	00	02	00	19	00	00	20	16
17	36	00	00	12	00	00	28	05	18	14	00	57	17
18	1·35	00	00	00	00	1·15	21	00	91	41	00	51	18
19	63	02	00	00	00	00	18	00	14	00	00	26	19
20	16	17	00	30	29	17	02	00	29	07	01	64	20
21	33	00	00	00	00	00	03	00	60	08	00	25	21
22	02	04	00	00	00	00	71	00	29	22	10	38	22
23	24	03	00	00	13	00	36	00	09	00	02	33	23
24	00	00	00	00	00	00	11	26	01	00	19	00	24
25	00	17	00	04	06	00	37	78	08	07	25	00	25
26	02	15	34	00	00	00	00	01	17	00	00	39	26
27	03	02	00	06	00	00	00	05	06	00	37	02	27
28	00	00	00	00	00	00	00	00	02	00	24	05	28
29	00	X	42	00	00	00	00	15	1·30	00	00	12	29
30	00	X	39		00	00	00	00	·01	22	00	22	30
31	00	X	14	X	00	X	00	00	X	26	X	03	31
Total	5·83	2·80	2·08	3·15	1·63	2·23	4·34	3·19	9·70	3·00	5·23	8·74	YEAR'S TOTAL 51·92
Rain Days.	~~14~~ 15	17	6	15	9	5	17	11	29	~~15~~ 16	13	29	182

W. 8,000, IX. 17.

1614

3 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Huccaby House

in the County of Devon

by Mrs Lorna Wilsone.

Lat. 50°31′8″ N Long. 3°52′45″ W.

Time of Observation 9.0 AM

Nearest Railway Station Princetown.

Diameter of Funnel of Rain Gauge five ins.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·30	0·00	0·09	0·00	0·26	0·00	0·24	0·22	0·00	1·00	1
2	0·66	0·00	0·25	0·07	0·10	0·00	0·00	0·00	0·06	0·00	0·00	0·72	2
3	0·14	0·00	0·52	0·04	0·00	0·00	0·00	0·00	0·17	0·00	0·01	0·26	3
4	0·86	0·67	0·61	0·00	0·00	0·00	0·00	0·00	1·33	0·00	0·06	0·04	4
5	0·17	0·20	0·00	0·00	0·00	0·00	0·00	0·00	0·22	0·00	0·00	0·36	5
6	0·87	0·00	0·00	0·09	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	6
7	0·64	0·60	1·19	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	7
8	0·57	0·00	0·44	0·00	0·07	0·01	0·00	0·00	0·00	0·00	0·11	0·14	8
9	0·14	0·00	0·00	0·26	0·49	0·00	0·00	0·00	0·00	0·04	1·09	0·46	9
10	0·09	0·00	0·67	0·25	0·15	0·00	0·00	0·00	0·00	0·12	0·00	0·96	10
11	0·26	0·00	0·24	0·80	0·04	0·01	0·03	0·00	0·00	0·10	0·00	0·00	11
12	0·17	0·02	0·00	0·00	0·00	0·11	0·00	0·00	0·00	0·00	0·00	0·06	12
13	0·31	0·10	0·04	1·28	0·00	0·00	0·03	0·00	0·00	0·18	0·13	0·22	13
14	0·81	0·62	0·00	0·35	0·53	0·00	0·04	0·00	0·08	0·15	0·00	0·46	14
15	0·52	0·23	0·14	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	15
16	0·20	1·77	0·00	0·00	0·07	0·00	0·00	0·06	0·00	0·00	0·60	0·00	16
17	0·00	0·67	0·00	0·00	0·00	0·02	0·00	0·01	0·00	0·00	0·00	0·04	17
18	0·02	0·20	0·31	0·00	0·00	0·00	0·16	0·23	0·00	0·00	1·18	0·10	18
19	0·64	0·11	0·07	0·00	0·00	0·19	0·33	0·42	0·15	0·00	0·46	0·00	19
20	0·60	0·27	0·00	0·00	0·00	0·36	0·00	0·09	0·36	0·00	0·05	0·02 *	20
21	0·04	1·15	0·00	0·06	0·00	0·00	0·32	0·00	0·12	0·00	0·00	0·23	21
22	0·00	0·02	0·00	0·00	0·00	0·00	0·01	0·02	0·24	0·00	0·12	0·34	22
23	0·00	0·00	0·14	0·00	0·00	0·00	0·00	0·19	0·01	0·41	0·09	0·06	23
24	0·00	0·00	0·00	0·00	0·00	0·13	0·00	0·13	0·00	0·72	0·06	0·01	24
25	0·16	0·23	0·00	0·04	0·00	0·07	0·00	0·77	0·00	0·00	0·16	0·00	25
26	0·11	0·00	0·04	0·11	0·00	0·00	0·00	0·07	0·08	0·00	0·00	0·22	26
27	0·14	0·08	0·60	0·28	0·00	0·00	0·00	1·75	0·00	0·00	0·00	0·04	27
28	0·00	0·00	0·45	0·10	0·00	0·00	0·00	0·02	0·00	0·00	0·25	0·47	28
29	0·00	✕	0·06	0·02	0·00	0·00	0·26	0·13	0·00	0·00	0·00	0·18	29
30	0·00	✕	0·00	0·10	0·00	0·04	0·00	0·23	0·00	0·16	0·98	0·04	30
31	0·00	✕	0·00	✕	0·00	✕	0·00	0·00	✕	0·00	✕	0·69	31
TOTAL	8·12 ~~[illegible]~~	6·94	6·07	3·96	1·54	0·94	1·44	4·12	3·06	2·10	5·35	7·12	YEAR'S TOTAL 50·76
Days with ·01 in. or more	22	16	17	16	8	9	9	14	12	9	15	24	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1530

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Huccaby House Dartmoor
in the County of Devon
by Major H. H. Jell. R.A.

Lat. 50·2·12 Long. 3·53·24 W. approx.
Time of Observation 9.0 a.m.
Nearest Railway Station Princetown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	(1·16) in.	in.	in.	
1	·69	·00	·00	·00	1·10	·00	·14	·04	·00	1·16	·00	·72	1
2	·88	·00	·00	·04	·00	·00	·80	·61	·00	1·54	·00	·29	2
3	1·02	·10	·00	·00	·00	·00	·04	·00	·07	·00	·00	·50	3
4	·00	·27	·02	·06	·00	·00	·02	·40	·00	[illegible]	·00	·16	4
5	·00	·00	·45	·00	·10	·00	·26	·39	·00	↖·70	·00	·00	5
6	·04	·00	·00	·24	·29	·00	·37	·16	·00	↖·19	·00	·00	6
7	·06	·00	·16	·09	·04	·00	·56	·00	·00	↖·00	·00	·00	7
8	1·32	·07	·34	·16	·04	·00	·04	·00	·00	↖·00	·04	·00	8
9	·91	·31	·00	·20	·00	·12	·00	·00	·06	↖·00	·00	·00	9
10	·29	·00	·07	·31	·00	·62	·56	·00	·00	↖·04	·00	·00	10
11	·32	·00	·27	·57	·36	·02	·22	·14	·00	↖·02	·00	·00	11
12	·06	·11	·06	·42	·00	·06	·41	·00	·00	↖·00	·12	·46	12
13	·00	·00	·54	·61	·00	·00	·07	·00	·00	↖·00	·00	·07	13
14	·09	·11	·82	·04	·00	·06	·19	·00	·00	↖·60	·41	·00	14
15	·01	·26	·54	1·23	·00	·00	·47	·00	·46	↖·86	·00	·00	15
16	·02	·00	·07	·52	·09	·07	·00	·04	·90	↖·72	·00	·00	16
17	·14	·00	·00	·06	·47	·00	·04	·00	·00	↖·19	·04	·00	17
18	·02	·00	·00	·20	·06	·24	·31	·00	·00	↖·15	·00	·00	18
19	·00	·00	·00	·56	·00	·04	·00	·00	·00	↖·00	·00	·00	19
20	·00	·04	·00	·36	·18	·21	·00	·00	·00	↖·03	·00	·60	20
21	·06	·06	·00	·12	·00	·00	·03	·00	·00	↖·26	·00	·14	21
22	·00	·00	·47	·00	·00	·00	·06	·00	·00	↖·03	·00	·00	22
23	·00	·00	·70	·00	·00	·00	·00	·00	·00	↖·00	·00	·00	23
24	·10	·00	·14	·04	·00	·01	·00	·00	·00	·00 ·00	·70	·07	24
25	·74	·00	·06	·00	·00	·00	·92	·00	·00	·00	·07	·00	25
26	1·10	·00	·00	·20	·02	·02	·00	·00	·00	·00	·72	·26	26
27	·72	·00	·00	·00	·07	·24	·00	·00	·00	·00	·46	·80	27
28	·69	·00	·64	·10	·00	·04	·03	·00	·00	·00	·47	·08	28
29	·00	·08	·51	·00	·12	·00	·00	·00	·55	·00	·49	·56	29
30	·00	╳	·04	·00	·00	·48	·19	·00	·14	·00	·16	·94	30
31	·00	╳	·41	╳	·00	╳	·00	·00	╳	·75	╳	·22	31
Total	9·28	1·41	6·31	6·13	2·94	2·23	5·73	1·78	2·18	7·24	3·68	5·87	Year's Total 54·78
Days with ·01 in. or more	21	10	19	21	13	14	21	7	6	15	11	15	173
Days with ·04 in. or more	18	10	18	21	12	11	18	7	6	12	11	15	159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON.

RACKENFORD MANOR.

1915, 1917, 1919.

FORM A.
BRITISH RAINFALL
4. JAN 19.

REGISTE

3 .14 5

Kept at Rackenford ... m

... st Anstey

in the County of Devon ... 5 in.

by S. Crocker

Ground 1 ft. 1 in.

Sea Level 757 ft.

IMPORTANT NOTE.—Ra ... he result entered to the previous day. If an Observer ... rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40	20	0	0	5	1	0	75	22	50	3	40	1
2	20	25	30	20	0	10	0	55	5	4	0	75	2
3	1	5	15	45	10	0	4	5	0	0	0	50	3
4	25	20	5	0	5	0	93	0	0	0	0	35	4
5	23	45	0	15	0	0	0	45	0	0	0	50	5
6	80	10	5	25	0	0	42	8	0	0	0	25	6
7	60	35	0	5	30	0	20	5	0	5	0	50	7
8	50	45	0	0	0	0	2	15	0	0	15	10	8
9	5	6	0	45	0	0	0	10	0	0	50	110	9
10	45	25	0	6	0	0	0	25	0	20	5	10	10
11	20	20	0	0	0	0	25	4	0	20	110	5	11
12	25	60	0	6	55	0	0	40	0	~~25~~ 0	40	2	12
13	10	65	0	0	60	0	5	15	12	25	15	15	13
14	15	0	0	4	0	0	4	60	20	10	5	75	14
15	30	0	0	0	38	0	25	5	10	0	30	10	15
16	4	85	0	0	1.0	0	120	0	0	0	0	10	16
17	0	16	0	0	8	0	0	0	0	0	0	0	17
18	0	30	0	0	0	0	2	0	0	0	0	0	18
19	3	10	0	0	25	0	25	0	0	0	0	0	19
20	80	0	0	20	0	8	0	0	0	30	0	10	20
21	7	10	0	0	0	0	3	0	0	25	0	60	21
22	12	0	35	10	0	5	35	0	0	10	0	30	22
23	0	0	10	0	0	0	12	0	10	90	0	90	23
24	3	0	0	0	0	0	23	0	5	20	0	70	24
25	0	0	0	0	0	45	20	0	0	0	0	25	25
26	0	23	0	0	0	25	20	0	0	0	0	50	26
27	0	12	0	0	0	40	25	0	5	60	0	5	27
28	0	20	0	0	0	10	0	0	50	30	0	3	28
29	0	-	0	0	0	35	2	0	0	5	25	35	29
30	25	-	0	0	0	8	0	0	4	85	35	25	30
31	0	-	0	-	0	-	10	10	-	80	-	25	31
Total	583	587	100	201	246	187	517	377	143	569	333	1000	YEAR'S TOTAL 48·53 48·43 ·82
Rain Days.	22	21	6	11	10	10	21	15	10	17	11	28	

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. '12

Price 2d.

REGISTE

3·45

FORM A.
BRITISH RAINFALL.
4. JAN 19

Kept at Rackenford
in the County of Devon
by S. Crocker

N2

[illegible] Coleridge [illegible]

Time of Observation 9. a. m
Nearest Railway Station East Anstey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 757 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	40	20	0	0	5	1	0	75	22	50	3	40	1
2	20	25	30	20	0	10	0	55	5	4	0	75	2
3	1	5	15	45	10	0	4	5	0	0	0	50	3
4	25	20	5	0	5	0	93	0	0	0	0	35	4
5	23	45	0	15	0	0	0	45	0	0	0	50	5
6	80	10	5	25	0	0	42	8	0	0	0	25	6
7	60	35	0	5	30	0	20	5	0	5	0	50	7
8	50	45	0	0	0	0	2	15	0	0	15	10	8
9	5	6	0	45	0	0	0	10	0	0	50	110	9
10	45	25	0	6	0	0	0	25	0	20	5	10	10
11	20	20	0	0	0	0	25	4	0	20	110	5	11
12	25	60	0	6	55	0	0	40	0	0	40	2	12
13	10	65	0	0	60	0	5	15	12	25	15	15	13
14	15	0	0	4	0	0	4	60	20	10	5	75	14
15	30	0	0	0	38	0	25	5	10	0	30	10	15
16	4	85	0	0	1.0	0	120	0	0	0	0	10	16
17	0	16	0	0	8	0	0	0	0	0	0	0	17
18	0	30	0	0	0	0	2	0	0	0	0	0	18
19	3	10	0	0	25	0	25	0	0	0	0	0	19
20	80	0	0	20	0	8	0	0	0	30	0	10	20
21	7	10	0	0	0	0	3	0	0	25	0	60	21
22	12	0	35	10	0	5	35	0	0	10	0	30	22
23	0	0	10	0	0	0	12	0	10	90	0	90	23
24	3	0	0	0	0	0	23	0	5	20	0	70	24
25	0	0	0	0	0	45	20	0	0	0	0	25	25
26	0	23	0	0	0	25	20	0	0	0	0	50	26
27	0	12	0	0	0	40	25	0	5	60	0	5	27
28	0	20	0	0	0	10	0	0	50	30	0	3	28
29	0	-	0	0	0	35	2	0	0	5	25	35	29
30	25	-	0	0	0	8	0	0	4	85	35	25	30
31	0	-	0	-	0	--	10	10	-	80	-	25	31
Total	583	587	100	201	246	187	517	377	143	569	333	1000	YEAR'S TOTAL 48.53 48.43
Rain Days.	22	21	6	11	10	10	21	15	10	17	11	28	182

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1817

BRITISH
FORM
ALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Rackenford Manor

in the County of Devon

by S. Crocker (Gardener)

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station East Anstey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 575 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	15	0	0	20	0	40	0	80	5	0	15	0	1
2	10	0	0	30	0	10	0	0	0	0	5	0	2
3	15	0	0	10	0	0	60	0	5	80	115	0	3
4	0	0	20	0	0	50	4	0	0	50	0	0	4
5	25	0	40	30	0	0	0	0	0	15	30	0	5
6	5	0	35	0	0	0	0	40	0	25	40	0	6
7	45	0	0	5	0	0	35	20	0	50	20	5	7
8	15	0	5	20	0	15	110	60	0	100	55	20	8
9	0	0	15	0	0	0	0	10	5	75	45	15	9
10	20	0	25	15	0	0	0	20	0	25	5	0	10
11	0	0	65	50	0	0	0	65	3	30	15	0	11
12	10	0	5	8	50	0	0	5	0	100	5	10	12
13	5	0	25	5	0	0	0	35	50	15	0	0	13
14	0	0	10	20	0	0	0	25	10	5	0	0	14
15	0	0	0	0	0	0	10	0	0	20	0	0	15
16	0	20	0	25	0	0	50	0	0	30	0	5	16
17	0	5	5	45	0	5	20	10	45	10	0	0	17
18	0	4	0	4	10	0	50	0	65	0	0	0	18
19	0	50	10	0	0	50	0	0	15	0	25	0	19
20	0	10	0	0	45	4	0	10	0	0	15	0	20
21	0	0	0	0	10	25	0	5	0	5	10	0	21
22	0	4	0	0	0	0	0	45	0	25	5	0	22
23	0	39	0	0	15	4	0	80	0	20	25	0	23
24	0	4	0	0	0	0	20	30	0	10	10	5	24
25	0	20	20	0	0	0	0	20	8	25	30	0	25
26	0	0	0	0	30	5	0	60	25	15	15	0	26
27	0	0	0	0	20	35	0	120	0	0	10	5	27
28	0	30	15	0	0	275	0	75	0	0	0	0	28
29	0		15	0	0	20	0	25	0	35	8	10	29
30	0	X	10	0	0	0	0	15	0	25	5	0	30
31	10	X	10	X	10	X	0	10	X	10	X	0	
Total	165	186	330	287	190	538	359	865	236	860	508	75	YEAR'S TOTAL 45.99
Rain Days.	10	10	17	14	8	13	9	23	11	24	22	8	169

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

18 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Rackenford Manor

in the County of Devon

by S. Crocker

for Maj. R C Coldwell

Lat. 50° 45′ Long. 3° 40′

Time of Observation 9 am

Nearest Railway Station EAST ANSTEY

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

„ „ „ „ Sea Level 780 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	90	0	8	0	10	0	25	0	0	30	0	90	1
2	10	0	10	0	25	0	0	0	35	20	0	15	2
3	10	0	30	0	10	0	0	0	5	0	0	75	3
4	20	0	50	0	0	0	0	20	35	0	0	5	4
5	45	75	105	0	0	0	5	0	0	0	0	65	5
6	40	20	10	0	0	0	10	0	5	0	0	30	6
7	20	0	45	35	0	0	0	0	0	0	0	5	7
8	0	0	25	0	0	0	0	0	0	0	0	0	8
9	30	0	10	20	5	8	0	0	0	0	50	0	9
10	10	0	50	5	20	0	0	0	0	10	0	10	10
11	30	0	10	0	15	0	0	0	0	0	0	0	11
12	10	0	20	0	0	35	10	0	0	15	0	5	12
13	0	5	0	40	0	0	0	0	0	15	0	10	13
14	60	20	0	80	0	0	5	0	0	5	0	25	14
15	50	25	0	15	25	0	4	0	0	20	0	40	15
16	10	70	0	0	0	0	0	0	0	0	65	5	16
17	20	10	0	0	0	5	0	10	0	0	110	0	17
18	0	60	80	0	0	0	0	50	10	0	40	0	18
19	20	30	50	0	0	6	60	40	60	0	30	0	19
20	50	20	20	0	0	(9'13) ~~20~~	0	15	35	0	10	40	20
21	15	85	10	0	0	0	90	0	10	0	0	80	21
22	0	10	0	0	0	0	10	0	0	0	20	25	22
23	0	0	0	0	0	0	0	0	0	60	5	50	23
24	0	0	0	0	0	25	0	0	5	125	20	55	24
25	20	0	0	0	0	5	0	60	0	0	25	20	25
26	10	5	0	15	0	0	0	0	20	5	0	50	26
27	0	0	0	20	0	0	0	80	0	0	0	10	27
28	0	0	40	5	0	0	0	5	0	0	10	65	28
29	10		0	30	0	0	0	10	0	20	0	15	29
30	0		10	20	0	10	0	20	0	20	60	80	30
31	0				0		5	0		0		45	31
Total	580	425	583	285	110	106	224	310	220	345	445	865	YEAR'S TOTAL 4498
Rain Days.	21	13	18	11	7	8	10	10	10	12	12	25	157

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI.-'12

Price 2d.

DEVON.

REVELSTOKE

MEMBLAND

1911 – 1914.

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

REGI 1

Kept at Membland 5 in.

in the County of South e Ground 1 ft. - in.

Sea Level 180 ft.

by George Bar Name Yealmpton

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				6									1
2				13	66			31			22	34	2
3					26			11	5			29	3
4								23			26	38	4
5			20							6	15		5
6	60		12							15	20	85	6
7	15										43		7
8	7		26								26	97	8
9						92					36	66	9
10	10		70									26	10
11	28										1·26	6	11
12			60						7		8	30	12
13			10						42		8	35	13
14		24								10		40	14
15		7	15								30	10	15
16		5				48					55	60	16
17		7	60			7					52	40	17
18		29	42	25		6				5	21	46	18
19						30			36	35	12	70	19
20			5						20	20		82	20
21	5	35		15		5			35	68		21	21
22				19		15		20	56	35		51	22
23		25							35	35		43	23
24	5					23		8		45		57	24
25		5		25					12	25		5	25
26		13		46				15		~~7~~		40	26
27		48		5				9	18	70		23	27
28		47		36				15			19		28
29				30		51	1·33		16	33			29
30						5					25	8	30
31							8						31
Total	1·30	2·45	3·20	2·19	0·92	2·82	1·41	1·32	2·82	4·02	5·44	10·42	TOTAL for year
No. of Rain Days.	7	11	10	10	2	10	2	8	11	13	17	25	38·31

W. 8,000, X. '11.

126

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGI 1

Kept at Membland Newton Ferrers

in the County of South Devon S3

by George Baker

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. - in.
	" " " Sea Level	180 ft.

Time of Observation

Nearest Railway Station: Name Yealmpton

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				6									1
2				13	66			31			22	34	2
3					26			11	5			29	3
4								23			26	38	4
5			20							6	15		5
6	60		12							15	20	85	6
7	15										43		7
8	7		26								26	97	8
9						92					36	66	9
10	10		70									26	10
11	28										1·26	6	11
12			60						7		8	30	12
13			10						42		8	35	13
14		24								10		40	14
15		7	15								30	10	15
16		5				48					55	60	16
17		7	60			7					52	40	17
18		29	42	25		6				5	21	46	18
19						30			36	35	12	70	19
20			5						20	20		82	20
21	5	35		15		5			35	68		21	21
22				19		15		20	56	35		51	22
23		25							35	35		43	23
24	5					23		8		45		57	24
25		5		25					12	25		5	25
26		13		46				15		~~7~~		40	26
27		48		5				9	18	70		23	27
28		47		35				15			19		28
29				30		51	1·33		16	33			29
30						5					25	8	30
31							8						31
Total	1·30	2·45	3·20	2·19	0·92	2·82	1·41	1·32	2·82	4·02	5·44	10·42	TOTAL for year
No. of Rain Days.	7	11	10	10	2	10	2	8	11	13	17	25	38·31

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Mentland Newton Ferrers
in the County of Devon S3
by Geo Baker

Lat. 50 15 Long. 4
Time of Observation 7 am
Nearest Railway Station Yealmpton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			32			39	58		15	36		25	1
2			15	5		96				6			2
3	6		14			20	10	92	8			6	3
4	30		38		13			4			46		4
5	50	32	39		4		6	2·00				10	5
6	66	11	6		30	8		10				15	6
7		48	11		65	83		20			7	21	7
8	65	40	32			10							8
9		6				31	16	20				55	9
10	16	7	25	6		10	6	16			15	25	10
11	28	7	10					20			10	60	11
12		7	16				32	54					12
13	37		83				24	5				20	13
14	15	7			8			14				12	14
15	32	32			40	66						50	15
16	24		31					31		32	15	6	16
17			24			36		1·34			15	8	17
18		9	10					12		6		12	18
19		6	21			16		10					19
20	6	16	52		15			25		40			20
21		32	10		27					32			21
22	36	65	17					26		60		22	22
23	30	44	62			12		90		25	20	38	23
24	6	9	6			20	6	15				20	24
25	10					18		11		24	54	44	25
26							22	6		40	34	45	26
27		10				42	60	30		1·40		85	27
28		16				16	12	62	57		80	39	28
29		16				13	13	13	59	80			29
30			10			7	5		42	75			30
31			21				64					18	31
Total	4·57	4·20	5·85	0·11	2·02	5·43	3·34	9·19	1·81	5·96	2·96	6·36	YEAR'S TOTAL 51·80
Rain Days.	16	20	23	2	8	18	14	24	5	13	10	22	175

W. 7,500, XI. 12

✓ Cod by me stats 19.II.14 W DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

Kept at Membland
in the County of S. Devon 3
by George Baker

Lat. 50 - 19 Long. 4 W
Time of Observation 7 a.m.
Nearest Railway Station Yealmpton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·	·33	·30	·05	·10				·08	·18	·23	·03	1
2	·15	·33		·16	·30					·15	·15		2
3	·40		·08		·53				·48			·25	3
4	1·38		·13	·08	·02					·03		·22	4
5	·21				·40	·35	·03		·17	·08	·48	·63	5
6	·08	·18	·06		·16	·20				·47	·45	·04	6
7		·40	·09		·75	·04	·10			·12	·48		7
8	·10	·20			·19		·14	·35		·11	·03	·16	8
9		·08			·16		·05	·30			·45		9
10	·60				·07	·10		·02		(·20) ·20	·22		10
11	1·08				·65	·16				·07	·54	·06	11
12					·07						·38		12
13	·35		·12	·22					·14		·26		13
14	·40		·15		·08				·03		·08	·06	14
15	·30		·46	·60					·06		·18		15
16	·35		·54	·15				·05	·48		·04		16
17	·22			·10					·29		·07		17
18	·03		·32	·35							·06		18
19	·51		·09			·03			·65	·08			19
20	·10		·22	·30						·15	·12		20
21			·16	·22					·02		·48		21
22	·32		·58			·15		·06				·12	22
23			·05					·03			·06	·98	23
24	·05	·10		·16		·10							24
25				·48					·07	·09		·05	25
26				·87				·08		·04		·34	26
27	·65		·24	·19				·25		·33		~~·43~~ ·04	27
28	·45		·12	·26					·15	·15		·11	28
29	·12		·79	·30						·12	·03		29
30	·65						·30			·64			30
31	·26		·22					·30		·06			31
Total	8·76	1·62	4·72	4·48	3·46	1·13	·62	1·44	2·62	3·07	4·79	3·09	YEAR'S TOTAL 39·80
Rain Days.	23	7	19	16	13	8	5	9	12	18	20	14	164

W. 7,500, XI. 12

referred 9 III 15

Cor. for auth. & Dec. part est'd 19.IV.15

~~W. M. 9~~

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 JAN 1915

Kept at Membland

in the County of Devon S 3

by Geo Baker

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.11	.7	.8		.10	.48	.49			.95	.10	1
2		.6	.20	.10		6	.16				.62	.40	2
3		.20	.6	.20	.70								3
4	21	.10	.10		.5		.68	.38				.54	4
5	20	.5	.25	.50	.5							.10	5
6			19	.21								.52	6
7	8	1.52	.32	.12	.28	.12	.55		.95			.60	7
8	10	.10	.80		5	.32		.21					8
9	10	.46	.50	.20		.32		.22	.65				9
10	25		.30	.25	~~.30~~	.15			.44			.38	10
11		.18	.75		.26	.6			6			1.40	11
12		.10	.32						.23		.8	.42	12
13			.17				15		.18	.16	.40	.12	13
14		.33	.12			.9		.7			.68	.48	14
15			.14					.9	.10	.10	.40	.80	15
16									.58				16
17		.61	.47				.12					.54	17
18		.12	7				.35		.40			.54	18
19		.22	.60				1.82				.6		19
20		.28	.31			.7						.43	20
21		.47			.10					.36			21
22		.18	.10					.23		.16			22
23		.8	.70				.8			.22			23
24	5	.11			.10			.8			8		24
25	8		.22		.24			.60		.75	8	1.04	25
26		.16	.25				.36			.8	.35	×	26
27	8	.22					.8				.11	.50	27
28		.21			.8					.30	.30	.69	28
29	36		.52		.21						.50		29
30			14							.17	.28	.55	30
31	8						.90			1.15		.15	31
Total	1,59	5,35	7,67	1,66	~~1.33~~ 2.06	1.29	5,73	2,37	3.59	~~2,40~~ 3.40	4,89	~~8.30~~ (10.30)	YEAR'S TOTAL 49.90
Rain Days.	11	17	25	8	11	9	12	9	9	10	14	29	156

W. 8,000. X. 14.

DEVON

ROBOROUGH
EBBERLEY

1911- 1915.

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

REGIS

Kept at Ebberly, Bea

in the County of Devon

by J. S. C. Davis

ton, Kew verified

5 in.

e Ground 1 ft. — in.

Sea Level 506 ft.

.m.

Name Portsmouth Arms

Distance 4¼ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	in. ·23	in. —	in. —	in. ·32	in. ·05	in. —	in. —	in. ·68	in. —	in. —	in. —	·05	1
2	—	—	·01	—	·22	—	—	·19	—	·51	·32	·15	2
3	—	—	·07	—	·41	—	—	—	·02	—	·24	·08	3
4	—	—	·11	—	·04	—	—	·14	—	—	·42	·51	4
5	·28	—	·16	·03	—	—	—	·19	—	·04	·14	·12	5
6	·22	—	·17	·01	—	—	—	·03	—	—	·23	·57	6
7	·09	—	—	—	—	—	—	—	—	—	·60	—	7
8	·06	—	·14	—	—	—	—	—	—	—	·17	·71	8
9	·06	—	—	—	—	—	—	—	—	—	·68	·15	9
10	·04	·03	·36	—	—	—	—	—	—	—	·09	·35	10
11	·36	—	—	—	·12	—	—	—	·01	—	·52	·12	11
12	·01	—	·56	—	—	—	—	—	·28	—	·23	·28	12
13	—	—	·02	—	·13	—	—	—	·37	—	·02	·09	13
14	—	·05	—	—	·01	—	—	—	—	·09	·01	·24	14
15	·02	·03	·02	—	—	·07	—	—	—	—	·28	·07	15
16	—	·01	—	—	—	·16	—	—	—	—	·21	·20	16
17	—	·03	·03	·01	—	·15	—	—	—	—	·17	·26	17
18	—	·31	·01	·15	—	·44	—	—	—	·05	·39	·27	18
19	—	·02	·02	·16	—	·71	—	—	·20	·11	·28	·63	19
20	—	·05	—	·15	—	·02	—	·01	·28	·24	—	·16	20
21	—	·27	·04	·01	—	·08	—	·16	·17	·49	—	·18	21
22	—	·09	—	·07	—	·39	—	—	·26	·26	·05	·40	22
23	·06	·05	—	—	·01	·01	—	·02	·24	·21	—	·16	23
24	—	·15	·03	—	—	·62	—	·21	—	·42	—	·39	24
25	·03	·08	—	·28	—	·06	—	—	·05	·30	—	·05	25
26	—	·09	—	·31	·01	—	·06	·17	—	·16	—	·15	26
27	—	·53	—	—	—	—	—	·48	·21	·39	—	·20	27
28	—	·18	—	·58	·01	—	—	·11	—	—	—	·01	28
29	—		—	·63	—	·73	·22	·01	·30	·24	·33	—	29
30	—		—	—	—	·02	·02	—	·05	·32	—	·07	30
31	—		—		·03		—	—		·20		·01	31
Total	1·46	1·97	1·75	2·71	1·04	3·46	·30	2·40	2·44	4·03	5·38	6·63	TOTAL for year ✓
No. of Rain Days	12	16	15	13	10 11	13	3	13	13	16	20	29	33.57 ins. 173 rain days 174

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

Kept at Ebberly, Beaford S.O.

in the County of Devon N. 3

by J. S. C. Davis

RAIN GAUGE
Pattern Snowdon, Kew verified
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 506 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Portsmouth Arms
Distance 4¼ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	in. ·23	in. —	in. —	in. ·32	in. ·05	in. —	in. —	in. ·68	in. —	in. —	in. —	in. ·05	1
2	—	—	·01	—	·22	—	—	·19	—	·51	·32	·15	2
3	—	—	·07	—	·41	—	—	—	·02	—	·24	·08	3
4	—	—	·11	—	·04	—	—	·14	—	—	·42	·51	4
5	·28	—	·16	·03	—	—	—	·19	—	·04	·14	·12	5
6	·22	—	·17	·01	—	—	—	·03	—	—	·23	·57	6
7	·09	—	—	—	—	—	—	—	—	—	·60	—	7
8	·06	—	·14	—	—	—	—	—	—	—	·17	·71	8
9	·06	—	—	—	—	—	—	—	—	—	·68	·15	9
10	·04	·03	·36	—	—	—	—	—	—	—	·09	·35	10
11	·36	—	—	—	·12	—	—	—	·01	—	·52	·12	11
12	·01	—	·56	—	—	—	—	—	·28	—	·23	·28	12
13	—	—	·02	—	·13	—	—	—	·37	—	·02	·09	13
14	—	·05	—	—	·01	—	—	—	—	·09	·01	·24	14
15	·02	·03	·02	—	—	·07	—	—	—	—	·28	·07	15
16	—	·01	—	—	—	·16	—	—	—	—	·21	·20	16
17	—	·03	·03	·01	—	·15	—	—	—	—	·17	·26	17
18	—	·31	·01	·15	—	·44	—	—	—	·05	·39	·27	18
19	—	·02	·02	·16	—	·71	—	—	·20	·11	·28	·63	19
20	—	·05	—	·15	—	·02	—	·01	·28	·24	—	·16	20
21	—	·27	·04	·01	—	·08	—	·16	·17	·49	—	·18	21
22	—	·09	—	·07	—	·39	—	—	·26	·26	·05	·40	22
23	·06	·05	—	—	·01	·01	—	·02	·24	·21	—	·16	23
24	—	·15	·03	—	—	·62	—	·21	—	·42	—	·39	24
25	·03	·08	—	·28	—	·06	—	—	·05	·30	—	·05	25
26	—	·09	—	·31	·01	—	·06	·17	—	·16	—	·15	26
27	—	·53	—	—	—	—	—	·48	·21	·39	—	·20	27
28	—	·18	—	·58	·01	—	—	·11	—	—	—	·01	28
29	—		—	·63	—	·73	·22	·01	·30	·24	·33	—	29
30	—		—	—	—	·02	·02	—	·05	·32	—	·07	30
31	—		—		·03		—	—		·20		·01	31
Total	1·46	1·97	1·75	2·71	1·04	3·46	·30	2·40	2·44	4·03	5.38	6·63	TOTAL for year ✓
No. of Rain Days	12	16	15	13	10 11	13	3	13	13	16	20	29	33.57 ins. ~~173~~ rain days 174

9,000, IX. '10.

Ex m L

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL 9 JAN 1913

Kept at Ebberly, Beaford S.O.

in the County of Devon N.3

by J. S. C. Davis

RAIN GAUGE
Pattern Snowdon, Kew vert.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 506 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Portsmouth Arms
Distance 4¼ m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·15	—	·06	·35	·09	·05	·12	1·27	—	·22	1
2	—	—	·19	·05	—	1·11	·01	—	—	·04	·02	·03	2
3	·10	·03	·25	—	—	—	·08	·96	·12	—	—	·02	3
4	·46	·04	·65	—	—	·23	—	·02	·01	—	·23	—	4
5	·65	—	·20	—	·11	—	—	·48	—	—	·04	—	5
6	·66	·05	·01	—	·24	—	·03	·73	—	—	·02	·08	6
7	·05	·17	·07	·02	·13	·44	·12	·40	—	—	·02	·04	7
8	·47	·07	·17	·01	—	·18	—	—	—	—	—	·01	8
9	—	·19	·04	·06	—	·02	·13	·16	—	—	—	·35	9
10	·38	·02	·02	—	—	·21	·15	·05	·01	—	·23	·05	10
11	—	·03	—	—	—	—	·03	—	—	—	·37	·39	11
12	·02	·04	·12	—	·09	—	·15	·11	—	—	·01	·10	12
13	·18	—	·01	—	—	—	·10	·17	—	·08	—	·21	13
14	·03	·03	·38	—	·22	—	—	·32	—	·02	—	·03	14
15	·06	·02	·11	—	·08	1·20	—	·04	—	—	—	·33	15
16	·06	—	·25	—	·13	·08	—	·21	—	·12	·07	·10	16
17	·02	—	·16	—	·05	·24	—	·45	—	—	—	·18	17
18	—	·03	·20	—	—	·01	—	·40	—	·15	·07	·04	18
19	—	·16	·07	—	·03	·02	·02	·59	—	·06	·07	·04	19
20	·02	·05	·39	—	·06	—	—	·27	—	·86	·09	—	20
21	—	·09	·49	—	·47	—	—	·21	—	·17	—	—	21
22	·24	·17	·32	—	·08	—	·02	·34	—	·13	·03	·03	22
23	·22	·44	·19	—	·02	·09	·18	·79	—	·22	·13	·29	23
24	·03	·04	·04	—	—	·15	—	·01	—	·02	—	·23	24
25	·05	—	—	—	—	·85	—	·27	—	·32	·51	·36	25
26	—	·12	—	—	—	—	·04	·02	—	·18	·59	·18	26
27	—	—	—	—	—	·52	·53	·04	—	·83	·20	·58	27
28	—	·06	—	—	—	·03	·29	·47	·21	·21	·43	·49	28
29	—	·04	—	—	—	·31	·33	·02	·38	·19	·04	·12	29
30	—		—	—	—	·17	·31	—	—	·32	—	·01	30
31	—		·52		—		·18	·05		·03		·16	31
Total	3·70	1·89	5·00	0·14	1·77	6·21	2·79	7·63	·85	5·22	3·17	4·67	TOTAL for year
No. of Rain Days.	18	21	24	4	14	19	19	27	6	19	19	27	43·04

W. 8,000, X. '11.

217 rain days

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL. 4 JAN 1914

Kept at Ebberly, Beaford S.O.

in the County of N Devon 3

by J. S. C. Davis

RAIN GAUGE
Pattern Snowdon, Kew verified
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 506 feet

Time of Observation 9 a.m.

Nearest Railway Station
Name Portsmouth Arms
Distance 4¼ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·24	·11	·11	·07	—	—	—	—	—	·18	·07	1
2	·04	·13	·02	·14	·21	—	—	—	—	·20	·13	·01	2
3	·05	—	·06	—	·43	·15	—	—	·01	·39	—	·20	3
4	·83	—	·06	—	·01	·59	—	—	·29	·19	·05	·28	4
5	·12	·02	·01	—	·20	·26	·08	—	·06	·02	·24	·77	5
6	·02	·08	·16	—	·02	·13	—	—	—	·21	·26	·52	6
7	·01	·44	·11	—	·30	—	—	—	—	·46	·23	·01	7
8	·01	·13	·01	—	·22	·20	·03	·11	—	·01	—	·01	8
9	·04	·02	—	·01	·07	·06	·05	·24	·01	—	·26	·02	9
10	·32	—	—	·01	·03	·20	—	·05	—	·60	·09	—	10
11	·45	—	—	·12	·22	·03	—	·04	·04	·09	·08	·08	11
12	·10	—	—	·05	·01	—	—	—	·03	—	·77	·01	12
13	·05	—	·27	—	—	—	—	·16	·26	—	·11	—	13
14	·07	—	·20	—	—	—	—	—	·04	·09	·25	·01	14
15	·08	—	·37	1·13	—	—	·04	—	—	—	·22	·05	15
16	·13	—	·39	·12	—	—	·03	·07	·07	—	·05	—	16
17	·16	—	·10	·06	—	—	—	—	—	—	·07	—	17
18	·17	—	·10	·14	·06	·05	·04	—	—	—	·17	—	18
19	·46	—	·17	—	·01	—	·18	—	·35	·23	—	—	19
20	·26	—	·27	·13	·01	—	—	—	·06	·25	·33	—	20
21	—	—	·08	·31	·18	—	·10	·04	—	—	·33	—	21
22	·49	—	·74	—	·03	—	·02	·21	·08	—	—	·20	22
23	·03	—	—	—	—	·16	—	·16	·07	—	·14	·74	23
24	·03	·06	—	·12	—	—	—	·04	·01	—	·08	·02	24
25	—	·02	—	·36	—	—	—	—	·07	·01	·06	·07	25
26	—	—	—	·37	—	·02	—	—	·03	·01	—	·34	26
27	·23	—	·19	·14	—	—	—	—	—	·35	·01	·07	27
28	·04	—	·03	·16	·10	—	—	—	—	·16	—	·10	28
29	·03		·18	·43	·03	—	—	—	—	·05	·01	—	29
30	·27		—	·65	—	—	—	—	—	·57	·04	—	30
31	·18		·44		·08		·02	·66		—		—	31
Total	4·69	1·14	4·07	4·56	2·29	1·85	·59	1·78	1·48	3·89	4·16	3·58	TOTAL for year
No. of Rain Days.	28	9	22	19	20	11	10	~~10~~ 11	16	18	24	20	34·08 inches

W. 8,000, X. '11.

208 ~~207~~ days

referred 22·III·15 [illegible] 1·IV·15

and by [illegible] 31·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 - JAN 1915

Kept at Ebberly, Beaford S.O.

in the County of Devon

N 3

by J. S. C. Davis

Lat. 50° 56′ 48″ Long. 4° 2′ 38″ W.

Time of Observation 9 a.m

Nearest Railway Station Portsmouth Arms

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	·10	—	·15	—	·51	—	—	·10	·03	1
2	·01	—	·01	·03	·03	—	—	·04	—	—	—	·24	2
3	·06	—	·25	·16	·39	—	—	—	—	·01	·01	·13	3
4	·26	—	·08	·23	·08	—	·32	·79	—	—	·47	(·83)	4
5	·13	—	·17	·26	·02	—	·22	·01	—	—	·05	—	5
6	—	·02	·11	·07	·08	·03	·11	·10	—	—	—	·27	6
7	·03	·19	·21	·16	·06	·15	·35	·14	·26	—	—	·07	7
8	·27	—	·87	·01	·07	·26	—	·04	·01	—	—	—	8
9	·09	·04	·34	·15	·12	·60	—	·07	·57	—	—	·08	9
10	·07	·13	·11	·36	·05	·04	—	—	·51	—	—	·04	10
11	—	·12	·34	—	·06	·15	—	—	—	—	·07	·18	11
12	—	·33	·06	—	—	—	—	—	·31	·14	·06	·11	12
13	—	·32	·24	—	—	—	·11	—	·36	·11	(·56)	·19	13
14	—	·29	·30	—	—	·03	·11	·28	·04	—	·10	·03	14
15	—	·08	·12	—	—	—	·09	·23	·13	·01	(·48)	·21	15
16	—	—	·07	—	—	—	·04	—	·13	—	—	—	16
17	—	·33	·36	—	—	—	·04	—	·04	—	—	(·05)	17
18	—	·07	·26	—	—	—	—	—	·23	—	—	·40	18
19	—	·02	·40	—	—	—	1·18	—	·03	—	·11	·12	19
20	—	·18	·14	—	—	·20	—	—	—	—	—	·11	20
21	—	·12	·01	—	—	—	·07	—	—	·11	—	·10	21
22	—	·07	·05	—	·04	·17	—	·05	—	1·15	—	—	22
23	—	·04	·08	—	·02	·01	·17	—	—	·05	—	—	23
24	—	·01	·06	—	—	·01	·12	·08	—	—	·13	—	24
25	·05	·01	·24	—	—	—	·14	·34	—	·28	—	·10	25
26	·42	·01	·03	—	—	—	·22	·01	—	·14	·21	(·13)	26
27	·09	·01	—	—	—	—	—	—	—	·20	·08	·03	27
28	·04	·15	·10	—	·09	—	—	—	—	·20	·08	·74	28
29	·27		·11	—	·11	—	—	—	—	·07	·25	·03	29
30	·01		·09	—	—	—	—	—	—	·13	(·14)	(·05)	30
31	·07		—		·10		·45	—		(·28)		·03	31
Total	1·87	2·54	5.33	1·53	1·32	1·80	3·74	2·69	2·62	~~3·08~~	~~2·10~~	~~3·80~~	YEAR'S TOTAL (36·42) ~~32·42~~
Rain Days.	15	21	29	10	15	12	16	14	12	14	16	25	~~32·42~~

(3·58) (3·60) (5·80) 199 Rain days

W. 7,500, XI. 12

Copy

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Ebberly, Beaford
in the County of Devon
by J. S. C. Davis, Esq.

Lat. .... Long. ....
Nearest Railway Station ....
Time of Observation ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	~~Jan.~~ October Beaford	~~Feb.~~ Dolton Heanton Satchville	~~March.~~ Gt. Torrington	~~April.~~	~~May.~~ November Beaford	~~June.~~ Dolton Heanton Satchville	~~July.~~ Gt. Torrington	~~Aug.~~	~~Sept.~~ December Beaford	~~Oct.~~ Dolton Heanton Satchville	~~Nov.~~ Gt. Torrington	~~Dec.~~	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–				.10				.03	.14	.11		1
2	–				–				.24	.42	.54		2
3	.01				.01				.13	.04	.20		3
4	–				.47				? .33	.83	1.03		4
5	–				.05				–	.04	.04		5
6	–				–				.27	.34	.24		6
7	–				–				.07	.09	.16		7
8	–				–				–				8
9	–				–				.08				9
10	–				–	–	.01		.04				10
11	–				.07	.12	.18		.18				11
12	.14				.06	.15	.16		.11				12
13	.11				? .06	.54	.31		.19				13
14	–				.10	.28	.33		.03				14
15	.01				? .18	.50	.36		.21				15
16	–				–	–	–		–	.02	.02		16
17	–				–	–	–		? .05	.59	.63		17
18	–				–	–	–		.40	.39	.53		18
19	–				.11	.10	.10		.12	.25	.18		19
20	–				–	–	–		.11	.18	.15		20
21	.11				–	–	–		.10	.14	.09		21
22	1.15				–	–	–		–	–	–		22
23	.05				–	–	–		–	–	–		23
24	–				.13	.21	.20		–	–	–		24
25	.28	.30	.42		–	.02	.01		.10	.25	.32		25
26	.14	.09	.08		.21	.20	.47		? .13	.47	.51		26
27	.20	.23	.24		.08	.12	.34		.03	.28	.24		27
28	.20	.40	.19		.08	.18	.11		.74	.80	.86		28
29	.07	.07	.12		.25	.30	.40		.03	.03	.05		29
30	.13	.17	.13		? .14	.51	.83		? .05	.41	.36		30
31	? .48	1.07	.95		×	×	×		.03	.15	.18		31
Total	3.08	3.85	3.62		2.10	3.83	4.70		3.80	6.96	7.45		TOTAL for year
No. of Rain Days	14				16				25				

For comparison

For comparison

For comparison

The records at Dolton & Gt. Torrington are otherwise in very good accord with those at Beaford

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ans
1.IV.'15

TELEGRAMS, DEXTER, EXETER.
TELEPHONE

DEVON & EXETER CLUB,
EXETER.

29 March 1915

Dear Sir,

I beg to acknowledge your letter of 22nd inst. regarding the variations between the rainfall recorded at Ebberly and two neighbouring stations.

Since the outbreak of war early in August my duties in connection with the control of Red Cross work in Devonshire

of the rainfall when I get home on Sundays.

It is a curious thing that the Ebberly rainfall has always been considerably less than the rainfall at Torrington, but I do not suppose that the deficiency has ever been so great as during the past 4 or 5 months.

I do not like to ask you to accept observations in which you cannot place confidence. At the same time I may say that I believe my gardener and his wife are careful

have kept me almost
continuously away from
home - I have entrusted
the observation of the rainfall
to my gardener and his
wife. I have frequently
noticed during the last
5 or 6 months the unusual
lowness of the falls recorded
at Ebberly and have
drawn the attention of
the gardener and his
wife to it. They are
careful people and have
invariably assured me
that the amounts as
recorded are correct.
During Jan. and Feb. the
discrepancies between the
Ebberly record and the
records of Dolton and
Torrington have been
more marked than ever.
The raingauge at Ebberly
is in good order and there
is nothing whatever to
account for the fact that
the rainfall for the past
3 months has been (I
think) less than half that
recorded at Dolton and Torrington
I may explain that I
usually go into the matter

(2)

observers. but I feel
that this statement of
opinion does not fully
clear up the difficulty.

Yrs truly

I. E. Davis

Carle Salter Esq.

1967

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

N3

Kept at Ebberly, Beaford S.O.
in the County of Devon
by J. J. C. Davis

Lat. 50° 56' 48" Long. 4° 2' 38" W
Time of Observation 9 a.m.
Nearest Railway Station Portsmouth Arms
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·03	—	—	·08	—	—	·33	·13	·26	—	·48	1
2	·13	·12	—	·06	—	—	—	·24	·11	·06	—	·30	2
3	·07	·03	·06	·10	·17	—	—	·02	—	—	—	·48	3
4	·02	·35	·02	—	·03	—	·02	—	—	—	—	·15	4
5	·01	·12	—	·12	—	—	·30	·18	—	—	—	·20	5
6	·36	·04	—	·12	—	—	·32	·03	—	—	—	·15	6
7	·23	·16	—	·06	·23	—	·03	·02	—	·26	·04	·20	7
8	·28	·06	—	—	—	—	—	·15	—	—	·13	·08	8
9	·03	·16	—	·16	—	—	—	·01	—	·01	·24	·44	9
10	·22	·17	·14	·07	—	—	—	·40	—	·07	·10	·02	10
11	·09	·01	·03	—	—	—	·03	—	—	·01	·32	·10	11
12	·13	·14	—	·06	·43	—	·03	·04	—	·15	·25	·13	12
13	·01	·52	—	—	·40	—	·06	·07	·10	·04	·14	·06	13
14	·05	·03	—	—	—	—	·35	·34	·03	·03	·04	·05	14
15	·05	·04	—	—	·27	—	·11	·02	·04	·07	·21	·04	15
16	·02	·21	—	—	·14	—	1·00	—	—	—	—	·01	16
17	·04	·07	—	—	·02	—	—	—	—	—	—	—	17
18	·03	·09	·04	·17	—	—	·02	—	—	—	—	—	18
19	·02	·03	—	—	·16	—	·16	—	—	·08	—	—	19
20	·37	—	—	·05	—	·13	—	—	—	·13	—	·03	20
21	·21	·22	·03	—	·09	·04	·07	—	·07	·20	—	·08	21
22	·13	·07	·23	·05	—	·06	·27	—	·04	·78	—	·07	22
23	·04	—	·04	—	—	·01	·13	—	·03	·24	—	·26	23
24	—	—	·02	·02	—	—	·12	—	—	·05	—	·16	24
25	—	—	·05	—	—	·19	·07	—	—	—	·02	·15	25
26	—	·05	—	—	—	·04	·03	—	·11	·36	—	·16	26
27	—	·04	—	—	—	·45	·05	—	·02	·20	—	·03	27
28	—	·02	—	—	—	·06	—	—	·23	—	—	—	28
29	—	✕	—	—	—	·37	—	·01	·16	·05	·06	·04	29
30	·17	✕	—	—	—	·03	—	—	·08	·20	·24	·05	30
31	·01	✕	—	✕	—	✕	·09	·14	✕	·25	✕	·04	31
Total	2·89	2·78	·66	1·04	2·02	1·38	3·26	2·00	1·15	3·50	1·79	3·96	YEAR'S TOTAL 26·43
Rain Days.	25	24	10	12	11	10	20	15	13	21	12	27	200

W. 8,000. X. 14.

I made

REGIST

DE~~VON~~.

ROCKBEARE

"THE GRANGE"

1912 -1913

FORM A.
BRITISH RAINFALL.

31 JAN 19

W 3'-22.5"

9. am

Broadclyst L.S.W.R.

Kept at The Grange

in the County of Devon

by Colonel J. W. S

5 in.

…ove Ground 1 ft. 5 in.

Sea Level 150 ft.

IMPORTANT NOTE.— … the result entered to the previous day. If an Observ… …iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·36	·20	·00	·00	·42	·33	·01	·20	·08	·00	1
2	·00	·00	·20	·00	·00	·42	·04	·00	·02	·80	·00	·34	2
3	·00	·00	·09	·04	·03	·29	·03	·00	·00	·01	·01	·01	3
4	·00	·00	·06	·00	·00	·22	·17	1·19	·03	·00	·01	·00	4
5	·19	·00	·79	·00	·00	·22	·00	·05	·00	·00	·12	·00	5
6	·35	·22	·20	·00	·00	·19	·00	·60	·00	·00	·01	·11	6
7	·45	·18	·06	·00	·30	·22	·60	·45	·00	·00	·00	·04	7
8	·04	·75	·24	·01	·11	·82	·00	·03	·00	·00	·00	·37	8
9	·36	·27	·29	·01	·00	·20	·05	·01	·00	·00	·00	·07	9
10	·00	·04	·01	·10	·00	·23	·02	·06	·00	·00	·00	·45	10
11	·20	·11	·22	·00	·00	·05 ~~·50~~	·00	·08	·00	·00	·06	·25	11
12	·00	·05	·00	·00	·00	·12	·00	·01	·00	·00	·03	·30	12
13	·01	·33	·10	·00	·00	·00	·09	·23	·00	·00	·00	·03	13
14	·07	·00	·00	·00	·00	·01	·02	·03	·00	·00	·00	·04	14
15	·00	·02	·00	·00	·18	·00	·00	·20	·00	·00	·00	·00	15
16	·79	·00	·59	·00	·35	·50	·00	·00	·00	·00	·00	·05	16
17	·28	·00	·00	·00	·00	·05	·00	·03	·00	·03	·02	·05	17
18	·14	·00	·10	·00	·00	·11	·00	·52	·00	·00	·00	·02	18
19	·10	·00	·25	·00	·00	·01	·00	·11	·00	·02	·00	·04	19
20	·00	·09	·15	·00	·00	·03	·06	·36	·00	·02	·00	·02	20
21	·06	·04	·23	·00	·00	·00	·04	·35	·00	·20	·06	·00	21
22	·00	·07	·31	·00	·18	·00	·02	·39	·00	·14	·00	·00	22
23	·20		·36	·00	·41	·00	·03	·10	·00	·14	·00	·03	23
24	·42		·14	·00	·00	·17	·07	·49	·00	·08	·10	·18	24
25	·08	·56	·17	·00	·00	·19	·00	·02	·00	·02	·00	·17	25
26	·13		·00	·00	·00	·04	·03	·47	·00	·23	·15	·43	26
27	·00		·00	·00	·00	·00	·00	·14	·00	·16	·32	·32	27
28	·00		·00	·00	·00	·40	·54	·20	·00	1·10	·00	·19	28
29	·00	·07	·00	·00	·00	·09	·03	·25	·18	·32	·26	·43	29
30	·00		·00	·00	·00	·34	·08	·11	·53	·50	·00	·05	30
31	·00		·03		·00		·10	·01	·	·40		·00	31
Total	~~3·88~~ 3·87	·36 ~~2·80~~ 3·16	·20 ~~4·96~~ 4·79	~~·36~~ ·16	1·56 1·56	·42 ~~4·92~~ 5·34	·33 ~~2·44~~ 2·35	·01 ~~6·79~~ 6·47	·20 ~~·77~~ 1·06	·08 ~~4·37~~ 4·25	~~1·23~~ 1·15	·08 ~~3·99~~ 4·07	YEAR'S TOTAL ~~38·06~~ 38·13
Rain Days.	18	~~(16)~~ (17)	22	~~5~~ 4	7	~~23~~ 24	19	28	5	17	~~12~~ 13 12	~~24~~ 25	~~197~~ 198

W. 7,500, XI. ·12

corr by mm sta

S made ✓

REGIST

FORM A. BRITISH RAINFALL 31 JAN 1913

W R

S. 6

Kept at The Grange Rockbeare

in the County of Devon

by Colonel J. W. Stirling

Lat. 50°-44·5" Long. W 3°-22·5"

Time of Observation 9. am

Nearest Railway Station Broadclyst L. S. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·36	·20	·00	·00	·42	·33	·01	·20	·08	·00	1
2	·00	·00	·20	·00	·00	·42	·04	·00	·02	·80	·00	·34	2
3	·00	·00	·09	·04	·03	·29	·03	·00	·00	·01	·01	·01	3
4	·00	·00	·06	·00	·00	·22	·17	1·19	·03	·00	·01	·00	4
5	·19	·00	·79	·00	·00	·22	·00	·05	·00	·00	·12	·00	5
6	·35	·22	·20	·00	·00	·19	·00	·60	·00	·00	·01	·11	6
7	·45	·18	·06	·00	·30	·22	·60	·45	·00	·00	·00	·04	7
8	·04	·75	·24	·01	·11	·82	·00	·03	·00	·00	·00	·37	8
9	·36	·27	·29	·01	·00	·20	·05	·01	·00	·00	·00	·07	9
10	·00	·04	·01	·10	·00	·23	·02	·06	·00	·00	·00	·45	10
11	·20	·11	·22	·00	·00	~~·50~~ ·05	·00	·08	·00	·00	·06	·25	11
12	·00	·05	·00	·00	·00	·12	·00	·01	·00	·00	·03	·30	12
13	·01	·33	·10	·00	·00	·00	·09	·23	·00	·00	·00	·03	13
14	·07	·00	·00	·00	·00	·01	·02	·03	·00	·00	·00	·04	14
15	·00	·02	·00	·00	·18	·00	·00	·20	·00	·00	·00	·00	15
16	·79	·00	·59	·00	·35	·50	·00	·00	·00	·00	·00	·05	16
17	·28	·00	·00	·00	·00	·05	·00	·03	·00	·03	·02	·05	17
18	·14	·00	·10	·00	·00	·11	·00	·52	·00	·00	·00	·02	18
19	·10	·00	·25	·00	·00	·01	·00	·11	·00	·02	·00	·04	19
20	·00	·09	·15	·00	·00	·03	·06	·36	·00	·02	·00	·02	20
21	·06	·04	·23	·00	·00	·00	·04	·35	·00	·20	·06	·00	21
22	·00	·07	·31	·00	·18	·00	·02	·39	·00	·14	·00	·00	22
23	·20	·56	·36	·00	·41	·00	·03	·10	·00	·14	·00	·03	23
24	·42		·14	·00	·00	·17	·07	·49	·00	·08	·10	·18	24
25	·08		·17	·00	·00	·19	·00	·02	·00	·02	·00	·17	25
26	·13		·00	·00	·00	·04	·03	·47	·00	·23	·15	·43	26
27	·00		·00	·00	·00	·00	·00	·14	·00	·16	·32	·32	27
28	·00		·00	·00	·00	·40	·54	·20	·00	1·10	·00	·19	28
29	·00	·07	·00	·00	·00	·09	·03	·25	·18	·32	·26	·43	29
30	·00		·00	·00	·00	·34	·08	·11	·53	·50	·00	·05	30
31	·00		·03		·00		·10	·01		·40		·00	31
Total	~~3·88~~ 3·87	·36 2·80 3·16	·20 ~~4·46~~ 4·79	·36 ·16	1·56 1·56	·42 ~~4·92~~ 5·34	·33 ~~2·44~~ 2·35	·01 6·79 6·47	·20 ·77 1·06	·08 4·37 4·25	1·23 1·15	·08 3·99 4·07	YEAR'S TOTAL ~~38·06~~ 38·13
Rain Days.	18	~~(16)~~ (17)	22	~~5~~ 4	7	~~23~~ 24	19	28	5	17	~~13~~ 12	~~24~~ 25	~~197~~ 198

W. 7,500, XI. ·12

Cnd for Mt. W.D. 20.III.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 10 JAN 1914

Kept at The Grange. Rockbeare
in the County of S Devon 6
by Colonel J. W. Stirling

Lat. 50°44·5′ Long. W. 3°22·5′
Time of Observation 9 am
Nearest Railway Station Broadclyst L.S.W. Rlw
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	08	19	05	05	21	00	00	00	09	10	05	01	1
2	00	03	00	07	30	00	05	00	00	02	10	00	2
3	18	00	01	00	12	00	00	00	00	15	00	24	3
4	33	01	00	00	09	01	00	00	12	46	10	21	4
5	85	06	00	00	16	08	04	00	45	00	18	40	5
6	06	05	04	00	04	08	19	00	00	1·00	08	25	6
7	05	30	01	00	96	02	06	00	00	47	20	03	7
8	01	05	00	00	32	00	08	00	00	01	00	01	8
9	03	01	00	00	21	00	11	08	00	00	46	01	9
10	00	01	00	00	12	00	00	01	00	36	09	00	10
11	78	00	00	09	75	09	00	00	00	12	82	00	11
12	56	00	00	00	05	01	00	00	04	00	27	01	12
13	04	01	00	00	00	00	00	16	12	00	12	00	13
14	16	01	08	03	02	00	01	00	00	00	06	00	14
15	43	00	26	19	00	00	00	00	13	00	00	01	15
16	32	00	29	03	00	01	00	09	25	00	00	00	16
17	30	00	04	01	00	00	00	00	00	00	00	00	17
18	04	00	24	04	01	00	00	00	01	00	04	00	18
19	09	00	08	00	01	04	00	00	32	01	00	00	19
20	42	00	06	19	00	00	00	00	00	39	07	00	20
21	20	00	30	02	10	00	00	01	00	00	35	00	21
22	00	00	60	25	00	04	00	00	00	02	00	22	22
23	43	~~07~~ 06	01	00	00	00	00	00	15	00	19	57	23
24	00	~~03~~ 07	00	03	00	02	00	00	00	00	01	01	24
25	01	03	00	45	00	00	00	00	03	03	00	00	25
26	00	00	00	1.16	00	00	00	12	00	01	00	12	26
27	00	00	29	·30	00	00	00	00	00	35	01	01	27
28	19	00	02	21	01	00	00	00	00	50	00	15	28
29	16		49	37	01	00	00	03	00	33	00	00	29
30	12		00	00	02	00	00	53	60	68	01	00	30
31	30		15	-	04	-	05	88	-	00	—	00	31
Total	(6.08) 6.14	·83	3.05	3.49	3.55	·40	·59	1·91	2·31	5·01	3·21	2·26	YEAR'S TOTAL 32·75
Rain Days.	23 25	13	18	17	20	10	8	9	12	18	19	16	183 185

W. 7,500, XI. ·12

SALCOMBE

THE PARK

DEVON

1912 - 16 - 1919/20

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Kept at Sa

in the County of

by J. Par

·45

Am

Kingsbridge

5 in.

Ground 1 ft. 0 in.

Sea Level 40 ft.

IMPORTANT … the result entered to the previous day. If … ersal rule, he is earnestly requested to add t… r in the space provided for it at the end … hent of rain, the selection and … tish Rainfall Organization are g… application to Dr. H. R. Mill, 6…

Jan. 1, following.

Date.	Jan.	Feb.							.	Nov.	Dec.	Date.
1	0.00	0.00	0.05	0.00	0.00	0.30	0.02	0.00	0.09	0.60	0.00	0.25	1
2	0.00	0.00	0.17	0.06	0.00	1.25	0.02	0.00	0.00	0.04	0.08	0.00	2
3	0.00	0.00	0.14	0.00	0.00	0.38	0.00	1.08	0.06	0.00	0.00	0.00	3
4	0.27	0.04	0.32	0.00	0.04	0.20	0.00	0.08	0.00	0.00	0.38	0.00	4
5	0.65	0.45	0.26	0.00	0.00	0.00	0.30	0.76	0.00	0.00	0.00	0.30	5
6	0.45	0.04	0.00	0.00	0.75	0.23	0.00	0.10	0.00	0.00	0.00	0.04	6
7	0.09	0.53	0.125	0.00	0.16	0.35	0.00	0.03	0.00	0.00	0.04	0.15	7
8	0.58	0.12	0.43	0.00	0.00	0.00	0.31	0.00	0.00	0.00	0.00	0.00	8
9	0.00	0.05	0.06	0.15	0.00	0.14	0.07	0.22	0.00	0.00	0.00	0.58	9
10	0.29	0.03	0.09	0.04	0.00	0.00	0.02	0.07	0.00	0.00	0.08	0.40	10
11	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.19	0.57	11
12	0.04	0.12	0.26	0.00	0.07	0.00	0.15	1.02	0.00	0.00	0.00	0.00	12
13	0.17	0.00	0.08	0.00	0.00	0.03	0.40	0.07	0.00	0.07	0.00	0.31	13
14	0.03	0.00	0.78	0.00	0.07	0.00	0.00	0.10	0.00	0.03	0.00	0.08	14
15	0.32	0.22	0.00	0.00	0.46	0.62	0.00	0.00	0.00	0.00	0.00	0.44	15
16	0.12	0.00	0.34	0.00	0.10	0.00	0.00	0.37	0.00	0.14	0.62	0.03	16
17	0.00	0.00	0.44	0.00	0.00	0.23	0.00	1.10	0.00	0.00	0.08	0.17	17
18	0.02	0.05	0.10	0.00	0.00	0.00	0.00	0.19	0.00	0.09	0.00	0.03	18
19	0.00	0.07	0.20	0.00	0.00	0.05	0.07	0.05	0.00	0.07	0.00	0.02	19
20	0.00	0.07	0.22	0.00	0.24	0.02	0.03	0.06	0.00	0.47	0.07	0.00	20
21	0.00	0.00	0.18	0.00	0.16	0.00	0.02	0.05	0.00	0.29	0.00	0.00	21
22	0.33	0.60	0.36	0.00	0.00	0.00	0.05	0.34	0.00	0.12	0.03	0.06	22
23	0.49	0.35	0.26	0.00	0.00	0.08	0.00	0.97	0.00	0.15	0.21	0.18	23
24	0.21	0.42	0.02	0.00	0.00	0.23	0.00	0.03	0.00	0.00	0.00	0.23	24
25	0.12	0.11	0.00	0.00	0.00	0.05	0.00	0.14	0.00	0.56	0.42	0.31	25
26	0.00	0.05	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.12	0.66	0.67	26
27	0.00	0.06	0.00	0.00	0.00	0.21	1.06	0.04	0.00	1 16	0.19	0.87	27
28	0.00	0.13	0.00	0.00	0.00	0.08	0.11	0.35	0.14	0 46	0.38	0.56	28
29	0.00	0.22	0.00	0.00	0.00	0 03	0.19	0.00	0.35	0.30	0.04	0.07	29
30	0.00		0 06	0.00	0.06	0 24	0.07	0.00	0.67	0 32	0.00	0 02	30
31	0.00		0.20		0.00		0 15	0.01		0 02		0.19	31
Total	4.18	3.94	5.27	0.25	2.14	4.72	3.06 3.06	4.65	1.31	5.01	2.84	6.37	YEAR'S TOTAL 46.47
Rain Days.	16	21	23	3	10	19	18	25	5	18	15	24	197

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

21 JAN 1913

REGISTER OF RAINFALL IN 19

Kept at Salcombe

in the County of Devon S3

by J. Partridge

Lat. 50.15 N Long. 3.45

Time of Observation 9 AM

Nearest Railway Station Kingsbridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	0.00	0.00	0.05	0.00	0.00	0.30	0.02	0.00	0.09	0.60	0.00	0.25	1
2	0.00	0.00	0.17	0.06	0.00	1.25	0.02	0.00	0.00	0.04	0.08	0.00	2
3	0.00	0.00	0.14	0.00	0.00	0.38	0.00	1.08	0.06	0.00	0.00	0.00	3
4	0.27	0.04	0.32	0.00	0.04	0.20	0.00	0.08	0.00	0.00	0.38	0.00	4
5	0.65	0.45	0.26	0.00	0.00	0.00	0.30	0.76	0.00	0.00	0.00	0.30	5
6	0.45	0.04	0.00	0.00	0.75	0.23	0.00	0.10	0.00	0.00	0.00	0.04	6
7	0.09	0.53	1.25	0.00	0.16	0.35	0.00	0.03	0.00	0.00	0.04	0.15	7
8	0.58	0.12	0.43	0.00	0.00	0.00	0.31	0.00	0.00	0.00	0.00	0.00	8
9	0.00	0.05	0.06	0.15	0.00	0.14	0.07	0.22	0.00	0.00	0.00	0.58	9
10	0.29	0.03	0.09	0.04	0.00	0.00	0.02	0.07	0.00	0.00	0.08	0.40	10
11	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.19	0.57	11
12	0.04	0.12	0.26	0.00	0.07	0.00	0.15	1.02	0.00	0.00	0.00	0.00	12
13	0.17	0.00	0.08	0.00	0.00	0.03	0.40	0.07	0.00	0.07	0.00	0.31	13
14	0.03	0.00	0.78	0.00	0.07	0.00	0.00	0.10	0.00	0.03	0.00	0.08	14
15	0.32	0.22	0.00	0.00	0.46	0.62	0.00	0.00	0.00	0.00	0.00	0.44	15
16	0.12	0.00	0.34	0.00	0.10	0.00	0.00	0.37	0.00	0.14	0.62	0.03	16
17	0.00	0.00	0.44	0.00	0.00	0.23	0.00	1.10	0.00	0.00	0.08	0.17	17
18	0.02	0.05	0.10	0.00	0.00	0.00	0.00	0.19	0.00	0.09	0.00	0.03	18
19	0.00	0.07	0.20	0.00	0.00	0.05	0.07	0.05	0.00	0.07	0.00	0.02	19
20	0.00	0.07	0.22	0.00	0.24	0.02	0.03	0.06	0.00	0.47	0.07	0.00	20
21	0.00	0.00	0.18	0.00	0.16	0.00	0.02	0.05	0.00	0.29	0.00	0.00	21
22	0.33	0.60	0.36	0.00	0.00	0.00	0.05	0.34	0.00	0.12	0.03	0.06	22
23	0.49	0.35	0.26	0.00	0.00	0.08	0.00	0.97	0.00	0.15	0.21	0.18	23
24	0.21	0.42	0.02	0.00	0.00	0.23	0.00	0.03	0.00	0.00	0.00	0.23	24
25	0.12	0.11	0.00	0.00	0.00	0.05	0.00	0.14	0.00	0.56	0.42	0.31	25
26	0.00	0.05	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.12	0.66	0.67	26
27	0.00	0.06	0.00	0.00	0.00	0.21	1.06	0.04	0.00	1.16	0.19	0.87	27
28	0.00	0.13	0.00	0.00	0.00	0.08	0.11	0.35	0.14	0.46	0.38	0.56	28
29	0.00	0.22	0.00	0.00	0.00	0.03	0.19	0.00	0.35	0.30	0.04	0.07	29
30	0.00		0.06	0.00	0.06	0.24	0.07	0.00	0.67	0.32	0.00	0.02	30
31	0.00		0.20		0.00		0.15	0.01		0.02		0.19	31
Total	4.18	3.94	6.27	0.25	2.14	4.72	3.06 3.06	7.65	1.31	5.07	2.87	6.37	YEAR'S TOTAL 46.47
Rain Days.	16	21	23	3	10	19	18	25	5	18	15	24	197

W. 7,500, XI. 12

[illegible] 19·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Salcombe
in the County of S Devon 3
by Capt. J. Partridge

Lat. 60°·15 N Long. 3°·45 W
Time of Observation 9 Am
Nearest Railway Station Kingsbridge
Diameter of Rain Gauge 5· in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	0.26	0.27	0.07	–	–	–	–	0.06	0.21	0.23	0.04	1
2	0.35	0.14	–	0.06	0.28	–	0.10	–	–	0.01	0.16	0.05	2
3	0.45	–	0.11	0.03	0.14	–	–	–	0.83	0.01	–	0.22	3
4	1.24	–	0.14	0.03	–	0.07	–	–	0.03	0.02	0.12	0.09	4
5	0.07	0.05	–	–	0.25	0.17	–	–	0.11	0.24	0.42	0.49	5
6	0.03	0.21	0.03	–	0.16	0.19	–	–	–	0.52	0.17	0.01	6
7	–	0.35	0.16	–	0.39	0.04	0.13	–	–	0.11	0.21	–	7
8	0.10	0.18	–	–	0.19	–	0.25	0.21	–	0.04	0.01	0.21	8
9	0.06	0.04	–	0.01	0.12	–	–	0.16	–	–	0.25	–	9
10	0.70	–	–	–	0.03	–	–	–	–	0.11	0.01	–	10
11	0.72	–	–	–	0.50	0.16	–	–	0.02	0.06	0.62	0.05	11
12	0.11	–	–	–	0.03	–	–	–	–	–	0.37	–	12
13	0.35	–	0.07	0.12	–	–	–	0.04	0.10	–	0.22	–	13
14	0.29	–	0.13	–	0.24	–	–	–	–	–	0.06	0.01	14
15	0.34	–	0.41	0.68	–	–	–	0.11	0.22	–	0.11	0.04	15
16	0.30	–	0.59	0.02	–	–	0.02	–	0.27	–	0.02	–	16
17	0.16	–	0.03	0.06	–	–	0.01	–	–	–	0.07	–	17
18	0.07	–	0.24	0.23	–	–	–	–	–	–	0.11	–	18
19	0.42	–	0.12	–	0.05	0.02	–	–	0.42	0.03	–	–	19
20	0.05	–	0.32	0.21	–	–	–	–	–	0.03	0.25	–	20
21	0.03	–	·32 0.22	0.02	0.03	–	–	–	–	0.01	0.29	–	21
22	0.22	–	–	–	0.04	0.12	–	0.04	–	–	–	0.17	22
23	0.02	–	–	–	–	–	–	–	–	–	0.03	1.03	23
24	0.05	0.03	–	0.11	–	0.09	–	–	–	–	0.06	–	24
25	–	–	–	0.56	–	–	–	–	0.04	0.10	0.04	0.08	25
26	–	–	–	0.63	–	0.02	–	0.15	0.02	–	–	0.37	26
27	0.61	–	0.20	0.37	–	–	–	0.19	–	0.13	–	0.03	27
28	0.23	–	0.55	0.21	–	–	–	–	0.21	0.17	–	0.08	28
29	0.25		1.09	0.24	–	–	0.37	–	–	0.08	0.04	–	29
30	0.60		–	–	0.02	–	0.27	–	–	0.56	0.04	–	30
31	0.12		0.21		–		–	0.15		0.19	–	–	31
Total	7.91	1.26	5.21 ✓	3.66	2.47	0.88	1.15	1.05	2.33	2.63	3.91	2.97	YEAR'S TOTAL 35.43 ✓
Rain Days.	28	8	19	18	15	9	7	8	12	19	24	16	183 ✓

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

S3

Kept at Salcombe
in the County of Devon
by Capt. J. Partridge

Lat. 50·15 N Long. 3·45 W
Time of Observation 9 am
Nearest Railway Station Kingsbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 39 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·04	0·02	0·00	0·11	0·04	0·52	0·00	0·00	·51 0·57	0·00	1
2	0·00	0·00	0·04	0·00	0·06	0·00	0·17	0·00	0·00	0·00	0·36	0·40	2
3	0·00	0·00	0·31	0·14	0·60	0·00	0·00	0·04	0·00	0·00	0·00	0·00	3
4	0·09	0·00	0·07	0·48	0·00	0·00	0·35	0·54	0·19	0·00	0·14	0·73	4
5	0·19	0·00	0·21	0·24	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	5
6	0·00	0·04	0·19	0·12	0·16	0·00	0·04	0·03	0·00	0·00	0·00	0·47	6
7	0·10	0·86	0·25	0·09	0·03	0·05	0·35	0·12	0·68	0·00	0·00	0·32	7
8	0·19	0·00	1·03	0·02	0·00	0·21	0·00	0·05	0·00	0·00	0·02	0·05	8
9	0·21	0·06	0·35	0·12	0·03	0·11	0·00	0·10	0·65	0·00	0·00	0·00	9
10	0·18	0·33	0·09	0·12	0·20	0·08	0·00	0·00	0·54	0·00	0·06	0·27	10
11	0·00	0·10	0·69	0·00	0·00	0·04	0·00	0·00	0·08	0·00	0·02	0·61	11
12	0·00	0·23	0·27	0·00	0·00	0·00	0·00	0·00	0·20	0·09	0·07	0·62	12
13	0·00	0·39	0·27	0·00	0·00	0·06	0·11	0·00	0·29	0·14	0·37	0·16	13
14	0·00	0·25	0·25	0·00	0·00	0·06	0·00	0·32	0·06	0·00	0·70	0·25	14
15	0·00	0·00	0·22	0·00	0·00	0·00	0·00	0·07	0·08	0·07	0·47	0·44	15
16	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·53	0·00	0·00	0·02	16
17	0·00	0·58	0·35	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·62	17
18	0·00	0·18	0·14	0·00	0·00	0·00	0·24	0·00	0·27	0·00	0·02	0·23	18
19	0·00	0·09	0·68	0·00	0·00	0·00	1·06	0·00	0·00	0·00	0·03	0·26	19
20	0·00	0·32	0·15	0·00	0·00	0·09	0·00	0·00	0·00	0·00	0·00	0·26	20
21	0·00	0·35	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·29	0·00	0·00	21
22	0·00	0·12	0·04	0·00	0·16	0·01	0·00	0·10	0·00	0·08	0·00	0·00	22
23	0·00	0·27	0·43	0·00	0·03	0·03	0·03	0·01	0·00	0·49	0·00	0·00	23
24	0·00	0·01	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·06	0·00	24
25	0·05	0·02	0·30	0·00	0·00	0·00	0·08	0·54	0·00	0·67	0·05	0·53	25
26	0·00	0·08	0·10	0·00	0·00	0·00	0·11	0·00	0·00	0·11	0·32	0·45	26
27	0·00	0·08	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·12	0·44	27
28	0·02	0·15	0·28	0·00	0·14	0·00	0·00	0·00	0·00	0·19	0·17	0·85	28
29	0·39	✕	0·15	0·00	0·15	0·00	0·00	0·00	0·00	0·21	0·44	0·01	29
30	0·00	✕	0·06	0·03	0·00	0·02	0·00	0·00	0·00	0·31	0·55	0·57	30
31	0·03	✕	0·00	✕	0·00	✕	0·61	0·00	✕	0·72	✕	0·26	31
Total	1·45	4·51	6 96	1·38	1·57	0·87	3·26	2·44	3·47	3·37	4·48	8·86	YEAR'S TOTAL 42·62
Rain Days.	10	20	26	10	11	12	15	12	11	12	19	24	182

W. 8,000. X. 14.

To Check LN

1808

FORM A. BRITISH RAINFALL. 3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Salcombe

in the County of Devon S3

by J. Partridge

Lat. 50° 15' N Long. 3° 45' W

Time of Observation 9 am

Nearest Railway Station Kingsbridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in × 10²	in × 10²	in	in	in	in	in	mm	mm	mm	mm	mm	
1	0·47	·41	·01	—	·04	—	—	8·3	2·5	8·0	—	1·2	1
2	0·27	·25	·19	·13	—	·16	—	2·4	5·4	0·3	—	14·0	2
3	0·02	·11	·20	·19	·50	—	—	—	—	—	—	26·0	3
4	·06	·06	·02	·01	·02	·04	—	—	—	—	—	2·9	4
5	·07	·70	—	·11	—	·02	—	7·9	—	—	—	8·2	5
6	1·19	·17	—	·46	—	—	·31	1·9	—	—	—	3·0	6
7	1·15	·43	—	·05	—	—	·04	—	—	7·6	0·7	4·4	7
8	·27	·40	—	·02	—	—	·09	0·6	—	0·4	1·6	6·2	8
9	—	·20	—	·03	—	—	—	—	—	—	13·2	20·0	9
10	·29	·40	·01	·09	—	—	—	—	—	3·8	0·6	5·4	10
11	·21	·05	·08	—	—	—	·02	0·6	—	5·9	21·4	2·3	11
12	·10	·31	—	·05	·67	—	—	1·7	0·3	3·6	3·9	—	12
13	·03	·31	—	—	1·11	—	—	—	0·3	—	1·3	0·7	13
14	·06	—	—	—	—	—	·30	—	3·6	—	0·6	27·4	14
15	·08	—	—	—	·31	—	·32	—	0·4	0·5	0·8	2·4	15
16	—	1·28	—	—	·21	—	·90	0·4	—	—	—	4·8	16
17	—	·22	—	—	·08	—	—	—	—	—	—	0·3	17
18	—	·19	—	—	—	—	·04	—	—	—	3·8	—	18
19	·03	·03	—	—	·24	—	·10	—	—	0·3	—	—	19
20	·20	—	—	·11	—	·23	—	—	—	2·9	—	1·0	20
21	·16	·12	—	—	·22	·10	·47	—	—	0·7	—	—	21
22	·05	·13	·34	—	—	—	·63	—	0·4	1·0	—	9·4	22
23	—	—	·13	—	—	·20	·04	—	4·4	29·5	—	18·0	23
24	—	—	—	·03	—	·16	—	—	0·5	9·6	—	22·0	24
25	·10	—	·02	·05	—	·10	—	—	—	0·6	—	5·8	25
26	—	·23	—	—	—	·28	·25	—	—	—	—	22·4	26
27	—	·04	—	—	—	·25	—	—	0·4	18·6	—	—	27
28	—	·05	—	—	—	·15	—	0·6	11·6	2·4	0·5	1·7	28
29	—	—	—	—	—	·03	—	0·5	—	0·7	5·8	1·1	29
30	·15	X	—	—	—	·33	~~·25~~	—	—	7·3	15·1	6·7	30
31	·03	X	—	X	—	X	·20	3·9	X	13·2	X	3·3	31
Total	3·99	6·09	1·00	1·33	3·40	2·05	3·71	mm 28·8 1·13	mm 29·8 1·17	mm 116·8 4·60	mm 69·3 2·73	220·6 8·69	YEAR'S TOTAL 39·89
Rain Days.	21	22	9	13	10	13	14	11	11	20	13	26	183

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Salcombe
in the County of Devon
by J Partridge

Lat. 50·15 N Long. 3·45 W
Time of Observation 9 am
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 39 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	0·2	—	4 2	—	4 8	0·7	—	—	3·3	11·8	7·1	—	1
2	(7·9)	2·5	1·0	—	—	—	—	—	3·0	9·4	4·8	—	2
3	5·4	21·3	—	—	11·3	1·1	—	—	—	15·5	2·3	—	3
4	—	5·0	—	—	—	8·7	—	—	0·5	1·3	11·0	—	4
5	[illegible]·5	2·2	0·3	0·7	0·4	2·1	0·5	—	—	4·9	5·0	—	5
6	—	3·2	—	—	3·9	—	22·3	—	—	1·9	20·0	—	6
7	0·9	2·9	10·5	—	0·3	—	—	—	—	0·6	18·8	3·5	7
8	(0·6) ~~2·9~~	5·2	7·2	—	5·8	—	—	—	—	—	2·1	7·4	8
9	—	2·1	—	—	1·0	—	0·6	—	—	1·0	3·1	5·2	9
10	(0·2) ~~2·3~~	26·0	2·0	1·6	3·3	—	—	—	—	1·5	0·3	—	10
11	0·3	—	—	2·2	1·7	1·2	—	—	0·4	—	—	5·1	11
12	0·2	1·3	2·2	2·1	5·4	—	2·9	6·2	—	5·7	—	—	12
13	4·0	5·3	3·2	0·6	0·3	—	0·2	1·5	—	—	0·5	10·0	13
14	—	8·9	0·9	—	1·6	—	—	0·6	—	1·4	—	—	14
15	—	6·4	8 1	1·8	—	—	—	—	—	0·9	—	5·4	15
16	3·4	2·9	0·3	2·8	—	—	—	3·0	—	4·8	46·1	3·0	16
17	3·0	5·1	0·3	—	—	—	—	—	1·7	9·3	1·3	—	17
18	1·7	7·7	8·9	—	—	—	—	—	2·9	1·0	5·3	3·6	18
19	3·8	4·1	0·9	4·3	—	—	—	—	—	—	7·1	3·5	19
20	1·6	26·0	0·7	0·2	—	—	—	—	—	—	—	37·8	20
21	0·2	5·1 ~~57·1~~	2·7	—	1 5	—	—	—	—	—	0·9	8·6	21
22	—	—	0·7	—	—	4·8	—	1·0	—	—	7·0	16·2	22
23	—	0·6	—	1·9	—	4·2	—	5·0	—	28 4·3	3·0	1·3	23
24	—	6·7	—	2·6	10·3	—	—	4·7	—	2·0	2·7	11·7	24
25	0·2	12·6	1·8	—	—	0·7	—	6·9	—	10·4	—	—	25
26	0·9	3·5	0·8	—	0·4	3·1	—	6·7	40·2	1·2	—	(8·0)	26
27	0·6	—	39·5	—	—	4·9	—	1·6	3·0	13·3	—	0·3	27
28	—	5·3	—	—	—	—	—	5·3	10·8	14·0	—	7·2	28
29	—	1·2	1·2	—	—	10 4	—	53·7	1 4	10·5	—	16·1	29
30	—	✕	—	—	—	—	—	—	—	3·3	—	0·9	30
31	—	✕	—	✕	—	✕	—	1·7	✕	23·3	✕	0·4	31
Total	38·6 1·52	178·1 6·82	97·4 3·86	20·8 0·82	52·0 2·05	41·9 1·65	26·5 1·4	97·9 3·85	67·2 2·64	[illegible] 6·77	148·4 5·86	155·2 6·12	YEARS TOTAL 1091·5 =42·97
Rain Days.	~~16~~ 19	25 ✓	21 ✓	~~9~~ 11	15 ✓	~~9~~ 11	~~8~~ 5	~~12~~ 13	~~9~~ 1[illegible]	~~23~~ 24	~~17~~ 19	~~19~~ 20	~~178~~ 193

Oct. Back 1 day 22nd Nov. forward 1 day 17th

[illegible] Snow

W. 8,000, VIII. 16

Im. ~~H~~ RL 1593

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Salcombe

in the County of Devonshire

by

Lat. 50° 15' N Long. 3° 45' W

Time of Observation 9 h. Civil Time

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " Sea Level 40 ft.

"Obsr. says Sept. – Nov. obs. taken in his absence"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	19.5	-	2.6	0.1	1.0	-	9.1	0.1	1.8			19.5	1
2	-	-	1.0	-	-	-	-	-	3.2			15.5	2
3	14.5	-	22.0	-	5.6	-	-	-	4.3			3.6	3
4	16.3	12.6	15.0	-	-	0.1	-	4.5	8.6			2.1	4
5	5.0	6.1	3.5	-	-	-	-	-	16.0			2.5	5
6	13.0	35.5	-	-	-	-	-	-			(40.0)	9.5	6
7	4.1	-	11.5	-	-	-	4.3	-	0.1			0.5	7
8	7.6	-	3.5	4.5	-	0.1	-	-		0.1		-	8
9	1.3	-	7.7	6.9	5.7	-	-	-	0.1	4.1		-	9
10	2.1	-	11.1	1.0	-	-	-	-				2.2	10
11	1.5	-	5.3	8.1	10.7	-	2.2	-	0.1			5.4	11
12	6.9	-	1.6	-	-	-	-	-				0.2	12
13	-	3.0	8.1	13.8	-	-	0.4	-		1.5		2.4	13
14	15.0	3.1	-	12.2	17.1	-	-	-		1.0	4.0	6.5	14
15	8.0	2.3	-	2.2	-	-	-	-			3.5	-	15
16	-	30.1	-	-	0.4	-	-	-				2.3	16
17	1.8	12.6	-	-	-	0.7	-	-			2.6	0.6	17
18	4.0	11.5	14.5	-	-	-	17.0	1.4	0.1			1.2	18
19	26.5	7.0	4.0	-	-	4.3	12.1	8.1			1.5	-	19
20	7.3	6.8	1.5	-	-	8.5	-	5.2			2.0	3.0	20
21	9.4	12.1	-	-	-	-	-	0.2	5.3		3.0	2.4	21
22	-	-	0.1	-	-	-	0.8	-			2.0	3.1	22
23	-	-	4.1	-	1.0	-	-	0.5	2.0		3.0	9.0	23
24	-	0.5	-	-	-	8.5	-	6.1		3.5	1.1	3.8	24
25	8.5	5.1	-	0.5	-	-	-	2.6		5.1	3.0	3.5	25
26	1.2	-	1.5	-	-	-	-	0.4			1.5	7.6	26
27	2.6	-	1.0	9.4	-	-	-	41.2				9.7	27
28	-	-	-	-	-	-	-	5.2				11.3	28
29	-		0.1	1.2	-	-	-	-		3.0	2.5	15.3	29
30	-	╳	-	-	0.4	1.5	-	-	-	7.0	5.0	11.6	30
31	-	╳	-	╳	-	╳	0.2	-	╳		╳	16.2	31
TOTAL	176.1	148.3	119.7	59.9	41.9	23.7	46.1	75.5 7.5	41.6	25.3	(74.7)	170.5	YEAR'S TOTAL (1003.3)
Days with 0·2 mm. or more	21	14	18	10	8	5	8	11				27	-

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

0033

W

1508

4 MAR 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Salcombe (MO)

in the County of Devon

by Rev. E. P. Thorpe

Lat. 50° 15' N Long. 3° 45' W

Time of Observation 9 h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

„ „ „ „ Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5·3	-	0·1	-	8·2	-	-	0·9	-	14·2	-	4·0	1
2	3·5	0·1	-	4·0	-	-	4·0	2·4	-	4·9	-	-	2
3	5·0	3·0	-	1·2	-	-	-	-	2·3	5·2	-	-	3
4	12·0	-	-	-	-	-	2·0	16·3	0·4	7·1	-	-	4
5	-	-	-	1·8	-	-	7·5	0·8	-	1·5	0·2	-	5
6	0·1	-	3·3	1·1	9·8	-	-	-	-	0·2	-	-	6
7	1·5	-	1·4	10·0	2·1	-	7·6	-	-	-	0·2	7·2	7
8	2·0	-	-	5·1	2·2	-	8·5	-	-	-	-	6·0	8
9	14·0	1·5	2·3	1·6	-	1·2	13·6	-	-	-	-	-	9
10	30·0	5·1	3·1	1·1	-	4·4	2·5	-	0·5	-	2·5	1·2	10
11	12·3	0·1	7·0	15·5	5·7	0·5	-	-	-	-	-	-	11
12	8·1	2·5	8·5	5·4	-	0·1	-	-	-	0·2	2·2	14·0	12
13	5·2	0·1	14·6	2·1	-	-	-	-	-	-	2·1	18·0	13
14	7·0	2·0	4·3	-	-	-	-	-	6·1	9·0	3·5	2·0	14
15	8·8	-	5·2	13·5	-	-	-	-	0·8	10·2	1·1	-	15
16	0·2	1·9	-	0·2	-	-	3·1	-	3·2	0·5	3·7	-	16
17	2·9	-	2·9	3·5	8·1	-	-	-	9·6	-	-	-	17
18	4·1	-		1·3	2·3	14·1	-	8·6	0·8	-	-	-	18
19	1·8	1·1	-	9·1	-	22·2	1·4	-	4·4	0·4	0·2	-	19
20	0·3	-	-	4·7	-	8·0	1·3	-	0·2	7·1	-	10·1	20
21	-	-	-	4·5	-	-	1·3	-	-	1·0	-	4·2	21
22	0·2	-	-	1·8	-	-	0·9	-	-	-	-	10·0	22
23	-	-	-	-	-	-	2·7	1·4	-	0·3	-	12·3	23
24	-	1·1	3·4	0·1	-	-	-	-	-	-	-	5·6	24
25	2·2	-	2·3	-	-	0·2	18·1	0·3	-	-	-	0·3	25
26	7·1	-	7·1	-	0·1	-	-	-	-	-	-	1·1	26
27	8·3	1·3	5·8	1·0	-	6·0	-	-	0·1	-	-	5·6	27
28	21·0	-	3·9	-	-	-	7·2	-	-	-	-	5·5	28
29	8·8	-	2·5	2·3	-	-	1·2	-	4·2	-	4·1	5·5	29
30	-	✕	12·6	-	-	12·0	10·1	-	20·1	5·1	5·0	14·3	30
31	2·2	✕	11·1	✕	-	✕	1·3	-	✕	-	✕	10·2	31
TOTAL	173·9	19·8	101·4	90·9	38·5	168·7	94·3	30·7	52·7	66·9	24·8	137·1	YEAR'S TOTAL 899·7
Days with 0·2 mm. or more	25	9	18	21	7	9	18	7	12	15	11	19	171
		9	8	20	7	7	17	4	7	10	8	18	157

(44,284). Wt.21,958—218. 500. 10/18. Gp.132. A.&E.W.

Copied from 10132

8L

319

FORM A2.
BRITISH RAINFALL.

28 JAN 1912

SALCOMBE REGIS

DEVON

1911 - 1920

RE

Kept at Salcombe

in the County of S. D

by D. McLaren

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placin ish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.07							.02		1
2			.03	.16	.40			.14		.07	.21	.17	2
3				.02	.11						.04	.03	3
4			.07	.01				.02	.04		.08	.33	4
5	.08		.08					.18		.07	.10		5
6	.32		.22							.05	.10	.78	6
7	.04										.36		7
8			.17								.04	.64	8
9	.02										.32	.61	9
10	.08	.06	.28								.02	.19	10
11	.14				.05						1.10	.10	11
12			.83		.07			.04	.02		.03	.21	12
13					.01				.40		.06	.54	13
14		.16								.10		1.04	14
15		.04				.03					.27	.04	15
16						.44					.61	.38	16
17			.25	.02		.11					.25	.38	17
18		.17	.17	.15		.21				.15	.11	.26	18
19			.02	.03		.16			.35	.11	.23	.44	19
20	.03	.04	.20	.14		.02			.02	.19		.70	20
21	.02	.13		.04					.04	.49		}	21
22	.16	.04		.05		.01			.17	.16		.72	22
23		.06				.21			16	.16	17	.28	23
24		.14				.49		.03		.30		.20	24
25		.04		13		.07			.06	.14		.14	25
26		.13		.24		.01		.02		.10	.03	.13	26
27		.31	.11	.03				.04	.07	.94	.05	.20	27
28		.28		.42	.07			.13			.03		28
29				.22		.23	.44		.22	.30	.09		29
30				.01	.09	.12			.02	.10		.04	30
31			.02				.06			.03		.02	31
Total	.89	1.60	2.45	1.74	.80	2.11	.50	.60	1.57	3.46	4.32	8.57	TOTAL for year 28.61
No. of Rain Days	9	13	13	16	7	13	2	8	12	17	23	26 ~~27~~	159

9,000, IX. '10.

81 319

RE

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

Kept at Salcombe Regis

in the County of S. Devon 7

by D. McLaren

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07							·02		1
2			·03	·16	·40			·14		·07	·21	·17	2
3				·02	·11						·04	·03	3
4			·07	·01				·02	·04		·08	·33	4
5	·08		·08					·18		·07	·10		5
6	·32		·22							·05	·10	·78	6
7	·04										·36		7
8			·17								·04	·64	8
9	·02										·32	·61	9
10	·08	·06	·28								·02	·19	10
11	·14				·05						1·10	·10	11
12			·83		·07			·04	·02		·03	·21	12
13					·01				·40		·06	·54	13
14		·16								·10		1·04	14
15		·04				·03					·27	·04	15
16						·44					·61	·38	16
17			·25	·02		·11					·25	·38	17
18		·17	·17	·15		·21				·15	·11	·26	18
19			·02	·03		·16			·35	·11	·23	·44	19
20	·03	·04	·20	·14		·02			·02	·19		·70	20
21	·02	·13		·04					·04	·49		}	21
22	·16	·04		·05		·01			·17	·16		·72)	22
23		·06				·21			16	·16	·17	·28	23
24		·14				·49		·03		·30		·20	24
25		·04		·13		·07			·06	·14		·14	25
26		·13		·24		·01		·02		·10	·03	·13	26
27		·31	·11	·03				·04	·07	·94	·05	·20	27
28		·28		·42	·07			·13			·03		28
29				·22		·23	·44		·22	·30	·09		29
30				·01	·09	·12			·02	·10		·04	30
31			·02				·06			·03		·02	31
Total	·89	1·60	2·45	1·74	·80	2·11	·50	·60	1·57	3·46	4·32	8·57	TOTAL for year 28·61
No. of Rain Days	9	13	13	16	7	13	2	8	12	17	23	26 ~~27~~	159

9,000, IX. '10.

8L

Card by Sidmouth [illegible] 21-11-13 = [illegible]

W. H. [illegible]

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
25 JAN 1913

319

Kept at Salcombe Regis Vicarage

in the County of S. Devon

S. 7

by Rev D. McLaren

Rain Gauge { Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. " " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·28	·07		·04	·71		·25	1
2			·08	·02		·04	·10	·01			·01		2
3			·19	·01		·25	·06	1·26	·04		·01	·04	3
4	·19	·03	·65		·01	·38	·01	·05			·26		4
5	·37	·30	·28		·04	·11		·67	·01		·01	·19	5
6	·58	·06	·10		·43	·12	·09	·38				·02	6
7	·04	·65	·41	·01	·13	1·01		·05				·15	7
8	·43	·15	·02	·02		·30	·14		·02		·01		8
9	·03	·04		·11		·17		·04				·60	9
10	·12	·10	·05				·03	·14				·31	10
11	·09	·06	·03				·01	·03			·08	·41	11
12	·03	·36	·09				·05	·47					12
13	·05		·02				·03	·02		·02	·02	·10	13
14	·06	·04	·47		·16		·01	·12					14
15	·35	·23			·32	·60						·08	15
16	·53	·01	·33		·04	·04		·07		·07		·03	16
17	·27		·20			·17		·76			·06	·03	17
18			·24			·01		·15		·02	·06	·04	18
19	·01	·12	·18			·05	·11	·11			·02	·02	19
20	·05	·14	·25		·17		·02	·27		·24	·04		20
21		·15	·28		·56		·02	·20		·12			21
22	·36	·43	·20		·06		·06	·07		·31	·03	·06	22
23	·51	·39	·29		·02		·04	·65		·07	·15	·24	23
24	·06	·06				·40	·01	·07		·10		·13	24
25	·12					·04		·33		·39	·12	·47	25
26		·02				·01	·04	·06		·24	·34	·26	26
27		·01				·50	·60	·08		·90		·27	27
28		·08				·03	·08	·29	·25	·60	·27	·64	28
29		·24				·17	·06	·11	·35	·45			29
30			·06			·26	·57		·28	·37			30
31			·27				·02	·02		·07		·04	31
Total	4·25	3·67	4·73	·17	1·94	4·94	2·23 2·23	6·48	·99	4·68	1·49	4·38	TOTAL for year 39·95
No. of Rain Days.	20	22	23	5	11	21	23	27	7	16	16	22	213

W. 8,000, X. '11.

82 FN Jan. 23.3.14 [illegible] 331

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Salcombe Regis Vicarage (to June) WDM
Spring Gate (from July)

in the County of " S. Devonshire "

by Rev. D. McLaren (to June)
J. W. Blythe Unwin (from July)

Lat. Long.

Time of Observation

Nearest Railway Station

Snowdon 9 - No 3310

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	·20	07		·32				·090	·580	·160		1
2	·07	·05	·01	·06	·10					·090	·13		2
3	·42		·02		·15		·038		·040				3
4	1·06		·02		·20	·03			·080	·350	·08		4
5	·07	·09	·06		·33	·06			·600	·050	·26	·290	5
6	-	·07	·09		·02	·09	·01			·790		·170	6
7	-	·26	·02		·63	·02	·07			·310	·26	·560	7
8	·11	·08			·14		·05					·340	8
9	-	·03			·03		·13	·120		·010	·31		9
10	·48	·01			·07			·022		·200	·06	·006	10
11	·84			·10	·57	·10					·82		11
12	·04				·24	·02		·060	·040		·18		12
13	·11		·02		·01				·280				13
14	·25		·09	·03	·09			·030	·060		·10	ııı	14
15	·28		·34	·23					·270				15
16	·14		·35	·06		·04			·440				16
17	·04			·06									17
18	·04		·17	·10							·08		18
19	·44		·07		·02	·03			·530	·003			19
20	·29		·12		·04					·060	·18		20
21	-		·11	·57	·09						·47		21
22	·41		·43	·10		·09	·02		·150	·010			22
23	-			·17								1·110	23
24	·02	·08		·05		·02							24
25	-	·02		·16						·040			25
26	-			·73				·300		·030			26
27	·39		·11	·56						·070			27
28	·73			·26						·410			28
29	·14		·55		·02					·200			29
30	·25			·02	·03			·020		·490			30
31	·10		·08					·500		·030			31
Total	6·72	·89	2·73	3·26	3·10	·50	·318	1·052	2·580	3·723	3·090	2·476	YEAR'S TOTAL (30·439)
Rain Days.	23	10	19	16	19	10	6	7 8	11	18	13	6	158

W. 7,500, XI. ·12

See B. [illegible]

June 11 ·100 [illegible]

82 entered 11.III.15

315

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Salcombe Regis

in the County of Devonshire

by J. W. Blythe Unwin

S7

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·090		·070	·565	·590			·100	·090	1
2				·006	·050		·450				·470	·330	2
3				·170	·600			·325			·180	·125	3
4				·195	·080		·425	·120			·450	·570	4
5				·200								·135	5
6				·080	·110		·007				·020	·245	6
7				·030	·055	·080	·290		·090			·355	7
8				·040	·030	·140						·060	8
9				·185		·685		·300	2·355				9
10				·050	·135	·050			·460				10
11						·115						·830	11
12									·190	·100	·040	·660	12
13							·020		·215	·200	·190	·195	13
14						·345		1·250		·080	·310		14
15							·040	·130		·210	·235	·150	15
16									·325				16
17												·490	17
18							·480		·090			·285	18
19							2·425					·180	19
20						·040						·170	20
21										·320			21
22					·170	·035				·105			22
23													23
24					·145					·885	·135		24
25							·155	·465		·430			25
26							·030			·030	·170	obsr. absent	26
27											·150		27
28					·070					·900	·200		28
29					·150					·225	·585		29
30				·025	—					·160	·330		30
31					·040		·625			·540			31
Total				1·071	1·635	1·560	5·512	3·180	3·725	4·185	3·565	imp	YEAR'S TOTAL
Rain Days.				11	12	9	12	7	~~8~~ 7	13	15	...	

W.7,000, XI. 13

DL ✓ 310

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Salcombe Regis

in the County of S. Devonshire S

by J. W. B. Unwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·050					·370				·140	1
2		·185	·170	·030		·090		·200	·180			·570	2
3		·065	·110		·190					·200		·525	3
4		·055		·050	·030			·135		·250		·295	4
5		·160		·065				·355				·580	5
6		·110		·310			·605	·050				·230	6
7		·520		·040			·270					·190	7
8		·410		·010				·120				·235	8
9		·025		·060							·260	·520	9
10		·400		·030								·135	10
11		·395	·220	·015	·010			·060		·130	1·145		11
12		·410		·080	·560			·100		·055	·275		12
13		·340			·145			·210					13
14							·260	·070	·100			·845	14
15		·030			·290		·375				·005		15
16		·870			·210		·665					·375	16
17		·500			·035								17
18		·420											18
19		·160			·520								19
20				·120		·165				·500		·090	20
21		·040				·040	·495			·360			21
22		·015	·330	·025		·060	·305					·315	22
23		·030	·120				·150			2·315		·490	23
24										·140		·455	24
25				·050		·230	·170		·300			·250	25
26		·105				·445						·630	26
27		·035				·360	·080		·250	·650			27
28		·050				·115				·160		·090	28
29						·611	·060		·300		·240	·075	29
30		X								·970	·605	·270	30
31		X		X		X	·195	·265	X	1·460	X	·170	31
Total	NR	5·330	1·000	·885	1·990	2·116	3·630	1·935	1·130	7·190	2·530	7·475	YEAR'S TOTAL
Rain Days.		23	6	13	9	~~10~~ 9	12	~~15~~ 11	5	12	~~6~~ 5	22	

W. 8,000. X. 14.

81 Exe Dt 275

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Salcombe Regis

in the County of S. Devonshire

by J. W. B. Unwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·095				·745				·240	—			1
2	·070	·190			·020				·030				2
3		1·120			·320	·060							3
4	·090	·090				·240							4
5					·115	·155							5
6		·125	·095		·125		·800						6
7		·160	·265		·030	·065							7
8		·200	·305		·240	·090							8
9					·040		·050						9
10		·785											10
11			·090	·100	·300								11
12			·160				·200	·140					12
13		·230	·170	·095	·045			·220					13
14		·440						·210					14
15		·125	·200	·250				·110					15
16	·250	·009		·110			·080	·210					16
17	·200	·240			·040								17
18	·155	·007	·330	·050									18
19	·115	·165	·310	·020									19
20		1·040	·195										20
21			·004		·065								21
22						·170		·160					22
23		·006		·050		·120		·260					23
24				·003	·650	·060		·265					24
25		·560	·065		·090	·050		·325					25
26		·025				·295		·240					26
27		·055	1·360			·605		·140					27
28		·004				·040		·450					28
29		·485				·280		1·280					29
30		X											30
31		X		X		X			X		X		31
Total	·975	6·061	3·549	·678	2·825	2·230	1·130	4·010	imp				YEAR'S TOTAL
Rain Days.	7	20 21	12 13	7 8	14	13	4	13					

W. 8,000. X. 15.

Exp S.L. pair exp

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at Salcombe Regis
in the County of S. Devonshire
by J. W. Blythe Unwin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·250	·260		·210		·365			·050		1
2				·140		·040					·185		2
3							·505				1·085		3
4			·390										4
5			·265	·270		·010			·090	(1·50)	·080		5
6											·120		6
7	·760		·330					·520					7
8	·080			·140			·645	·500	·090		·155	·245	8
9			·160	·060			·130	·260	·025		·185		9
10			·255	·240				·320	·010		·030		10
11	·310		·520	·060				·100		·250	·120		11
12	·110		·020		·595					·260	·130		12
13				·120				·220	·080	·055			13
14			·245				·495	·410	·020	·030			14
15				·095			·050			·220		·465	15
16		·225		·100			·040	·045	·005	·400		·100	16
17		·080			·070		·400	·060	·510				17
18		·090			·020	·115	·300		·755				18
19		·605	·255						·060				19
20					·410	·075		·295	·020				20
21			·075							·020	·020		21
22		·070				·085		·090		·040			22
23		·110			·295			·110		·140		·015	23
24							·510	·020		·080			24
25			·080				·045	·225			·025		25
26					·455	·150		·265	(·25)	·020			26
27					·300	·450		·850					27
28			·090			·595	·002	·290					28
29			·040			·060				·445			29
30		×	·200				·290	·150					30
31		×	·085	×	·040	×		·020	×	·385	×		31
Total	1·260	1·180	3·260	1·485	2·185	1·790	3·412	5·115	(1·915)	(3·845)	2·185	·825	YEAR'S TOTAL 28·457
Rain Days.	~~4~~	~~6~~	~~16~~	~~10~~	~~8~~	~~10~~	~~12~~	~~20~~	...	...	12	4	...

W. 8,000, VIII. 16

81

129
~~2444~~

FORM A.
BRITISH RAINFALL.

30.1.19

REGIS

Kept at Salcombe Re

in the County of S. Devo

by J. W. B. Unwin

in.

und ft. in.

Level ft.

SALCOMBE REGIS

DEVONSHIRE

1918 - 1920

IMPORTANT NOTE result entered to the previous day. If an Obse rule, he is earnestly requested to add the readin the space provided for it at the end of this of rain, the selection and placing Rainfall Organization are given in cation to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date	Jan.	Feb.	March.								Nov.	Dec.	Date.
1		·260									·590		1
2		·155		·010								·120	2
3		·090		·370	·060				·060		·300	·085	3
4								·270	·445		·500	·190	4
5		·020	·305	·100	·260			·760	·770	(·90)		·130	5
6	·390	·055		·050	·045				·030			·090	6
7		·165			·115				·250		·360		7
8	·120	·160				·060			·020				8
9				·110		·040	·400		·400			·370	9
10	·070			·230			·230		·155	·200		·520	10
11			·190	·025			·520		·150	·120	·030	·040	11
12		·055	·050		·330		·285		·095				12
13	·120				·120		·500		·550	·390		·060	13
14	·280				·130	·155			·240	·055		·070	14
15	1·255			·140	·010		·510		·020			·270	15
16	·530		·040	·110			·050		·205			·145	16
17	·100			·100		·150	·505					·090	17
18	·780		·240			·740	·265	·030	·415	·150		·170	18
19	·240	·050				·025	·130		·005			·060	19
20				·170		·130	·130		·200	·020			20
21	·040	·065				·010	·050		·260	·135		·500	21
22	·050				·230		1·090		·245	·015		·110	22
23	·090						·020	·030	·001			·145	23
24		·200					·100	·100	·105		·260	·070	24
25	·015			·205	·150		·135	·525			·210		25
26		·040					·190	·030				·155	26
27	·010		·140					·040			·130		27
28		·210							(1·60)	·140	·030	·020	28
29			·255	·015								·020	29
30		X	·270	·040				·010		·020	·175		30
31		X	·030	X		X			X	·020	X	·110	31
Total	4·090	1·525	1·520	1·745	1·450	1·310	5·110	2·815	(6·221)	(2·165)	2·585	3·540	YEAR'S TOTAL (34·076)
Rain Days.	15	13	9	15	10	8	17	10	(24)	(18)	10	23	(172)

W. 8,000, IX. 17.

8/

129
~~244~~

FORM A.
BRITISH RAINFALL.

30 . 1 . 19

REGIS

Kept at Salcombe Regis

in the County of S. Devonshire

by J. W. B. Unwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·260		·070				1·020			·590		1
2		·155		·010								·120	2
3		·090		·370	·060				·060		·300	·085	3
4								·270	·445		·500	·190	4
5		·020	·305	·100	·260			·760	·770	(·90)		·130	5
6	·390	·055		·050	·045				·030			·090	6
7		·165			·115				·250		·360		7
8	·120	·160				·060			·020				8
9				·110		·040	·400		·400			·370	9
10	·070			·230			·230		·155	·200		·520	10
11			·190	·025			·520		·150	·120	·030	·040	11
12		·055	·050		·330		·285		·095				12
13	·120				·120		·500		·550	·390		·060	13
14	·280				·130	·155			·240	·055		·070	14
15	1·255			·140	·010		·510		·020			·270	15
16	·530		·040	·110			·050		·205			·145	16
17	·100			·100		·150	·505					·090	17
18	·780		·240			·740	·265	·030	·415	·150		·170	18
19	·240	·050				·025	·130		·005			·060	19
20				·170		·130	·130		·200	·020			20
21	·040	·065				·010	·050		·260	·135		·500	21
22	·050				·230		1·090		·245	·015		·110	22
23	·090						·020	·030	·001			·145	23
24		·200					·100	·100	·105		·260	·070	24
25	·015			·205	·150		·135	·525			·210		25
26		·040					·190	·030				·155	26
27	·010		·140					·040			·130		27
28		·210							(1·60)	·140	·030	·020	28
29			·255	·015								·020	29
30		X	·270	·040				·010		·020	·175		30
31		X	·030	X		X			X	·020	X	·110	31
Total	4·090	1·525	1·520	1·745	1·450	1·310	5·110	2·815	(6·221)	(2·165)	2·585	3·540	YEAR'S TOTAL (34·076)
Rain Days.	15	13	9	15	10	8	17	10	(24)	(18)	10	23	(172)

W. 8,000, IX. 17.

81

1681

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Salcombe Regis

in the County of S. Devonshire

by J. W. B. Unwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·495				·065		·300		·060	·150		·890	1
2	·245		·140				·030		·205	·095			2
3	·530		·400		·080				·175		·430	·100	3
4	·905	·620	·515			·050		·105	·290		·190		4
5	·030	·180	·530						·655		·540		5
6	·370	·915	·125								·370	·360	6
7			·310	·170								·060	7
8	·230		·210	·040	·035						·190		8
9	·090			·160	·200								9
10	·150		·420							·020	·020	·120	10
11			·440	·190	·245		·120					·130	11
12	·120		·030			·030				·055	·090	·100	12
13	·080	·160	·170	·265			·020						13
14	·430	·265		·565	·380		·020		·070	·085		·190	14
15	·080	·450		·130						·110		·120	15
16	·060	·505									·070	·090	16
17		·420						·015			·225		17
18	·090	·410	1·170				·620				·245		18
19	·640	·430	·420			·180	·420	·480	·140		·150	·070	19
20	·250	·245				·265		·045	·210		·050	·050	20
21	·070	·515					·170	·070	·090				21
22		·020					·090		·080		·020	·120	22
23								·145		·770		·100	23
24						·220		·260		·480	·135	·305	24
25	·140			·070		·025		·430			·115	·050	25
26			·120	·200		·010		·010	·025			·250	26
27	·295			·065			·240	·745				·005	27
28			·325					·085			·680	·515	28
29				·100				·090		·045	·635	·340	29
30		X		·070		·150		·560				·320	30
31		X		X		X			X		X		31
													YEAR'S TOTAL
Total	5·300	5·135	5·325	2·025	1·005	·930	2·030	3·040	2·000	1·810	4·155	4·285	37·040
Rain Days.	20	13	15	12	6	8	10	13	11	9	17	26	155

37040
333

W, 6,500, VII. 18. w w c

256 1590

Feb – Mar. apportioned

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Sidmouth, Salcombe Regis

in the County of S. Devonshire

by J. W. B. Unwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·710			·050	·340		·260	·070	·125		·010	·850	1
2	·260			·295			·155	·070	·050	·060		·225	2
3	·050							·025		·180		·280	3
4				·130			·070	·510		·225			4
5					·240		·370	·020		·385			5
6				·180	·160		·290						6
7				·415	·050		·440					·080	7
8	·200	·085		·400			·190					·130	8
9	·580			·050	·030	·360	·405						9
10	·700			·090		·400	·040						10
11		·040		·395	·320		·170						11
12	·160	·030		·125		·090					·080		12
13	·250			·030			·020			·060			13
14	·090	·050		·640					·220	·390	·200		14
15				·230	·060					·370			15
16		·090		·050		·060	·270		·165	·075			16
17				·110	·270		·020		·300				17
18	·080			·090	·060	·385		·360	·170			·190	18
19	·040	·065		·310		·630		·030					19
20				·100		·045	·040			·150		·260	20
21				·240			·025			·250		·120	21
22	·065		1·300 ~~1·430~~	·060			·020					·390	22
23						·110	·375	·040				·480	23
24			·050								·080	·040	24
25			·120		·090		·630						25
26	·345	(·150)	·230								·170	·130	26
27	·180		·090	·135		·170	·160				·380	·260	27
28	·520		·200	·080								·200	28
29	·445		·670	·040							·400	·090	29
30	·150				·045	·170			·510		·150	·420	30
31	·050		·350							·720		·150	31
TOTAL	4·875	·490	3·010 ~~3·140~~	4·245	1·665	2·420	3·950	1·125	1·540	2·865	1·470	4·295	YEAR'S TOTAL 31·950
Days with ·01 in. or more	18	...	·2·	23	11	10	19	8	7	11	8	17	...
·04	18	...	...	22	10	10	15	5	7	11	7	17	---

(44283). Wt. 21958—218. 7500. 10/19. Gp.182. A.&E.W.

DEVON.

SALCOMBE
"SANDHILLS"
1911–1920

REC 9 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Sandhills

in the County of D

by W. H. Pik

o 5 in.
bove Ground 1 ft.
„ Sea Level 118 ft.
9.Am
Name Kingsbridge G.W.Ry
Distance 3·6 Direction N.

IMPORTANT NOTE.— a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			01		·04				·03	·04	·04	03	1
2				·08	·36			·15		·21	·18	·30	2
3			·03		·28			~~·08~~		·05	·16	·21	3
4			·13					·04		·04	·07	·28	4
5	·32		·12					·09		·25	·11		5
6	·27		·22								·30	·63	6
7	·11			·02							15		7
8	·08		·12								08	·59	8
9	·12										03	·46	9
10	·08	08	·13								05	·20	10
11	·24										1·18	·08	11
12			·41						·28		·03	·10	12
13			·03						·12		·04	·64	13
14		05	·03							·08	·05	·49	14
15		03	·01			·05				·02	25	·09	15
16		01	·05			·27				·03	·53	·38	16
17		·06	·73			·08				·02	07	·35	17
18		·12	·57	·11		·05				·05	·25	·36	18
19		·07				·21			·23	·37	·04	·53	19
20		·01	·11	·01		01			·35	·29		·63	20
21		·09	·03			01			·24	·54		·05	21
22	·10	·03		·11		·08			·40	·23	05	·47	22
23	·01	·19	·08	·01					·10	·12		·30	23
24	·05	·36				·21		·10		·57		·28	24
25	·01	·07		·15		01			·02	·20		·10	25
26	·02	·12		45				·13	·01	45		·32	26
27		·48	·02	10				·13		·75	05	19	27
28		·37		33				·12	·04		·07	02	28
29				6		·56	·95		·14	20			29
30										23	·13	·06	30
31							·08			·03		01	31
Total	1·41	2·08	2·77	1.43	0·68	1·54	1·03	·76	1.96	4·71	3·85	8·15	TOTAL for Year 30·37
No. of Rain Days.	12	16	18	11	3	11	2	7	12	22	23	28	165

W. 8,000, X. '11.

REC 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Sandhills. Salcombe

in the County of Devon S3

by W. H. Pike

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 118 ft.

Time of Observation 9. Am

Nearest Railway Station Name Kingsbridge GWR
Distance 3·6 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			01		·04				·03	·04	·04	03	1
2				·08	·36			·15		·21	·18	·30	2
3			·03		·28			~~·08~~		·05	·16	·21	3
4			·13					·04		·04	·07	·28	4
5	·32		·12					·09		·25	·11		5
6	·27		·22								·30	·63	6
7	·11			·02							15		7
8	·08		·12								08	·59	8
9	·12										03	·46	9
10	·08	08	·13								05	·20	10
11	·24										1·18	·08	11
12			·41						·28		·03	·10	12
13			·03						·12		·04	·64	13
14		05	·03							·08	·05	·49	14
15		03	·01			·05				·02	25	·09	15
16		01	·05			·27				·03	·53	·38	16
17		·06	·73			·08				·02	07	·35	17
18		·12	·57	·11		·05				·05	·25	·36	18
19		·07				·21			·23	·37	·04	·53	19
20		·01	·11	·01		01			·35	·29		·63	20
21		·09	·03			01			·24	·54		·05	21
22	·10	·03		·11		·08			·40	·23	05	·47	22
23	·01	·19	·08	·01					·10	·12		·30	23
24	·05	·36				·21		·10		·57		·28	24
25	·01	·07		·15		01			·02	·20		·10	25
26	·02	·12		45				·13	·01	45		·32	26
27		·48	·02	10				·13		·75	05	19	27
28		·37		33				·12	·04		·07	02	28
29				6		·56	·95		·14	20			29
30										·23	·13	·06	30
31							·08			·03		01	31
Total	1·41	2·08	2·77	1.43	0·68	1·54	1·03	·76	1.96	4·71	3·85	8·15	TOTAL for Year 30·37
No. of Rain Days.	12	16	18	·11	3	11	2	7	12	22	23	28	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Sandhills, Salcombe

in the County of Devon S. 3

by W. H. Pike

Lat. 50° 14′ Long. 3·46·40″

Time of Observation 9 Am

Nearest Railway Station Kingsbridge 6 m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08			·32	·02		·10	·58	·08	25	1
2			·10	·08		1·22	·03			·03			2
3			·10			·34	·02	1·05	·05			03	3
4	·27	·03	·24		10	·18		·08			·35		4
5	·56	·43	·19		03		·23	·75					5
6	·50	·02			·71	·21		·12				·24	6
7	·09	·52	·31		·20	31		·08			·02	·12	7
8	·62	·14	35				·28						8
9		·03	05	·17		·19	08	·16				·50	9
10	·27	·02	03	·05			02	·04			~~08~~	·46	10
11	·02	·15						·41			·08	·52	11
12	·03	·12	·25		10		·12	1·04					12
13	·20		05			·03	·40	·07		05		·28	13
14	·06	·10	·77		09			·12		06		·10	14
15	·36	·12			·45	·50				·14		·42	15
16	13		·28		·12	·02		·32			01	13	16
17			·45		·03	·22		·98			07	14	17
18	04	·04	·09					·17		10			18
19		·06	·09			04	09	·10		06	·01	·01	19
20		·10	·25		·19	01	03	05		38	·06		20
21		53	·26		·22		02	·04		·23		·07	21
22	·22	32	·43				04	·34		·12	·02	05	22
23	48	59	·26			·09		·86		75	12	·15	23
24	·20	06	·02			·20		02		·03		·26	24
25	·11	04				·02		·15		·56	·43	·32	25
26		07					·04	·04		14	·62	·42	26
27						20	·94	·03		1·03	·19	85	27
28		·11				08	·10	·35	·15	·45	·30	62	28
29		·21			·04	03	·19		·35	·28	·04	10	29
30			02		·03	22	·07		·69	·12		02	30
31			05				·13					·14	31 ✓
Total	4·16	3·79	4·72	0·30	2·31	4·43	2·85	7·37	1·34	4·51	2·40	6·20	YEAR'S TOTAL 44·38
Rain Days.	17	22	23	3.	13	20	19	24	5	18	15	24.	203 ✓

W. 7,500, XI. 12

✓ Ex D8

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

9 JAN 191

Kept at Sandhills Salcombe

in the County of S Devon 3

by W. H. Pike.

Lat. 50° 13' 50" Long. 3° 46' 40"

Time of Observation 9. Am.

Nearest Railway Station Kingsbridge G.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 118. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·25	·28	·05					·07	·21	·22	·05	1
2	·28	·15		·06	·25		·08			·01	15	·04	2
3	·42		·10	·03	·15				·93			·21	3
4	1·21		·14	·03		·04			03		·09	·06	4
5	·06	·05			·23	·15			·10	·29	·42	49	5
6	·01	·19	·02		·16	·23				·48	·02	·08	6
7		·31	·19		·40	·04	·08			·04	·08		7
8	·11	·19			·24		·23	·18		·02	·03	·06	8
9	·08	·05			·08		·02	·19			·22		9
10	·68	01			·02						·15		10
11	·70	01			·57	·18				·04	·48	·04	11
12	·07				02						·32		12
13	·29		·07	·10				·01	·09		·20		13
14	·33		·12		·23						·03	·03	14
15	·25		·40	·66					·18		02	·04	15
16	·34		·57	·01			·02	·12	·25	·01	·04		16
17	·12		·01	·05							06		17
18	·04		·19	·26							·10		18
19	·44		·12		·04	·02			·40	·02			19
20	·03		·31	·15	·02						·12		20
21	·02		·37	·03	·04						·15		21
22	·20		·19			·11		·03	·01	·01	·22	·25	22
23	·01		03								·03	·94	23
24		·04		·10		·09							24
25				·47				·01	·04		·03	·02	25
26				·58		·02		·18		·05	·01	·31	26
27	·58		·18	36				·22		03	·01		27
28	·23			·20					·25	·12		·05	28
29	·24		1·08	24			·38	·01		·15	·02		29
30	·51			·02			·30			·61	·01		30
31	·12		·19					·14		·19			31
Total	7·38	1·25	4·50	3·40	2·39	0·88	1·11	1·09	2·35	2·28	3·28	2·67	YEAR'S TOTAL 32·53
Rain Days.	27	10	19.	18	14	9.	7	10	11	16	26	15	182 ✓

W. 7,500, XI. 12

Exe Mg

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Sandhills Salcombe
in the County of Devon. S3
by W. H. Pike

Lat. 50·14. Long. 3°46'40" W.
Time of Observation 9. Am.
Nearest Railway Station Kingsbridge G.W.Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02		·10	·01	·50			·43		1
2			·04	·02	·05		·18				·32	·36	2
3	·07		·23	·12	·61								3
4	·11		·08	·41			·35	·61	·18		·15	·60	4
5	·19		·22	·21			·01					·04	5
6		·06	·17	·09	·14		·05	·04			·01	·48	6
7	·07	·73	·23	·07	·06	·08	·34	·13	·70			·28	7
8	·19	·01	·92	·01	·02	·21	·02	·05			·02	·05	8
9	·18	·04	·33	·12	·03	·11		07	·58		·02		9
10	·16	·25	·09		·17	·08			·60		·07	·23	10
11		·09	·59						·07		·02	·49	11
12		·10	·25						·16	·09	·07	·59	12
13		·48	·22			·06			·28	·19	·32	·20	13
14		·25	·20			·10		·30	·05		·56	·25	14
15			·18					07	·14	·10	35	·45	15
16							·02		·47		·01	·02	16
17		·35	·32				·02					·53	17
18		·09	·14				·23		·29		02	20	18
19		·07	·71				1·07				03	28	19
20		·30	·18			·07				01		26	20
21		·34								·31			21
22		·10	·07		·14					·08			22
23		·18	·32			·03	02			·48			23
24							·01	·04		·01	·03		24
25	·05	·02	·30		·07		·05	·50		·70	·04	·37	25
26		04	·08				·07			·11	·32	·43	26
27	·01	06					·04			02	·14	37	27
28	03	·12	·28		·15					15	·03	·88	28
29	·07		15		16					·25	30	02	29
30	·01	✕	·06	·01		·02				·36	·55	52	30
31	·04	✕		✕		✕	·63		✕	85	✕	23	31
Total	1·72	3·68	6·38	1·08	1·54	·86	3·12	2·31	3·52	3·71	3·81	8·13	YEAR'S TOTAL 39·26
Rain Days.	13	20	26	10	11	10	17	10	11	15	22	24	189

W. 8,000. X. 14.

Exd LnN

1807

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Sandhills Salcombe

in the County of Devon

by W. H. Pike.

53

Lat. 50·14 Long. 3·46·40

Time of Observation 9. Am

Nearest Railway Station Kingsbridge G. W. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	46	32			3			34	11	31	1	10	1
2	26	17	17	10		16		10	31			57	2
3		11	17	18	54							106	3
4	6	8	2	1	1	4						9	4
5	6	68		10		2		33				35	5
6	107	18		42			34	8				12	6
7	19	41		3			3			36	3	16	7
8	24	34		1			12	2		1	5	23	8
9		19									58	79	9
10	28	34	1	10						16	1	22	10
11	23	4	8					3		21	82	9	11
12	9	36		5	73			5		15	16		12
13	2	25			108				1			2	13
14	7						29		13		5	96	14
15	9				32		31		3	4	5	8	15
16		1.22			23		82					25	16
17		23			9								17
18		17					3				16		18
19	3	3			26		11			1			19
20	17			10		26				12		3	20
21	18	12			23	11	41			5			21
22	5	6	33				65		1	5		35	22
23	1		11			21	3		16	120		75	23
24				3		18			2	36		83	24
25	8		2	5		12				3		24	25
26		18				26	23					89	26
27		2				29			2	65			27
28		4				20		*	44	11	1	8	28
29						1		1	1	2	21	4	29
30	11	✕				25				36	43	28	30
31	3	✕		✕		✕	23	18	✕	62	✕	11	31
Total	3.78	5.34	·91	1.18	3.52	2.11	3.60	1.14	1.25	4.82	2.57	8.69	YEAR'S TOTAL 39.11
Rain Days.	21	22	8	12	10	13	13	9	11	19	13	25	176

W. 8,000. X. 15.

~~W~~ JW 1764

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JA

Kept at Sandhills Salcombe.

in the County of Devon

by W. H. Pike.

Lat. 50° 14'. Long. 3° 46' 40"
Time of Observation 9. Am
Nearest Railway Station Kingsbridge G. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~[illegible]~~ 1 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	21		15		19	3	1		13	47	29		1
2	30	10	4		1				11	37	24		2
3	8	80			45	2			1	61	8		3
4	10	17			2	35			2	4	37		4
5	5	8		2	1	13	1			19	16		5
6	3	13			15		86			7	71		6
7	5	14	46		1					1	66	12	7
8		28	26		24						8	27	8
9		8	3		4		9			2	12	19	9
10		1·01	8	6	12					(06)	1		10
11		~~4~~	3	9	7	1			2			23	11
12		5	10	8	21		11	26		18	1		12
13		19	13	1	2			6				38	13
14	2	35	5		6			4		4			14
15	2	11	35	8						2		31	15
16	13	14		13				13		16		11	16
17	11	19						3	6	33	1·76		17
18	5	28	35						10		5	13	18
19	13	14	3	19							21	12	19
20	6	1·03	4	3							20	1·34	20
21		23	13		6	2						34	21
22			3			20		6		17	1	59	22
23		10		8		15		22		6	22	6	23
24		23	1	8	.42			20		46	10	42	24
25	1	37	7			4		30		5	10		25
26	2	13	3		2	12		36	68	60	1	21	26
27	2	~~17~~	1·50			22		3	13	55			27
28		17						23	30	38		25	28
29		5	6			38		2·28	6	16		62	29
30		X						"		87		5	30
31		X		X		X		6	X	79	X	2	31
Total	1·39	6·52	3·93	·85	2·10	1·67	1·08	4·26	1·62	6·66	5·39	5·76	YEAR'S TOTAL 41·23
Rain Days.	17	25	21	11	17	12	5	14	11	24	20	19	196

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19 17

Kept at Sandhills · Salcombe

in the County of Devon

by W. H. Pike

Lat. 50.13.45 Long. 3.46.40 W.

Time of Observation 9. Am

Nearest Railway Station Kingsbridge. G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3			24		20	1	21		20	6		1
2	*		2	9		1					4		2
3	7			4						16	59		3
4		10	36				18		8	40	5		4
5	11		12	8		28				7	8		5
6			11			9				8	21	6	6
7	52						37	17		8	9	4	7
8	2		55	2			24	49	14	35	21	28	8
9	·		12	4	7		16			20	18		9
10	23		27	41				45				5	10
11	2		145	10				8		46	26		11
12	8		4	1	55					28	5		12
13			17			7			9	11		1	13
14				4					5	16			14
15	31						5	24	5	23		28	15
16		15				17				82		27	16
17		4		4	16	3	34	19	60	21			17
18		2			31	8	5		56				18
19		51	8			6	4		30				19
20	1	17			63	8		8			2	3	20
21	3		4			1				7	1	1	21
22	16		1		2			7		7			22
23		20			7			40		11			23
24		11				9	42	2		29	7		24
25		3					1	29	11	3	2		25
26			2		27	9		24		3	5		26
27			2			46		104		2			27
28			25			20		21			3	6	28
29			9			16				47	1	7	29
30		X	19				35	20		7			30
31		X	7	X	4	X		4	X	28	X	4	31
Total	1·59	1·33	3·98	1·11	2·12	2·08	2·22	4·42	1·98	5·25	203	120	YEAR'S TOTAL 29·31
Rain Days.	12	9	19	11	9	16	12	17	9	25	18	12	169

W. 8,000, IX. 17.

End M.S.

32

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Sandhills. Salcombe.

in the County of S Devon

by W. H. Pike

Lat. 50° 13' 50" Long. 3° 46' 40" W.

Time of Observation 9. Am.

Nearest Railway Station Kingsbridge G. W. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·25		·11	·03			·30		·01	·39	·01	1
2		·13		·02							04	·24	2
3		·07	·01	·32	·01				·02	02	·08	·17	3
4								·41	·87		·38	·12	4
5			·18	·01	·36			·09	·29	·30		·03	5
6	·40	·18	·12	·10				·05		05		·13	6
7		·22			·04			·08	·31	08	·41	·20	7
8		·02								·47		01	8
9	·16					·03	·28		·30	·13		·31	9
10				·23			·20		·01	·14		·16	10
11	·04		·19	·01			·40		·22		·06	·14	11
12	·11	·15	·12		·49				·01		07	03	12
13					01		·33		·48	·27		·07	13
14	·26				05	·05			·49	05		·15	14
15	·87			·01	·17	·01	·31		05	·07		·14	15
16	·90		·04	09		·10	03		06			·01	16
17	·20			·07			·34					·22	17
18	·48		09			·50	·28		·26	·58		·18	18
19	08	·02	·12	·12			·14	·01	·02	·01		·15	19
20		·06		05		03			·51	03			20
21	·03	·03				03	·03		·49	·25		·44	21
22					·06		·56		·11	02		·17	22
23	·10					·01			04			·10	23
24		·23						·18	·19		·25	·11	24
25	·03				02			·51		·04	23		25
26		·16					·22		·04	·05	02	·37	26
27		·17	06					03	·20	·03	·19	6	27
28		·07	·12						·17	·03	·05	12	28
29			·32						·80		·02	02	29
30	·02	✗	·26	·01						·03	·20	04	30
31		✗	·31	✗		✗	·02		✗	·02	✗	01	31
Total	3·68	1·76	194	1·15	1·24	0·76	3·14	1·66	5·94	2·68	239	3·91	YEAR'S TOTAL 30·25
Rain Days.	14	14	13	13.	10	8	13	9	23.	22	14	29	182

W. 8,000, IX. 17.

1592

10 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Sandhills Salcombe

in the County of Devon

by W. H. Pike

Lat. 50° 13' 46" Long. 3° 46' 40" W

Time of Observation 9. Am

Nearest Railway Station Kingsbridge G.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	65		10		2		31		1	10	8	49	1
2	13		3						8	5		11	2
3	38		78		21				27		4	8	3
4	58	40	48					16	21		15		4
5		15	12						62		5	6	5
6	46	126	13	1			1				2	21	6
7	20		41	15			6					12	7
8	20		35			2	8				80		8
9	5		5	23	25						12		9
10	4		37	3								10	10
11	12		19	33	40						2	26	11
12	23		2							8	6		12
13	12	14	30	49									13
14	43	10		60	54		2			2		22	14
15	23	7		9						6		20	15
16	2	81			2						15		16
17		71				2					25	2	17
18	8	44	54				64	4	3		31	1	18
19	94	18	19			20	46	24	11		12	4	19
20	28	2	8			32		19	3		22	3	20
21	32	20					8		6		4	10	21
22		1	3				2		8		1	6	22
23			19					2		40	4	34	23
24		5				35		23		18	11	22	24
25	21	10		2		2		10			3	4	25
26	3	12	6							1	(04)	45	26
27	7.		3	32			2	1.71			~~[illegible]~~	4	27
28		1	37					20			35	73	28
29				4				10		6		26	29
30			2.	3	3	7		6	5		58	71	30
31							3.					74	31
Total	5·77	4·77	4·84	2·34	1.47	100	1·73	305	155	·96	359	564	Year's Total 36·71
Days with ·01 in. or more	22.	17	22.	12	7	7	11	11	11	9	22	25	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1505

3 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sandhills Salcombe

in the County of Devon

by W. H. Pike

Lat. 50° 13′ 45″ Long. 3° 46′ 40″ W

Time of Observation 9 A.m.

Nearest Railway Station Kingsbridge G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·03	·10	·37		·37	·04	06	·44	·02	·45	1
2	·18			·25			·06	·15	08	·05		·18	2
3	·78	·12		·03			·03		01	·46		·30	3
4							·06	·70		·34			4
5			·05	·02	·03		·26	·03		·08			5
6			·11	·03	·37		·43			·10			6
7	·08			·41	·04		·25					·31	7
8	·05	·04		·10	·10		·16					·29	8
9	·66	·05	·10	·02		·06	·25		·04	·03			9
10	·78	·20	·14	·03		·20	·38				·13	·03	10
11	·35		·26	·77	·26	·03	27						11
12	·39	·09	·23	·16			·08				·11	·59	12
13	·19	03	·40	·08								·76	13
14	·29		·42	·51			·05		·27	·22	·15	·26	14
15	·23	·06	·21	·08	06				·05	·50	·10		15
16	·01	·01	·08			·07	·12		·10	·05	17		16
17	·11		·04	·08	·29		06		·42				17
18	·17	·02	·02	·15	·03	·49		·43	·08				18
19	·09			·33		·68			·12	·02			19
20	·01	·03		·13		·46	·06			·32		·36	20
21				·20			·10			·06		·18	21
22	·08			·07			·03					·43	22
23							·13	·10	·03			·57	23
24		·05	·16	·04							·06	·22	24
25			·10		·03		·71					·02	25
26	·24		·26			·02			·01		·17	·05	26
27	·40	·04	·09	·04		·15	·10				·61	·28	27
28	·78		·18			03	22		02			·20	28
29	·21		·65	·03		04	·03		12		26	·31	29
30	·09	✕				·38	·48		1·02		28	·57	30
31	·07	✕	·45	✕		✕			✕	40	✕	·30	31
TOTAL	6·36	0·74	3·98	3·66	1·58	2·61	4·64	1·45	2·43	3·07	2·06	6·54	YEAR'S TOTAL 39·17
Days with ·01 in. or more	22	8	18	17	7	9	21	5	11	12	10	19	159
Days with ·04 in. or more	24	12	20	23	10	12	24	6	15	14	11	21	192

(44,283). 10/19. (52,638).. Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVO~~N~~.

SALCOMBE,
SPRINGFIELD
1911 – 1915

REG 11

FORM A2.
BRITISH RAINFALL.

26 SEP 1912

Kept at Springfield

in the County of S. Devon

by Dr. A. Pearce

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01		·05					·02			1
2				·08	·41			·15		·24	·20	·39	2
3			·04		·28					·04	·20	·27	3
4			·14					·05			·28	·34	4
5			·15					·09		·20	·13		5
6	·50		·21							·02	·18	·78	6
7	·13										·41		7
8	·09		·22								·08	·65	8
9	·08					·05					·03	·51	9
10	·07	·06	·47								·10		10
11	·25										1·20	·39	11
12			·67						·34		·04	·14	12
13			·05						·13		·05	·69	13
14		·17	·04							·07	·14	·49	14
15		·04	·02								·18	·08	15
16		·01	·07							·02	·55	·41	16
17		·04	·77			·35 ~~·03~~						·40	17
18		·25	·49	·15		·09				·05	·36	·34	18
19			·02			·02			·27	·41	·05	·59	19
20			·08	·03		·24			·24	·33		·62	20
21		·13	·06						·21	·56			21
22	·10	·04		·12					·64	·19		·57	22
23		·17	·07	·02		·09			·11	·14	·04	·34	23
24		·30						·10		·58		·37	24
25		·06		·17		·22				·24		·11	25
26	·10	·14		·48				·12	·01	·45		·36	26
27		·60	·02	·11				·13	·01	·75	·09	·21	27
28		·21		·36				·12	·04		·04	·03	28
29				·05			·80		·15	·24			29
30						·60			·02	·22	·14	·06	30
31							·10			·04		·01	31
Total	1·32	2·22	3·60	1·57	·74	1.66 ~~1·34~~	·90	·76	2·17	4·81	4·49	9·15	TOTAL for year ~~33·07~~ 33.39
No. of Rain Days.	9	14	19	10	3	8	2	7	12	20	22	26	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 SEP 1912

REGISTER OF RAINFALL IN 1911

Kept at Springfield, Salcombe

in the County of S. Devon

by Dr A. Pearce

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01		·05					·02			1
2				·08	·41			·15		·24	·20	·39	2
3			·04		·28					·04	·20	·27	3
4			·14					·05			·28	·34	4
5			·15					·09		·20	·13		5
6	·50		·21							·02	·18	·78	6
7	·13										·41		7
8	·09		·22								·08	·65	8
9	·08					·05					·03	·51	9
10	·07	·06	·47								·10		10
11	·25										1·20	·39	11
12			·67						·34		·04	·14	12
13			·05						·13		·05	·69	13
14		·17	·04							·07	·14	·49	14
15		·04	·02								·18	·08	15
16		·01	·07							·02	·55	·41	16
17		·04	·77			·35 ~~03~~						·40	17
18		·25	·49	·15		·09				·05	·36	·34	18
19			·02			·02			·27	·41	·05	·59	19
20			·08	·03		·24			·24	·33		·62	20
21		·13	·06						·21	·56			21
22	·10	·04		·12					·64	·19		·57	22
23		·17	·07	·02		·09			·11	·14	·04	·34	23
24		·30						·10		·58		·37	24
25		·06		·17		·22				·24		·11	25
26	·10	·14		·48				·12	·01	·45		·36	26
27		·60	·02	·11				·13	·01	·75	·09	·21	27
28		·21		·36				·12	·04		·04	·03	28
29				·05			·80		·15	·24			29
30						·60			·02	·22	·14	·06	30
31							·10			·04		·01	31
Total	1·32	2·22	3·60	1·57	·74	1.66 ~~1·34~~	·90	·76	2·17	4·81	4·49	9·15	TOTAL for year ~~33·07~~ 33.39
No. of Rain Days.	9	14	19	10	3	8	2	7	12	20	22	26	152

W. 8,000, X. '11.

S. make

coll by own stats Ap. 11. 13 confirmed by original

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Springfield Salcombe
in the County of Devon (South) B
by Arthur Pearce

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level ft.

Time of Observation 9.15 am

Nearest Railway Station
Name Kingsbridge
Distance 5½ m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04			·32	·04		·10	·61		·27	1
2			·18	·06		1·29				·03	·08	·01	2
3			·15			·36	·03	1·13	·06				3
4	·27		·30		·10	·24		·09			·34		4
5	·68	·51	·28				·30	·79				·30	5
6	·44	·03			(·83)	·24		·10				·20	6
7	·13	·61	·38		·18	·37		·05			·03		7
8	·58	·09	·34				·30						8
9		·05	·06	·16		·14	·06	·22				·54	9
10	·30	·04	·09	·04			·03	·06			·10	·42	10
11		·24						·40			·21	·56	11
12	·04	·13	·28		·09		·16	·99					12
13	·19		·07			(·03)	·40	·08		·05		·33	13
14	·04	·13	·79		·08			·11		·03		·08	14
15	·37	·12			·47	·58						·45	15
16	·12		·34		·12	·01		·35		·12		·04	16
17			·46		·01	·21		1·02				·18	17
18		·10	·11					·18		·08	·12		18
19	·02		·20			·05	·07	·05		·07			19
20		·08	·21		·25	·02		·07		·46	·07		20
21		·69	·21				·04	·05		·38			21
22	·34	·27	·63		·19		(·05)	·31		·25	·03	·07	22
23	·50	·41				·08		·89		·02	·21	·19	23
24	·33	·11	·03			·22		·01				·27	24
25	·02					·04		·15		·56	·41	·54	25
26		·05					·02	·03		·14	·65		26
27		·07				·21	1·04	·04		1·07	·18	·86	27
28		·13				·08	·10	·35	·16	·48	·38	·55	28
29		·25				·03	·21		·36	·30	·04	·08	29
30			·06		·06	·24	·09		·66	·34			30
31			·20				·15	·03				·20	31
Total	4·37	4·11	5·41	0·26	2·38 ✓	4·76 ✓	3·09	7·55	1·34	4·99	2·85	6·14	TOTAL for year 47·25
No. of Rain Days.	16	21	23	3	10	~~18~~ 20	17	25	5	17	14	22	~~188~~ 194

W. 8,000, X. '11.

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Springfield, Salcombe

in the County of S Devon 3rd Rt

by Arthur Pearce ? may fall on 4th

Lat. .... Long. ....

Time of Observation 9.15 am

Nearest Railway Station Kingsbridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·32	·28	·07					·06	·22	·23	·04	1
2				·06	·30		·10			·01	·15	·06	2
3	·50		·11	·04	·16				·85			·23	3
4	1·27		·15	·03		·07		·01	·05	·02	·13	·10	4
5		·27			·27	·18			·12	·33	·48	·51	5
6	·02		·03		·16	·17				·48	·15	·02	6
7		·35	·16		·41	·05	·13			·12	·23		7
8	·10	·18			·19		·25	·25		·04	·02	·23	8
9	·07	·04			·12		·01	·13			·28		9
10	·80				·02					·11	·02		10
11	·66				·57	·17			·02	·06	·61	·07	11
12	·50				·02						·47		12
13			·09	·12				·04	·12		·24		13
14	·66		·13		·25						·06	·03	14
15			·46	·64					·24		·11	·04	15
16	·37		·56	·02			·04	·11	·27		·02		16
17	08		·04	·06			·01				·07		17
18	·03		·25	·23							·12		18
19	·44		·11		·06	·02			·42	·04			19
20	·05		·36	·18						·02	·35		20
21	·05		·37	·03							·19		21
22	·18		·19		·07	·13		·02	·01			·19	22
23	·02										·02	·98	23
24	·04	·05		·12		·09				·01	·06		24
25				·57					·04	·09	·04	·09	25
26	·68			·67		·02		·15		·01		·37	26
27	·16		·20	·36				·23		·15		·03	27
28	·26		1·08	·22					·23	·19			28
29	·59			·25			·38			·09		·08	29
30	·20				·02		·28			·59	·07		30
31			·20					·15		·16			31
Total	8·11	1·21	4·77	3·67	2·62	·90	1·20	1·09	2·43	2·74	4·12	3·07	YEAR'S TOTAL 35·93
Rain Days.	28	8	19	17	14	9	8	9	12	19	23	16	183

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Springfield Salcombe
in the County of So Devon S3
by Arthur Pearce

Lat. Long.
Time of Observation 9.15 am.
Nearest Railway Station Kingsbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·49

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·02	·[illegible]	·10	·04	·53			·54		1
2			·04		·07						·37	·40	2
3			·32	·14	·58			·03					3
4			·07	·47	·01		·41	·55	} ·19		·14	·70	4
5	·18		·21	·24								·03	5
6		·10	·20	·11	·19		·04	·03				·52	6
7	·10	·83	·26	·09	·02	·07	·38	·12	·72			·30	7
8	·13		1·13	·04		·21		·04			·01	·04	8
9	·20	·06	·25	·09	·03	·11		·10	·58				9
10	·17	·33	·09	·12	·21	·09			·53		·06	·40	10
11		·11	·66			·04			·08		·03	·49	11
12		·25	·28						·20	·09	·08	·60	12
13		·38	·25			·06	·11		·29	·15	·38	·15	13
14		·25	·27			·06		·33	·05		·70	} ·72	14
15			·21					·07	·07	·08	·51		15
16							·03		·52			·02	16
17		·57	·37				·03					·62	17
18		·17	·13				·26		·29			·21	18
19	}—	·51	·69				1·10				·05	·26	19
20			·15			·07					·02	·26	20
21		·30								·39			21
22		·12	·10		·16	·01		·09		·08			22
23		·28	·37		·03	·03	·03	·01		·52			23
24			·02		·02						·03		24
25	·05		·29				·08	·55		·69	·05	·52	25
26		·11	·11				·12			·11	·33	·48	26
27		·08					03				·16	·46	27
28	·03	·15	·30		·14					·19	·11	·85	28
29	·39		·15		·15					·23	·47		29
30			·06	·03		·02				·34	·51	·62	30
31	·03						·66			·78		·31	31
Total	1·28	4·60	7·01	1·35	1·61	·87	3·32	2·45	3·52	3·65	4·55	8·96	YEAR'S TOTAL 43·17
Rain Days.	9	17	27	10	12	12	14	12	11	12	19	23	178

W. 7,500, XI. ·12

B. moore ✓ [illegible] stats 14.III.16

1809

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5. JAN. 1916

53

Kept at Springfield Salcombe

in the County of (So) Devon

by Arthur Pearce

Lat. 50·20 N Long. 3·60 W.

Time of Observation 9.15 am

Nearest Railway Station Kingsbridge

Diameter of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·18

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·49	·20			·04			·40	·11	·38		·04	1
2	·27	·19	·23	·12		·16		·05	·27			·57	2
3	·02	·12	·19	·18	·56							1·02	3
4	·08	·07	·02	·01	·01	·03						·12	4
5	·04	·76		·10		·02		·35				·35	5
6	1·19	·18		·46			·35	·08				·14	6
7	·18	·88		·03			·02			·38	·03	·17	7
8	·25			x			·10	·02		·02	·06	·26	8
9		·16		x							·55	·79	9
10	·30	·37		x						·17	·03	·22	10
11	·20	·04	·10	(·19)			·01	·03		·26	·91	·10	11
12	·10	·37		x	·69			·05		·13	·17		12
13	·02	·30			1·09				·01		·08	·02	13
14	·07						·32		·15			1·08	14
15	·10				·36		·36		·02	·02	·04	·10	15
16		1·34			·23		·83					·19	16
17		·21			·06								17
18		·20					·03				·16		18
19	·03	·03			·27		(·10)						19
20	·19			·10		·26				·12		·04	20
21	·18	·12	·01		·23	·11	·58			·03			21
22	·05	·13	·35				·50			·05		·36	22
23			(·12)			·25	·04		·20	1·21		·72	23
24				·02		·15				·45		·95	24
25	·09		·02	·05		·11				1·02		·21	25
26		·24				·28	·25					·85	26
27		·04				·28			·01	·70			27
28		·05				·15		·01	·48	·10	·04	·08	28
29						·03		·02			·25	·05	29
30	·15	X				·33				·37	·58	·29	30
31	·15	X		X		X	·22	·16	X	·57	X	·15	31
Total	4·15	6·00	1·04	1·26	3·54	2·16	3·71	1·17	1·25	4·98	2·90	8·87	YEAR'S TOTAL 41·03
Rain Days.	21	22	~~7~~ 8	~~9~~ (13)	10	13	~~12~~ 14	10	8	17	12	25	~~166~~ 173

W. 8,000. X. 14.

The Copse REGI

Kept at Seaton,

in the County of De

by Herbert J.

SEATON

THE COPSE

DEVON

- 1920

°15'

un

aton, Devon

Gauge 5 in.

Ground 1 ft. — in.

Sea Level 200 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. Mill, 62, Cam

the result entered to the
ersal rule, he is earnestly
r in the space provided
nent of rain,
tish Rainfall
application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	—	.02	.11	.35	—	.28	.02	.05	.18	.10	.73	1
2	.27	—	—	.22	—	—	.14	.25	.03	.04	.01	.16	2
3	.03	.03	—	.03	—	—	.01	—	.01	.22	—	.16	3
4	—	—	.01	—	.02	—	.23	.59	—	.18	—	—	4
5	—	—	.10	.08	.20	—	.37	.18	—	.14	—	—	5
6	—	—	—	.10	.32	—	.25	—	—	.12	—	—	6
7	—	—	—	.40	.03	—	.42	—	—	.01	—	.01	7
8	.10	.06	—	.40	.05	—	.29	—	.01	—	—	.12	8
9	.84	—	—	.10	—	.30	.02	—	—	—	—	—	9
10	.63	.06	.15	.03	—	.31	.46	—	—	—	—	—	10
11	.20	—	.22	.49	.31	.01	.16	—	—	—	—	—	11
12	.19	.02	.01	.12	—	.03	.03	—	—	.01	.05	.08	12
13	.28	.02	.45	.09	—	—	—	—	—	.03	—	.06	13
14	.11	.04	.32	.68	—	—	.02	—	.20	.15	.26	.02	14
15	.01	.06	.10	.35	.22	.01	—	—	.02	.49	.07	—	15
16	.01	.01	.05	.05	.01	.14	.28	—	.11	.25	—	—	16
17	—	—	.01	.31	.24	.09	.02	—	.37	—	—	—	17
18	.07	—	.02	.11	.02	.21	.05	.41	.12	—	—	—	18
19	.08	—	—	.16	.01	.24	.02	—	.03	—	—	—	19
20	.03	.09	—	.31	—	.52	—	.01	—	—	—	.26	20
21	.01	—	—	.06	—	—	.08	—	—	.34	—	.12	21
22	.05	—	—	.23	—	—	.01	—	—	.01	—	.45	22
23	.01	—	—	—	—	—	.54	.01	—	—	—	.51	23
24	—	—	.23	—	—	—	—	.01	—	—	.15	.09	24
25	—	.03	.08	.01	.10	—	.68	—	—	—	—	.01	25
26	.17		.12	—	—	—	.01	—	—	—	.11	.18	26
27	.49	.06	.10	.10	.01	.16	.13	—	—	—	.26	.25	27
28	.70	.03	.18	.06	—	—	.15	—	.01	—	—	.12	28
29	.31	.02	.50	.08	—	—	—	—	.01	—	.12	.18	29
30	.16	×	—	.03	.05	.17	.10	—	.53	.01	.29	.28	30
31	.08	×	.46	×	—	×	—	—	×	.33	×	.13	31
Total	4.92	.53	3.13	4.71	1.94	2.19	4.75	1.48	1.50	2.51	1.42	3.92	YEAR'S TOTAL 33.00
Rain Days.	24	13	19	26	15	12	25	8	13	16	10	20	201 ✓
=.04	18	6	14	22	9	9	17	4	6	11	9	17	142

W. 8,000, IX. 17.

The copy

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Seaton, Devon
in the County of Devon
by Herbert J. Roberts

Lat. 51° 25′ Long. 3° 15′
Time of Observation 9, am
Nearest Railway Station Seaton, Devon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	—	.02	.11	.35	—	.28	.02	.05	.18	.10	.73	1
2	.27	—	—	.22	—	—	.14	.25	.03	.04	.01	.16	2
3	.03	.03	—	.03	—	—	.01	—	.01	.22	—	.16	3
4	—	—	.01	—	.02	—	.23	.59	—	.18	—	—	4
5	—	—	.10	.08	.20	—	.37	.18	—	.14	—	—	5
6	—	—	—	.10	.32	—	.25	—	—	.12	—	—	6
7	—	—	—	.40	.03	—	.42	—	—	.01	—	.01	7
8	.10	.06	—	.40	.05	—	.29	—	.01	—	—	.12	8
9	.84	—	—	.10	—	.30	.02	—	—	—	—	—	9
10	.63	.06	.15	.03	—	.31	.46	—	—	—	—	—	10
11	.20	—	.22	.49	.31	.01	.16	—	—	—	—	—	11
12	.19	.02	.01	.12	—	.03	.03	—	—	.01	.05	.08	12
13	.28	.02	.45	.09	—	—	—	—	—	.03	—	.06	13
14	.11	.04	.32	.68	—	—	.02	—	.20	.15	.26	.02	14
15	.01	.06	.10	.35	.22	.01	—	—	.02	.49	.07	—	15
16	.01	.01	.05	.05	.01	.14	.28	—	.11	.25	—	—	16
17	—	—	.01	.31	.24	.09	.02	—	.37	—	—	—	17
18	.07	—	.02	.11	.02	.21	.05	.41	.12	—	—	—	18
19	.08	—	—	.16	.01	.24	.02	—	.03	—	—	—	19
20	.03	.09	—	.31	—	.52	—	.01	—	—	—	.26	20
21	.01	—	—	.06	—	—	.08	—	—	.34	—	.12	21
22	.05	—	—	.23	—	—	.01	—	—	.01	—	.45	22
23	.01	—	—	—	—	—	.54	.01	—	—	—	.51	23
24	—	—	.23	—	—	—	—	.01	—	—	.15	.09	24
25	—	.03	.08	.01	.10	—	.68	—	—	—	—	.01	25
26	.17		.12	—	—	—	.01	—	—	—	.11	.18	26
27	.49	.06	.10	.10	.01	.16	.13	—	—	—	.26	.25	27
28	.70	.03	.18	.06	—	—	.15	—	.01	—	—	.12	28
29	.31	.02	.50	.08	—	—	—	—	.01	—	.12	.18	29
30	.16	X	—	.03	.05	.17	.10	—	.53	.01	.29	.28	30
31	.08	X	.46	X	—	X	—	—	X	.33	X	.13	31
Total	4.92	.53	3.13	4.71	1.94	2.19	4.75	1.48	1.50	2.51	1.42	3.92	YEAR'S TOTAL 33.00
Rain Days.	24	13	19	26	15	12	25	8	13	16	10	20	201
=7.04	18	6	14	22	9	9	17	4	6	11	9	17	142

Wt. 8,000, IX. 17.

SEATON

DEVON

1911 – 1919

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

R

Kept at Seato

in the County of De

by Mrs Pat

in.

round ft. 10 in.

ea Level 25 ft.

a.m.

ame Seaton

stance ½ mile Direction E

IMPORTANT NOT — he result entered to the previous day. If an O — rsal rule, he is earnestly requested to add the rea — in the space provided for it at the end of thi — it of rain, the selection and placi — sh Rainfall Organization are given in — plication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	Marc							ct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1				·14				·01			·02	·02	1
2				·14	·38			·13		·07	·34	·17	2
3					·13						·06	·06	3
4			·07					·02	·02		·06	·20	4
5	·11		·08					·07		·05	·15		5
6	·23		·22							·04	·08	·77	6
7	·05			·01						·01	·37	·03	7
8			·28							·03	·04	·72	8
9	·04										·31	·47	9
10	·13	·08	·39									·20	10
11	·25		·03		·05						·92	·11	11
12			·94								·04	·12	12
13									·24	·04	·08	·30	13
14		·12								·12		·96	14
15		·04				·01					·25	·04	15
16		·01				·48					·50	·40	16
17		·01	·21			·10				·04	·21	·32	17
18		·17	·10	·14		·05				·12	·08	·25	18
19		·05		·04		·17			·21	·17	·05	·41	19
20	·02	·04	·22	·14					·06	·09		·61	20
21		·16		·07						·40		·11	21
22	·08	·04		·05		·03			·10	·20		·48	22
23	·01	·11				·13			·12	·18	·22	·22	23
24		·20				·28		·02		·32		·21	24
25		·04		·16		·06			·06	·12		·10	25
26		·15		·27	·10			·03		·12	·06	·22	26
27		·39	·15		·10			·04	·04	1·07	·06	·15	27
28		·32		·32				·12			·17		28
29				·61	·01	·21	·18		·17	·41	·01		29
30						·06			·03	·13	·08	·03	30
31			·03				·04			·02		·01	31
Total	·92	1·93	2·72	2·09	·77	1·58	·22	·44	1·24	3·75	4·16	7·69	TOTAL for year 27·51
No. of Rain Days	9	16	12	12	6	11	2	8	10	21	23	28	158

9,000, IX. '10.

R

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Seaton

in the County of Devon S. 7.

by Mrs Pattinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 25 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Seaton
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14				·01			·02	·02	1
2				·14	·38			·13		·07	·34	·17	2
3					·13						·06	·06	3
4			·07					·02	·02		·06	·20	4
5	·11		·08					·07		·05	·15		5
6	·23		·22							·04	·08	·77	6
7	·05			·01						·01	·37	·03	7
8			·28							·03	·04	·72	8
9	·04										·31	·47	9
10	·13	·08	·39									·20	10
11	·25		·03		·05						·92	·11	11
12			·94								·04	·12	12
13									·24	·04	·08	·30	13
14		·12								·12		·96	14
15		·04				·01					·25	·04	15
16		·01				·48					·50	·40	16
17		·01	·21			·10				·04	·21	·32	17
18		·17	·10	·14		·05				·12	·08	·25	18
19		·05		·04		·17			·21	·17	·05	·41	19
20	·02	·04	·22	·14					·06	·09		·61	20
21		·16		·07						·40		·11	21
22	·08	·04		·05		·03			·10	·20		·48	22
23	·01	·11				·13			·12	·18	·22	·22	23
24		·20				·28		·02		·32		·21	24
25		·04		·16		·06			·06	·12		·10	25
26		·15		·27	·10			·03		·12	·06	·22	26
27		·39	·15		·10			·04	·04	1·07	·06	·15	27
28		·32		·32				·12			·17		28
29				·61	·01	·21	·18		·17	·41	·01		29
30						·06			·03	·13	·08	·03	30
31			·03				·04			·02		·01	31
Total	·92	1·93	2·72	2·09	·77	1·58	·22	·44	1·24	3·75	4·16	7·69	TOTAL for year 27·51
No. of Rain Days	9	16	12	12	6	11	2	8	10	21	23	28	158

9,000, IX. '10.

EXMJ

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
13 JAN 1913

Kept at Seaton
in the County of Devon S 7
by Mrs Pattinson

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	ft. 10 in.
	,, ,, ,, Sea Level	25 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Seaton
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·21	·03		·03	·80		·35	1
2			·16				·08	·04		·04			2
3			·16			·30	·15	·90	·04			·03	3
4	·16		·24			·33		·03			·23		4
5	·53	·37	·33		·03	·05		·47				·27	5
6	·63	·09	·02		·37	·10	·21	·28				·01	6
7	·03	·58	·14		·14	·89		·16				·21	7
8	·39	·14	·66			·15	·04	·01				·01	8
9	·07	·05	·03	·16		·19	·07	·09				·57	9
10	·04	·12	·03				·03	·65			·04	·32	10
11	·10	·04	·03					·09		·02	·04	·43	11
12	·04	·33	·12				·05	·39				·04	12
13	·02		·02				·03			·01		·09	13
14	·05	·06	·40		·49			·04				·01	14
15	·28	·21		·01	·25	·49						·12	15
16	·42	·01	·41			·03		·10		·13	·04	·03	16
17	·37	·01	·25			·15		·65				·01	17
18	·06	·03	·18					·08		·01	·04	·04	18
19		·14	·11				·08	·27			·02	·01	19
20	·04	·12	·27		·12	·04	·04	·40		·19	·02		20
21	·01	·22	·17		·42			·07		·15			21
22	·56	·31	·24		·07		·05	·21		·30	·04	·18	22
23	·37	·47	·33			·02	·02	·88		·06	·15	·18	23
24	·08	·07				·48		·08		·03		·25	24
25	·17					·05		·37		·38	·13	·48	25
26		·04				·45	·04	·10		·27	·40	·27	26
27		·01				·05	·69	·18		·91		·32	27
28		·07					·04	·27	·21	·70	·38	·45	28
29		·18				·09	·24	·13	·60	·40		·01	29
30						·03	·03		·29	·36			30
31			·20				·27	·02		·04		·12	31
Total	4·42	3·67	4·59	0·17	1·89	4·10	2·19	6·96	1·17	4·80	1·53	4·81	TOTAL for year 48·30
No. of Rain Days.	21	23	23	2	8	19	19	27	5	18	12	26	203

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
20 JAN 1914

Kept at *Seaton*
in the County of *Devon* 7
by *Mrs. Pattinson*

Lat. *50·43* Long. *3·4 W*
Time of Observation *9 a m*
Nearest Railway Station *Seaton*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground ft. *10* in.
" " " " Sea Level *25* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·26	·10	·03	·13				·12	·06	·11		1
2	·01	·06		·10	·10		·05			·01	·15	·03	2
3	·28		·03		·24					·36		·14	3
4	1·04		·02		·25	·02			·06	·38	·06	·11	4
5	·13	·06	·08		·22	·07			1·15	·03	·18	·39	5
6	·07	·08	·06		·02	·09	·04			·17	·04	·31	6
7	·07	·27	·02		·54	·04	·06			·14	·23		7
8	·04	·07			·23		·05					·02	8
9		·04			·07			·04			·24	·03	9
10	·37	·02			·05	·03		·02		·16	·10		10
11	·71	·01		·10	·26	·05				·85	·90		11
12					·27				·08		·56	·03	12
13	·21		·04					·12	·35		·19		13
14	·24		·10	·03	·11						·16		14
15	·21		·39	·32		·03			·15		·01	·01	15
16	·11		·41	·07		·01			·19				16
17	·05		·02	·03							·01		17
18	·03		·19	·15							·08		18
19	·49		·10		·04	·08			·50				19
20	·26		·14	·37		·03				·20	·13		20
21			·11	·08	·05					·06	·65		21
22	·48		·30	·08		·08	·03	·03	·08	·04		·17	22
23	·03										·12	·24	23
24	·03	·05		·05		·03					·04		24
25		·01		·22					·02	·03		·02	25
26				·42				·12				·14	26
27	·20		·15	·27				·01		·13		·01	27
28	·69		·04	·30						·34		·13	28
29	·17		·54	·17	·02			·02		·07			29
30	·34			·03	·04			·24	·85	·40			30
31	·20		·06					·61		·20			31
Total	6·46	0·93	2·90	2·82	2·64	0·56	0·23	1·21	3·55	2·53	3·96	1·78	YEAR'S TOTAL 29·57
Rain Days.	25	11	20	18	17	12	5	9	11	18	19	15	180

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Seaton
in the County of Devon S7
by Jno Pattinson

Lat. 50.43N Long. 3.4W
Time of Observation 9 a.m
Nearest Railway Station Seaton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·03		·03	·05	·79			·24	·09	1
2		·01	·04	·05	·05		·49	·06			·90	·36	2
3	·03	·01	·16	·16	·56			·22			·05	·01	3
4	·08		·06	·18	·10		·33	·23			·65	·45	4
5	·06		·07	·16	·05		·82				·02		5
6		·10		·12	·10						·02	·22	6
7	·02	·54	·16	·16	·06	·02	·27	·09	·04		·01	·28	7
8	·07	·01	·61	·04	12	22		·04				·08	8
9		·03	·35	·31	·06	·58		·17	1·21		·02		9
10	·07	·28	·01	·07	11	·06			·45			·02	10
11		·13	·50		·05	·10	·12		·01	·05	·08	·48	11
12		·10	·22						·40	·09	·03	·81	12
13		·28	·20				·04		·22	·20	·17	·40	13
14		·17	·22			·94		1·59		·13	·24	·09	14
15	·01		·13				·08	·11	·03	·17	·38	·04	15
16			·01						·35			·03	16
17		·37	·22						·03			·30	17
18		·04	·09				·28		·10			·27	18
19		·14	·66				2·24				·04	·06	19
20		·41	·06									·34	20
21		·40				·12				·26		·03	21
22		·04	·07	~~21~~	·25	·06		·01		·06		·03	hoar frost 22
23		·12	·23		·03					·68		·02	23
24		·14	·02		·04					·11	·13		24
25	·07	·01	·32				·08	38	·01 fog.	·33	·03	·23	25
26	·04		·12				·03			·04	·15	·37	26
27	·05	·02									·06	·17	27
28	·01	·13	·36		·03					·05	·24	1·13	28
29	·16		·10		·16					·15	·30	·02	29
30			·08	·03		·06				·20	·32	·61	30
31	·10				03		·55			·72		·11	31
Total	0·77	3·48	5·15	1·31	1·80	2·19	4·58	3·69	2·85	3·24	4·08	7·05	YEAR'S TOTAL 40·19
Rain Days.	13	22	27	11	16	10	13	11	11	15	21	28	198

W.7,000, XI. 13

conf for arith 15. III. 16 – L N

1918

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Seaton
in the County of Devon S7
by Mrs Pattinson

Lat. 50·43½ Long. 3·4 W
Time of Observation 9 am
Nearest Railway Station Seaton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·30			·01			·22	·22	·39	·05	·23	1
2	·30	·15	·17	·05		·07		·16		·18		·56	2
3	·04	·05	·11	·04	·24			·01		·08		·54	3
4	·09	·09			·03							·36	4
5	·04	·32		·05				·41				·41	5
6	·77	·11		·29			·62	·05				·16	6
7	·31	·42		·05			·18				·04	·28	7
8	·13	·39					·04	·10			·03	·10	8
9	·05	·04		·11							·22	·82	9
10	·24	·21	·02	·04						·13	·04	·08	10
11	·09	·75	·07	·03			·03	·07		·01	·88	·03	11
12	·20	·35		·05	·53			·10		·11	·34	·02	12
13		·42			·34			·03	·07	·02	·13	·04	13
14	·01						·23	·26	·18	·03	·03	·88	14
15	·13	·05			·24		·14			·09		·14	15
16	·02	·74			·10		·77	·01				·34	16
17		·43			·04			·47	·01	·01		·22	17
18		·22			·01								18
19	·02	·03			·27		·15						19
20	·19	·01		·09		·21				·20		·08	20
21	·25	·15				·03	·12			·35		·03	21
22	·07	·04	·43	·07		·13	·61			·03		·25	22
23		·06	·07			·01	·15		·15	2·45		·49	23
24				·03			·12		·15	·17		·20	24
25	·22			·06		·20	·03				·03	·41	25
26	·03	·13					·27		·01			·70	26
27		·04				·30	·13			·60			27
28		·14				·07			·34	·10	·01	·06	28
29						·16	·06			·04	·15	·01	29
30	·18	X				·01				·91	·36	·32	30
31	·05	X		X		X	·06	·02	X	1·35	X	12	31
Total	3·61	5·64 5.64	·87	·96	1·81	1·19	3·71	1·91	1·13 1.13	7·25	2·31	8·08	YEAR'S TOTAL 38·47 38.47
Rain Days.	23	25	6	13	10	10	17	13	8	20	13	28.	186

W. 8,000. X. 14.

W. [illegible] [illegible] 1876

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Seaton

in the County of Devon

by Mrs Pattinson

Lat. 50·43N Long. 3·4 W

Time of Observation 9 a.m

Nearest Railway Station Seaton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~[illegible]~~ ft. 10in in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·03	·05		·65				·26	·27	·25		1
2	·13	·08			·03				·02	·30	·20		2
3		·96			·30	·04			·07	·35	·10		3
4		·14			·07	·18			·01	·03	·48		4
5	·08	·02	·07		·07	·07				·03	·10		5
6	·01	·09			·10	·06	·80			·23	·60		6
7	·10	·19	·31		·03	·05	·02			·09	·85	·15	7
8		·20	·48		·18						·17	·19	8
9		·04			·10	·20				·06	·09	·27	9
10		·72		·06	·03	·09	·05			·01	·05	·22	10
11			·01	·06		·05					·01		11
12	·07	·07	·22	·03	·23		·16	·08		·03	·02		12
13		·18	·18	·08				·17	·01		·02	·02	13
14		·45	·03		·04			·23		·01			14
15		·12	·25	·07				·06		·05		·16	15
16	·12	·08		·31			·11	·06		·08			16
17	·13	·25		·12				·04	·24	·39	·26	·01	17
18	·05	·14	·20	·01					·28	·04		·07	18
19	·10	·15	·42	·03							·10	·04	19
20	·10	·91	·18								·12	1·53	20
21		·17	·08		·05							·36	21
22						·08		·04		·48	·01	·14	22
23		·09		·03		·09		·20		·03	·06	·07	23
24		·04		·04	·34	·11		·06		·36	·05	·39	24
25		·66	·04		·03			·54	·03		·23		25
26		·10	·01			·21		1·16	·68	·53	·01		26
27			1·38			·35		·21	·38	·21		·03	27
28	·01	·14						·12	·17	·27		·29	28
29		·39				·30		1·64	·12	·06		·31	29
30		X								·75			30
31		X		X		X		·03	X	·36	X	·03	31
Total	1·03	6·41 6·41	3·91	0·84	2·25	1·88	1·14	4·64	2·27	5·22	3·78	4·28 4·28	YEAR'S TOTAL 37·65 37·65
Rain Days.	12	26	16	11	15	14	5	15	12	24	21	18	189

1796

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Seaton

in the County of Devon

by Mrs Pattinson

Lat. 50 43 Long. 3 4 W

Time of Observation 9 a m

Nearest Railway Station Seaton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·07	·39		·14		·39		·01	·04		1
2			·06	·10		·03					·04		2
3	·07			·04			·49			·06	·85		3
4		·09	·41						·01	·25		·03	4
5	·07		·31	·28					·12	·22	·06		5
6			·07	·04						·03	·11	·01	6
7	·61						·24	·29		·17	·06	·02	7
8	·18		·11	·11			·35	·45	·05	·42	·10	·22	8
9			·08	·08			·15	·74	·03	·13	·18		9
10	·40		·26	·22	·03			·27	·01				10
11	·10		·63	·08	·03			·04	·02	·24	·10		11
12	·17		·03		·45					·26	·01		12
13			·18			·03		·18	·03	·02			13
14				·17			·58	·22	·03				14
15				·01			·05	·25	·01	·15		·62	15
16	·02	·16		·08				·02		·35		·19	16
17	·01	·03		·08			·25	·10	·66	·12			17
18		·11			·04		·07	·01	·61	·06			18
19		·68	·14			·10			·14				19
20		·03	·04		·38	·10		·05	·02			·02	20
21			·17			·03		·10		·04			21
22	·03		·03					·07		·04			22
23		·16			·05			·13		·18			23
24						·02	·45	·06		·13			24
25		·03	·04				·01	·04	·05	·07	·08		25
26			·04		·53	·07		·21	·19	·02	·03		26
27					·39	·27		·88					27
28		·04	·11		·10	·54		23				·04	28
29			·04			·28	·03			·29		·11	29
30		╳	·31				·12	·16	·01	·03			30
31		╳	·07	╳	·01	╳			╳	·17	╳	03	31
Total	1·70	1·33	3·20	1·68	2·01	1·61	2·79	4·89	1·99	3·46	1·66	1·29	YEAR'S TOTAL 27·61
Rain Days.	11	9	21	13	10	11	12	22	16	24	12	10	171

W. 8,000, VIII. 16

·54

131

FORM A. BRITISH RAINFALL.

REGISTER OF Exd RAINFALL IN 1918

Kept at Seaton
in the County of S Devonshire
by Mrs Pattinson

Lat. 50 43 Long. 3 4 W
Time of Observation 9 a m
Nearest Railway Station Seaton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·18		·05	·05			·73			·40		1
2	·01	·12		·05	·07			·03		·03		·10	2
3		·07	·02	·22						·02	·05	·06	3
4		·04						·11	·46		·68	·14	4
5		·02	·25		·28			·64	·39	·14		·08	5
6	·19	·11		·18				·08	·03	·16		·14	6
7		·18		·02	·12	·01			·29	·04	·39	·05	7
8	·07	·32					·02		·07	·56		·04	8
9	·09			·08		·09	·33		·32	·01		·45	9
10	·04			·30			·10		·10	·14	·01	·40	10
11		·02	·17	·03			·76		·17	·28	·05	·05	11
12		·06	·07		·41		·28		·14	·12		·03	12
13	·11				·20		·20		·72	·16			13
14	·17				·04	·17	·03		·23	·16		·11	14
15	1·57			·12	·07	·06	·40			·83		·19	15
16	·46		·02	·21		·14	·04		·29			·07	16
17	·17		·05	·11			·36	·01	·04			·15	17
18	·81		·02			·57	·16		·19			·13	18
19	·16		·24			·03	·13		·16			·08	19
20	·04	·08		·10			·05		·14	·03			20
21	·03	·05	·01	·03		·05	·05		·29	·10		·34	21
22	·05		·01		·08		·61		·18	·19		·12	22
23	·10	·02			·14		·42		·10		·03	·12	23
24		·23					·12	·04	·09		·18	·17	24
25	·03			·07	·18		·13	·75			·11	·06	25
26	·01	·02					·17		·03	·01	·10	·20	26
27	·03	·11	·03				·18	·06	·17	·05	·12		27
28		·10	·15							·03		·08	28
29			·16						1·36		·02	·05	29
30			·53	·02					·03	·04	·16	·03	30
31			·06							·06			31
Total	4·14	1·73	1·79	1·59	1·64	1·12	4·54	2·45	5·99	2·36	2·30	3·39	YEAR'S TOTAL 33·04
Rain Days.	19	17	15	15	11	8	20	9	24	21	13	26	198

W. 8,000, IX. 17.

1682

FORM A.
BRITISH RAINFALL.
3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Seaton

in the County of Devon

by Mrs Patterson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							·30		·03	·09			
1	·69		·10		·05				·28				1
2	·10				·01				·09				2
3	·67		·36		·07				·37				3
4	·64	·45	·72			·55		·09	·35				4
5		·34	·50										5
6	·37	·76	·12										6
7	·13		·28	·19									7
8	·21		·32										8
9	·10		·02	·22	·12								9
10	·06		·29		03					·03			10
11	·02		·18	·14	·20		·20			·01			11
12	·23		·04	·08		·02	·03			·04			12
13	·35	·08	·11	32						·03			13
14	·16	·16		57	·45		·03		·05	·08			14
15	·06	·08		·12						·09			15
16	·01	·90											16
17	·10	·34											17
18	·73	·10	·73				·39	·02					18
19	·27	·41	·41			·08	·88	·20	·13				19
20		·06	·20			·33		·26	·23				20
21		·79					·16	·04	·07				21
22		·01							·10				22
23			·03					·10		·55			23
24						·15		·14		·87			24
25	·11			·12		·08		·34					25
26	·10	·03	·09	·03				·04					26
27	·22		·11	·30			·19	1·00					27
28			·39					·33		·01			28
29				·06				·16		·04			29
30		✕		06		·10		·82					30
31		✕		✕		✕			✕		✕		31
Total	5·36 ✓	4·51 ✓	5·00 ✓	2·21 ✓	·93 ✓	·81 ✓	2·38 ✓	3·54 ✓	1·70 ✓	1·84 ✓			YEAR'S TOTAL
Rain Days.	21 22	14 ✓	19 ✓	12 ✓	7 ✓	7 ✓	8 ✓	13 ✓	10 ✓	11 ✓			

W. 6,500. VII. 18. W W C

SHEEPSTOR
BURRATOR
DEVON
1911 - 1920

IN 1911

13 JAN 1912

Kept at

y Frank Howarth

in the County of

iameter 5"

eight of top above Ground 1 ft 0 in

Lat.

„ „ „ Sea Level 755 ft

Date.	Jan.								Sept.	Oct.	Nov.	Dec.	Date.
	in.								in.	in.	in.	in.	
1	·08									·02	·20	·01	1
2										·11	·27	·81	2
3			[illegible]	[illegible]	[illegible]			[illegible]	·01	·01	·40	·17	3
4			·28					·80			·52	·96	4
5	·50		·15					·70		·06	·15	·01	5
6	·50		·20	·01				·06		·10	·10	2·02	6
7	·27			·04							·62	·03	7
8	·09		·32								·15	1·18	8
9	·13										·20	1·30	9
10	·12	·04	1·50		·04						·03	·70	10
11	·87		·01						·01		·98	·04	11
12			·90						·27		·28	·60	12
13		·02	·13						·15		·20	·40	13
14		·24	·05							·04	·10	·57	14
15		·13	·11			·06				·02	1·12	·19	15
16	·01	·06	·02			·53				·02	·64	1·05	16
17	02	·10	·75	·08		·25	·01			·01	·18	1·25	17
18		·36	·20	·35		·33				·11	·25	·80	18
19		·02	·05	·06		·75			1·15	·27	·44	1·10	19
20	·04	·06	·02	·35		·01		·01	·13	1·30		1·15	20
21	·02	·94		·06		·20			·33	·40		·12	21
22	·03	·14	·01	·42		·10			·33	·50		·90	22
23		·34		·02		·04		·01	·20	·70		1·03	23
24	·05	·35				·80		·54		·20		·30	24
25	·07	·12		·55		·14		·01	·25	·32		·03	25
26	·03	·18		·85		·01		·70		·96		·60	26
27		1·30		·05	·10	·01		·53	·25	·22	·02	·45	27
28		·40	01	·60				·05	·01		·30	·02	28
29			·01	·25	·13	·68	·80		·29	·70	·01	·02	29
30						·08	·20		02	·42	·82	·18	30
31			02				·32			·02		·01	31
Totals	2·83	4·80	4·83	4·26	1·80	3·99	1·33	4·54	3·40	6·51	7·98	18·00	Total for Year 64·24
No. of Rain Days ~~Total from Jan. 1~~	16	17	22	17	6	15	4	13	14	22	23	31	200

13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Burrator by Frank Howarth

in the County of Devon S. 2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. .... Lon. .... Time of Observation 9 AM.

" " " Sea Level 755 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·02	·20	·18			01		·02	·20	·01	1
2			·02	·36	·90			1·07		·11	·27	·81	2
3			·05	·01	·45			·05	·01	·01	·40	·17	3
4			·28					·80			·52	·96	4
5	·50		·15					·70		·06	·15	·01	5
6	·50		·20	·01				·06		·10	·10	2·02	6
7	·27			·04							·62	·03	7
8	·09		·32								·15	1·18	8
9	·13										·20	1·30	9
10	·12	·04	1·50		·04						·03	·70	10
11	·87		·01						·01		·98	·04	11
12			·90						·27		·28	·60	12
13		·02	·13						·15		·20	·40	13
14		·24	·05							·04	·10	·57	14
15		·13	·11			·06				·02	1·12	·19	15
16	·01	·06	·02			·53				·02	·64	1·05	16
17	02	·10	·75	·08		·25	·01			·01	·18	1·25	17
18		·36	·20	·35		·33				·11	·25	·80	18
19		·02	·05	·06		·75			1·15	·27	·44	1·10	19
20	·04	·06	·02	·35		·01		·01	·13	1·30		1·15	20
21	·02	·94		·06		·20			·33	·40		·12	21
22	·03	·14	·01	·42		·10			·33	·50		·90	22
23		·34		·02		·04		·01	·20	·70		1·03	23
24	·05	·35				·80		·54		·20		·30	24
25	·07	·12		·55		·14		·01	·25	·32		·03	25
26	·03	·18		·85		·01		·70		·96		·60	26
27		1·30		·05	·10	·01		·53	·25	·22	·02	·45	27
28		·40	01	·60				·05	·01		·30	·02	28
29			·01	·25	·13	·68	·80		·29	·70	·01	·02	29
30						·08	·20		02	·42	·82	·18	30
31			02				·32			·02		·01	31
Totals	2·83	4·80	4·83	4·26	1·80	3·99	1·33	4·54	3·40	6·51	7·98	18·00	Total for Year 64·27
No of ~~Total from~~ Rain Days ~~Jan. 1~~	16	17	22	17	6	15	4	13	14	22	23	31	200

Ex. D.J.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 FEB 1913

Kept at Burraton

in the County of Devon S2

by Frank Howarth

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 755 ft.

Time of Observation 9. AM.

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·30		·10	·40	·08	·06	·19	·90		·48	1
2			·58	·20		1·10	·06	·04		·04		·02	2
3	·10		·60	·02		·40	·02	1·50	·26			·57	3
4	·40	·05	·97		·03	·42		·22			·53		4
5	·95	·27	·22	·02	·06	·01		1·27			·09	·25	5
6	·61	·21	·04		·62	·03		·65			·02		6
7	·20	1·20	·60	·03	·26	·60		·17	·01		·14	·38	7
8	1·10	·30	·70	·06		·30	·08	·03	·02				8
9	·03	·23	·12	·12		·18	·09	·10				1·10	9
10	·50	·10	·06	·02	·01	·09	·35	·14			·46	·23	10
11		·08	·07				·16	·06			·29	1·10	11
12	·05	·67	·57		·03		·36	·20			·09	·02	12
13	·80	·02	·12			·02	·22	·02		·33		·50	13
14	·45	·20	1·05		·15	·01		·20		·08		·22	14
15	1·10	·55	·09		·22	1·00		·07			·01	·86	15
16	·40	·02	·90		·10	·05		1·05		·25	·04	·12	16
17	·02		·25		·06	·42		2·38			·10	·13	17
18		·10	·18					·20		·14	·08	·12	18
19	·01	·15	·40			·06	·11	·80		·03	·10	·10	19
20	·10	·05	·60		·35			·46		·45	·21		20
21		1·00	·50		·43		·01	·21		·65	·05		21
22	·20	1·13	·44		·05		·04	·50		·09	·04	·36	22
23	·07	·75	·35			·30	·02	1·75		·11	·40	·40	23
24	·02	·17	·17			1·06	·06	·07		·01		·39	24
25	·02	·02	·02			·22	·31	·14		·25	·60	·54	25
26		·14				-02	·11	·29		·85	·90	·70	26
27		·17	·04			1·54	·65	·16		2·75	·03	1·15	27
28		·24				·26	·21	1·46	·69	·45	·95	·56	28
29		·61				·06	30	·33	·87	·35		·10	29
30			·10			·08	·28		·12	·45			30
31			·40				·59	·02		·02		·70	31
Total	7·13	8·43	10·44	·47	2·47	8·63	4·11	14·55	2·16	8·20	5·13	11·10	TOTAL for Year 82·82
No. of Rain Days	20	25	28	7	14	24	21	30	7	19	20	25	240

9,000, IX. '10.

Ex DL

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Burrator by Frank Howarth

in the County of S Devon 2

Rain Guage. Diameter 5"

Height of top above Ground 1' 0"

Lat. Lon. Time of Observation 9·AM

" " " Sea Level 755

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·30	·65	·08	·25				·07	·03	·86	·05	1
2	·17	·18	·10	·40	·30	·02			·01	·03	·40	·14	2
3	1·15	01	·30	·07	·22				·75	·02		·48	3
4	1·67		·35	·04	·01	·23			·15	·11	·15	·54	4
5	·12	·08	·03		·38	·54	·06		1·41	·05	·36	·65	5
6	·72	·20	·30		·22	·31				·45	·58	·26	6
7	·20	·90	·12		1·68	·26				·44	·55	·02	7
8	·16	·74	·02		·55	·01	·07	·27		·08	·02	·23	8
9	·13	·15	·05		·10	·10	05	·16			·89	·04	9
10	1·07		·09	·03	·10	·10		·03		·44	·13		10
11	1·25		·02	·06	·90	·10			·06	·16	1·28	·15	11
12	·05				·06	·11			·25		·25	·09	12
13	·12		·27	·01	·05		·02	·13	·44		·24		13
14	·75		·40	·11	·08		·18		·20	02	·10	·04	14
15	·20		·58	1·40					·03		·30	·03	15
16	·60		·80	·11			04	·31	·40		·10		16
17	·12		·05	·16			·06				·15		17
18	·14		·80	·42	·11		·01				·34		18
19	·80		·05		·07	·06	·06		·68	·27	·01		19
20	·27		·06	·56	·02				·05	·40	1·25		20
21	·01		·55	·35	·16	·02	04	·04	·01	·05	·56		21
22	·37		·70	·06	·07	·24		·10	·04			24	22
23	·09		·04	·01	·01	·06		·01	·01		·25	·68	23
24	·05	·28		·30		·06		·03			·05	02	24
25		·06		·78				·04	·08	·05	·10	·20	25
26				1·72		·04		·01		·06		·50	26
27	·40		·40	·65	·11			·25		·61	·04	·03	27
28	·28		·20	·43	·07				·04	·44	·01	·16	28
29	·12		·80	·33	·03		·03			·70	·04		29
30	1·20			08	·02		·03			1·20	05		30
31	·18		·34		02			·35		·14			31
Totals	12·40	2·90	8·07	8·16	5·59	2·26	·65	1·73	4·68	5·75	9·06	4·55	Total for year 65·80
Total from Jan. 1	29	10	26	23	25	16	12	13	18	21	27	20	240

Esc. M9.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burrator by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"
" " " Sea Level 455 ft

Lat. Lon. Time of Observation 9·AM.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11	·17		·10	·66	·93			·85	·05	1
2	·04		·09	·09	·23	·02	·17	·03			·10	·80	2
3	·05		·39	·26	1·20		01	·03		·04	·06	·03	3
4	·20		·11	·70	·22		1·25	·18			·16	1·02	4
5	·22		·41	·40	·12							·05	5
6		·22	·36	·09	·22		·30	·24			·05	1·47	6
7	·10	2·00	·90	·20	·27	·06	·42	·52	·53		·02	·33	7
8	·40		1·20	·20	·05	·30	01	·31	·03		·02	·15	8
9	·20	·07	·39	·43	·09	·54		·62	·50		·05		9
10	·23	1·48	·15	55	·40	·08		·01	·55		·04	·22	10
11		·30	1·14	03	·01	·14			·06		·12	·72	11
12		·92	·34						·56	·05	·12	·42	12
13		1·59	·88			·04	·23		·70	·03	·52	·23	13
14		·93	·50			·12		·47	·12		1·00	·26	14
15		·01	·41				·11	·15	·05	·06	·20	·80	15
16			·04				·05		·80			·04	16
17		1·07	·55				·06		·03			1·48	17
18		·12	·10				·28		·25			·30	18
19		·12	·46				1·88		·11		·11	·25	19
20		·82	·23			·20			·02		·07	·40	20
21		·70	·04				·01			·61		·01	21
22		·29	·10	04	·13	·30		·27		·50			22
23		·10	·55				·14	·06		·09			23
24	·01	·05	·03		·02	·02	·12	·08		·05	·04		24
25	·24		·42		·03	·01	·09	1·40		·82	·24	1·35	25
26	·12	·09	·07				·25	·08		·08	·42	1·04	26
27	·18	·40					·06			·06	·35	·96	27
28	·08	·24	·75		·10		·14			·36	·35	·83	28
29	·83		·57		·24		·01			·04	1·75	·06	29
30	·07		·47		·09	·02				·12	·52	1·85	30
31	26				·02		1·43			1·47		·75	31
Totals	3·23	11·50	11·76	3·16	3·44	1·95	7·68	5·38	4·31	4·38	7·16	15·87	Years Total 79·82
~~Total from Jan 1~~ Rain Days	16	20	29	12	17	14	22	16	14	15	23	27	225

✓

13 JAN 1916

1787

REGISTER OF RAINFALL IN 1915

Kept at Burrator

by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'-0"
" " " Sea Level 755 ft

Lat.
Lon.
Time of Observation 9 AM.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·83			·12			1·10	·29	·33	·02	·12	1
2	·49	·40	·40	·10		·19		·35	·21	·01		·40	2
3	·13	·63	·60	·27	·10	·01		·02				·68	3
4	·06	·75	·05		·01	·02		·01				·70	4
5	·12	1·15	·10	·20				·29				1·28	5
6	1·53	·30		1·12			·79	·20				·54	6
7	·45	1·06		·13			·58	·03		·45	·06	·50	7
8	·30	·55		·01			·04	·10		·01	·25	·07	8
9	·01	·18		·17				·05			·70	1·45	9
10	·45	·76	·09	·09				·10		·23	·14	·20	10
11	·15	·06	·17	·01	·02		·04	·24		·01	2·00	·14	11
12	·20	·80		·07	·60			·15		·09	·44	·10	12
13	·14	1·25			1·23		·03	·10	·09		·28	·11	13
14	·23	·02					·30	·12	·31	·14	·04	3·15	14
15	·18				·30		·40		·14	·02	·12	·23	15
16	·06	3·10			·35		1·95			·05		·25	16
17	·05	·34	·01		·02								17
18	·02	·35					·10						18
19	·10	·03		·02	·84		·20						19
20	·46			·15	·05	·09				·36			20
21	·23	·40			·21		·38			·11		·28	21
22	·15	·18	·50	·05			·83		·02	·02		·78	22
23	·09	·05	·05				·20		·14	1·08		·80 ✗	23
24		·01		·10		·02	·08		·09	·38		·84	24
25				·06		·12	·25		·02			1·02	25
26		·95				·71	·02		·04			1·23	26
27	·06	·10				·30	·11		·03	1·27		·02	27
28		·10				·24	·01	·04	·18	·24	·02	·06	28
29						·50	·05		·12	·03	·58	·30	29
30	·30			·01		·34	·01		·05	1·30	·60	·68	30
31	·02						·24	·03		·60		·50	31
Totals	6·52	14·35	1·97	2·56	3·85	2·54	6·61	2·93	1·73	6·73	5·25	16·43	Years Total 71·47
Rain Days ~~Total from Jan. 1~~	26	25	9	16	12	11	21	16	14	20	13	27	210

Gauge tampered with marked ✗. taken same as Head Weir

[illegible]

1746

20 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Burrator by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9·AM. " " " Sea Level 755 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41		·10		·05	·18	·12		·03	·29	54		1
2	·72	·24	·11		·10		01		·26	·60	·50		2
3	·24	2·18			·23	·17	·02		·12	1·16	·52		3
4	·60	·23		·01	·01	76	02		·25	·42	1·50		4
5	·12	·59	·03		·03	·33				·40	·36		5
6	·20	·50	·09		·35	19	1·32			·65	1·70		6
7	·10	·30	·19		·17	·05	·03			·09	1·12	·16	7
8	·02	·25	·50		·42	·01					·21	·20	8
9	·07	·15	·10			·22	·01			·22	·20	·30	9
10	02	1·12		·10	·11		·16			·16	·05	·05	10
11		·03		·18	·11	·09			·10		·01	01	11
12	·22	·18	·06	·14	·26		·50	·20		·28			12
13		·65	·08	·03	·01		·09	·46	04	·03		·30	13
14	·05	·74	·01		·15			·32		·27			14
15	·10	·68	·11	·18	·01			·14	·01	·05		·02	15
16	·58	·09		·33	·01		·07	·69		·20		·02	16
17	·68	·19	·01	·03				·15	·22	·72	1·53		17
18	·05	·30	·24	·12					·50	·25	·10	·13	18
19	·72	·12	·09	·20					·05		·44	·25	19
20	·17	·43	·23	·01							·10	·88	20
21	·13	·07	·07	·27	·03						·20	·18	21
22			·03			·36	·01	·11		·42	·16	·58	22
23	·28	08		·26		·32		·33		·31	1·10	·16	23
24		·14	·20	1·10	·15	·05		·28		·91	·17	·26	24
25	·03	·22	·18		·02	03		·78	01	·02	·21	·01	25
26	08	·16	·06			49		·50	60	1·36	·10	·03	26
27	·06		·98			·10		·32	·32	·58		·03	27
28		·04	·07			·02		·08	·70	·85	14	1·08	28
29		·18	·11			·83		·82	·03	·43		1·04	29
30			·01			·16		·01		·81		·04	30
31								·28		·36		·06	31
Totals	5·65	9·86	3·66	2·96	2·22	4·36	2·36	5·47	3·24	11·84	10·96	5·79	Years Total 68·
~~Total~~ Rain from Days	23	26	24	14	18	18	12	16	15	26	22	22	2

1668

FORM A. BRITISH RAINFALL.

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Burrator

in the County of Devon

by Frank Howarth

Lat. .... Long. ....

Time of Observation 9. AM.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 755 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10			30		.56		.12	.05		.14	02	1
2	07		.04	.32						05	.04		2
3	.21			08						.82	.75		3
4	01	.30	.78				.15		.13	.71			4
5	.33		.57	18		.35				.42	.30		5
6	.07		.57			.23		15	.04	.26	.15	.25	6
7	.72			08			.30	10		.18	.15	.15	7
8	08		.14	08		.04	.49	.90	.12	.64	.29	.50	8
9			25	.07	.04		.10	02		.43	.60	.04	9
10	.52		.53	.37				.53	.02	.11	.15		10
11	.03		.41	18				04	08	.62	.33		11
12	.57			.07	46			02		.75		01	12
13	17		.35	.06		.25		.11	30	.25		.10	13
14				.12			.25	.41	15	.15			14
15	.48			.03			.26	25	.05	.90		.54	15
16		04		08		.03		03	.07	.67		.36	16
17		.03	.04	.46	.02		.64	.22	1.04	.27			17
18		.03		.04	.34	.04	.64	04	.90	.07			18
19		.98	.05			.70	.01	01	.15		.05		19
20	.02	.22			.42	.04		.08	20		.05	05	20
21		01	.06			.03		.01		.25	.17		21
22					.01			98		.17	.06		22
23		.30			16	.10	.01	18		.27	.05	04	23
24		.04				.37	.50	11		.45	.28	11	24
25		15	.09				.11	.36	36	15	.06		25
26					42	06	01	60	.42	.09	.10		26
27						.40		1.64		10	.08		27
28		.05	.38			.16		1.02		.03	.10	01	28
29		✕	.17			.06		09		1.40	.05	.10	29
30		✕	.18				.20	62		.01	04		30
31		✕	.07	✕	65	✕		.07	✕	.20	✕	01	31
Total	3.38	2.15	4.68	2.52	2.52	3.44	3.67	8.71	4.68	10.42	3.99	2.29	YEAR'S TOTAL 51.85
Rain Days.	14	11	17	16	9	16	14	27	16	28	22	15	205

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
14 2. 19

REGISTER OF RAINFALL IN 1918

Kept at Burraton
in the County of S Devon
by Mr F. Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 755 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·68		·15	·03			·60		·05	1·65	·02	1
2		·75		·09				·03	·05	·01		1·00	2
3		·35		·14	·07				·11	·14	20	·30	3
4		·10						·40	·27	·01	1·61	1·58	4
5		·08	·28	·10	·27			·57	·80	·58	08	·30	5
6	·25	·75	·68	·48				·38	·01	·37		·66	6
7	·05	·60		·18		·05		·05	·85	·15	·75	1·20	7
8	·03	·10							·30	·86		·05	8
9	·11	·02				·53	·20		·80	·40	·03	1·00	9
10	·08			·15		·02	·17		·33	·37	02	·55	10
11	·03	·03	·48	·04	·10		·32		·34		04	·25	11
12		36	·01		·46	·02	·13		·05			·05	12
13		·03			·38	·01	·22		1·12	·46		·54	13
14	·60				·20	·22	·10		1·00	·18		·58	14
15	1·45				·02	·20	·68		·12	·20		·83	15
16	·65			·20			·21	·02	·40	·01		·12	16
17	·33			·06		·01	·17	·10	·10			·62	17
18	1·60		25			1·40	·16	·07	·85	·58		·35	18
19	30	·14	·25	·10		·01	·19	·10	·12			·30	19
20	·10	·60		·27		·09	·09		30			·03	20
21	·32	·03				·33	·09		·90	·06		·45	21
22	·07				·30	·04	1·48		·20	·17	·09	·48	22
23	30	·01			·10		·69	01	·30		30	·30	23
24	·11	·45			·02		·05	·69	·40		·26	·24	24
25	·10			·05	·18		·38	·50	·01	·12	·25	·06	25
26	·03	·40		·11			·37	·03	·27	·07	·06	·66	26
27	·02	·28	·17					·20	·05	·05	30	·07	27
28		·30	·42						·04	·14	·31	·13	28
29			·56						1·10		·06	·26	29
30		✕	·44	·04				·17	·04	·19	·24	·31	30
31		✕	·20	✕		✕		·01	✕	·02	✕		31
Total	6·53	6·06	3·74	2·16	2·13	2·93	5·70	3·93	11·23	5·19	6·25	13·29	YEAR'S TOTAL 69·14
Rain Days.	20	20	11	15	12	13	18	17	29	23	17	30	225

W. 8,000, VIII. 16

1575

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Burrator
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 755 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.03		.50	.03	.17		.15	01	.45	.35		1.10	1
2	.22		.10		.07		.12		.10	.07		.15	2
3	.18		.30		.20				.30		.03	.32	3
4	.05	.65	.60		.01	.03	.66	.50	1.65		.02	.02	4
5	.10	.30	.70		.04				30			.20	5
6	1.08	1.40	.30									.50	6
7	.70		.63	.17		.01	.03		.02			.18	7
8	.62		.38	.02	.01	.03					.22		8
9	.17		.10	.40	.12						.66	.15	9
10	.10		1.60	.12	.05					.05		1.50	10
11	.14		.95	.48	.75	.09	.10			.12	.20	.80	11
12	.28		.10	.25	.02	.02				.26	.20		12
13	.60	.12	.04	.80			.12			.21		.54	13
14	1.75	.15		.75	1.00		.14		.04	.20		.37	14
15	.45	.05		.14	.02					.17		.60	15
16	.10	1.60			.12	.03	.03			.02	.66	.05	16
17	.05	.07			.03	.08		.06			.48	.16	17
18	.22	.38	1.05				.53	.43	.08		.50	.02	18
19	.90	.58	.43			.20	.55	.70	.27		.40	.18	19
20	.90	.04	.08		.04	.30	.02	.15	.15		.30	.16	20
21	.25	1.58			.02		.20	.03	.15		.05	.15	21
22		.05			.03	.06	05	.13	.38		.06	.14	22
23						.01		.13		1.45	.28	.27	23
24		.01				.22		.15	.10	.38	.15	.43	24
25	.28			.01		.05		.95	.01		.15	.12	25
26	.05	.02	.15	.03		.01		.15	.21	.04	.11	.95	26
27	.25		.10	.48		.02		1.35				.10	27
28		.01	.40	.13				.05		05	.48	.95	28
29		×	.04	.10				.20				.28	29
30		×	.04	.12		.30		.18	05		1.00	1.45	30
31		×	.08	×		×	.01		×		×	.35	31
Total	10.47	7.01	8.67	4.03	2.70	1.46	2.71	5.17	4.26	3.37	5.95	12.19	YEAR'S TOTAL 67.99
Rain Days.	24	16	22	16	17	16	14	16	16	13	19	29	218

W. 6,500, VII. 18. w w c

1489

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Burrator
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 755 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.03	.14	1.03		.87	.03	.24	.27	01	1.35	1
2	.93	.02		.27	.02		.34	.35	.23	.22		.45	2
3	1.05	.12		.08			.03	.04	.06	2.00		.35	3
4			.02				.02	1.60	.03	.53			4
5			.55	.02	.10		.50	35		.22			5
6			.37	.10	.52		.22			.20			6
7	.14		48	.65	.08		.70					.42	7
8	.05	.07		.65	.08		.11	.06				.30	8
9	1.40	.16	.04	.07		.64	.68	.04	.06				9
10	2.08	.40	45	03		.40	.70						10
11	.62	04	.29	1.00	.48	.03	.25						11
12	.60	36	25	25	.07	05	.15			.07	.25	.06	12
13	.07	.08	85	.10		01	.03		.01	.23	.02	.06	13
14	46	09	50	1.00			.14		.35	.60	.90		14
15	.20	.42	1.4	.75					.08	75	.20		15
16	.05	08	.08	.15	.05	.10	.35		.60	07	.04		16
17	28		.02	.04	.70		.03		.80	26			17
18	.50	.03	.01	.13	.10	.15	.06	.35	.07				18
19	.15	.02		.55	.05	.45			.01				19
20	.10			36		40	.03			.18		.95	20
21	.04			.20			.12		.01	.07		.15	21
22	.10			25		05	.12	.03				.35	22
23	.06		.05				.37	.10				.95	23
24	18		.80	.03				.01			.40	.60	24
25	.12	.06	21	.04		.02	1.70				.01	.10	25
26	.60	.06	.25			.12	.15		.02		.40	.05	26
27	1.30	04	.20	30		52	.10				1.08	.60	27
28	90	05	.42	.04	.08	.25	.57				.06	.12	28
29	95	02	37	.02	.14	04	.06				.95	.72	29
30	.42			.01	.07	.46	.48		1.23	.25	.57	1.35	30
31	21		.56		.01		.03			.90		.50	31
TOTAL	13.68	2.12	6.94	7.23	3.58	3.09	8.91	2.96	3.80	6.82	4.89	9.43	YEAR'S TOTAL 73.45 ✓
Days with ·01 in. or more	28	18	23	27	16	16	28	11	15	16	13	19	230 ✓
	23	14	19	22	14	13	27	8	10	16	10	19	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHEE~~PST~~OR

HEAD WEIR

DEVON

1911 - 1920

1645

18 JAN 1912

RE

I911

Kept at Head

ank Howarth

in the County of

5"

top above Ground 1 ft 0 in

Lat.

Lon.

" " Sea Level 720 ft

Date.	Jan.	Feb.							pt.	Oct.	Nov.	Dec.	Date.
	in.	in.							in.	in.	in.	in.	
1	·08									·01	·15	·02	1
2										·11	·26	·69	2
3			·04	·01	·43			·04	·01		·38	·17	3
4			·25	·01				·58			·47	·79	4
5	·46		·44					·82		·06	·15		5
6	·30		·20	·01				·05		·10	·08	1·15	6
7	·24			·03							·61	·05	7
8	·08		·30								·14	1·07	8
9	·13										·19	·86	9
10	·10	·03	1·11		·05						·03	·56	10
11	·66		·01						·01		·77	·05	11
12			·68						·31		·20	·40	12
13		·02	·16						·15		·10	·31	13
14		·23	·04							·04	·06	·30	14
15		·10	·08			·03				·02	·86	·20	15
16	·01	·08	·02			·30				·03	·57	·79	16
17	01	·10	·60	·06		·23	·02			·01	·20	·87	17
18		·25	·18	·30		·28				·07	·26	·40	18
19		·02	·05	·04		·50			·90	·25	·37	·73	19
20	·02	·05	·02	·33		·01		·01	·23	·85		1·06	20
21	·02	·76		·06		·14			·31	·50		·27	21
22	·03	·12	·01	·17		·09			·20	·36		·66	22
23		·26		·01		·04		·01	·21	·36	·02	·40	23
24	·05	·21				·80		·49		·20		·27	24
25	·09	·09		·29		·12		·01	·20	·29		·01	25
26	·04	·16		·60		·01		·49	·01	·73		·43	26
27		1·12		·05	·04	·01		·52	·24	·23	·02	·50	27
28		·36	·01	·36				·05	·01		·18	·02	28
29			·02	·35	·23	·62	·80		·25	·60	·01	·02	29
30						·07	·15		·03	·26	·46	·15	30
31			·03				·26			·02		·01	31 Total for Year
Totals	2·32	3·96	3·98	3·22	1·58	3·25	1·23	3·92	3·07	5·10	6·54	13·21	51·38
No of ~~Total from Jan. 1~~ Rain Days	16	17	22	18	6	15	4	12	15	21	24	30	200

18 JAN 1912 1645

REGISTER OF RAINFALL IN 1911

Kept at Head Weir by Frank Howarth

in the County of Devon S.2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. Lon. Time of Observation 9 AM

" " " Sea Level 720 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·01	·20	·18					·01	·15	·02	1
2			·02	·34	·65			·85		·11	·26	·69	2
3			·04	·01	·43			·04	·01		·38	·17	3
4			·25	·01				·58			·47	·79	4
5	·46		·44					·82		·06	·15		5
6	·30		·20	·01				·05		·10	·08	1·15	6
7	·24			·03							·61	·05	7
8	·08		·30								·14	1·07	8
9	·13										·19	·86	9
10	·10	·03	1·11		·05						·03	·56	10
11	·66		·01						·01		·77	·05	11
12			·68						·31		·20	·40	12
13		·02	·16						·15		·10	·31	13
14		·23	·04							·04	·06	·30	14
15		·10	·08			·03				·02	·86	·20	15
16	·01	·08	·02			·30				·03	·57	·79	16
17	01	·10	·60	·06		·23	·02			·01	·20	·87	17
18		·25	·18	·30		·28				·07	·26	·40	18
19		·02	·05	·04		·50			·90	·25	·37	·73	19
20	·02	·05	·02	·33		·01		·01	·23	·85		1·06	20
21	·02	·76		·06		·14			·31	·50		·27	21
22	·03	·12	·01	·17		·09			·20	·36		·66	22
23		·26		·01		·04		·01	·21	·36	·02	·40	23
24	·05	·21				·80		·49		·20		·27	24
25	·09	·09		·29		·12		·01	·20	·29		·01	25
26	·04	·16		·60		·01		·49	·01	·73		·43	26
27		1·12		·05	·04	·01		·52	·24	·23	·02	·50	27
28		·36	·01	·36				·05	·01		·18	·02	28
29			·02	·35	·23	·62	·80		·25	·60	·01	·02	29
30						·07	·15		·03	·26	·46	·15	30
31			·03				·26			·02		·01	31 Total for Year
Totals	2·32	3·96	3·98	3·22	1·58	3·25	1·23	3·92	3·07	5·10	6·54	13·21	51·38
N° of ~~Total from Jan 1~~ Rain Days	16	17	22	18	6	15	4	12	15	21	24	30	200

Exc DL

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
1 FEB 1913

Kept at Shead Weir

in the County of Devon S 2

by Frank Howarth

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 720 ft. 1645

Time of Observation 9 AM.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.21		.10	.39	.06	.07	13	.81		.46	1
2			.44	.15		1.08	.07	.05		.04		.01	2
3	06		.44	.02	01	.25	.02	1.52	23			.56	3
4	.33	.05	.90		.02	.42		.21			.57		4
5	.60	.21	.20	.02	.03	.01		.87			.08	.21	5
6	.63	.20	.06		.63	.02		.60			.02		6
7	.10	.91	.35	.04	.22	.60		.17	.01		.12	.40	7
8	.73	.25	84	.05		.30	.06	.03	.02				8
9	02	.15	13	.11		.10	.08	.07				.96	9
10	.48	.06	.05	.02	.01	.03	.36	.09			.52	.26	10
11		.12	.08				.14	.05			.49	1.06	11
12	03	.65	.50		.04		.35	.22			.08	.02	12
13	31	.01	12			.02	.20	.02		.22		.51	13
14	.30	.10	.75		.18	.01		.18		.08		.20	14
15	.58	.49	.07		.26	.92		.09			01	.78	15
16	.36	.03	.67		.12	.05		.81		.28	.04	.13	16
17	02		.16		.05	.45		1.95			.09	.11	17
18		.07	.18					.19		.09	.09	.09	18
19	.01	12	.43			.05	.10	.62		.03	.09	.09	19
20	.07	.03	.60		17			.47		.40	18		20
21		.61	.54		22		.01	.22		.64	.65		21
22	18	.73	.40		10		.02	.35		.09	.04	.29	22
23	10	.53	34			.18	.02	1.13		.09	39	.39	23
24	02	.11	.13			.84	.08	.10		.01		.37	24
25	.05	.02	02			.18	.28	.16		.28	64	.60	25
26		.12				.02	.11	.18		.80	.56	.51	26
27		.11	.04			.93	.50	.21		2.11	.03	.68	27
28		.15				.32	12	1.18	64	.41	.78	.54	28
29		.42				.05	18	.18	.67	39		.10	29
30			.07			.07	.21		.14	.38			30
31			.40				.30	.02		.01		.50	31
Total	4.98	6.25	9.12	.41	2.16	7.29	3.27	12.01	1.84	7.16	4.87	9.83	TOTAL for year 69.19
No. of Rain Days	20	25	28	7	15	24	21	30	7	19	20	25	241

9,000, IX. '10.

Exe DL

1645
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Head Weir by Frank Howarth

in the County of S Devon 2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1' 0"

Lat. Lon. Time of Observation 9 AM

" " " Sea Level 720

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·30	·50	·07	·33				·10	·05	·54	·05	1
2	·10	·20	·11	·36	·22	·01			·01	·10	·32	·11	2
3	·90	·01	·32	·06	·23				·90	·01		·32	3
4	1·58		·40	·04	·01	·15			·20	·11	·15	·45	4
5	·19	·04	·03		·32	·65	·11		1·50	·04	·32	·65	5
6	·65	·11	·26		·18	·37				·44	·40	·29	6
7	·18	·57	·12		1·52	·20				·35	·44	·02	7
8	·09	·48	·02		·34	·01	·08	·27		·06	·01	·20	8
9	·11	·18	·04		·09	·07	·05	·78			·70	·03	9
10	·87		·10	·03	·06	·11		·02		·40	·15		10
11	1·28		·02	·06	·78	·08			·08	·16	1·14	·11	11
12	·05				·06	·11			21		·25	·09	12
13	·11		·23	·01	·05		02	·12	32		·18		13
14	·41		·39	·09	·06		·15		·11	·02	·11	·03	14
15	·16		·52	1·29					·03		·25	·03	15
16	·50		·65	08			·03	·42	·40		·08		16
17	·15		·06	·15			·05				·09		17
18	·15		·50	·43	·10		01				·28		18
19	·78		·05		·08	04	05		·62	·24	01		19
20	·32		·06	·41	·02				·05	·34	·74		20
21	·01		·21	·35	·15	·01	·03	·05	·01	·05	·70	~~·28~~	21
22	·36		·72	·06	·05	·20		·09	·03			·21	22
23	·08		·04	·01	·01	·06		·01	01		·25	·77	23
24	·05	·25		·15		·05		·02			·04	·02	24
25		·03		·70				·03	·08	·04	·09	·20	25
26				1·00		·05		·01		·03		·41	26
27	·29		·35	·44	·11			·24		·34	·04	·07	27
28	·28		·22	·25	·05				03	·42	·01	·17	28
29	·12		·68	·31	·03		·04			·41	·03		29
30	·80			·07	01		·04			1·22	·05		30
31	·18		·34		·02			·28		·14			31
Totals	10·76	2·17	6·94	6·42	4·88	2·17	·66	1·74	4·69	4·97	7·37	4·18	Total for year 56·95
No of ~~Total~~ Rain ~~from~~ days ~~Jan. 1~~	29	10	26	23	25	16	12	13	18	21	27	20	240

Exc Mg.

21645

26 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Head Weir by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9·A.M. " " " Sea Level 720 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11	10		·10	·69	·80			·86	·05	1
2	·04		·07	·20	·19	02	·17	·03			·09	·67	2
3	04		·45	·21	·96		·01	·05			·05	·02	3
4	·17		·10	·64	·23		1·12	·20			·18	·95	4
5	·25		·40	32	·15							·05	5
6		·17	·36	·10	·19		·54	·21			·06	1·01	6
7	06	1·77	·70	17	·41	·07	·40	·48	·47		·03	·27	7
8	·38		·90	·15	15	·34	01	·30	·02		·02	·18	8
9	·17	·07	·60	·45	07	·55		·56	·59		·05		9
10	·25	1·37	·17	·48	·33	·08		·02	·55		·04	·14	10
11		·25	1·00	02	·01	·17			·07		·10	·65	11
12		·77	·33						·48	·06	·10	·28	12
13		1·31	·59			·02	·21		·53	·03	·52	·23	13
14		·81	·50			·18		·43	·16		·80	·23	14
15		·01	·40				·15	·18	·03	·06	·20	·70	15
16			·03				·05		·64			·04	16
17		·97	·47				·05		·03			1·13	17
18		·13	·10				·22		·24			·27	18
19		·14	·68				1·70		·11		·12	·22	19
20		·66	·25			·21			·02		·09	·36	20
21		·67	·04				·01			·47		·01	21
22		·20	·07	·02	·13	·39		·18		·41			22
23		·11	·54				·15	·06		·07			23
24	·01	·05	·03		·02	·03	·13	·09		·05	·05		24
25	·17		·33		·04	·01	·04	1·03		·70	·20	1·13	25
26	·11	·05	·05				·24	·15		·08	·32	·85	26
27	·17	·27					·05			·06	·27	·88	27
28	04	·19	·64		·08		·15			·30	·37	·72	28
29	·74		·44		·22		01			·04	1·72	·09	29
30	·07		·32		·07	·03				·13	·47	1·50	30
31	·18				·02		1·24			1·13		·63	31
Totals	2·85	9·97	10·67	2·86	3·27	2·20	7·39	4·77	3·94	3·59	6·71	13·26	Years Ttl 71·48
Rain ~~Total from Jan 1~~ Days	16	20	29	12	17	14	22	16	14	14	23	27	224

1788

1645

13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Head Weir by Frank Howarth

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'·0"

Lat. Lon. Time of Observation 9. A.M. " " " Sea Level 720 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·75			·08			1·00	·30	·29	·03	·12	1
2	·52	34	·38	·10		·16		·35	·19	·01		·42	2
3	·11	·56	50	·24	·08	·01		·02				·58	3
4	·06	·76	·05		01	·02		·01				·50	4
5	·13	1·03	·06	·20				·28				1·12	5
6	1·18	·26		·83			·69	·18				·52	6
7	·47	·88		·12			·55	·02		·35	·08	·47	7
8	·24	·49		·01			·03	·10		·01	·22	·06	8
9	·01	·15		·18				·04			·65	1·33	9
10	·39	·71	·10	·08				·06		·21	·13	·18	10
11	·19	·04	·15	·01	·02		·04	·24		·01	1·65	·10	11
12	·18	60		·07	·58			·10		·09	·45	·12	12
13	·12	1·00			1·18		·03	·10	·10		·25	·08	13
14	·17	02					·31	·10	·30	·12	·03	2·74	14
15	·19				·28		·37		·10	·02	·10	·25	15
16	·05	2·35			·28		1·73			·03		·20	16
17	·04	·35	·01		·02								17
18	·02	·25					·09						18
19	·10	02		·02	60		·24						19
20	·47			·15	·05	·08				·35			20
21	·30	·40			20		·40			·10		·27	21
22	·22	·20	·46	·04			·66		·02	·02		·60	22
23	·10	04	·05				·15		·14	·95		·80	23
24		01		·01		·03	·10		·10	·42		·76	24
25				·07		·13	·23		·02			·77	25
26		·79				·65	·01		·03			1·02	26
27	·06	·08				·30	·09		·02	1·00		·02	27
28		·06				·24	·01	·04	·17	·22	·02	·06	28
29						·45	·03		·10	·04	·42	·30	29
30	·31			01		·30	·01		·05	1·15	·65	·60	30
31	·03						20	03		60		·60	31
Totals	6·05	12·14	1·76	2·14	3·38	2·37	5·97	2·67	1·64	5·99	4·68	14·59	Years Total 63·38
Rain Days ~~Total from Jan. 1~~	26	25	9	16	12	11	21	16	14	20	13	27	210

✓ Exd YW 1747

20. JAN 19

1645

REGISTER OF RAINFALL IN 1916

Kept at Head Weir by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9. AM. " " " Sea Level 420 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44		·07		·05	15	·11		·03	·20	·40		1
2	·70	·20	·12		·09		·01		·20	·53	·42		2
3	·20	1·98			·29	·15	·02		·12	·98	·50		3
4	·55	20		·01	·01	·65	·02		·20	·28	1·32		4
5	·12	·48	·04		·03	·35				·32	·29		5
6	·16	·43	·08		·27	·19	1·21			·59	1·50		6
7	·10	·28	·17		·19	·04	·03			·08	1·16	·18	7
8	·02	·25	·46		·38	·01					·19	·15	8
9	·05	·15	·10			·20	01			·18	·17	·27	9
10	·02	1·00		·10	·11		·09			·14	·05	·06	10
11		·03		·16	·10	·10			·08		·01	·01	11
12	·17	·12	·05	·10	·25		·50	·20		·25			12
13		·50	·08	·03	·01		·06	·42	·03	·02		·55	13
14	·05	·60	·01		·12			·26		·20			14
15	·08	·56	·11	·20	·01			·12	·01	·05		·02	15
16	·48	·10		·30	·01		·06	·58		·18		·02	16
17	·56	·17	·01	·03				·15	·22	·60	1·50		17
18	·05	·25	·25	·10					·53	·25	·07	·12	18
19	·50	10	·08	·15					·06		·45	·21	19
20	·15	·46	·23	·01							·08	1·20	20
21	·10	·09	·08	·30	·03						·16	·15	21
22			·03			·35	01	·09		·40	·13	·52	22
23	·21	·10		·20		·30		·29		·30	·90	·14	23
24		·15	·18	·98	·15	·05		·22		·74	·17	·28	24
25	·03	20	·18		·02	·02		·59	·01	·02	·27	·01	25
26	·07	·18	·07			·43		·60	·55	1·24	·15	·02	26
27	·05		1·30		·05	·10		·25	·31	·50		·02	27
28		·05	·08			02		·10	·70	·82	·12	·94	28
29		·17	·11			·83		·94	·03	·39		1·00	29
30			·01			·16		01		·76		·03	30
31								·26		·48		·05	31
Totals	4·86	8·80	3·90	2·67	2·17	4·10	2·13	5·08	3·08	10·50	10·01	5·95	Year Total 63·25
~~Total~~ Rain from Days	23	26	24	14	19	18	12	16	15	26	22	22	237

16.5

1645

FORM A.
BRITISH RAINFALL.

19 JAN

REGISTER OF RAINFALL IN 1917

Kept at Head Weir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 720 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·28		·53		·08	·05		·13	·01	1
2	·05		·04	·18						·04	·04		2
3	·20			·10						·70	·75		3
4	·01	·32	·75				·19		·10	·65			4
5	·33		·46	·16		·38				·40	·26		5
6	·06		·52			·24		·13	·04	·30	·13	·24	6
7	·75			·08			·25	·10		·16	·13	·12	7
8	·07		·12	·10		·04	·47	·93	·13	·60	·26	·46	8
9			·25	·06	·04		·08	·02		·40	·54	·03	9
10	·41		·50	·40				·50	·01	·12	·15		10
11	·03		·40	·15				·03	·07	·62	·30		11
12	·65			·06	·46			·01		·64		·01	12
13	·19		·35	·05		·22		·10	·28	·24		·08	13
14				·13			·27	·57	·13	·14			14
15	·45			·03			·26	·24	·04	·82		·52	15
16		·04		·06		·03		·02	·08	·64		·34	16
17		·03	·04	·40	·02		·67	·22	1·01	·24			17
18		·03		·03	·31	·04	·60	·04	·86	·06			18
19		·90	·03			·69	·01	·01	·13		·04		19
20	01	·24			·39	·04		·06	·19		·04	·04	20
21		·01	·06			·03		·01		·23	·14		21
22					·01			·94		·16	·04		22
23		·28			·15	·08	·02	·16		·27	·04	·04	23
24		·04				·34	·50	·09		·43	·26	·10	24
25		·09	·08				·13	·34	·34	·13	·05		25
26					·38	·05	·01	·57	·40	·07	·08		26
27						·41		1·40		·09	·06		27
28		·06	·27			·20		·98		·03	·07	·01	28
29		✕	·09			·05		·06		1·36	·05	·09	29
30		✕	·16				·22	·60		·01	·03		30
31		✕	·06	✕	·62	✕		·07	✕	·20	✕	·01	31
Total	3·29	2·04	4·18	2·27	2·38	3·37	3·68	8·28	3·86	9·75	3·59	2·10	YEAR'S TOTAL 48·79
Rain Days.	14	11	17	16	9	16	14	27	16	28	22	15	205

W. 8,000. X. 15.

16

1645

BRITISH RAINFALL.

14 2 19

REGISTER OF RAINFALL IN 1918

Kept at Head Weir

in the County of S Devon

by Mr F Howarth

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 720 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.64		.17	.03			.59		.03	1.70	.02	1
2		.75		.08				.03	.04	.01		.96	2
3		.38		.14	.08				.11	.12	.18	.28	3
4		.08						.35	.26	.01	1.58	1.50	4
5		.06	.35	.08	.24			.58	.77	.55	.07	.28	5
6	.22	.69	.59	.40				.40	01	.35		.62	6
7	.04	.48		.16		.04		.03	.84	.14	.71	.89	7
8	.02	.08							.28	.84		.04	8
9	.10	.01				.48	.19		.78	.36	.02	.97	9
10	.06			.13		.02	.17		.30	.35	.01	.50	10
11	.04	.02	.46	.04	.08		.28		.32		.03	.23	11
12		.33	.01		.44	.02	.12		.03			.03	12
13		.02			.35	.01	.20		1.07	.44		.56	13
14	.57				.17	.22	.10		.98	.16		.60	14
15	1.39				.02	.22	.70		.10	.18		.80	15
16	.62			.18			.20	.02	.38	.01		.10	16
17	.30			.04		.01	.17	.10	08			.60	17
18	1.30		.23			1.20	.14	.05	.82	.56		.33	18
19	.30	.12	.23	.09		.01	.18	.08	.12			.30	19
20	.08	.58		.20		.09	.09		.31			.02	20
21	.28	.02				.40	.10		.88	.05		.42	21
22	.06				.28		1.44		.18	.15	.07	.44	22
23	.28	.01			.10		.68	.01	.28		.30	.25	23
24	.10	.44			.04	.04	.04	.67	.35		.24	.24	24
25	.10			.03	.17		.35	.49	01	.14	.23	.07	25
26	.03	.36		.09			.36	.02	.25	.06	.04	.57	26
27	.02	.26	.17					.18	.03	.04	.27	.06	27
28		.21	.40						.04	.12	.30	.11	28
29			.55						1.07		04	.24	29
30			.48	.05				.15	.03	.17	.22	.30	30
31			.20					.01		.02			31
Total	5.91	5.54	3.67	1.88	2.00	2.76	5.51	3.76	10.72	4.86	6.01	12.28	YEAR'S TOTAL 64.90
Rain Days.	20	20	11	15	12	13	18	17	29	23	17	30	225

W. 8,000, VIII. 16

1576
1645

BRITISH RAINFALL FORM A.

14 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Head Weir

in the County of Devon

by Frank Haworth

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 720 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·98		·45	·02	·15		·17	01	·43	·32		1·20	1
2	20		·11		·06		·10		·10	·05		·13	2
3	·16		·26		·18				·26		·02	·30	3
4	·04	60	·62		01	·03	·60	·50	1·58		02	·01	4
5	08	·29	·73		·03				·27			·20	5
6	1·03	1·48	·28									·47	6
7	·68		·58	·15		·01	02		·02			·16	7
8	·60		·38	·02	·01	·03					·20		8
9	·17		·08	·39	10						·58	·13	9
10	·09		1·58	·12	·04					·04		1·42	10
11	·13		·92	·46	·70	·08	·08			·12	·18	·77	11
12	·26		·08	22	01	·02				·25	·21		12
13	·61	·10	·03	·78			·10			·22		51	13
14	1·20	·14		·72	·96		·12		·04	·20		·32	14
15	·43	·05		·13	01					·18		·54	15
16	·08	1·80			·10	·02	·02			·02	·70	·05	16
17	·03	·05			02	·07		·05			·45	·16	17
18	·20	·35	·98				·50	·40	07		·47	·02	18
19	·86	·55	·39			·22	·52	·67	·25		·38	·16	19
20	·88	·03	·06		·03	·34	·01	·12	·13		·27	·18	20
21	22	1·45			·02		·18	·02	·14		·04	14	21
22		·05			02	·05	·04	·10	·36		·05	·13	22
23						01		·13		1·38	·25	·25	23
24		·01				·19		·13	·08	·45	·13	·39	24
25	26			01		·04		·90	·02		·12	·12	25
26	·03	01	·13	02		01		·13	·18	·03	·10	·91	26
27	·23		·08	·46		·02		1·28				·11	27
28		·01	·37	·11				·04		·04	·50	90	28
29			·03	·08				·18		·02		·26	29
30			·03	·13		·26		·18	·05		·85	1·40	30
31			·09				01					31	31
Total	9·45	6·97	8·26	3·82	2·45	1·40	2·47	4·84	3·98	3·32	5·52	11·65	YEAR'S TOTAL 64·13
Rain Days.	24	16	22	16	17	16	14	16	16	14	19	29	219

W.7,000, XI. 13

1290

1645

JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Head Weir
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 720 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.03	.12	.98		.83	.03	.21	.20	.02	1.28	1
2	.90	.02		.25	.01		.32	.32	.21	.18		.40	2
3	.98	.12		.08			.03	.03	.08	1.90		.30	3
4			.02				.01	1.55	.03	.48			4
5			(53)	.02	.12		.47	.40		20			5
6			.48	.08	.48		.20			.07			6
7	.12		10	.62	.06		.67					.39	7
8	.04	.05		.58	.07		.09	.04				.26	8
9	1.34	.14	.05	06		.02	.64	.04	.05				9
10	2.00	.37	40	.03		.37	.54						10
11	.57	.02	.27	.97	.44	.02	.22						11
12	.57	.32	.24	.23	.07	.03	.13			.07	.22	.05	12
13	.05	.07	.80	.12		.01	.02		.01	.20	.02	.04	13
14	.43	.07	.47	.97			.12		.32	.56	.82		14
15	.18	.40	.42	.72					.06	.78	.14		15
16	.04	.06	.10	.13	.04	.08	.30		.55	.05	.03		16
17	.25		.02	.03	.66		.02		.74	.28			17
18	.48	.03	.01	.11	.08	.13	.04	.33	.08				18
19	.13	.01		.51	.04	.40			.01				19
20	.08			32		40	.03			.16		.90	20
21	.03			.18			.10		.02			.13	21
22	.11			.27		.04	.10	02				.31	22
23	.06		.05				.31	.09				.89	23
24	.15		.89	.04				01			.37	.55	24
25	.10	07	.18	.03		.01	1.57				.01	.07	25
26	.58	.05	22			.10	.12		.01		.34	.03	26
27	1.27	.04	.18	.27		.50	.08				1.12	.63	27
28	.95	.05	40.	.03	.07	.22	.52				.04	.10	28
29	.90	02	.35	.01	.14	.03	.05				.90	.68	29
30	.45			.01	.05	.40	.45		1.24	.24	.49	1.28	30
31	.25		57		.01		.03			80		46	31 68.23
TOTAL	13.08	1.91	6.46	6.79	3.32	2.76	7.95	2.86	3.62	6.17	4.55 ~~7.55~~	8.75	YEAR'S TOTAL ~~67.22~~
Days with ·01 in. or more	28	18	23	27	16	16	28	11	15	15	13	19	229
	27	13	19	20	14	10	22	7	10	15	9	18	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHEEPS~~TOR~~ TOR

REDSTONE

DEVON

1911 – 1920

REC … 1911

18 JAN 1912

Kept at Redst… …ank Howarth 1643

in the County of … 5"

… above Ground 1'-0"

Lat. … Lon. … „ „ Sea Level 760 ft

Date.	Jan.	Feb.	M							Oct.	Nov.	Dec.	Date.
	in.	in.								in.	in.	in.	
11 1	06	—								·01	·22	·01	1
2	—	—								·11	·30	·70	2
3	—	—	·03	·01	·40		—	·04	·01	01	·44	·19	3
4	—	—	·30	—	—	—	—	·76	—	—	·50	·90	4
5	·50	—	·15	—	—	—	—	·74	—	·07	·16	·01	5
6	·56	—	·21	·01	—	—	—	·05	—	·10	·10	2·00	6
7	·28	—	—	·03	—	—	—	—	—	—	·70	·04	7
8	·09	—	·34	—	—	—	—	—	—	—	·15	1·26	8
9	·12	—	—	—	—	—	—	—	—	—	·20	1·21	9
10	·12	·04	1·56	—	·04	—	—	—	—	—	·03	·78	10
11	·80	—	·01	—	—	—	—	—	·01	—	1·12	·04	11
12	—	—	·98	—	—	—	—	—	·30	—	·26	·55	12
13	—	·03	·16	—	—	—	—	—	·16	—	·18	45	13
14	—	·27	·05	—	—	—	—	—	—	·05	·11	·49	14
15	—	·12	·10	—	—	·06	—	—	—	02	1·10	·19	15
16	·01	·06	·02	—	—	·50	—	—	—	·02	·68	·97	16
17	·02	·11	·90	·08	—	·26	·02	—	—	·01	·19	1·20	17
18	—	·33	·30	·40	—	·30	—	—		·11	·23	·87	18
19	—	·02	·04	·05	—	·72	—	—	1·20	·27	·40	1·02	19
20	·04	·05	·02	·30	—	·01	—	·01	·16	1·35	—	1·01	20
21	·03	·83	—	·06	—	·22	—	—	·34	·44	—	·11	21
22	·03	·13	01	·37	—	·09	—	—	·30	·50	—	·86	22
23	—	·30	—	·02		·04	—	·61	·24	·65	—	·96	23
24	·04	·34	—	—	—	·76	—	·58	—	22	—	·32	24
25	·07	·11	—	·59	—	·14	—	·01	·27	·30	—	·03	25
26	·03	·18	—	1·02	—	·01	—	·68	—	1·00	—	·64	26
27	—	1·36	—	·04	·11	·01	—	·56	·24	·24	·02	·53	27
28	—	·43	·01	·50	—	—	—	·06	·01	—	·32	02	28
29	—		·01	31	·11	·70	·73	—	·32	·73	·01	02	29
30	—		—	—	—	09	·17	—	·03	·40	·77	·19	30
31	—		02		—		·36	—		·02		01	31 Total for year
99 Totals	2·80	4·71	5·28	4·40	1·80	3·91	1·28	4·55	3·59	6·63	8·19	17·58	64·72
No. Rain Days ~~Total from Jan. 1~~	16	17	22	14	6	15	4	13	14	22	23	31	200

REGISTER OF RAINFALL IN 1911

18 JAN 1912

1643

Kept at Redstone by Frank Howarth

in the County of Devon S.2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1' 0"

Lat. Lon. Time of Observation 9 AM. ,, ,, ,, Sea Level 760 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	06	—	·02	·22	·20	—	—	·01	—	·01	·22	·01	1
2	—	—	·02	·39	·94	—	—	1·04	—	·11	·30	·70	2
3	—	—	·05	·01	·40	—	—	·04	·01	01	·44	·19	3
4	—	—	·30	—	—	—	—	·76	—	—	·50	·90	4
5	·50	—	·15	—	—	—	—	·74	—	·07	·16	·01	5
6	·56	—	·21	·01	—	—	—	·05	—	·10	·10	2·00	6
7	·28	—	—	·03	—	—	—	—	—	—	·70	·04	7
8	·09	—	·34	—	—	—	—	—	—	—	·15	1·26	8
9	·12	—	—	—	—	—	—	—	—	—	·20	1·21	9
10	12	·64	1·56	—	·04	—	—	—	—	—	·03	·78	10
11	·80	—	·01	—	—	—	—	—	·01	—	1·12	·04	11
12	—	—	·98	—	—	—	—	—	·30	—	·26	·55	12
13	—	·03	·16	—	—	—	—	—	·16	—	·18	45	13
14	—	·27	·05	—	—	—	—	—	—	·05	·11	·49	14
15	—	12	·10	—	—	·06	—	—	—	02	1·10	·19	15
16	·01	·06	·02	—	—	·50	—	—	—	·02	·68	·97	16
17	·02	·11	·90	·08	—	·26	·02	—	—	·01	·19	1·20	17
18	—	·33	·30	·40	—	·30	—	—	—	·11	·23	·87	18
19	—	·02	·04	·05		·72	—	—	1·20	·27	·40	1·02	19
20	·04	·05	·02	·30	—	·01	—	·01	·16	1·35	—	1·01	20
21	·03	·83	—	·06	—	·22	—	—	·34	44	—	·11	21
22	·03	·13	01	·37	—	·09	—	—	·30	·50	—	·86	22
23	—	·30	—	·02	—	·04	—	·01	·24	·65	—	·96	23
24	·04	·34	—	—	—	·76	—	·58	—	22	—	·32	24
25	·07	·11	—	·59	—	·14		·01	·27	·30	—	·03	25
26	·03	·18	—	1·02	—	·01	—	·68	—	1·00	—	·64	26
27	—	1·36	—	·04	·11	·01	—	·56	·24	·24	·02	·53	27
28	—	·43	·01	·50	—	—	—	·06	·01	—	·32	02	28
29	—		·01	31	·11	·70	·73	—	·32	·73	·01	02	29
30	—		—	—	—	·09	·17	—	·03	·40	·77	·19	30
31	—		02		—		·36	—		·02		01	31
99 Totals	2·80	4·71	5·28	4·40	1·80	3·91	1·28	4·55	3·59	6·63	8·19	17·58	Total for year 64·72
No. Rain Day[s] ~~Total from Jan.~~ 1	16	17	22	14	6	15	4	13	14	22	23	31	200

FORM A.
BRITISH RAINFALL.
1 FEB 1913
1643

REGISTER OF RAINFALL IN 1912

Kept at Redstone

in the County of Devon 52

by Frank Howarth

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·29	—	·09	·43	·08	·07	·20	·98	—	·51	1
2	—	—	·60	·17	—	1·20	·06	·05	—	·04	—	·01	2
3	·11	—	·59	·02	—	·42	·02	1·70	·28	—	—	·62	3
4	·43	·06	1·03	—	·03	·44	—	·24	—	—	·47	—	4
5	·98	·24	·21	·02	·05	·01	—	1·40	—	—	·09	·28	5
6	·59	·25	·03	—	·70	·03	—	·72	—	—	·02	—	6
7	·20	1·30	·54	·03	·30	·64	—	·19	·01	—	·12	·44	7
8	1·05	·33	·76	·05	—	·32	·08	·03	·02	—	—	—	8
9	·03	·21	·11	·12	—	·16	·10	·10	—	—	—	1·15	9
10	·51	·10	·07	·02	·01	·08	·33	·16	—	—	·50	·30	10
11	—	·07	·07	—	—	—	·14	·06	—	—	·30	1·15	11
12	·04	·74	·62	—	·03	—	·33	·24	—	—	·10	·02	12
13	·85	·02	·13	—	—	·02	·21	·02	—	·35	—	·56	13
14	·40	·19	1·20	—	·17	·01	—	·21	—	·09	—	·26	14
15	1·00	·60	·09	—	·23	·98	—	·09	—	—	·01	·90	15
16	·40	·02	·88	—	·12	·05	—	1·15	—	·29	·04	·15	16
17	·01	—	·28	—	·06	·40	—	2·35	—	—	·10	·15	17
18	—	·09	·16	—	—	—	—	·22	—	·14	·07	·11	18
19	·01	·15	·46	—	—	·06	·10	·86	—	·03	·10	·11	19
20	·10	·05	·63	—	·38	—	—	·50	—	·48	·24	—	20
21	—	1·12	·58	—	·40	—	·01	·21	—	·70	·05	—	21
22	·20	1·08	·46	—	·04	—	·04	·53	—	·10	·05	·37	22
23	·07	·80	·35	—	—	·27	·02	1·86	—	·12	·44	·44	23
24	·02	·16	·20	—	—	1·13	·06	·08	—	·01	—	·42	24
25	·02	02	·02	—	—	·20	·30	·16	—	·28	1·64	·59	25
26	—	·14	—	—	—	·02	·11	·30	—	·92	·98	·73	26
27	—	·16	·04	—	—	1·62	·70	·19	—	3·06	·04	1·09	27
28	—	·22	—	—	—	·30	·20	1·53	·78	·48	1·04	·60	28
29	—	·54	—	—	—	·07	·30	·36	·94	·42	—	·11	29
30	—		·08	—	—	·08	·24	—	·10	·50	—	—	30
31	—		·38		—		·56	·01		·02		·74	31
Total	7·02	8·66	10·86	·43	2·61	8·94	3·99	15·59	233	9·01	5·40	11·81	YEAR'S TOTAL 86·65
Rain Days.	20	25	28	7	14	24	21	30	7	19	20	25	240

W. 7,500, XI. 12

Ex DL

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Redstone by Frank Howarth 1643

in the County of S Devon 2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

" " " Sea Level 760

Lat. Lon. Time of Observation 9. AM.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
13 1	·01	·35	·67	·08	·30	—	—	—	·08	·04	·90	·05	1
2	·18	·21	·11	·41	·31	02	—	—	·01	·04	·38	·14	2
3	1·12	·01	·31	·07	·23	—	—	—	·87	·02	—	·59	3
4	1·90	—	·38	·03	·01	·26	—	—	·20	·12	·17	·58	4
5	·18	·09	·04	—	·37	·60	·06	—	1·65	·05	·39	·70	5
6	·76	·20	·31	—	·22	·35	—	—	—	·50	·56	·26	6
7	·21	1·00	·12	—	1·68	·24	—	—	—	·38	·53	·02	7
8	·18	·70	·02	—	·50	·01	·08	·28	—	·09	·02	·21	8
9	·14	·15	·05	—	·09	·09	·04	·15	—	—	·94	·04	9
10	1·09	—	·10	·03	·10	·10	—	·03	—	·46	·12	—	10
11	1·28	—	·02	·06	1·02	·10	—	—	·07	·17	1·36	·15	11
12	·06	—	—	—	·07	·12	—	—	·20	—	·30	·10	12
13	·12	—	·28	·01	·04	—	·02	·14	·50	—	·26	—	13
14	·73	—	40	·12	·09	—	·11	—	·23	·02	·12	·04	14
15	·22	—	·50	1·49	—	—	—	—	·03	—	·32	·03	15
16	·61	—	·82	·12	—	—	·03	·35	·50	—	·10	—	16
17	·14	—	·06	·16	—	—	·06	—	—	—	·17	—	17
18	·15	—	·76	·45	11	—	·01	—	—	—	·37	—	18
19	·74	—	·06	—	·08	·06	·06	—	·73	·30	·01	—	19
20	·30	—	·05	·54	·02	—	—	—	·06	·44	1·00	—	20
21	·01	—	·58	·37	·18	02	·04	·05	·01	·06	·60	—	21
22	·39	—	·74	·07	·07	·24	—	·09	·04	—	—	·25	22
23	·09	—	·05	·01	01	·07	—	·01	·01	—	·28	·70	23
24	·05	·29	—	·28	—	·06	—	·03	—	—	·05	·02	24
25	—	·06	—	·73	—	—	—	·04	·09	·05	·1·0	·24	25
26	—	—	—	1·61	—	·04	—	·01	—	·06	—	·54	26
27	·43	—	·46	·70	·08	—	—	·26	—	·66	·04	·03	27
28	·30	—	·21	·43	·07	—	—	—	·04	·45	·01	·17	28
29	·13		·84	·35	·03	—	·03	—	—	·64	·04	—	29
30	1·09		—	·06	·02	—	·03	—	—	1·12	·06	—	30
31	20		·31		01		—	·33		15		—	31
99 Totals	12·81	3·06	8·25	8·18	5·71	2·38	·57	1·77	5·32	5·82	9·20	4·86	Total for year 64·93
Total from Jan. 1	29	10	26	23	25	16	12	13	18	21	27	20	240

Sc. M.9.

26 JAN 1915

1643

REGISTER OF RAINFALL IN 1914

Kept at Redstone by Frank Howarth

in the County of Devon S2

Rain Guage.

Diameter 5"

Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9·AM. ,, ,, ,, Sea Level 760 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·13	·16	—	·11	·72	·90	—	—	·92	·05	1
2	·04	—	·09	·12	·24	02	·19	·03	—	—	·11	·78	2
3	·05	—	·43	·28	1·13	—	01	·03	—	·04	·06	·03	3
4	·21	—	·11	·74	·25	—	1·28	·21	—	—	·19	1·00	4
5	·25	—	·42	·38	·13	—	—	—	—	—	—	·05	5
6	—	·23	·38	·10	·22	—	·36	·26	—	—	·05	1·52	6
7	·10	1·90	·94	·22	·30	·06	·43	·51	·56	—	·02	·35	7
8	·41		1·04	·20	·06	·33	·01	·38	·03	—	·02	·17	8
9	·24	·08	·54	·44	·09	·57	—	·70	·60	—	·06	—	9
10	·25	1·40	·15	·58	·41	·09	—	·01	·60	—	·04	·23	10
11	—	·38	1·26	03	·01	·17	—	—	·07	—	·13	·70	11
12	—	1·22	·36	—	—	—	—	—	·60	·05	·13	·40	12
13	—	1·60	·85	—	—	·04	·25	—	·65	·04	·54	·26	13
14	—	·90	·44	—	—	·11	—	·51	·13	—	1·08	·28	14
15	—	·01	·44	—	—	—	·14	·16	·05	·06	·21	·80	15
16	—	—	·04	—	—	—	·05	—	·75	—	—	·05	16
17	—	1·12	·53	—	—	—	·06	—	·03	—	—	1·56	17
18	—	·12	·12	—	—	—	·30	—	·26	—	—	·31	18
19	—	·14	·50	—	—	—	1·77	—	·12	—	·13	·25	19
20	—	·85	·28	—	—	·25	—	—	·02	—	·07	·42	20
21	—	·76	·04	—	—	—	·01	—	—	·59	—	·01	21
22	—	·30	·10	·04	·14	34	—	·29	—	·52	—	—	22
23	—	·11	·58	—	—	—	·15	·06	—	·10	—	—	23
24	·01	·05	·03	—	·02	·02	·13	·07	—	·06	·05	—	24
25	·26	—	·46	—	·03	·01	·10	1·50	—	·80	·25	1·40	25
26	·12	·09	·07	—	—	—	·28	·10	—	·08	·44	1·04	26
27	·20	·42	—	—	—	—	·06	—	—	·07	·36	1·04	27
28	·08	·25	·73	—	·10	—	·16	—	—	·35	·35	·85	28
29	·86		·56	—	24	—	·01	—	—	·04	1·86	·07	29
30	·08		·48	—	·09	03	—	—	—	·15	·55	1·94	30
31	26		—		·03		1·36	—		1·60		·82	31
99 Totals	3·42	11·93	12·10	3·29	3·49	2·15	7·83	5·72	4·47	4·55	7·62	16·38	Year Total 82·95
Rain Days ~~Total from~~ Jan. 1	16	20	29	12	17	14	22	16	14	15	23	27	225

1786

13 JAN 1916

1643

REGISTER OF RAINFALL IN 1915

Kept at Redstone by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1' 0"
" " " Sea Level 760 ft

Lat. Lon. Time of Observation 9 AM

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	80	—	—	·11	—	—	1·04	·32	·30	·02	·13	1
2	·52	·39	·42	·09	—	·19	—	·30	·20	·01	—	·41	2
3	·14	·67	·58	·26	·17	·01	—	·02	—	—	—	·63	3
4	·07	·77	·05	—	·01	·02	—	·01	—	—	—	·68	4
5	·12	1·10	·09	·19	—	—	—	·27	—	—	—	1·32	5
6	1·61	·31	—	1·05	—	—	·76	·22	—		—	·50	6
7	·50	1·08	—	·13	—	—	·52	·02	—	·43	·08	·52	7
8	·30	·53	—	·01	—	—	·04	·10	—	01	·23	·08	8
9	·01	·19	—	·17	—	—	—	·04	—	—	·72	1·50	9
10	·43	80	·09	·09	—	—	—	·09	—	·23	·16	·25	10
11	·16	·06	·16	·01	·02	—	·04	·22	—	·01	2·09	·16	11
12	20	·86	—	·07	·61	—	—	·14	—	·08	·46	·12	12
13	·14	1·30	—	—	1·26	—	·03	·09	·10	—	·30	·12	13
14	·22	·02	—	—	—	—	·26	·10	·30	·12	·05	2·85	14
15	19	—	—	—	·30	—	·37	—	·12	·02	·10	·25	15
16	·06	3·05	—	—	·38	—	1·75	—	—	·05	—	·22	16
17	·05	·35	·01	—	·02	—	—	—	—	—	—	—	17
18	·02	·35	—	—	—	—	·09	—	—	—	—	—	18
19	·11	·03	—	·02	·87	—	·19	—	—	—	—	—	19
20	·44	—	—	·16	·05	·09	—	—	—	·34	—	—	20
21	·26	·38	—	—	·19	—	·36	—	—	·10	—	·31	21
22	·20	·21	·49	·05	—	—	·88	—	·02	·03	—	·70	22
23	10	·05	·05	—	—	—	·18	—	·15	·96		·80 ẋ	23
24	—	01	—	·01	—	·02	·12	—	·08	·36	—	·79	24
25	—	—	—	·06	—	·13	·22	—	·02	—	—	1·11	25
26	—	·93	—	—	—	·60	·02	—	·04	—	—	1·10	26
27	·06	·10	—	—	—	·28	·10	—	·03	1·30	—	·02	27
28	—	·09	—	—	—	·22	·01	·04	·19	·21	·02	·05	28
29	—		—	—	—	·48	·04	—	·10	·03	·60	·27	29
30	·32		—	·01	—	·32	·01	—	·05	1·34	·64	·72	30
31	·03		—		—		·20	·03		·62		·55	31
Totals	6·81	14·43	1·94	2·38	3·99	2·36	6·19	2·73	1·72	6·55	5·47	16·16	Years Total 70·73
Rain Days Total from Jan. 1	26	25	9	16	12	11	21	16	14	20	13	27	210

Gauge tampered with marked ẋ taken same as Head Weir

Bad Ely

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Redstone by Frank Howarth 1643

in the County of Devon

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"
" " " Sea Level 760 ft.

Lat. .... Lon. .... Time of Observation 9·AM

Date. 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33		·08		·03	·16	·11		·03	·29	·58		1
2	·75	25	·11		·09		01		·28	·57	·43		2
3	·26	2·13			·21	·17	·02		·11	1·10	·48		3
4	·63	·21		·01	·01	·69	02		·22	·38	1·42		4
5	·13	·53	·04		·02	·30				·37	·31		5
6	·22	·47	·08		·30	·18	1·27			·60	1·59		6
7	·10	·27	·29		·15	05	02			·07	1·06	·15	7
8	·02	·23	·63		·40	·01					·17	·16	8
9	·06	·13	·08			20	·01			·18	·17	·27	9
10	·02	1·02		·08	·09		13			·14	·04	·04	10
11		·02		·15	·11	·07			·08		·01	·01	11
12	·20	·17	·05	·12	·22		·46	·17		·22			12
13		·59	·08	·02	·01		·07	·44	·04	·02		·27	13
14	·05	·68	·01		·11			·36		·22			14
15	·09	·59	·09	·16	·01			·12	·01	·03		·02	15
16	·54	·08		·30	·01		·07	·61		·17		·02	16
17	·62	·17	·01	·02				·12	·20	·66	1·48		17
18	·06	·28	·22	·10					·54	·23	·09	·12	18
19	·68	·10	·08	·17					·04		·40	·22	19
20	·19	·39	·22	·01							·08	·76	20
21	·12	·07	·07	·23	·02						·18	·16	21
22			·02			·34	·01	·09		·38	·14	·50	22
23	30	·14		24		30		·36		·29	·97	·12	23
24		·12	·17	1·02	·13	·05		·23		·86	·14	·19	24
25	·03	19	·16		·02	·03		·72	·01	·03	·18	·01	25
26	·07	·15	·06			·42		·48	·54	1·42	·11	·02	26
27	·67		·93		·04	·10		·28	·29	·48		·02	27
28		·05	·06			01		·06	·61	·80	·12	·95	28
29		20	·09			·76		·76	·02	·36		·90	29
30			·01			14		·01		·72		·04	30
31								·28		·35		·05	31
99 Totals	5·54	9·23	3·64	2·63	1·98	3·98	2·20	5·09	3·02	10·94	10·15	5·00	Years Total 63·40
Rain from Jan. Days	23	26	24	14	19	18	12	16	15	26	22	22	237

1667

FORM A.
BRITISH RAINFALL.

1643

19. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Redstone
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 · A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·26		·61		·09	·04		·12	·01	1
2	·04		·03	·24						·03	·03		2
3	·17			·06						·74	·82		3
4	01	·26	·69				·13		·11	·68			4
5	·27		·43	·18		·38				·39	·28		5
6	·05		·54			·20		·13	·03	·24	·13	·23	6
7	·63			·07			·25	·09		·16	·13	·13	7
8	·08		·12	·08		·03	·44	·82	·09	·58	·25	·47	8
9			·22	·04	·04		·08	·01		·38	·56	·03	9
10	·46		·46	·29				·49	·01	·09	·13		10
11	·02		40	·14				·03	·06	·57	·29		11
12	·50			·07	·48			01		·69		·01	12
13	·14		·31	·08		·23		·10	·27	·22		·08	13
14				·13			·20	·48	·13	·13			14
15	·40			·04			·24	·21	·04	·84		50	15
16		·03		·09		·02		·02	·05	·60		32	16
17		·03	·03	·40	·02		·57	·19	·97	·25			17
18		·02		·04	·30	·05	·59	·03	·87	·06			18
19		·89	·03			·64	01	·01	·13		·03		19
20	01	·20			·38	·05		·06	·17		·05	·04	20
21		·01	·04			·02		·01		·23	·15		21
22					01			·87		·16	·05		22
23		·26			·13	·11	·02	·15		·25	·04	·03	23
24		·03				·35	·47	·09		·40	·25	·09	24
25		·12	06				·11	·30	·29	·13	·04		25
26					·38	·06	·01	·53	·39	·06	·08		26
27						·42		1·50		·08	·05		27
28		·05	·31			20		·93		·02	·08	·01	28
29		×	·14			·06		·07		1·33	·04	·09	29
30		×	·13				·17	·57		·01	·04		30
31		×	·07	×	·57	×		06	×	·21	×	01	31
99 Total	2·86	1·90	4·01	2·21	2·31	3·43	3·29	7·83	3·65	9·53	3·64	2·05	YEAR'S TOTAL 46·71
Rain Days.	14	11	17	16	9	16	14	27	16	28	22	15	2·05

W. 8,000. X. 15.

14

FORM A.
BRITISH RAINFALL

14 i. 19

1643

REGISTER OF RAINFALL IN 1918

Kept at Redstone
in the County of S Devon
by Mr F. Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.60		.15	.05			.57		.03	1.52	.02	1
2		.82		.08				.03	.03	.01		.92	2
3		.30		.12	.07				.14	.12	.15	.25	3
4		.08						.42	.24	.01	1.54	1.44	4
5		.05	.25	.08	.24			.58	.76	.52	.08	.26	5
6	.23	.67	.65	.43				.38	.01	.34		.59	6
7	.03	.50		.15		.04		04	.80	.13	.70	.98	7
8	.02	.08							.26	.82		.04	8
9	08	.02				.47	.17		.77	.35	.02	.93	9
10	.06			.13		.02	.15		.28	.33	.02	.52	10
11	04	.02	.45	.03	.07		.28		.30		03	.21	11
12		.30	.01		.42	.01	.12		03			.03	12
13		.02			.35	.01	.20		1.02	.43		.50	13
14	.56				.17	.19	.08		.96	.16		.52	14
15	1.20				.01	.18	.62		.08	.17		.78	15
16	.58			.20			.19	.01	.37	.01		.10	16
17	.32			.04		.01	.16	.09	.08			.55	17
18	1.45		.22			1.25	.14	.05	.80	.54		.30	18
19	.28	.12	.22	.08		.01	.16	.08	.10			.27	19
20	.08	.54		.23		.07	.10		.27			.02	20
21	30	02				.31	.09		.86	.03		.40	21
22	06				.27		1.39		.17	.14	.07	.42	22
23	.25	01			.08		.73	.01	.25		.27	.27	23
24	.09	.43			.02	.03	.03	.62	.37		22	.28	24
25	.08			.03	.15		.36	.47	.01	.09	20	.06	25
26	.02	34		.08			.34	02	25	.04	.04	.59	26
27	.01	.26	.15					28	.03	.04	.28	.06	27
28		.29	.38						.03	.12	.28	.11	28
29		X	.53						1.02		.05	.22	29
30		X	.43	04				.15	03	.17	.24	.27	30
31		X	.18	X		X		04	X	.02	X		31
99 Total	5.44	5.47	3.47	1.87	1.90	2.60	5.31	3.71	10.32	4.62	5.71	11.91	YEAR'S TOTAL 62.63
Rain Days.	20 ✓	20 ✓	11 ✓	15 ✓	12 ✓	13 ✓	18 ✓	17 ✓	29 ✓	23 ✓	17 ✓	30 ✓	225 ✓

W. 8,000, VIII. 16

1574

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

1643

Kept at Redstone

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 19	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·96		·48	·02	·15		·13	01	·40	·30		·96	1
2	·20		·09		·04		·09		·08	·05		·13	2
3	·16		·27		·18				·25		·02	·27	3
4	·04	·58	·59		01	·02	·58	·48	1·50		·01	01	4
5	10	·27	·64		·03				·27			·17	5
6	·98	1·45	·27									·46	6
7	·63		·60	·15		01	·02		01			·16	7
8	·58		·32	·01	01	·02					·18		8
9	·15		·08	·37	·10						·60	·13	9
10	·08		1·57	·10	·04					·04		1·40	10
11	·12		·90	·42	67	·06	·08			·13	·14	·72	11
12	25		·08	·21	·01	01				·22	·17		12
13	·56	·10	03	·76			·09			·20		·50	13
14	1·68	·15		·70	·87		·10		·03	·18		·30	14
15	·41	·05		·12	·01					·17		·57	15
16	08	1·76			·10	·02	·02			·02	·60	·03	16
17	·03	·07			·02	·07		·05			·40	·13	17
18	·19	·38	·92				·45	·37	·07		·47	·01	18
19	·82	·54	·38			19	·47	·66	·23		·36	·14	19
20	·86	·04	·06		·03	·32	01	·13	·13		·30	12	20
21	·21	1·47			·02		·18	·02	·14		·04	·10	21
22		·04			01	04	·03	·10	·32		·03	·13	22
23						01		·10		1·36	·25	·25	23
24		·01				·20		·10	·08	·47	·13	·37	24
25	·25			·01		·02		·88	·02		12	·10	25
26	·04	·01	·13	·02		·01		·13	20	·03	08	·86	26
27	·22		·08	·42		01		1·26				·08	27
28		·01	·36	·11				·04		·04	44	1·00	28
29		✕	·02	·08				·20				·25	29
30		✕	·04	·12		·28		·20	05		·92	1·20	30
31		✕	08	✕		✕	·01		✕		✕	·38	31
99 Total	9·60	6·93	7·89	3·62	2·30	1·29	2·26	4·73	3·78	3·21	5·26	10·93	YEAR'S TOTAL 61·80
Rain Days.	24	16	22	16	17	16	14	16	16	13	19	29	218

W. 6,500, VII. 18. w w c

Sidford 1488

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 26 JAN 1921

REGISTER OF RAINFALL IN 1920.

1643

Kept at Redstone

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		02	·14	1·00		·78	·03	·21	·25	·02	1·24	1
2	·86	·01		·24	·01		·28	·32	·18	·18		·41	2
3	·96	·12		·06			·02	·03	·06	1·84		·30	3
4			·02				·01	1·50	·03	·47			4
5			·50	·01	·10		·48	·32		·16			5
6			38	·08	·52		·17			·20			6
7	·12		·09	·59	·06		·64					·37	7
8	·04	·03		61	·05		·09	·04				·30	8
9	1·30	13	·04	·06		·02	·61	·03	·05				9
10	1·94	·36	·41	·02		·35	·61						10
11	·60	04	·24	94	·45	·02	·20						11
12	·54	30	·28	·23	·05	·03	·13			·06	·22	·05	12
13	·05	·07	·76	09		·01	·02		·01	·20	·02	·04	13
14	·37	·07	·47	·95			·12		·30	·54	·94		14
15	·18	·36	·12	70					·06	·67	·17		15
16	·04	·66	·10	·13	·04	·07	·32		·57	·03	·03		16
17	20		·01	·03	·63		·02		·70	·22			17
18	·50	·02	·01	·09	·08	10	·03	·28	·07				18
19	·13	01		·50	·05	·37			·01				19
20	·06			·30		·36	·02			·16		·92	20
21	·03			·20			·08		·01	·06		·13	21
22	·10			·22		04	·10	·02				30	22
23	·04		·04				·30	·09				·92	23
24	·15		·84	·04				01			·35	·52	24
25	·08	·06	·19	·03		·01	1·58				·01	·07	25
26	·57	05	20			·10	·13		·01		·36	·03	26
27	1·16	·02	·16	·27		·47	·08				·94	·55	27
28	·92	·04	·37	·03	·07	·20	·47				·04	·10	28
29	·88	02	·37	·01	·12	03	·66				·87	·65	29
30	·40			·01	·04	·44	·40		1·20	·28	·51	1·25	30
31	23		·57		·01		·02			·86		·48	31
99 TOTAL	12·57	1·77	6·13	6·58	3·28	2·62	7·77	2·67	3·47	6·18	4·48	8·63	YEAR'S TOTAL 66·15
Days with ·01 in. or more	28	18	23	27	16	16	28	11	15	16	13	19	230
	22	[illegible]	[illegible]	[illegible]	14	10	21	6	10	15	9	18	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHEEPSTOR
VICARAGE
DEVON
1911, 1915 - 1920

RE

FORM A2.
BRITISH RAINFALL.

27 JUN 191

Kept at SHEEPSTO
in the County of Dev
by REV. H. H.

ler
in.
ound 1 ft. in.
Level 710 ft.
ne Dousland
tance 2 Direction SW.

IMPORTANT NOTE … he result entered to the previous day. If an Ob… sal rule, he is earnestly requested to add the read… in the space provided for it at the end of this… t of rain, the selection and placing… h Rainfall Organization are given in '… lication to Dr. H. R. Mill, 62, Camc…

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date.
	in.	in.	in.							n.	in.	in.	
1	.08	–	.03	.17	.18	–	–	–	–	.03	.15	.03	1
2	–	–	.04	.27	1.00	–	–	1.31	–	–	.26	.80	2
3	–	–	.06	.12	.45	–	–	.06	–	.10	.40	.21	3
4	–	–	.28	.02	–	–	–	1.02	–	–	.52	.90	4
5	.53	–	.06	.01	–	–	–	.56	–	–	.15	–	5
6	.55	–	.31	.02	–	–	–	.08	–	.08	.07	2.00	6
7	.22	–	–	.05	–	–	–	–	–	.10	.60	.06	7
8	.13	–	.33	–	–	–	–	–	–	–	.16	1.05	8
9	.14	–	–	–	–	–	–	–	–	–	.21	1.32	9
10	.19	.09	1.46	–	–	–	–	–	–	–	.05	.68	10
11	.80	–	–	–	–	–	–	–	.02	–	1.01	.09	11
12	–	–	1.01	–	–	–	–	–	.24	–	.17	.55	12
13	–	.02	.14	–	–	–	–	–	.14	–	.18	.52	13
14	–	.26	.05	–	–	–	–	–	–	–	.26	.54	14
15	–	.15	.10	–	–	.08	–	–	–	.08	.88	.13	15
16	.06	.08	.03	–	–	.60	–	–	–	.02	.67	1.00	16
17	–	.12	.90	.08	–	.23	.04	–	–	.03	.20	1.23	17
18	–	.35	.32	.36	–	.38	–	–	–	.01	.29	.84	18
19	–	.02	.08	.05	–	.83	–	–	1.05	.13	.37	1.08	19
20	.02	.11	.04	.36	–	.02	–	.01	.15	.26	–	1.21	20
21	.05	.77	–	.07	–	.22	–	–	.33	1.32	–	.13	21
22	.05	.17	.03	.44	–	.10	–	–	.34	.81	–	.75	22
23	–	.31	.02	.06	–	.04	–	.25	.19	.74	.03	1.00	23
24	.07	.34	–	–	–	.80	–	.30	–	.25	–	.46	24
25	.10	.12	.05	.53	–	.12	–	.02	.28	.42	–	.17	25
26	.04	.20	–	.87	–	–	–	.75	–	1.00	–	.52	26
27	–	1.37	.02	.05	.08	–	–	.64	.26	.19	.03	.44	27
28	–	.38	.03	.56	–	–	–	.01	–	–	.30	.02	28
29	–		.03	.15	.08	.63	.90	–	.29	.77	.02	.02	29
30	–		.01	–	–	.07	.18	–	–	.43	.91	.20	30
31	–		.07		–		.25	–		.05		.05	31
Total	3.03	4.86	5.50	4.24	1.79	4.12	1.37	5.01	3.29	6.82	7.8~~8~~9	18.00	TOTAL for year 65.92
No. of Rain Days	15	17	~~24~~ 25	19	5	13	4	12	11	20	24	30	195

9,000, IX. '10.

Siwards Cross 18.06 & Princetown 24 ins in December.

✓

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

27 JUN 191

Kept at SHEEPSTOR.
in the County of Devon 2
by REV. H. H. BRETON.

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 710 ft.

Time of Observation 9am

Nearest Railway Station
Name Dousland
Distance 2 Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	–	.03	.17	.18	–	–	–	–	.03	.15	.03	1
2	–	–	.04	.27	1.00	–	–	1.31	–	–	.26	.80	2
3	–	–	.06	.12	.45	–	–	.06	–	.10	.40	.21	3
4	–	–	.28	.02	–	–	–	1.02	–	–	.52	.90	4
5	.53	–	.06	.01	–	–	–	.56	–	–	.15	–	5
6	.55	–	.31	.02	–	–	–	.08	–	.08	.07	2.00	6
7	.22	–	–	.05	–	–	–	–	–	.10	.60	.06	7
8	.13	–	.33	–	–	–	–	–	–	–	.16	1.05	8
9	.14	–	–	–	–	–	–	–	–	–	.21	1.32	9
10	.19	.09	1.46	–	–	–	–	–	–	–	.05	.68	10
11	.80	–	–	–	–	–	–	–	.02	–	1.01	.09	11
12	–	–	1.01	–	–	–	–	–	.24	–	.17	.55	12
13	–	.02	.14	–	–	–	–	–	.14	–	.18	.52	13
14	–	.26	.05	–	–	–	–	–	–	–	.26	.54	14
15	–	.15	.10	–	–	.08	–	–	–	.08	.88	.13	15
16	.06	.08	.03	–	–	.60	–	–	–	.02	.67	1.00	16
17	–	.12	.90	.08	–	.23	.04	–	–	.03	.20	1.23	17
18	–	.35	.32	.36	–	.38	–	–	–	.01	.29	.84	18
19	–	.02	.08	.05	–	.83	–	–	1.05	.13	.37	1.08	19
20	.02	.11	.04	.36	–	.02	–	.01	.15	.26	–	1.21	20
21	.05	.77	–	.07	–	.22	–	–	.33	1.32	–	.13	21
22	.05	.17	.03	.44	–	.10	–	–	.34	.81	–	.75	22
23	–	.31	.02	.06	–	.04	–	.25	.19	.74	.03	1.00	23
24	.07	.34	–	–	–	.80	–	.30	–	.25	–	.46	24
25	.10	.12	.05	.53	–	.12	–	.02	.28	.42	–	.17	25
26	.04	.20	–	.87	–	–	–	.75	–	1.00	–	.52	26
27	–	1.37	.02	.05	.08	–	–	.64	.26	.19	.03	.44	27
28	–	.38	.03	.56	–	–	–	.01	–	–	.30	.02	28
29	–		.03	.15	.08	.63	.90	–	.29	.77	.02	.02	29
30	–		.01	–	–	.07	.18	–	–	.43	.91	.20	30
31			.07		–		.25	–		.05		.05	31
Total	3.03	4.86	5.50	4.24	1.79	4.12	1.37	5.01	3.29	6.82	7.8~~8~~9	18.00	TOTAL for year 65.92
No. of Rain Days	15	17	~~24~~ 25	19	5	13	4	12	11	20	24	30	195

9,000, IX. '10.

Siwards Cross 18.06 & Princetown 24 in in December.

DEVON.

SHEEPSTOR

1912

REGI 12

FORM A.
BRITISH RAINFALL.

4 SEP 1913

Kept at SHEEPSTOR

in the County of Devon

by REV. H. H. BRETON

ong.

9 am

on Dousland

ge 8 in.

e above Ground 1 ft. in.

" Sea Level 710 ft.

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.27	–	.10	.42	.01	.09	.18	.93	–	.47	1
2	–	.02 *	.48	.20	–	1.05	.07	.02	–	.05	–	.05	2
3	.08	–	.67	.02	–	.39	.08	1.76	.21	–	–	.50	3
4	.56	.10 *	.83	–	.02	.39	.03	.25	–	–	.56	–	4
5	.91	.24	.24	.03	.08	.01	–	1.37	–	–	.06	.21	5
6	.56	.15	.06	.02	.68	.09	.02	.58	–	–	.04	.02	6
7	.18	1.24	.55	.03	.25	.60	.02	.19	.01	–	.10	.30	7
8	1.07	.31	.61	.04	–	.28	.08	–	–	–	–	.02	8
9	.02	.22	.10	.12	–	.08	.09	.13	–	–	–	1.07	9
10	.50	.11	.09	.02	–	.20	.34	.11	–	–	.42	.25	10
11	.01	.15	.12	–	–	–	.12	.08	–	–	.35	1.11	11
12	.06	.84	.53	.01	–	–	.31	.24	–	–	.05	.02	12
13	.64	.03	.11	–	.02	.02	.20	.02	–	.25	–	.51	13
14	.52	.16	1.01	–	–	.02	–	.20	–	.08	–	.21	14
15	1.14	.50	.08	–	.15	.94	–	.02	–	–	.02	.82	15
16	.43	–	.88	–	.20	.07	–	1.17	–	.24	.03	.11	16
17	–	–	.30	–	.08	.40	–	2.32	–	–	.11	.12	17
18	–	.10	.18	–	.05	–	–	.35	–	.13	.10	.08	18
19	.03	.19	.61	–	–	.06	.08	.55	–	.02	.06	.07	19
20	.08	.07	.58	–	.19	–	–	.47	–	.45	.20	–	20
21	.01	1.04	.42	–	.15	–	–	.19	–	.61	.03	–	21
22	.28	1.11	.44	–	.44	–	.06	.52	–	.15	.07	.37	22
23	.14	.77	.33	–	.01	.38	.04	1.73	–	.05	.40	.44	23
24	.04	.16	.17	–	–	1.07	.06	.05	–	–	.02	.43	24
25	.05	.04	.02	–	–	.15	.30	.21	–	.29	.60	.61	25
26	–	.14	.01	–	–	–	.12	.36	–	.74	.86	.77	26
27	–	.17	.05	–	–	1.51	.63	.15	–	2.84	.01	1.15	27
28	–	.22	.02	–	–	.32	.17	1.50	.77	.46	.93	.60	28
29	–	.60	.02	–	–	.05	.33	.38	.88	.35		.12	29
30	–		.15	–	–	.09	.27	.01	.15	.44		.02	30
31	–		.36	–	–	.68		.02		.03		.75	31
Total	7.31 ~~7.29~~ 7.31	8.68 ~~8.60~~ 8.68	10.29	.49	2.42	8.59 ~~8.53~~ 8.59	4.11	15.04	2.20	8.11 8.11	5.02	11.20 11.20	YEAR'S TOTAL ~~82.40~~ 83.46
Rain Days.	21	25	31	9	14	23	23	30	6	18	21	28	

W. 7,500, XI. ·12 ~~Entd 10.1.13.~~ Longstone ½ M N. of Sheepstor has over 86 inches = Redstone

83·46

FORM A.
BRITISH RAINFALL.

4 SEP 1913

REGI 12

Kept at SHEEPSTOR 10·XI·1

in the County of Devon

by REV. H. H. BRETON. M.A.

ong.

Time of Observation 9 am

Nearest Railway Station Dousland

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·27	–	·10	·42	·01	·09	·18	·93	–	·47	1
2	–	·02 *	·48	·20	–	1.05	·07	·02	–	·05	–	·05	2
3	·08	–	·67	·02	–	·39	·08	1.76	·21	–	–	·50	3
4	·56	·10 *	·83	–	·02	·39	·03	·25	–	–	·56	–	4
5	·91	·24	·24	·03	·08	·01	–	1.37	–	–	·06	·21	5
6	·56	·15	·06	·02	·68	·09	·02	·58	–	–	·04	·02	6
7	·18	1.24	·55	·03	25	·60	·02	·19	·01	–	·10	·30	7
8	1.07	·31	·61	·04	–	·28	·08	–	–	–	–	·02	8
9	·02	·22	·10	·12	–	·08	·09	·13	–	–	–	1.07	9
10	·50	·11	·09	·02	–	·20	·34	·11	–	–	·42	·25	10
11	·01	·15	·12	–	–	–	·12	·08	–	–	·35	1.11	11
12	·06	·84	·53	·01	–	–	·31	·24	–	–	·05	·02	12
13	·64	·03	·11	–	·02	·02	·20	·02	–	·25	–	·51	13
14	·52	·16	1.01	–	–	·02	–	·20	–	·08	–	·21	14
15	1.14	·50	·08	–	·15	·94	–	·02	–	–	·02	·82	15
16	·43	–	·88	–	·20	·07	–	1.17	–	·24	·03	·11	16
17	–	–	·30	–	·08	·40	–	2.32	–	–	·11	·12	17
18	–	·10	·18	–	·05	–	–	·35	–	·13	·10	·08	18
19	·03	·19	·61	–	–	·06	·08	·55	–	·02	·06	·07	19
20	·08	·07	·58	–	·19	–	–	·47	–	·45	·20	–	20
21	·01	1.04	·42	–	·15	–	–	·19	–	·61	·03	–	21
22	·28	1.11	·44	–	·44	–	·06	·52	–	·15	·07	·37	22
23	·14	·77	·33	–	·01	·38	·04	1.73	–	·05	·40	·44	23
24	·04	·16	·17	–	–	1.07	·06	·05	–	–	·02	[illegible] ·43	24
25	·05	·04	·02	–	–	·15	·30	·21	–	·29	·60	·61	25
26	–	·14	·01	–	–	–	·12	·36	–	·74	·86	·77	26
27	–	·17	·05	–	–	1.51	·63	·15	–	2.84	·01	1.15	27
28	–	·22	·02	–	–	·32	·17	1.50	·77	·46	·93	·60	28
29	–	·60	·02	–	–	·05	·33	·38	·88	·35		·12	29
30	–		·15		–	·09	·27	·01	·15	·44		·02	30
31	–		·36		–	8.59	·68	·02		·03		·75	31
Total	7.31 ~~7.29~~ 7.31	8.68 ~~8.60~~ 8.68	10.29	·49	2.42	~~8.69~~ 8.59	4.11	15.04	2.20	8 ~~7.11~~ 8.11	5.02	11.20 11.20	YEAR'S TOTAL ~~82.40~~ 83.56
Rain Days.	21	25	31	9	14	23	23	30	6	18	21	28	

W. 7,500, XI. ·12 ~~Ent 10.1.13.~~ Longstone ½ m N. of Sheepstor has over 86 inches = Redstone 83·46 [illegible] ✓ Devon cd for auth. 14.III.16 ~~[illegible]~~ RL

21 JAN 1916 1784

Rainfall at
BHEEPSTOR 1915

S2

DAY	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1.	.40	.83	.40	–	.12	–	–	1.21	·33	·30	–	·09
2.	.50	.39	.51	·13	–	·18	–	.30	·22	·02	–	.40
3.	.14	.66	.05	·28	·15	–	–	.01	–	–	–	·62
4.	·11	.80	·04	–	–	·02	–	.05	–	–	–	.66
5.	·10	1.21	.01	·27	–	–	–	.30	–	–	–	1.32
6.	1.45	.33	.01	1.02	–	–	·77	.27	–	–	–	·46
7.	.41	1.11	–	·12	–	–	.53	·02	–	.42	.11	·52
8.	·27	.50	–	.03	–	–	·04	·10	–	·02	~~·26~~	·11
9.	03	.15	.11	.17	–	–	–	.05	–	–	·71	1.40
10.	.48	·95	·17	·08	–	–	.04	.12	–	·24	·15	·29
11.	·15	·03	–	.02	·03	–	·03	·18	–	.04	2.01	·17
12.	.18	.82	–	08	.65	–	–	·25	–	.06	·56	·10
13.	10	1.13	–	–	1.32	–	.05	.06	.12	.02	.35	·11
14	.21	–	–	–	–	–	.42	.11	·31	.12	.05	3.12
15.	.20	–	–	–	.33	–	.53	–	.15	.03	·10	·30
16.	.05	3.27	–	–	.43	–	1.65	–	–	·02	–	·31
17.	·06	.40	02	–	·03	–	–	–	–	–	–	–
18.	·01	.40	·02	–	–	–	.11	–	–	–	–	–
19.	·10	·04	–	03	·88	–	.21	–	–	–	–	–
20.	·42	.02	–	.14	.04	.10	–	–	–	·27	–	–
21.	.28	·36	–	–	.25	·08	·68	–	–	·10	–	·25
22	·21	·21	.51	·07	–	–	.71	–	.01	.04	–	·80
23.	·09	·08	·06	–	–	–	.09	–	·17	1.00	–	.77
24.	–	–	·01	·02	–	.07	·08	–	.07	·44	–	1.00
25.	–	–	–	·10	–	·11	.22	–	.05	–	–	.75
26.	–	·95	–	–	–	·68	.03	–	04	–	–	1.18
27.	.07	·16	–	–	–	·32	·10	–	.04	1.27	–	·03
28	–	·20	–	–	–	·23	–	.05	·17	·28	–	·07
29	–		.02	–	–	·56	·14	–	.09	.10	.52	·27
30	·30		–	02	–	.30	.03	–	·06	1.14	·61	·80
31.	·03		–		–		.23	.04		.71		.59
TOTAL	6.35	15.00	1.94	2.58	4.23	2.65	6.69	3.12	1.83	6.64	5.43	16.49
Rainy Days	27	24	14	16	11	11	21	16	14	21	11	27 = 213.

72·95

RAINFALL AT SHEEPSTOR IN 1915. REV. H. HUGH BRETON, M.A. Observer.

4·23 6·69

GREATEST FALL IN 24 HOURS 3.51 on Feb. 16th to 2 pm (Ash Wednesday) It fell in 22½ hours.

TOTAL. 75.00 IN. DAYS WITH ·01 – 213.

Taken at 9 A.M. & entered to the previous day.

Please acknowledge this. A post will suffice [illegible].

sent 21.1.16.

H. H. B.

With the Rev: H. Hugh Breton Compliments to Dr. Mill, & good wishes for the New Year.

Rainfall in
1914 .. 82.30
1915 .. ~~75.00~~ 72·95 Average 69 in.

20 JAN 1916

Smaller ✓ from M.J. Exd C.T.E.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
1 JAN 1917

Kept at Sheepstor Vicarage

in the County of S Devon

by Rev H. H. Breton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 749 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35		.10		.05	.16			.04	.27	.40		1
2	.80	.20	.10		.08				.18	.55	.53		2
3	.22	2.24	.02		.33	.32			.14	1.20	.58		3
4	.46	.28		.02	.02	.71	.01		.24	.35	1.45	.03	4
5	.14	.51	.04		.06	.24	.08			.38	.28		5
6	.15	.13	.10		.32	.16	1.10			.65	2.01		6
7	.10	.30	.36		.20	.04	.02			.05	1.08	.15	7
8	.02	.32	.93		.52	.18					.22	.16	8
9	.07	.18	.18		.01	.07	.17			.21	.20	.35	9
10		1.09	.02	.12	.12	.08	.02			.14	.08	.11	10
11		.03	.03	.18	.15	.05	.01		.09		.02		11
12	.22	.15	.08	.07	.25		.56	.20	.02	.28			12
13		.55	.09	.02	.03		.12	.44	.03	.04		.10	13
14	.07	.70	.03		.17			.37		.23			14
15	.11	.52	.13	.17				.12		.05			15
16	.57	.09		.35	.01		.06	.80		.28		.07	16
17	.60	.17	.05					.15	.26	.77	1.65		17
18	.08	.25	.26	.10					.55	.23	.09	.17	18
19	.55	.12	.09	.17							.47	.23	19
20	.13	.55	.24	.03							.08	1.00	20
21	.11	.07	.10	.40	.06	.02					.22	.18	21
22	.02		.06	.03		.32		.10		.30	.11	.57	22
23	.21	.12	.02	.25		.36		.33		.35	1.02	.16	23
24		.15	.23	1.16	.18	.04		.28		1.00	.05	.30	24
25	.02	.77	.14			.12		.75		.03	.19	.02	25
26	.08	.22	.08		.04	.40		.35	.80	1.32	.17	.04	26
27	.06	.02	1.44		.01	.10		.56	.25	.56			27
28	.02	.09	.08			.02		.15	.76	.90	.13	1.05	28
29		.18	.11			.93		.91	.05	.37		1.00	29
30		×	.02			.16				.90			30
31		×		×		×		.24	×	.63	×	.08	31
Total	5.16	10.00	5.13	3.07	2.61	4.48	2.15	5.75	3.41	12.04	11.03	5.80	YEAR'S TOTAL 70.63
Rain Days.	24	27	28	14	19	20	10	15	13	26	22	19	237

W. 8,000, VIII. 16

RAINFALL AT SHEEPSTOR. S. DEVON. REV. H. HUGH BRETON M.A., Observer.

DAY	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	1916.
1	35	—	.10	—	05	.16		—	.04	.27	40	—	
2	.80	.20	.10*	—	.08	—	—	—	18	55	53	—	
3	.22	2.24	.02*	—	.33	.32		—	.14	1.20	.58	—	
4	.46	.28	—	.02	.02	.71	.01	—	.24	.35	1.45	.03*	
5	.14	.51	04*	—	.06	.24	.08	—	—	38	.28	—	
6	.15	.13	.10*	—	.32	.16	1.10	—	—	65	2.01	—	
7	.10	.30	.36*	—	.20	.04	.02	—	—	.05	1.08	.15	
8	.02	.32	.93*	—	.52	.18	—	—	—	—	.22	.16	
9	.07	.18	.18*	—	.01	.07	.17	—	—	.21	.20	.35*	
10	—	1.09	.02*	.12	.12	.08	.02	—	—	.14	.08	.11	
11	—	.03	.03*	.18	.15	.05	.01	—	.09	—	.02	—	
12	.22	.15	.08	.07	.25	—	.56	.20	.02	28	—	—	
13	—	.55	.09	.02	.03	—	.12	.44	03	.04	—	.13*	
14	.07	.70	.03	—	.17	—	—	.37	—	.23	—	—	
15	.11	.52	.13	.17	—	—	—	.12	—	.05	—	—	
16	.57	.09	—	.35	.01	—	.06	.80	—	.28	—	.07*	
17	.60	.17	.05	—	—	—	—	.15	.26	.77	1.65*	—	
18	.08	.25	.26	.10	—	—	—	—	55	.23	.09*	.17*	
19	.55	.12	.09	.17	—	—	—	—	—	—	.47	.23*	
20	.13	.55*	.24	.03	—	—	—	—	—	—	08	1.00	
21	.11	.07*	.10*	.40	.06	.02	—	—		—	.22*	.18*	
22	.02	—	.06*	.03		.32	—	.10	—	.30	11	.57	
23	.21	.12*	.02*	.25		.36	—	.33	—	.35	1.02	.16	
24	—	.15*	.23*	1.16	.18	.04	—	.28	—	1.00	.05	.30	
25	.02	.77*	.14*	—	—	.12	—	.75	—	.03	.19	.02	
26	.08	.22*	.08*	—	.04	.40	—	.35	.80	1.32	.17	.04	
27	.06	02*	1.44	—	.01	.10	—	.56	.25	56	—	—	
28	.02	.09*	.08	—	—	.02	—	.15	.76	90	.13	1.05	
29	—	.18*	.11	—	—	.93	—	.91	.05	.37	—	1.00	
30	—		.02	—	—	.16	—	—	—	.90	—	—	
31	—		—		—		—	.24		.63		.08	* Snow
TOTALS	5.16	10.00	5.13	3.07	2.61	4.48	2.15	5.75	3.41	12.04	11.03	5.80	70·63
RAINY DAYS	24	27	28	14	19	20	10	15	13	26	22	19	DAYS. 237

Greatest Fall - 2.24 on Feb 3.

TOTAL FOR THE YEAR - 70.63 inches

11 JAN 1917

DAY	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1.	.40	.83	.40	–	.12	–	–	1.21	·33	·30	–	·09
2.	·50	·39	·51	·13	–	·18	–	.30	·22	·02	–	·40
3.	.14	·66	.05	·28	·15	–	–	.01	–	–	–	·62
4.	·11	.80	·04	–	–	.02	–	·05	–	–	–	.66
5.	·10	1.21	.01	·27	–	–	–	.30	–	–	–	1.32
6.	1.45	·33	·01	1.02	–	–	·77	·27	–	–	–	·46
7.	.41	1.11	–	·12	–	–	.53	·02	–	.42	.11	·52
8.	·27	.50	–	.03	–	–	·04	·10	–	·02	·26	.11
9.	·03	:15	.11	.17	–	–	–	.05	–	–	·71	1.40
10.	·48	·95	·17	·08	–	–	·04	.12	–	·24	·15	·29
11.	·15	·03	–	.02	·03	–	·03	·18	–	.04	2.01	·17
12.	.18	·82	–	08	.65	–	–	·25	–	.06	·56	·10
13.	·10	1.13	–	–	1.32	–	.05	.06	.12	·02	·35	·11
14	·21	–	–	–	–	–	·42	.11	·31	·12	.05	3.12
15.	·20	–	–	–	·33	–	·53	–	.15	.03	·10	·30
16.	·05	3.27	–	–	·43	–	1.65	–	–	·02	–	·31
17.	·06	.40	02	–	·03	–	–	–	–	–	–	–
18.	·01	.40	·02	–	–	–	·11	–	–	–	–	–
19.	·10	·04	–	03	·88	–	·21	–	–	–	–	–
20.	·42	.02	–	·14	·04	·10	–	–	–	·27	–	–
21.	·28	·36	–	–	·25	·08	·68	–	–	·10	–	·25
22	·21	·21	·51	·07	–	–	·71	–	.01	.04	–	·80
23.	·09	·08	·06	–	–	–	·09	–	·17	1.00	–	·77
24.	–	–	·01	·02	–	.07	·08	–	.07	·44	–	1.00
25.	–	–	–	·10	–	·11	.22	–	.05	–	–	.75
26.	–	·95	–	–	–	·68	.03	–	04	–	–	1.18
27.	.07	·16	–	–	–	·32	·10	–	.04	1.27	–	·03
28	–	·20	–	–	–	·23	–	.05	·17	·28	–	·07
29	–		.02	–	–	·56	·14	–	.09	.10	·52	·27
30	·30		–	02	–	.30	.03	–	·06	1.14	·61	.80
31.	·03		–		–		.23	.04		.71		.59
TOTAL	6.35	15.00	1.94	2.58	4.26	2.65	6.71	3.12	1.83	6.64	5.43	16.49
Rainy Days	27	24	14	16	11	11	21	16	14	21	11	27 = 213.

TOTAL. 75.00 IN DAYS WITH ·01 – 213. GREATEST FALL IN 24 HOURS 3.51 on Feb. 16th

RAINFALL AT SHEEPSTOR IN 1915.

REV. H. HUGH BRETON. Observer.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RA… …L.

Kept at

in the Coun

by

NOTE.—Full
“R

RAINFALL AT SHEEPSTOR. S. DEVON IN 1917. REV. H. HUGH BRETON M.A. Observer

DAY	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	
1	08	–	–	.40*	–	.50	–	10	.07	–	.12	.01	
2	.04	–	.05	.16*	–	.05	–	–	.02	.05	07	.01*	
3	19	–	–	.10*	–	–	.14	–	–	81	1.08	–	
4	–	.32*	.70	–	–	–	.10	–	.14	50	.03	.01	
5	.35	–	.62	.19	–	.37	–	–	–	.40	.26	–	
6	03	–	.55	–	–	.23	–	.16	.05	.28	.17	.25	
7	82	–	–	–	–	.06	.27	.18	–	.22	.15	.11	
8	07	–	.30	.19*	–	.02	.80	.52	.10	.65	.28	.52	
9	–	–	.18	16*	.05	–	.10	.05	–	.43	.60	.06	
10	.47	–	.73	.35*	–	–	–	.51	–	.17	.18	.02	
11	.01	–	.42	.33*	–	–	–	.03	.07	.51	.31	–	
12	.61*	–	.02	–	.48	–	–	.04	–	.74	.02	–	
13	.10*	–	.32	.11	–	.18	–	.08	.28	.20	–	.11	
14	–	–	–	.11	.02	–	.30	.25	.12	.16	.03	.03	
15	1.00*	–	–	.06	–	–	.17	.23	05	1.10	–	.50	
16	–	07	–	.05	–	.05		.06	08	.41	–	.33	
17	–	06	.05	.40	07	–	.68	.22	1.00	.22	–	–	
18	–	.02	–	.03	.40	.07	.60	.07	1.02	.10	–	–	
19	–	1.00	.06	–	–	.77	–	.01	.11	–	.05	–	
20	–	.23	–	–	.49	.08	–	.10	.20	–	.08	.07	TOTAL 53.78 inches on 214 days
21	–	.02	.07	–	–	.08	–	.01	–	24	.14	.11	
22	–	.01	–	–	04	–	–	1.00	–	.15	.07	–	
23	–	.28	–	–	.18	.17	.02	.34	–	.26	.05	–	
24	–	.13	–	–	–	.24	.52	.06	–	.40	.25	.02	
25	–	.02	.11	–	–	–	.10	.70	.43	.14	.08	–	
26	–	.02	–	–	40	.11	.03	.51	35	.11	.09	–	
27	–	–	.01*	–	–	.37	.03	2.01	–	.10*	.07	–	
28	–	.05	.25	–	–	.25	–	.73	–	.02	.09	.02	
29	–		13*	–	–	.06	–	.18	–	1.40	.06	.10	
30	–		.18*	*	–	–	.18	.62	–	.03	.05	–	
31	–		.07*		.73		–	.13		31		–	
	3.77	2.23 ~~2.27~~	4.82	2.64	2.86	3.66 ~~3.64~~	4.04	8.90 ~~8.88~~	4.09 ~~4.06~~	10.11	4.38	2.28 ~~2.29~~	DAYS
* SNOW.	12	13	19	14	10	18	15	27	16	28	25	17	214

— Days of Rain —

Date.	JAN.												Date.
	in.												
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Totals													
Total from Jan. 1													

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

B. Made ✓

~~W.D.L~~ [illegible]

S. Devon

8 in
1 ft
710

4.1.19

1

RAINFALL AT SHEEPSTOR, S. DEVON. in 1918. REV. H. HUGH BRETON, M.A., Observer.

DAY	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	
1	·05	77	–	·17	·04	–	–	·75	–	·02	1.70	·05	
2	–	1.01	–	·09	·01	–	–	–	·02	–	·09	1.01	
3	–	·46	·04	·21	10	–	–	–	·16	·19	·53	·31	
4	–	·11	–	–	–	–	–	·42	·80	–	1.84	1.65	
5	–	·09	·35	·20	·28	–	–	·76	·52	·62	·07	·28	
6	·21	·71	60	·37	–	–	–	·15	·01	·20	–	·73	
7	·08	·52	–	·21	·01	·05	–	·04	·84	25	·73	1.21	
8	·08	·18	–	–	–	·12	–	–	·25	1.01	–	·04	
9	·09	·02	–	–	–	·44	30	·01	·96	·22	·03	1.13	
10	·09	–	–	·21	–	·06	22	–	·19	·35	·01	·50	
11	·05	·07	·51	·02	·06	–	·40	–	·36	·02	–	·25	
12	·02	30	·03	–	·53	–	·15	–	·03	–	–	·07	
13	–	·05	–	–	·35	·04	·31	–	1.40	·55	–	50	
14	85	–	–	–	·22	·23	·08	–	·83	·22	–	·52	
15	1.32	–	–	–	·05	·16	1.00	–	·29	·14	–	·82	
16	·76	–	–	·18	–	·02	·07	·01	·42	·02	–	·15	
17	·30	–	–	·03	–	·03	·18	·12	·24	–	–	·58	
18	1.70	–	·40	–	–	1.60	·18	·09	·91	·51	–	37	
19	·35	·15	·12	·13	–	–	·12	·03	·18	·02	–	·25	
20	12	·51	–	·31	–	·16	·15	·02	·37	·01	–	·01	
21	·31	·04	–	–	–	·32	·26	–	·81	·06	–	·50	
22	06	·02	–	–	·37		2.50	–	·38	·22	09	·50	
23	30	·05	–	–	·04	·03	–	–	·25	–	·13	·31	
24	·13	40	–	–	–	·01	·07	·32	·35	–	40	24*	SNOW
25	·14	–	–	·05	·20	–	·40	1.02	·05	·13	·28	·06*	
26	·05	·28	–	16	–	–	·42	·06	·22	·05	·08	70	
27	02	·25	·20	–	–	–	–	·20	05	·08	·28	·07	
28	–	·45*	37	–	–	–	–	–	19	·15	·32	·12	
29	–		64	–	–	–	–	–	·90	·02	07	·25	
30	–		·35	·07	–	–	–	·12	·04	20	–	·33	
31	–		·12	–	–		–	·02		·06		·10	
Total	7.08	~~6.39~~ 6.44	3.73	2.41	2.26	~~3.29~~ 3.27	6.81	4.14	~~12.04~~ 12.02	5.32	6.65	13.61	73.74
DAYS OF RAIN	22	21	12	15	13	14	17	17	29	25	16	31	DAYS 232 ✓

TOTAL 73.73

The Average for 12 years is 68. inches

1918 above the Average 5.76 inches

73.13
67.97
5.76

May this be included in the Times list?—

With sincere good wishes for the New Year
H. H. Breton

I will send you 10/- in a week or two for British Rainfall

JK RR 1572

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sheepstor.
in the County of Devonshire
by [illegible] M A

Lat. 5 ° ' N Long. ° ' W
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 711 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·00	–	0·43	0·07	0·15	–	0·17	–	0·60	0·40	–	1·06	1
2	0·21	–	0·10	–	0·10	–	0·05	–	0·04	0·10	–	0·14	2
3	0·24	–	0·33	–	0·19	–	–	–	0·35	–	0·06	0·32	3
4	0·22	0·65	1·00	–	0·02	0·04	0·63	0·50	1·77	–	0·03	0·03	4
5	0·12	0·38	0·62	–	0·05	–	–	–	0·24	–	0·02	0·17	5
6	1·07	1·45	0·34	–	–	–	–	–	–	–	0·03	0·41	6
7	0·62	–	0.55	0·15	–	0·02	0·04	–	0·05	–	–	0·18	7
8	0·53	–	0·44	0·03	0.01	0·03	–	–	–	–	0·27	–	8
9	0·18	–	0·14	0·56	0·26	–	–	–	–	–	0·90	0·31	9
10	0·08	–	1·67	0·07	0·08	–	–	–	–	0·03	0·01	1·37	10
11	0·17	–	0·82	0·40	0·74	0·11	0·13	–	0·05	0·14	0·17	0·83	11
12	0·34	–	0·06	0·10	–	0·02	–	–	0·01	0·25	0·21	0·03	12
13	0·60	0·11	0.20	1·11	–	–	0·13	–	0·01	0·19	–	0·57	13
14	1·63	0·19	–	0·65	1·11	–	0·17	–	0·03	0·17	0·01	0·37	14
15	0·51	0·11	–	0·08	–	–	–	–	–	0·20	–	0·60	15
16	0·13	1·75	0·02	–	0·11	0·03	0. 02	0·03	–	–	0·55	0·03	16
17	0·10	0·30	0·04	–	0·03	0.15	0 .50	0·06	–	–	0·40	·32 0·23	17
18	0·16	0·61	1.00	–	–	–	0·50	0·43	0·10	–	0·55	–	18
19	0·88	0·72	0·38	–	–	0·28	0·03	0·80	0.32	–	0·33	0·18	19
20	0·84	0·07	0·20	–	–	0·28	0·20	0·11	0·22	–	0·31	0·25	20
21	0·37	1·61	–	–	0·04	–	0·05	0·08	0·33	–	0·06	0·05	21
22	–	0·05	0·02	–	–	0·04	–	0.02	0·35	–	0·09	0·11	22
23	–	–	0·04	–	–	–	–	0·08	0·02	1·13	0·22	0·25	23
24	–	0·03	–	–	–	0·27	–	0·31	0·10	0·44	0·18	0·35	24
25	0·22	0·04	–	0·04	–	0·02	–	0·93	0·04	0·02	0·12	0·10	25
26	0·09	0·06	0·13	0·21	–	–	–	0·12	0·18	0·02	0·20	1·00	26
27	0·31	0·07	0·21	0·40	–	0·03	–	1·37	–	–	–	0·10	27
28	–	0·04	0·50	0.25	–	–	–	0·04	0·03	0·07	0·51	1·00	28
29	–		0·04	0·11	–	–	–	0·32	–	0·07	–	0·24	29
30	–		0·05	0·16	–	0·19	–	0·26	0·10	–	1·09	1·53	30
31	–		0·15		–		0·06	–		–		0·52	31
TOTAL	10·62	8·24	9.48	4·39	2·89	1·51	2·68	5·46	4·94	3·23	6·32	12·42	YEAR'S TOTAL 72·18
Days with ·01 in. or more	24	18	26	16	13	14	14	16	21	14	23	29	228

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3208

1486

4 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MOI

Kept at Sheepstor

in the County of Devonshire

by Rev. H. H. Breton, M.A.

Lat. 50°29'N Long. 4° 1' W

Time of Observation 9h G.M.T

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

" " " " Sea Level 711 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·22	-	0·04	0·11	1·03	-	1·14	0·05	0·27	0·24	0·02	1·20	1
2	0·91	-	-	0·32	0·02	-	0·20	0·45	0·25	0·12	-	0·43	2
3	1·05	0·15	-	0·09	0·01	-	0·07	0·02	0·10	2·02	-	0·38	3
4	-	-	0·03	0·01	0·02	-	0·04	2·00	0·04	0·63	-	-	4
5	-	-	0·50	0·06	0·20	-	0·52	0·34	0·03	0·33	-	-	5
6	-	-	0·33	0·10	0·50	-	0·34	0·02	0·02	0·14	0·02	-	6
7	0·15	-	0·11	0·82	0·08	-	0·60	-	0·01	-	-	0·37	7
8	0·05	0·09	-	0·65	0·18	-	0·14	0·14	-	-	-	0·32	8
9	1·51	0·15	0·07	0·10	-	0·04	1·08	-	-	-	-	-	9
10	1·75	0·34	0·38	0·04	-	0·36	0·27	-	-	-	-	-	10
11	0·78	0·05	0·31	0·93	0·45	0·01	0·30	-	-	-	-	-	11
12	0·58	0·40	0·40	0·32	0·06	0·04	0·20	-	-	0·08	0·23	0·25	12
13	0·17	0·07	0·82	0·07	-	0·06	-	-	-	0·32	-	0·10	13
14	0·44	0·16	0·51	1·11	-	-	0·16	-	0·43	1·04	0·82	0·05	14
15	0·18	0·36	0·12	0·70	0·06	-	-	-	0·06	0·82	0·21	-	15
16	0·04	0·09	0·22	0·18	0·02	0·10	0·25	-	0·62	0·03	-	-	16
17	0·24	-	0·03	0·02	0·84	-	0·01	-	0·96	0·25	0·02	-	17
18	0·52	-	0·03	0·14	0·12	0·22	0·04	0·40	0·09	0·01	0·01	-	18
19	0·15	0·04	-	0·77	0·09	0·63	0·02	-	0·04	0·01	-	-	19
20	0·08	0·02	-	0·16	-	0·25	0·08	-	-	0·16	-	1·00	20
21	0·02	-	-	0·37	-	-	0·11	-	0·06	0·07	-	0·14	21
22	0·16	-	-	0·17	-	0·02	0·18	-	0·02	-	-	0·35	22
23	0·09	-	0·10	0·02	-	-	0·32	0·16	0·01	-	0·02	1·08	23
24	0·11	-	0·91	0·07	-	-	0·08	-	-	-	0·37	0·61	24
25	0·15	0·06	0·21	0·08	-	0·04	1·60	-	0·02	-	0·02	0·12	25
26	0·71	0·07	0·24	-	-	0·12	0·14	-	0·02	-	0·35	0·04	26
27	1·22	0·09	0·19	0·35	-	0·62	0·28	-	-	-	1·10	0·63	27
28	1·02	0·05	0·36	0·08	0·03	0·30	0·42	-	-	-	0·08	0·17	28
29	0·84	-	0·51	0·14	0·20	0·05	0·07	-	0·04	-	1·04	0·77	29
30	0·49	✕	0·02	0·01	0·09	0·70	0·54	-	1·45	0·34	0·69	1·63	30
31	0·37	✕	0·67	✕	-	✕	0·29	-	✕	0·83	✕	1·00	31
Total	14·00	2·22	7·11	~~8·01~~ 7·99	4·00	3·56	9·29	3·58	4·54	7·44	5·00	10·64	Year's Total 79·37
Days with ·01 in. or more	28	16	24	29	18	16	29	9	20	18	15	30	242
					13	14	27	7	13	15	9	20	205

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

copied from M.O 3201

~~SIDMOUTH~~.
SIDMOUNT.
DEVON.
1911 - 1920

HEIGHT. ABOVE. SEA LEVEL.
149.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

R

Kept at Sidmoun

in the County of Devo

by C M Radford

5 in.

ve Ground 1 ft. in.

Sea Level ~~about~~ 148 ft.

local time

Name Sidmouth

Distance ¼ mile Direction North

IMPORTANT NO … d the result entered to the previous day. If an C … iversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of th … ement of rain, the selection and plac … British Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.01	.15	.02	–	–	.02	–	–	.02	–	1
2	–	–	–	.11	.42	–	–	.15	–	.06	.25	.20	2
3	–	–	–	–	.11	–	–	–	.02	–	.04	.05	3
4	–	–	.09	–	–	–	–	.03	–	–	.06	.42	4
5	.09	–	.09	.01	–	–	–	.29	–	.08	.14	.02	5
6	.36	–	.29	–	–	–	–	–	–	.04	.08	.87	6
7	.03	–	.02	–	–	–	–	–	–	–	.38	.02	7
8	–	–	.19	–	–	–	–	–	–	–	.07	.59	8
9	.02	–	.02	–	–	–	–	–	–	–	.24	.60	9
10	.07	.07	.17	–	.13	–	–	–	–	–	–	.18	10
11	.17	.01	.01	–	.03	–	–	–	.02	–	.85	.12	11
12	.01	–	.84	–	–	–	–	.03	.03	–	.03	.12	12
13	–	–	.01	–	–	–	–	–	.42	.02	.04	.70	13
14	–	.12	–	–	–	–	–	–	–	.14	–	.99	14
15	–	.05	–	–	–	.02	–	–	–	–	.24	.04	15
16	–	–	.01	–	–	.41	–	–	–	–	.54	.42	16
17	–	–	.30	.02	–	.13	–	–	–	–	.30	.33	17
18	–	.19	.12	.16	–	.11	–	–	–	.13	.15	.29	18
19	–	.05	.03	.09	–	.19	–	–	.35	.11	.16	.38	19
20	.03	.05	.18	.15	–	.04	–	.01	.03	.33	–	.64	20
21	.02	.17	.01	.05	–	–	–	–	.01	.48	–	.06	21
22	.10	.02	–	.03	–	.01	–	–	.15	.12	–	.60	22
23	.02	.05	–	–	–	.21	–	–	.10	.19	.14	.24	23
24	–	.13	–	–	–	.58	–	.04	–	.38	–	.25	24
25	–	.03	.01	.10	–	.14	–	.01	.08	.16	–	.12	25
26	–	.15	–	.22	–	.03	–	.02	–	[illegible]	.04	.18	26
27	–	.32	.09	.01	.03	–	–	.07	.10	.88	.07	.19	27
28	–	.24	–	.43	–	–	–	.08	–	–	.04	–	28
29	–		–	.22	.15	.24	.53	–	.21	.25	–	–	29
30	–		–	.01	–	.08	–	–	.03	.10	.12	.04	30
31	–		.02		–		.07	–		.01		.01	31
Total	.92	1.65	2.51	1.76	.89	2.19	.60	.75	1.55	3.64	4.0	8.67	TOTAL for year 29.13
No. of Rain Days.	11	15	20	15	7	13	2	11	13	18	22	28	175

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

S.7

Kept at Sidmount Sidmouth
in the County of Devon
by C M Bedford (Miss)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level about 148 ft.

Time of Observation 9 local time

Nearest Railway Station
Name Sidmouth
Distance 1/4 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.01	.15	.02	—	—	.02	—	—	.02	—	1
2	—	—	—	.11	.42	—	—	.15	—	.06	.25	.20	2
3	—	—	—	—	.11	—	—	—	.02	—	.04	.05	3
4	—	—	.09	—	—	—	—	.03	—	—	.06	.42	4
5	.09	—	.09	.01	—	—	—	.29	—	.08	.14	.02	5
6	.36	—	.29	—	—	—	—	—	—	.04	.08	.87	6
7	.03	—	.02	—	—	—	—	—	—	—	.38	.02	7
8	—	—	.19	—	—	—	—	—	—	—	.07	.59	8
9	.02	—	.02	—	—	—	—	—	—	—	.24	.60	9
10	.07	.07	.17	—	.13	—	—	—	—	—	—	.18	10
11	.17	.01	.01	—	.03	—	—	—	.02	—	.85	.12	11
12	.01	—	.84	—	—	—	—	.03	.03	—	.03	.12	12
13	—	—	.01	—	—	—	—	—	.42	.02	.04	.70	13
14	—	.12	—	—	—	—	—	—	—	.14	—	.99	14
15	—	.05	—	—	—	.02	—	—	—	—	.24	.04	15
16	—	—	.01	—	—	.41	—	—	—	—	.54	.42	16
17	—	—	.30	.02	—	.13	—	—	—	—	.30	.33	17
18	—	.19	.12	.16	—	.11	—	—	—	.13	.15	.29	18
19	—	.05	.03	.09	—	.19	—	—	.35	.11	.16	.38	19
20	.03	.05	.18	.15	—	.04	—	.01	.03	.33	—	.64	20
21	.02	.17	.01	.05	—	—	—	—	.01	.48	—	.06	21
22	.10	.02	—	.03	—	.01	—	—	.15	.12	—	.60	22
23	.02	.05	—	—	—	.21	—	—	.10	.19	.14	.24	23
24	—	.13	—	—	—	.58	—	.04	—	.38	—	.25	24
25	—	.03	.01	.10	—	.14	—	.01	.08	.16	—	.12	25
26	—	.15	—	.22	—	.03	—	.02	—	.16	.04	.18	26
27	—	.32	.09	.01	.03	—	—	.07	.10	.88	.07	.19	27
28	—	.24	—	.43	—	—	—	.08	—	—	.04	—	28
29	—		—	.22	.15	.24	.53	—	.21	.25	—	—	29
30	—		—	.01	—	.08	—	—	.03	.10	.12	.04	30
31	—		.02		—		.07	—		.01		.01	31
Total	.92	1.65	2.51	1.76	.89	2.19	.60	.75	1.55	3.64	4.0	8.67	TOTAL for year 29.13
No. of Rain Days.	11	15	20	15	7	13	2	11	13	18	22	28	175

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

S7

Kept at Sidmouth
in the County of Devon
by C. M. Radford

Lat. 50° 41′ Long. 3° 14′
Time of Observation
Nearest Railway Station Sidmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	—	—	.28	.07	.02	.03	.70	—	.27	1
2	—	—	.11	.02	—	.09	.06	—	trace	—	.01	.01	2
3	—	—	.19	—	—	.25	.09	1.19	.03	—	.03	.03	3
4	.20	.02	.68	—	—	.34	—	.06	.01	—	.27	—	4
5	.39	.25	.26	—	.03	.15	—	.57	—	—	trace	.28	5
6	.50	.07	—	—	.44	.10	.09	.34	trace	—	—	.03	6
7	.05	.65	.13	.03	.10	.94	—	.05	—	trace dew	trace	.23	7
8	.41	.13	.41	.03	—	.28	.06	.01	trace	—	—	.04	8
9	.05	.04	.01	.09	—	.24	.07	.04	—	—	—	.94	9
10	.15	.07	.08	.02	—	.02	.03	.15	.01	trace dew	.05	.33	10
11	.07	.03	—	—	—	—	trace	.03	—	.02	.07	.66	11
12	.02	.42	.08	—	—	.04	.05	.46	—	—	—	.03	12
13	.04	—	.01	—	—	—	.01	.04	—	—	.03	.10	13
14	.07	.02	.48	—	.13	—	—	.14	—	—	—	trace	14
15	.37	.19	.02	—	.41	.54	—	.02	—	—	—	.09	15
16	.39	—	.28	—	.03	.03	—	.07	—	.06	.03	.04	16
17	.22	—	.20	—	trace	.17	—	.73	—	—	—	.02	17
18	.01	.02	.17	—	—	—	—	.09	—	.01 dew	.05	.07	18
19	.01	.16	.18	—	—	.05	.13	.08	—	trace	.03	.01	19
20	.04	.11	.27	—	.18	—	.02	.29	—	.19	.04	trace	20
21	—	.13	.29	—	.60	—	.08	.21	—	.13	trace	—	21
22	.32	.39	.19	—	.05	—	.05	.08	—	.27	.04	.08	22
23	.37	.35	.24	—	.03	.02	.02	.62	—	.07	.15	.39	23
24	.09	.05	.01	—	—	.45	—	.05	—	.08	—	.24	24
25	.17	—	—	—	—	.13	.01	.35	—	.35	.11	.62	25
26	—	.02	—	—	—	trace	.01	.04	—	.16	.33	.33	26
27	—	—	—	—	—	.49	.63	.12	—	1.—	trace	.28	27
28	—	.10	—	—	—	.05	.10	.30	.32	.45	.37	.68	28
29	—	.25	—	—	—	.31	.11	.18	.63	.41	—	.02	29
30	—		.08	—	.02	.28	.06	trace	.26	.39	—	—	30
31	—		.23		.01		.54	.02		.14		.04	31

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
Total	3.94	3.47	4.62	.19	2.03	5.25	2.29	6.35	1.29	4.43	1.61	5.76	41.23 ✓
Rain Days.	21	21	24	5	12	22	21	29	7	16	15	26	219 ✓

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

-9 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sidmount Sidmouth
in the County of Devon
by Constance M Radford

Lat. 50°41' Long. 3°14'
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Sidmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	trace	.33	.09	.04	.27	—	—	—	.14	.08	.22	.02	1
2	.15	.08	—	.09	.18	—	.02	—	—	—	.16	trace	2
3	.69	—	.01	trace	.29	—	—	—	—	—	trace	.27	3
4	1.34	—	—	—	.13	.02	trace	—	.11	.20	.07	.22	4
5	.12	.09	.09	—	.26	.07	.03	—	.57	.05	.23	.75	5
6	.03	.07	.10	—	.02	.10	.09	—	trace	.95	.02	.34	6
7	trace	.43	.02	—	.83	.02	.02	—	—	.23	.27	.01	7
8	.09	.12	—	.01	.18	trace	.15	.01	—	—	trace	.01	8
9	.01	.03	—	—	.02	trace	.07	.03	—	—	.29	—	9
10	.67	.04	—	—	.07	—	trace	.02	—	.25	.05	—	10
11	.86	.02	—	.09	.72	.11	—	—	trace	.02	.84	—	11
12	.06	—	—	.01	.23	—	—	—	.03	—	.37	.02	12
13	.23	.03	.03	—	.01	—	—	.15	.30	—	.16	—	13
14	.31	—	.10	.04	.13	—	—	—	.02	.01	.10	—	14
15	.41	—	.37	.20	—	—	—	—	.28	—	.02	—	15
16	.20	trace	.40	.12	—	—	—	.01	.30	—	—	—	16
17	.08	—	.03	.01	—	.03	—	—	—	—	.02	—	17
18	.05	—	.25	.09	.02	—	—	—	—	—	.07	—	18
19	.60	—	.11	—	.03	—	.02	—	.51	.03	trace	—	19
20	.26	—	.20	.48	—	.02	—	—	trace	.05	.12	—	20
21	—	—	.18	.06	.10	—	—	—	—	.02	.42	—	21
22	.52	—	.57	.11	—	—	.01	.02	.13	trace	trace	.20	22
23	—	—	.02	—	—	.09	—	—	—	—	.19	.68	23
24	—	.08	—	.07	.01	—	—	.02	—	—	.03	.01	24
25	—	.02	—	.33	—	—	—	—	.02	.04	.01	trace	25
26	—	—	—	.95	—	—	—	.26	.01	—	—	.17	26
27	.46	—	.15	.65	—	—	—	—	—	.21	—	trace	27
28	.92	—	.03	.28	—	—	—	—	—	.50	—	.18	28
29	.18		.65	.44		—	—	.01	—	.20	—	—	29
30	.24		(dew) .02	.01	.01	—	—	—	.30	.57	—	—	30
31	21		.11		.01		—	.60		.03		—	31
													YEAR'S TOTAL
Total	8.69	1.34	3.53	4.08	3.52	.46	.41	1.13	2.72	3.44	3.66	2.88	35.86
Rain Days.	24	12	21	20	20	8	8	10	13	17	20	13	186

W.7,000, XI. 13

82 ✓

314

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sidmouth

in the County of S. Devonshire

by Miss C. M. Radford

S7

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·01		·08	·36	·55			·08	·05	1
2			·03	·08	·07		·40	·03			·55	·35	2
3		·01	·11	·16	·56			·31			·13	·02	3
4	·17		·02	·27	·12		·41	·09			·47	·61	4
5	·08		·03	·22	·03		·02					·05	5
6		·08	·02	·09	·07		·02	·01			·05	·39	6
7	·03	·97	·10	·18	·06	·11	·27	·05	·15			·45	7
8	·03		·52	·02	·06	·12		·04	·04			·05	8
9		·05	·36	·28	·05	·78		·28	2·15		·01		9
10	·08	·60	·04	·09	·09	·06			·68			·02	10
11		·12	·38		·03	·10			·01		·01	·79	11
12		·18	·26						·18	·08		·69	12
13		·35	·37				·03		·19	·20	·15	·15	13
14		·25	·25			·39		·98		·07	·28	·05	14
15	·01		·13				·04	·14		·15	·23	·06	15
16			·01				·02		·29			·01	16
17		·24	·18									·44	17
18		·06	·09				·17		·11			·21	18
19		·15	·71				2·10		·04		·08	·10	19
20		·48	·09			·04						·25	20
21		·46								·20		·07	21
22		·02	·03		·16	·05				·12		·01	22
23		·14	·25		·05		·01			·80		·01	23
24		·24	·02		·16			·03		·04	·07		24
25	·11	·02	·45				·13	·39		·37	·03	·23	25
26	·06		·09				·06			·02	·08	·48	26
27	·03	·01					·01			·01	·11	·23	27
28		·12	·43		·04					·05	·23	1·16	28
29			·15		·17		·02			·13	·37	·04	29
30			·17	·05			·55			·21	·34	·85	30
31	·11				·05					·52		·25	31
													YEAR'S TOTAL
Total	·71	4·55	5·42	1·45	1·77	1·73	4·62	2·90	3·84	2·97	3·27	8·07	41 30
Rain Days.	10	20	28	11	16	9	17	12	10	15	18	29	195

W.7,000, XI. 13

8l

1915
309

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Sidmouth, Sidmount
in the County of S. Devonshire
by C. M. Radford

57

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	37						·39	·24	·59		·09	1
2	·30	·21	·19	·03		·10		·18	·03	·17		·67	2
3	·03	07	·11	·06	21							·52	3
4	·06	·06	—		·02							·30	4
5	·02	64		06				·36				63	5
6	·66	·15		·25			·42	·02				·28	6
7	·24	60		·05			·24				·03	·20	7
8	·13	·35		·01			·04	·11			·03	·14	8
9		·12		·07							·28	·82	9
10	·24	·50	·05	·02						·10	·04	·07	10
11	·08	·73	·20	·02	02		·01	·07		·04	·92	·02	11
12	·22	·39		·10	·54			·10		·02	·33	·02	12
13	·01	·24			·17			·29	·05		·08	·03	13
14	·01						27	·10	·11	·07	·02	1·00	14
15	·24	·08			·27		·15	·04	·01	·07	·02	·05	15
16	·01	·92			·25		·76		·01		—	·19	16
17		·50			·04			·01					17
18		·19											18
19	·01	·03		—	·45		·17						19
20	·22			·14		·13				·50		·09	20
21	·24	·02				·02	·11			·50		·05	21
22	·05	·04	·36	·06		·06	·38			·04		·35	22
23		·04	·01			·07	·08		·23	2·62		·48	23
24				·02			·18		·44	·16		·48	24
25	·02			·06		·46	·01				·07	·28	25
26	·02	·05				·05	·16		·09			·90	26
27		·01				·36	·13			·82			27
28		·08				·19			·33	·13	·01	·08	28
29						·59	·07				·15	·04	29
30	·18					·01			·04	·88	·44	·32	30
31	·05						·18			1·53		·29	31
Total	3·28	6·39	·92	·95	1·97	2·04	3·36	1·67	1·58	8·24	2·42	8·39	YEAR'S TOTAL 41·21
Rain Days.	23	24	6	14	9	11	17	11	11	16	13	27	182

W. 8,000. X. 14.

8h

Exe Dh

1872
274

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Sidmount, Sidmouth

in the County of S. Devonshire

by C. M. Radford

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·05		·51		·01		·21	·44	·10		1
2	·06	·11			·02				·06	·33	·30		2
3		1·22			·29	·02				·51	·20		3
4	·10	·19			·05	·19			·10	·02	·60		4
5			·19		·07	·17				·02	·10		5
6		·11	·01		·14	·05	·78			·15	·70		6
7	·03	·10	·16		·04	·04	·08			·11	·66	·08	7
8		·24	·22		·19	·02					·16	·20	8
9		·01			·04	·04	·02			·05	·08	·25	9
10		·65		·05	·08		·06				·02	·11	10
11				·04					·01				11
12	·07	·02	·25	·05	·20		·17	·10		·01			12
13		·16	·12	·03				·20					13
14		·47	·02	·02	·05			·29		·01			14
15		·12	·13	·10				·02		·01		·39	15
16	·19	·02		·15			·07	·14		·02			16
17	·18	·20		·01					·24	·30	·67		17
18	·03	·11	·20	·02					·17	·04		·08	18
19	·09	·19	·29						·02		·16	·08	19
20	·07	1·00	·17	·01							·09	1·27	20
21		·19	·05		·10							·17	21
22						·11		·13		·15		·52	22
23		·08		·03		·09		·21		·04	·08	·07	23
24		·07	·02	·04	·61	·05		·07		·84	·03	·38	24
25		·44	·06		·14	·02		·57			·21		25
26		·11	·02		·01	·26		·30	1·23	·58	·03		26
27			1·18			·40		·15	·56	·08		·01	27
28		·20				·01		·18	·20	·42		·16	28
29		·34				·31		1·80	·10	·07		·31	29
30		✕		·02						·50			30
31		✕		✕		✕		·03	✕	·44	✕	·02	31
Total	·91	6·35	3·12	·57	2·54	1·78	1·19	4·19	2·90	5·14	4·19	4·10	YEAR'S TOTAL 36·98 ~~37·00~~
Rain Days.	10	24	17	13	16	15	7	14	11	23	17	16	183

W. 8,000. X. 15.

8L

Ex. 8L

1792
~~259~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sidmouth, Sidmount
in the County of S. Devonshire
by C. M. Radford

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

26 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·13	·23		·22		·40			·05		1
2	·01		·03	·15		·03					·02		2
3	·04			·03			·58	·02		·10	1·00		3
4		·07	·45				·01			·27			4
5	·07		·25	·25		·03			·10	·38	·06		5
6			·06			·02				·02	·11		6
7	·53						·03	·29		·24	·05		7
8	·18		·17	·12			·71	·34	·06	·32	·10	·25	8
9			·05	·09	·02		·11	·36	·01	·20	·23		9
10	·25		·33	·37				·32	·01		·04		10
11	·05		·71	·11			·01	·18	·05	·22	·09		11
12	·04		·01		·59					·28	·01		12
13			·23					·37	·04	·05			13
14				·10	·01	·01	·63	1·04	·01	·01			14
15				·11			·08	·02	·01	·18		·47	15
16		·13		·07			·02	·02	·01	·27		·20	16
17		·02	·01	·03	·03		·33	·07	·48	·08			17
18		·08			·09	·10	·07	·01	·55				18
19		·57	·20			·04			·15				19
20		·02	·06		·36	·04		·23	·03			·02	20
21			·09					·05		·01	·01		21
22		·06	·01		·04			·09		·05			22
23		·13			·27			·18		·14		·01	23
24						·04	·32	·03		·04			24
25		·03	·08				·11	·09	·07	·03	·05		25
26					·40	·10		·39	·16	·03	·01		26
27					·25	·31		·70					27
28		·06	·10		·06	·63		·24				·03	28
29			·01		·02	·12	·02	·01		·36		·07	29
30		×	·20				·09	·15		·02			30
31		×	·12	×	·01	×		·01	×	·26	×	·02	31
Total	1·18	1·17	3·30	1·66	2·15	1·69	3·12	5·61	1·74	3·56	1·83	1·07	YEAR'S TOTAL 28·08
Rain Days.	9	10	21	12	13	13	15	25	15	23	14	8	178

W. 8,000 VIII. 16

·53

126

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6 . 10

Kept at Sidmount – Sidmouth
in the County of Devon
by Constance M Radford

Lat. 50° 41′ Long. 3° 14′ 30″
Time of Observation 9
Nearest Railway Station Sidmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.25	—	.08	.03	—	—	1.22	trace	.04	.70	.01	1
2	—	.17	—	.03	trace	—	—	trace	—	.02	trace	.10	2
3	—	09 .08	trace	.27	.06	—	—	—	.05	Trace	.03	.04	3
4	—	.02	—	—	—	—	—	.21	.50	—	1.0	.20	4
5	—	trace	.37	.01	.33	—	—	.62	.70	.11	.01	.05	5
6	.20	.03	—	.10	—	—	—	.01	.02	.12	—	.25	6
7	—	.11	—	trace	.16	.01	—	—	.25	.09	.39	.05	7
8	.04	.19	—	—	trace	—	—	—	.04	.45	—	.02	8
9	.14	—	—	.14	—	.08	52 .62	—	.40	.01	—	.32	9
10	.02	trace	—	.20	—	—	.25	—	.24	.16	.01	.50	10
11	—	—	.14	.02	—	—	.57	—	.17	.04	.02	.03	11
12	—	.05	.09	—	.29	—	.19	—	.07	.02	—	—	12
13	.10	—	—	—	.28	—	.37	—	.49	.22	—	.01	13
14	.25	—	—	—	.04	.14	.01	—	.21	.25	—	.14	14
15	1.30	—	—	.15	.05	.02	.37	—	.02	.01	—	.24	15
16	.43	—	trace	.09	—	.01	.04	—	.19	.02	—	.14	16
17	.24	—	.02	.14	—	—	.47	trace	.01	—	—	.10	17
18	.96	—	.03	—	—	.60	.16	—	.27	.09	—	.18	18
19	.19	.02	.20	.01	—	.11	.09	.03	.08	—	—	.08	19
20	.04	.07	—	.22	—	trace	.26	.01	.14	.01	—	—	20
21	.04	.02	trace	—	—	.10	.07	—	.30	.03	—	.40	21
22	.03	—	trace	—	.16	—	1.0	—	.14	.10	trace	.10	22
23	.06	Trace	—	—	.04	—	.08	.03	.12	—	—	.25	23
24	.01	.15	—	—	—	.01	.02	.08	.10	—	.23	.20	24
25	.01	—	—	.22	.08	—	.17	.50	—	.01	.18	.02	25
26	trace	.03	—	—	—	—	.24	.01	trace	.01	.05	.13	26
27	.01	.10	.10	—	—	—	.01	.04	.17	.01	.09	—	27
28	—	.22	.17	.01	—	—	—	trace	.04	.15	.02	.02	28
29	—	✕	.11	—	—	—	—	—	1.35	.01	—	.02	29
30	—	✕	.30	.02	—	—	—	.01	.04	.02	.16	.01	30
31	—	✕	.07	✕	—	✕	—	—	✕	.01	✕	—	31
Total	4.10	1.51	1.60	1.71	1.61	1.08	4.89	2.77	6.11	1.96	2.88	3.61	YEAR'S TOTAL 33.82
Rain Days.	19	15	11	16	11	9	19	12	26	25	13	27	203

W, 6,500, VII. 18. w w c

Red Cab. 13/7/20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sidmouth (M.O)
in the County of Devon
by

Lat. Long.
Time of Observation 9 h.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	19.5	0.1	3.7	0.2	0.5	-	7.1	-	0.4	4.7	-	21.3	1
2	4.1	-	-	-	-	-	4.7	-	3.4	2.0	-	-	2
3	13.7	-	7.5	-	2.0	-	-	-	5.4	-	1.5	2.0	3
4	16.2	12.0	9.5	-	-	1.6	-	2.2	7.5	-	0.4	1.0	4
5	1.3	9.2	19.5	-	0.5	-	-	-	14.6	-	1.6	2.3	5
6	6.2	19.8	2.4	0.5	-	-	-	-	0.1	-	-	3.8	6
7	4.1	0.2	5.8	4.0	-	0.1	-	-	-	-	-	2.5	7
8	4.0	-	7.0	-	0.3	-	-	-	-	-	-	-	8
9	2.7	-	0.1	3.7	5.1	-	-	-	-	-	6.1	-	9
10	5.0	-	9.0	0.1	0.1	-	-	-	-	1.0	-	2.0	10
11	0.4	-	3.5	2.7	6.5	0.7	3.2	-	-	0.3	-	3.6	11
12	2.6	-	0.3	2.5	-	0.5	-	-	-	1.9	2.8	0.3	12
13	1.5	2.6	4.4	8.3	-	-	0.4	-	-	1.0	-	2.3	13
14	9.5	6.7	-	12.1	5.0	-	0.2	-	1.2	1.5	-	4.3	14
15	3.8	2.5	-	1.3	-	-	-	-	-	3.0	-	4.3	15
16	1.2	18.4	-	0.1	-	-	-	0.8	-	-	2.0	0.2	16
17	0.1	9.9	-	-	-	-	-	-	-	-	4.5	-	17
18	3.0	3.4	22.0	-	-	-	5.5	-	0.3		5.1	0.1	18
19	15.0	11.5	9.2	-	-	3.5	12.5	10.0	5.5		2.3	1.2	19
20	6.6	0.4	1.2	-	-	9.2	-	3.3	4.0	-	1.2	0.7	20
21	0.9	20.2	-	-	-	-	3.7	1.6	1.9	-	-	2.0	21
22	-	0.2	0.3	-	-	-	2.7		2.2	-		0.9	22
23	-	-	0.8	-	-	-	-	4.5	-	17.2	0.7	0.9	23
24	-	-	-	0.3	-	6.5		5.9	-	13.1	4.7	6.0	24
25	2.7	0.3	-	1.1	-	0.9		9.8	-	-	0.9	2.0	25
26	9.1	0.3	1.~~8~~7	1.5	-	0.2	-	1.3	1.2	-	1.6	7.4	26
27	5.7	-	0.5	4.5	-	0.7	7.0	35.4	-	-	-	1.8	27
28	0.3	-	7.7	-	-	-	-	[illegible]	-	0.1	16.6	12.2	28
29	-	X	0.8	2.6	-	-	-	4.0	-	0.8	0.4	2.0	29
30	-	X	-	1.1	-	2.4	-	7.5	-	-	14.2	12.7	30
31	-	X	-	X	-	X	-	-	X	-	X	13.7	31
TOTAL	139.2	117.7	116.9	46.6	20.0	26.4	47.0	88.3	47.7	46.6	66.6	113.5	YEAR'S TOTAL 876.5
Days with 0·2 mm. or more	24	16	20	15	7	10	10	13	12	11	17	26	181

Converted from inches
See other sheet

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 1592

REGISTER OF RAINFALL IN 192.........

Kept at Sidmouth
in the County of Devon
by (Miss) C. M. Radford

Lat. 50° 41′ Long. 3° 14′ 30″ W
Time of Observation 9 am
Nearest Railway Station Sidmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.8	—	0.5	2.0	8.5	—	7.1	0.2	2.5	0.4	1.0	12.2	1
2	6.6	—	—	9.3	—	—	1.0	3.3	1.1	0.7	—	4.3	2
3	2.8	0.7	—	0.4	—	—	0.5	—	trace	6.5	—	9.9	3
4	—	trace	0.5	trace	0.3	—	0.8	10.5	—	5.1	—	0.1	4
5	—	trace	3.6	2.4	5.0	trace	8.0	2.5	—	7.7	—	—	5
6	—	—	5.8	2.9	3.3	—	3.6	0.1	—	0.9	0.1	—	6
7	trace	—	—	8.6	1.3	—	9.7	—	—	—	—	2.8	7
8	3.3	1.8	—	9.9	0.7	—	10.4	trace	—	0.3	—	3.8	8
9	15.2	trace	0.1	1.5	0.2	8.8	2.8	~~trace~~	—	—	—	—	9
10	12.7	0.5	1.5	0.1	—	8.4	7.1	—	trace	—	—	—	10
11	4.3	—	3.3	9.9	7.1	0.3	3.6	—	tr	—	—	—	11
12	3.0	0.5	0.5	3.3	0.2	2.5	4.8	—	—	0.2	1.6	2.1	12
13	6.4	trace	9.1	1.0	—	0.1	0.1	—	—	0.8	—	1.3	13
14	2.0	1.0	6.1	13.2	—	trace	0.2	—	5.1	5.6	4.2	0.5	14
15	0.2	2.5	0.7	4.6	1.3	0.7	—	—	1.0	12.2	0.4	—	15
16	—	0.3	0.6	1.8	trace	1.6	7.1	—	6.9	2.2	trace	—	16
17	~~tr~~ —	—	0.2	3.2	6.1	0.5	0.4	—	6.6	—	—	0.1	17
18	1.5	trace	1.3	4.2	0.9	8.9	0.1	8.2	3.6	0.1	—	—	18
19	1.9	—	—	6.9	0.8	8.0	—	2.0	0.4	—	—	—	19
20	0.8	1.7	—	5.3	0.1	9.9	—	trace	trace	0.3	—	6.4	20
21	—	—	—	2.4	—	trace	1.0	—	—	10.2	—	3.3	21
22	0.5	—	—	4.4	—	0.2	0.4	—	—	0.1	—	8.9	22
23	—	—	—	trace	—	trace	8.3	1.6	—	—	—	9.0	23
24	trace	trace	5.6	—	—	"	0.1	0.2	—	—	2.3	1.4	24
25	trace	0.3	1.3	trace	2.0	"	16.7	—	—	—	0.2	0.3	25
26	3.6	—	5.8	—	trace	0.5	0.3	—	—	—	2.9	4.6	26
27	12.7	1.9	1.8	2.8	0.5	4.7	1.3	—	—	—	10.7	6.7	27
28	18.3	0.5	5.1	1.5	trace	0.3	2.2	—	—	—	0.1	2.5	28
29	9.4	0.6	13.5	3.6	—	—	—	—	—	—	4.1	4.3	29
30	2.5	✕	0.1	—	1.3	3.6	2.3	—	12.2	0.3	9.1	7.2	30
31	1.0	✕	11.4	✕	0.1	✕	0.3	—	✕	17.1	✕	2.2	31
TOTAL	110.5	12.3	78.4	105.2	39.7	59.0	96.2	28.6	39.4	70.7	36.7	93.9	YEAR'S TOTAL 770.6
Days with 0·2 mm. or more	21	12	20	23	16	15	24	8	9	16	10	20	194
Days with 1·0 mm. or more	18	5	14	22	9	9	16	6	8	8	8	18	141

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sidmouth (MO)

in the County of Devon

by Miss C. Radford

Lat. 50°41'N Long. 3°15'W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 148 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.8	-	0.5	2.0	8.5	-	7.1	0.2	2.5	0.4	1.0	12.2	1
2	6.6	-	-	9.3	-	-	1.0	3.3	1.1	0.7	-	4.3	2
3	2.8	0.7	-	0.4	-	-	0.5	-	-	6.5	-	9.9	3
4	-	-	0.5	-	0.3	-	0.8	10.5	-	5.1	-	0.1	4
5	-	-	3.6	2.4	5.0	-	8.0	2.5	-	7.7	-	-	5
6	-	-	5.8	2.9	3.3	-	3.6	0.1	-	0.9	0.1	-	6
7	-	-	-	8.6	1.3	-	9.7	-	-	-	-	2.8	7
8	3.3	1.8	-	9.9	0.7	-	10.4	-	-	0.3	-	3.8	8
9	15.2	-	0.1	1.5	0.2	8.8	2.8	-	-	-	-	-	9
10	12.7	0.5	1.5	0.1	-	8.4	7.1	-	-	-	-	-	10
11	4.3	-	3.3	9.9	7.1	0.3	3.6	-	-	-	-	-	11
12	3.0	0.5	0.5	3.3	0.2	2.5	0.8	-	-	0.2	1.6	2.1	12
13	6.4	-	9.1	1.0	-	0.1	0.1	-	-	0.8	-	1.3	13
14	2.0	1.0	6.1	13.2	-	-	0.2	-	5.1	5.6	4.2	0.5	14
15	0.2	2.5	0.7	4.6	1.3	0.7	-	-	1.0	12.2	0.4	-	15
16	-	0.3	0.6	1.8	-	1.6	7.1	-	6.9	2.2	-	-	16
17	-	-	0.2	3.2	6.1	0.5	0.4	-	6.6	-	-	0.1	17
18	1.5	-	1.3	4.2	0.9	8.9	0.1	8.2	3.6	0.1	-	-	18
19	1.9	-	-	6.9	0.8	8.0	-	2.0	0.4	-	-	-	19
20	0.8	1.7	-	5.3	0.1	9.9	-	-	-	0.3	-	6.4	20
21	-	-	-	2.4	-	-	1.0	-	-	10.2	-	3.3	21
22	0.5	-	-	4.4	-	0.2	0.4	1.6	-	0.1	-	8.9	22
23	-	-	-	-	-	-	8.3	0.2	-	-	-	9.0	23
24	-	-	5.6	-	-	-	0.1	-	-	-	2.3	1.4	24
25	-	0.3	1.3	-	2.0	-	16.7	-	-	-	0.2	0.3	25
26	3.6	-	5.8	-	-	0.5	0.3	-	-	-	2.9	4.6	26
27	12.7	1.9	1.8	2.8	0.5	4.7	1.3	-	-	-	10.7	6.7	27
28	18.3	0.5	5.1	1.5	-	0.3	2.2	-	-	-	0.1	2.5	28
29	9.4	0.6	13.5	3.6	-	-	-	-	-	-	4.1	4.3	29
30	2.5	✕	0.1	-	1.3	3.6	2.3	-	12.2	0.3	9.1	7.2	30
31	1.0	✕	11.4	✕	0.1	✕	0.3	-	✕	17.1	✕	2.2	31
TOTAL	110.5	12.3	78.4	105.2	39.7	59.0	46.2	28.6	39.4	70.7	36.7	93.9	YEAR'S TOTAL 770.6
Days with 0·2 mm. or more	21	12	20	23	16	15	24	8	9	16	10	20	194
10	18	5	14	22	1	9	16	6	8	8	8	18	141

(14284). W 21,958—215 500. 10/14. Gp.122 A.&E.W.

Copied from 19 3203.

Sidmount
Sidmouth
Jany 15/21

Dear Sir

On most of the days when there was any considerable difference between the 2 Raingauges the rain fell in heavy showers, this was particularly noticeable on Dec 1 & I can only suppose that they were very partial.

Yours faithfully
Chas Radford

17 JAN

1793

FORM A.
BRITISH RAINFALL.

R 17 No 2 Gauge

SIDMOUTH

SIDMOUNT

DEVON

1917 - 1920

HEIGHT ABOVE SEA LEVEL
186

Kept at Sidmo

in the County of

by

ong.

9 a.m

tion Sidmouth

of Rain Gauge 5 in.

ge above Ground 1 ft. in.

„ Sea Level 186 ft.

IMPORTANT
previous day. If
requested to add t
for it at the end
the selection and
Organization are
Dr. H. R. Mill,

n. and the result entered to the
st universal rule, he is earnestly
ng year in the space provided
easurement of rain,
he British Rainfall
ree on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.14	.27	—	.24	—	.35	trace	—	.05	—	1
2	.01	—	.04	.16	—	.04	—	trace	—	trace	.02	—	2
3	.04	—	trace	.03	—	—	.58	.02	—	.09	1.04	—	3
4	—	.08	.49	—	—	—	.01	trace	trace	.27	trace	trace	4
5	.09	—	.26	.24	—	.04	trace	—	.09	.38	.08	—	5
6	—	—	.07	—	—	.01	—	—	—	.02	.12	trace	6
7	.50	—	—	—	—	—	.03	.30	—	.22	.05	—	7
8	.14	—	.28	.11	—	—	.66	.33	.07	.34	.09	.25	8
9	—	—	.05	.07	.02	—	.11	.36	.01	.18	.18	—	9
10	.27	—	.33	.30	—	—	trace	.31	.02	—	.04	—	10
11	.06	—	.65	.10	—	—	.01	.17	.06	.21	.10	—	11
12	.04	—	.01	trace	.58	—	—	—	—	.25	.01	—	12
13	—	—	.25	—	—	—	—	.38	.04	.04	trace	—	13
14	—	—	trace	.12	.01	.01	.62	1.03	.02	.01	—	trace	14
15	—	—	—	.12	—	—	.08	.02	.01	.19	—	.44	15
16	—	.13	—	.08	trace	trace	.02	.02	.01	.25	—	.19	16
17	—	.02	.01	.03	.05	—	.34	.09	.50	.08	—	—	17
18	—	.09	—	trace	.06	.10	.08	.01	.60	trace	—	—	18
19	—	.58	.16	—	—	.06	trace	—	.14	—	—	—	19
20	—	.02	.06	—	.38	.05	—	.22	.03	—	—	.02	20
21	—	—	.08	—	trace	—	—	.06	—	.01	.01	—	21
22	trace	.06	.01	—	.04	—	—	.10	—	.05	—	—	22
23	—	.13	—	—	.23	—	—	.18	—	.13	—	.01	23
24	—	—	—	—	—	.04	.36	.03	—	.04	trace	—	24
25	—	.03	.08	—	—	—	.14	.10	.08	.02	.05	—	25
26	—	—	—	—	.40	.11	—	.38	.17	.03	.01	—	26
27	—	—	—	—	.24	.33	—	.75	—	trace	—	—	27
28	—	.06	.10	—	.06	.63	—	.23	—	—	—	.03	28
29	—	—	.01	—	.02	.11	.03	.01	—	.50	—	.09	29
30	—		.20	—	—	—	.09	.16	—	.02	—	—	30
31	—		.11		.01		trace	.01		.31		.02	31
Total	1.16	1.20	3.39	1.63	2.10	1.77	3.16	5.62	1.85	3.64	1.85	1.05	YEAR'S TOTAL 28.42
Rain Days.	9	10	21	12	13	13	15	25	15	23	14	8	178

W. 8,000, IX. 17.

1793

REGISTER OF RAINFALL IN 1917 No 2 Gauge

FORM A. BRITISH RAINFALL.

Kept at Sidmount – Sidmouth

in the County of Devon

by C. W. Bedford

Lat. ………… Long. …………

Time of Observation 9 a.m

Nearest Railway Station Sidmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. …… in.

" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	.14	.27	—	.24	—	.35	trace	—	.05	—	1
2	.01	—	.04	.16	—	.04	—	trace	—	trace	.02	—	2
3	.04	—	trace	.03	—	—	.58	.02	—	.09	1.04	—	3
4	—	.08	.49	—	—	—	.01	trace	trace	.27	trace	trace	4
5	.09	—	.26	.24	—	.04	trace	—	.09	.38	.08	—	5
6	—	—	.07	—	—	.01	—	—	—	.02	.12	trace	6
7	.50	—	—	—	—	—	.03	.30	—	.22	.05	—	7
8	.14	—	.28	.11	—	—	.66	.33	.07	.34	.09	.25	8
9	—	—	.05	.07	.02	—	.11	.36	.01	.18	.18	—	9
10	.27	—	.33	.30	—	—	trace	.31	.02	—	.04	—	10
11	.06	—	.65	.10	—	—	.01	.17	.06	.21	.10	—	11
12	.04	—	.01	trace	.58	—	—	—	—	.25	.01	—	12
13	—	—	.25	—	—	—	—	.38	.04	.04	trace	—	13
14	—	—	trace	.12	.01	.01	.62	1.03	.02	.01	—	trace	14
15	—	—	—	.12	—	—	.08	.02	.01	.19	—	.44	15
16	—	.13	—	.08	trace	trace	.02	.02	.01	.25	—	.19	16
17	—	.02	.01	.03	.05	—	.34	.09	.50	.08	—	—	17
18	—	.09	—	trace	.06	.10	.08	.01	.60	trace	—	—	18
19	—	.58	.16	—	—	.06	trace	—	.14	—	—	—	19
20	—	.02	.06	—	.38	.05	—	.22	.03	—	—	.02	20
21	—	—	.08	—	trace	—	—	.06	—	.01	.01	—	21
22	trace	.06	.01	—	.04	—	—	.10	—	.05	—	—	22
23	—	.13	—	—	.23	—	—	.18	—	.13	—	.01	23
24	—	—	—	—	—	.04	.36	.03	—	.04	trace	—	24
25	—	.03	.08	—	—	—	.14	.10	.08	.02	.05	—	25
26	—	—	—	—	.40	.11	—	.38	.17	.03	.01	—	26
27	—	—	—	—	.24	.33	—	.75	—	trace	—	—	27
28	—	.06	.10	—	.06	.63	—	.23	—	—	—	.03	28
29	—	—	.01	—	.02	.11	.03	.01	—	.50	—	.09	29
30	—	X	.20	—	—	—	.09	.16	—	.02	—	—	30
31	—	X	.11	X	.01	X	trace	.01	X	.31	X	.02	31
Total	1.16	1.20	3.39	1.63	2.10	1.77	3.16	5.62	1.85	3.64	1.85	1.05	YEAR'S TOTAL 28.42
Rain Days.	9	10	21	12	13	13	15	25	15	23	14	8	178

W. 8,000, IX. 17.

127

W. Lyle

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
8. 1. 19

Kept at Sidmount Sidmouth
in the County of S Devon
by Catherine M Radford

Lat. 50° 41 Long. 3° 14' 30"
Time of Observation 9
Nearest Railway Station Sidmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.26	—	.08	.03	—	—	1.21	trace	.04	.66	.01	1
2	—	.17	—	.03	trace	—	—	trace	—	.02	trace	.13	2
3	—	.09	trace	.29	.46	—	—	—	.05	trace	.04	.04	3
4	—	.02	—	—	—	—	—	.20	.52	—	.93	.22	4
5	—	trace	.39	.02	.30	—	—	.61	.70	.13	.01	.06	5
6	.19	.05	—	.12	—	—	—	.01	.02	.11	—	.31	6
7	—	.13	—	trace	.14	.01	—	—	.25	.03	.40	.05	7
8	.03	.18	—	—	trace	—	—	—	.04	.44	—	.03	8
9	.13	—	—	.14	—	.09	.55	—	38 .38	.01	—	.36	9
10	.03	trace	—	.21	—	—	.25	—	.17	.16	.01	.62	10
11	—	—	.14	.02	—	—	.56	—	.18	.04	.03	.03	11
12	—	.05	.10	—	.40	—	.18	—	.06	.02	—	—	12
13	.10	—	—	—	.26	—	.40	—	.49	.26	—	.01	13
14	.28	—	—	—	.05	.13	.01	—	.24	.27	—	.13	14
15	1.26	—	—	.16	.06	.02	.40	—	.02	.01	—	.25	15
16	.44	—	trace	.09	—	.01	.03	—	.19	.02	—	.14	16
17	.27	—	.02	.12	—	—	.46	trace	.01	—	—	.11	17
18	.90	—	.03	—	—	.60	.18	—	.30	.09	—	.17	18
19	.19	.02	.20	.01	—	.12	.09	.03	.08	—	—	.09	19
20	.04	.07	—	.22	—	trace	.26	.01	.14	.01	—	—	20
21	.04	.02	trace	—	—	.10	.08	—	.32	.03	—	.48	21
22	.04	—	trace	—	.16	—	.99	—	.14	.09	trace	.09	22
23	.07	trace	—	—	.04	—	.09	.03	.12	—	—	.22	23
24	.01	.16	—	—	—	.01	.02	.08	.11	—	.25	.23	24
25	.01	—	—	.21	.08	—	.17	.53	[illegible]	.01	.16	.02	25
26	trace	.03	—	—	—	—	.25	.01	trace	.01	.05	.13	26
27	.01	.09	.10	—	—	—	.01	.05	.15	.01	.10	—	27
28	—	.20	.15	.01	—	—	—	trace	.05	.15	.02	.02	28
29	—		.11	—	—	—	—	—	1.21	.01	—	.02	29
30	—	X	.34	.02	—	—	—	.01	.04	.02	.15	.01	30
31	—	X	.07	X	—	X	—	—	X	.01	X	—	31
Total	4.06	1.54	1.65	1.75	1.59	1.09	4.98	2.78	6.98	2.00	2.81	3.88	YEAR'S TOTAL 34.10
Rain Days.	19	15	11	16	11	9	19	12	26	25	13	27	203

1679

9 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Sidmount - Sidmouth

in the County of Devon

by C. H. Radford

Lat. 50.41′ Long. 3° 14′ 30″ W

Time of Observation 9

Nearest Railway Station Sidmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.71	trace	.15	trace	.02	—	.27	—	.01	.18	—	.90	1
2	.16	—	trace	—	—	—	.17	—	.15	.06	—	trace	2
3	.53	—	.32	—	.08	—	—	—	.23	—	.06	.07	3
4	.60	.59	.35	—	—	.04	—	.10	.35	—	.02	.03	4
5	.05	.39	.76	—	.02	—	—	—	.57	—	.06	.09	5
6	.34	.84	.10	.02	—	—	—	—	trace	—	—	.15	6
7	.23	trace	.24	.16	—	trace	—	—	—	—	—	.09	7
8	.21	—	.29	—	.02	—	—	—	—	—	—	—	8
9	.11	—	trace	.16	.22	—	—	—	—	—	.24	—	9
10	.20	—	.43	trace	trace	—	—	—	—	.03	—	.10	10
11	.02	—	.23	.10	.26	.02	.11	—	—	.01	—	.13	11
12	.11	—	.01	.13	—	.01	—	—	—	.06	.11	.01	12
13	.06	.10	.18	.33	—	—	.01	—	—	.04	—	.10	13
14	.42	.28	—	.48	.20	—	trace	—	.05	.06	—	.19	14
15	.17	.13	—	.05	—	—	—	—	—	.10	—	.19	15
16	.05	.78	—	trace	—	—	—	.02	—	—	.08	.01	16
17	trace	.31	—	—	—	—	—	trace	—	—	.18	—	17
18	.12	.16	.94	—	—	—	.19	—	trace	—	.19	trace	18
19	.72	.66	.38	—	—	.14	.48	.37	.19	trace	.08	.05	19
20	.28	.01	.05	—	—	.37	trace	.14	.14	—	.04	.03	20
21	.03	.86	—	—	—	—	.14	.06	.08	—	—	.08	21
22	—	trace	.01	—	—	—	.11	—	.09	—	trace	.03	22
23	—	—	.03	—	—	—	—	.17	—	.73	.03	.04	23
24	—	—	—	.01	—	.25	—	.25	—	.52	.18	.24	24
25	.11	.01	—	.05	—	.04	—	.38	—	—	.04	.08	25
26	.36	.01	.06	.06	—	.01	—	.05	.04	trace	.06	.31	26
27	.22	—	.02	.16	—	.03	.28	1.59	—	—	—	.05	27
28	.01	—	.30	trace	—	—	—	.08	—	trace	.62	.49	28
29	—		.02	.11	—	—	—	.16	—	.03	.02	.08	29
30	—		—	.06	—	.10	—	.33	—	—	.57	.52	30
31	trace		trace		—		—	trace		—		.60	31
Total	5.82	5.03	4.87	1.88	.82	1.01	1.76	3.70	1.90	1.82	2.58	4.66	Year's Total 35.85
Days with ·01 in. or more	24	14	20	14	7	10	9	13	11	11	17	26	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 1593

REGISTER OF RAINFALL IN 1926.

Kept at Sidmouth

in the County of Devon

by C M Radford

Lat. 50° 41' Long. 3° 14' 30"

Time of Observation 9

Nearest Railway Station Sidmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 186 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.6	—	0.4	2.0	8.5	—	7.2	0.2	2.7	0.4	1.0	19.6	1
2	7.2	—	—	8.8	—	—	1.3	3.8	1.1	0.7	—	4.2	2
3	2.8	0.4	—	0.4	—	—	0.4	—	trace	7.4	—	7.6	3
4	—	trace	0.5	trace	0.2	—	0.8	12.3	—	5.1	—	0.1	4
5	—	trace	3.3	2.5	5.1	trace	7.7	2.5	—	8.3	—	—	5
6	—	—	5.2	2.8	3.3	—	3.4	0.1	—	0.9	0.1	—	6
7	trace	—	—	8.8	1.5	—	10.8	—	—	—	—	2.8	7
8	2.9	1.2	—	10.4	0.6	—	9.8	trace	—	0.4	—	3.5	8
9	14.5	0.1	0.2	1.6	0.2	8.2	3.4	—	—	—	—	—	9
10	15.2	0.3	1.5	0.1	—	8.6	7.1	—	trace	—	—	—	10
11	4.2	—	3.4	10.9	7.2	0.4	3.7	—	—	—	—	—	11
12	3.1	0.6	0.7	3.4	0.2	2.2	0.9	—	—	0.2	1.8	2.2	12
13	5.6	0.1	9.3	1.1	—	0.1	0.1	—	—	0.8	—	0.8	13
14	1.9	1.0	6.1	14.5	—	trace	0.1	—	5.1	5.7	4.3	0.6	14
15	0.2	2.4	0.7	5.2	0.4	trace	—	—	0.7	12.2	0.5	—	15
16	—	0.4	0.8	1.8	trace	1.1	7.5	—	7.2	2.2	trace	—	16
17	—	—	0.2	3.2	6.2	0.8	0.4	—	6.1	—	—	0.1	17
18	1.6	trace	1.0	4.2	0.8	9.6	0.1	8.3	3.4	0.1	—	—	18
19	1.7	—	—	6.9	0.8	9.5	—	2.0	0.3	—	—	—	19
20	0.6	1.6	—	4.1	0.1	9.8	—	trace	trace	0.3	—	6.5	20
21	—	—	—	2.3	—	trace	1.2	—	—	11.5	—	3.1	21
22	0.6	—	—	4.4	—	0.2	0.4	—	—	0.1	—	9.4	22
23	—	—	—	trace	—	trace	8.2	1.5	—	—	—	9.4	23
24	trace	trace	6.0	—	—	"	0.1	0.2	—	—	2.8	1.5	24
25	trace	0.3	1.2	trace	1.9	"	17.0	—	—	—	0.2	0.3	25
26	3.6	—	5.5	—	trace	0.4	0.4	—	—	—	3.8	4.5	26
27	14.5	2.4	1.9	2.5	0.5	4.2	1.6	—	—	—	10.2	7.5	27
28	18.6	0.5	5.0	1.7	trace	0.3	2.2	—	—	—	0.1	2.5	28
29	11.6	0.6	13.3	3.4	—	—	—	—	—	—	4.4	4.5	29
30	3.0	╳	0.1	—	1.5	3.7	2.5	—	12.6	0.3	9.3	8.3	30
31	1.5	╳	10.4	╳	0.1	╳	0.3	—	╳	18.0	╳	2.2	31
TOTAL	116.5	11.9	76.7	106.9	39.2	59.1	98.5	30.9	39.2	74.6	38.5	101.2	YEAR'S TOTAL 793.2
Days with 0·2 mm. or more	21	12	21	23	16	14	23	8	9	16	10	20	193
Days with 1·0 mm. or more	18	5	14	22	8	9	16	6	7	8	8	17	138

DEVON.

SIDMOUTH.

"EAGLEHURST"

1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE 1911

Snowden

Kept at Eaglehurs

top 5 in.

p above Ground 1 ft. 2 in.

in the County of D

„ Sea Level 60 ft.

9 am

by E. S. M

tion { Name Sidmouth
Distance 900 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·22	—	—	—	—	—	—	·01	—	1
2	—	—	—	·14	·34	—	—	·14	—	·05	·24	·20	2
3	—	—	—	—	·20	—	—	—	·01	—	·04	·04	3
4	—	—	·09	—	—	—	—	—	—	—	·08	·40	4
5	·08	—	·07	—	—	—	—	·27	—	·06	·13	·01	5
6	·34	—	·28	—	—	—	—	—	—	·03	·09	·91	6
7	·03	—	—	·01	—	—	—	—	—	—	·40	·01	7
8	—	—	·18	—	—	—	—	—	—	—	·04	·55	8
9	—	—	—	—	—	—	—	—	—	—	·21	·62	9
10	·06	·05	·26	—	·07	—	—	·01	—	—	—	·16	10
11	·19	—	—	—	·07	—	—	—	·01	—	·91	·12	11
12	—	—	·83	—	—	—	—	·01	·03	—	·04	·13	12
13	—	—	—	—	—	—	—	—	·36	—	·03	·68	13
14	—	·14	—	—	—	—	—	—	—	·13	—	·97	14
15	—	·06	—	—	—	·02	—	—	—	—	·24	·03	15
16	—	—	—	—	—	·39	—	—	—	—	·54	·40	16
17	—	—	·29	·02	—	·11	—	—	—	—	·23	·32	17
18	—	·17	·09	·14	—	·11	—	—	—	·12	·13	·24	18
19	—	·02	·02	·11	—	·18	—	—	·31	·11	·14	·37	19
20	·02	·04	·19	·14	—	·05	—	—	·01	·27	—	·62	20
21	·01	·14	—	·05	—	—	—	—	—	·48	—	·06	21
22	·14	·04	—	·03	—	—	—	—	·13	·09	—	·57	22
23	—	·06	—	—	—	·21	—	—	·07	·21	·13	·27	23
24	—	·13	—	—	—	·56	—	·02		·32	—	·24	24
25	—	·03	—	·10	—	·06	—	—	·07	·13	—	·12	25
26	—	·11	—	·24	—	—	—	—	—	·13	·03	·17	26
27	—	·31	·08	—	·02	—	—	·06	·08	·87	·05	·21	27
28	—	·28	—	·42	—	—	—	·08	—	—	·03	—	28
29	—		—	·19	·10	·22	·55	—	·20	·24	—	—	29
30	—		—	—	—	·05	—	—	—	·12	·11	·04	30
31	—		·01		—		·06	—		·01		—	31
Total	·87	1·58	2·39	1·81	·80	1·96	·61	·59	1·28	3·37	3·85	8·46	TOTAL for year 27·57
No. of Rain Days.	8	14	12	13	6	11	2	7	11	17	22	27	150

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER 1911

Kept at Eaglehurst - Sidmouth

in the County of Devon

by E. S. McEwen

S. 7

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
„ „ „ Sea Level 60 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sidmouth
Distance 900 yd Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.22	—	—	—	—	—	—	01	—	1
2	—	—	—	.14	.34	—	—	.14	—	.05	.24	.20	2
3	—	—	—	—	.20	—	—	—	.01	—	.04	.04	3
4	—	—	.09	—	—	—	—	—	—	—	.08	.40	4
5	.08	—	.07	—	—	—	—	.27	—	.06	.13	.01	5
6	.34	—	.28	—	—	—	—	—	—	.03	.09	.91	6
7	.03	—	—	.01	—	—	—	—	—	—	.40	.01	7
8	—	—	.18	—	—	—	—	—	—	—	.04	.55	8
9	—	—	—	—	—	—	—	—	—	—	.21	.62	9
10	.06	.05	.26	—	.07	—	—	.01	—	—	—	.16	10
11	.19	—	—	—	.07	—	—	—	.01	—	.91	.12	11
12	—	—	.83	—	—	—	—	.01	.03	—	.04	.13	12
13	—	—	—	—	—	—	—	—	.36	—	.03	.68	13
14	—	.14	—	—	—	—	—	—	—	.13	—	.97	14
15	—	.06	—	—	—	.02	—	—	—	—	.24	.03	15
16	—	—	—	—	—	.39	—	—	—	—	.54	.40	16
17	—	—	.29	.02	—	.11	—	—	—	—	.23	.32	17
18	—	.17	.09	.14	—	.11	—	—	—	.12	.13	.24	18
19	—	.02	.02	.11	—	.18	—	—	.31	.11	.14	.37	19
20	.02	.04	.19	.14	—	.05	—	—	.01	.27	—	.62	20
21	.01	.14	—	.05	—	—	—	—	—	.48	—	.06	21
22	.14	.04	—	.03	—	—	—	—	.13	.09	—	.57	22
23	—	.06	—	—	—	.21	—	—	.07	.21	.13	.27	23
24	—	.13	—	—	—	.56	—	.02		.32	—	.24	24
25	—	.03	—	.10	—	.06	—	—	.07	.13	—	.12	25
26	—	.11	—	.24	—	—	—	—	—	.13	.03	.17	26
27	—	.31	.08	—	.02	—	—	.06	.08	.87	.05	.21	27
28	—	.28	—	.42	—	—	—	.08	—	—	.03	—	28
29	—		—	.19	.10	.22	.55	—	.20	.24	—	—	29
30	—		—	—	—	.05	—	—	—	.12	.11	.04	30
31	—		.01		—		.06	—		.01		—	31
Total	.87	1.58	2.39	1.81	.80	1.96	.61	.59	1.28	3.37	3.85	8.46	TOTAL for year 27.57
No. of Rain Days.	8	14	12	13	6	11	2	7	11	17	22	27	150

W. 8,000, X. '11.

SILVERTON.

KILLERTON

DEVON.

1911 - 1912, 1914 - 1920

Rmd 22.v.12

FORM A2. BRITISH RAINFALL 4 - JAN 1912

Kept at Killer… …9 11

…nowdon

in the County of …

…p ………… in.

…bove Ground 1 ft. 0 in.

„ Sea Level 160 ft.

by John Wil… …9. a.m

…n Name Silverton - G.W.Ry

Distance 1 Direction E.N.E.

IMPORTANT N… …and the result entered to the previous day. If an … …niversal rule, he is earnestly requested to add the … …year in the space provided for it at the end of … …ement of rain, the selection and pla… …British Rainfall Organization are given … …n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. . -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.14	.02			.03				.01	1
2			.03	.01	.18			.26		.14	.26	.11	2
3			.01		.09			.02			.04	.08	3
4		·01		.01				.04	·03	.05	·08	.47	4
5	.04		.19					·90		.04	.20		5
6	·29		.28		.02			.03			·10	.86	6
7	·04			.01							.37	.01	7
8	·02		.19								.03	.87	8
9	·02	·06									.31	.65	9
10	.06		.20		.31						.01	.19	10
11	.19				.23						.53	.16	11
12	.01		.76						.03		.21	·24	12
13		.09									.03	.40	13
14										10		.95	14
15			.03								.19	.07	15
16		.08				.34					.34	.42	16
17		.18	.04	.01		.21					.11	.71	17
18			.03	.35		.35			.02	.11	.13	.56	18
19		.06		·04		.54			.43	.11	.23	.53	19
20	04	.03	.12	.08		·04			.03	.7	.01	·83	20
21	·01	.06	.01					.16	.09	.23		.09	21
22	·14	.05		.09		.01			.13	.43		.42	22
23		·13	.09	.09		·18			.06	.26		07	23
24		.18				.26		.15		.24		·22	24
25		.06	.01	.11		.02			.04	.32		.13	25
26		12		·24	.03			·01		.17	·04	.23	26
27		·19	.04	·01	.06			.21	.09	·19		.24	27
28		·19	.03	.54				.10		.81	.08	~~.11~~	28
29				.33		.26	.33		.16	.24			29
30					.06	.02				.08	.04	·09	30
31							.03			.09		·04	31
Total	·86	1,49	2.08	2.06	1.00	2.23	·36	1.90	1.11	3.75	3.34	9.65	TOTAL for year 29.83
No. of Rain Days	11	15	17	15	9	11	2	11	11	17	21	28	

9,000, IX. '10.

2.06 2.23

Amd 22.v.12

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Killerton Gardens

in the County of Devon. S6

by John Wilson. Gardener

RAIN GAUGE
Pattern Snowdon
Diameter of top ...... in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 160 ft.

Time of Observation 9 - a.m

Nearest Railway Station
Name Silverton - G.W.Ry
Distance 1 Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
..

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	.02	.14	.02			.03			..	.01	1
2	..	..	.03	.01	.18			.26		.14	.26	.11	2
3	..	..	.01	..	.09			.02		..	.04	.08	3
4		·01	..	.01	..			.04	.03	.05	.08	.47	4
5	.04	..	.19	..	..			.90		.04	.20	..	5
6	.29	..	.28	..	.02			.03			.10	.86	6
7	.04	..	--	.01	..						.37	.01	7
8	.02	..	.19	..	..						.03	.87	8
9	.02	.06	..	..	..						.31	.65	9
10	.06		.20	..	.31						.01	.19	10
11	.19	..	..	..	.23						.53	.16	11
12	.01	..	.76	..	..				.03		.21	.24	12
13	..	.09	..	..	..						.03	.40	13
14	..	..	..	..	..					10	..	.95	14
15	..	..	.03	..	..						.19	.07	15
16	..	.08	..	..	..	.34					.34	.42	16
17	..	.18	.04	.01	..	.21					.11	.71	17
18	..	..	.03	.35	..	.35			.02	.11	.13	.56	18
19	..	.06	..	.04	..	.54			.43	.11	.23	.53	19
20	04	.03	.12	.08	..	.04			.03	.7	.01	.83	20
21	·01	.06	.01	..	..	..		.16	.09	.23	..	.09	21
22	.14	.05	..	.09	..	.01			.13	.43	..	.42	22
23	..	.13	.09	.09	..	.18			.06	.26		07	23
24	..	.18	..	..	..	.26		.15	-	.24		.22	24
25	..	.06	.01	.11	..	.02			.04	.32		.13	25
26	..	.12	..	.24	.03	..		.01	..	.11	.04	.23	26
27	..	.19	.04	.01	.06	..		.21	.09	.19	..	.24	27
28	..	.19	.03	.54		..		.10		.81	.08	~~.11~~	28
29	..		..	.33	..	.26	.33	..	.16	.24	..	..	29
30	..		..	..	.06	.02	..	..		.08	.04	·09	30
31			..		..		.03	..		.09		·04	31
Total	.86	1.49	2.08	2.06	1.00	2.23	.36	1.90	1.11	3.75	3.34	9.65	TOTAL for year 29.83 29.83
No. of Rain Days	11	15	17	15	9	11	2	11	11	17	21	28	

9,000, IX. '10.

2·06 2·23

REGISTER OF RAINFALL IN 1912

Cor. by mo. & sum. stats. 7. VII. 13.

FORM A. BRITISH RAINFALL.

29 APR 1913

Kept at Killerton

in the County of Devon S. 6

by J Wilson Gardener

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Silverton

Diameter of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..		.24	..	..	.30	.05	.03		.65		.32	1
2	..		.11	.06	11	.52	.08	..	.01			.04	2
3	..		.19	.01	.01	.14	.12	.75	.04		.03	..	3
4	21	.	1.04	..	..	.13	..	.01	.01		.23	..	4
5	.46	.18	.24	..	.02	.16	..	.43			.02	.09	5
6	.74	.15	.05	..	.34	.40	..	.42			..	.02	6
7	.03	.68	.26	.02	.18	.87	.32	.13			..	.20	7
8	.45	.16	.38	..	..	.22	.	.02			..	.02	8
9	.02	.04	.07	.14	..	25	.02	.03			..	35	9
10	.17	.16	.32	.02	..	09	.01	.14			.12	24	10
11	.06	.10	..		..	.85	.	.01			.04	22	11
12	..	.42	..		.02	..	09	.22			..	11	12
13	24	.	..		..	.03	.06	.62			..	.05	13
14	11	.02	.12	..	21	..	..	.16			..	..	14
15	.63	.05	.76	..	.38	.64	..	.01			..	15	15
16	.37	.01	.05		.03	.02	.	.09		.09	.09	13	16
17	15	..	.14		.02	.15	..	.53		..	..	.04	17
18	.05	.03	.17		.16	..	..	.23		.01	..	.12	18
19	.02	.12	.41		.36	..	04	.26		.07	.02	.03	19
20	.05	.05	.33		.10	..	.07	.11		.36	.09	..	20
21	21	.73	.30			..	..	.09		.20	..	..	21
22	53	.09	.22			.01	.03	.18		.21	..	.05	22
23	.08	.35	.21			.01	.08	.64		.04	.09	.32	23
24	.10	.03	05			30		.02			..	.11	24
25	..	..	..			08	02	.39		.21	.19	..	25
26	..	..	..			..		.06		.29	125	47	26
27	..	..	..			.33	.43	.44		1.05	.02	26	27
28	..	.09	..			.18	.09	31	13	.23	.38	21	28
29	..	.27	..			.34	.06	27	.48	.53	..	44	29
30	..	..	.04		.	.03	.14	..	.15	.32	..	09	30
31	..	..	.26		.02		.24			.03	..	..	31
Total	4.70 ~~4.77~~	3.73	5.94 ~~5.64~~	.25	1.96	6.28	2.10 ~~2.20~~	6.20	.82	4.49	1.57	4.08	YEAR'S TOTAL ~~41.99~~
Rain Days.	20	20	23	5	14	23	18	28	6	15	13	24	209

41.52
209

W. 7,500, XI. 12

cnd. 10.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Killerton
in the County of Devon S6
by John Wilson Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Silverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	. .	. .	.08	.13	. .	.10	.04	.28	. .	. .	.15	.06	1
2	. .	. .	.05	.08	04	. .	.31		. .	. .	.26	.33	2
3	. .	. .	.29	.19	.26	. .	. .	.28	. .	. .	. .	.02	3
4	.35	. .	.09	.17	.09	. .	.33	.17	. .	. .	.37	.33	4
5	.12	. .	.14	.33	.04	. .		.01	. .	. .	. .	.04	5
6	. .	.07	.56	.12	.02	. .	.14	.03	. .	. .	.24	.33	6
7	.03	.75	.09	.03	.11	.14	.28	.10	.28	. .	. .	.14	7
8	.07	. .	.69	.03	.17	.40	. .	.02	. .	. .	. .	. .	8
9	. .	.02	.36	.25	.03	.45	. .	.11	1.13	. .	. .	. .	9
10	.14	.32	.05	.21	.10	.15	.03	. .	.88	. .	. .	.05	10
11	. .	.14	.40	. .	.05	.23	.04	. .	. .	. .	.13	.57	11
12	. .	.33	.16	. .	. .	. .	. .	. .	.20	. .	.03	.78	12
13	. .	.09	.43	. .	. .	. .	02	. .	.31	.26	.17	.12	13
14	. .	.08	.30	. .	. .	09	. .	.39	. .	.15	.22	. .	14
15	. .	. .	.15	. .	. .	. .	. .	.30	.06	. .	.11	.12	15
16	. .	. .	.01	. .	. .	. .	. .	. .	.09	. .	. .	. .	16
17	. .	.16	.28	. .	. .	. .	.01	. .	. .	. .	. .	.31	17
18	. .	.10	.02	. .	. .	. .	.03	. .	.09	. .	. .	.34	18
19	. .	.12	.53	. .	. .	. .	2.10	. .	.06	. .	.08	.04	19
20	. .	.30	.17	. .	. .	.12	. .	.02	. .	. .	. .	.26	20
21	. .	.54	. .	. .	. .	.05	. .	. .	. .	.21	. .	.05	21
22	. .	. .	. .	. .	.22	.09	. .	. .	. .	.22	. .	. .	22
23	. .	14	.31	. .	.03	. .	.02	. .	. .	.33	. .	. .	23
24	. .	. .	.05	. .	.21	. .	. .	. .	. .	.02	.10	. .	24
25	.09	. .	.35	. .	.01	. .	.10	.27	. .	.41	.02	.15	25
26	.08	. .	.19	. .	. .	. .	.04	.01	. .	.06	.07	.65	26
27	.02	. .	. .	. .	. .	. .	. .	. .	. .	.09	.06	.16	27
28	. .	. .	.27	. .	.10	. .	.01	. .	. .	.25	.22	.80	28
29	. .	.08	.09	. .	.12	. .	.04	. .	. .	.18	.26	.03	29
30	. .	×	.04	. .	. .	. .	. .	. .	. .	.44	.21	.84	30
31	.05	×		×	. .	×	.24	. .	×	.92	×	.35	31
Total	.95	3.24	6.15	1.54	1.60	1.82	3.78	1.99	3.10	3.24	2.70	7.07	YEAR'S TOTAL 37.18 37.18
Rain Days.	9	15	27	10	16	10	17	13	9	13	17	24	180

W. 8,000. X. 14.

from P.T.

To be filled and returned
to Dr. H. R. Mill, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasure.

6 JUN 1914
FORM B.
BRITISH RAINFALL

RAINFALL IN 1913

At Killerton

In the County of South Devon 6

Rain Gauge
Diameter of Funnel .... in.
Height of Top — *Above Ground* .... ft. .... in.
Height of Top — *Above Sea Level* 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
Jan.	6·58	1·10	4	22
Feb.	·67	·25	7	8
Mar.	3·29	·68	22	18
Apr.	4·20	1·08	26	19
May	3·66	·82	9	16
June	·66	·15	5	10
July	·47	·16	6	8
Aug.	1·14	·65	31	8
Sept.	2·05	·59	5	11
Oct.	3·23	·64	6	12
Nov.	3·24	·68	11	17
Dec.	2·04	·62	23	12
Total	31·23			161

Signed ....

[Please fill in the other side also.

W. 16,000. XI.13.

end. 15.III.16 ~~IV~~ List 1898

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Killerton

in the County of Devon 56

by John Wilson – Gardener

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Silverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.25	.02	..	.01	..	..	.44	.09	.49	..	.29	1
2	.20	.18	.18	..	..	.18	..	.38	.01	.13	..	.44	2
3	..	.09	.04	(07)	.15	..	..	..	..	..	..	.59	3
4	.07	.10	..	..	.03	..	.91	..	..	..	..	.19	4
5	..	.68	..	.07	..	..	..	.06	..	..	..	.55	5
6	.86	.11	..	.15	..	..	.47	..	..	..	..	.15	6
7	.39	.26	..	.11	..	..	.34	..	..	..	..	.16	7
8	.22	.30	..	..	..	..	.20	.10	..	..	.07	.11	8
9	.01	.02	..	.14	..	..	..	..	..	..	.53	.61	9
10	.24	.35	.03	.04	..	..	..	.74	..	.08	.09	.06	10
11	.13	.43	.02	..	..	..	..	.12	..	.01	.63	.08	11
12	.14	.55	..	.05	.53	..	..	.18	..	.05	.17	..	12
13	.01	.50	..	..	.27	..	..	.26	.08	..	.11	.06	13
14	..	..	..	..	..	..	.04	..	.06	.16	.35	.45	14
15	.22	..	..	..	.24	..	.22	..	..	.01	.04	.21	15
16	.01	.02	..	..	.11	..	.65	..	..	..	..	.08	16
17	.04	.12	..	..	.07	..	..	..	..	..	..	..	17
18	.01	.11	..	..	..	..	..	..	..	..	..	..	18
19	.26	.02	..	..	.32	..	.14	..	..	..	..	..	19
20	..	..	..	.15	..	.07	..	..	..	.28	..	.10	20
21	.36	.08	..	..	..	.08	.01	..	..	.13	..	.09	21
22	.08	.02	.25	.08	..	.09	.38	..	..	.04	..	.20	22
23	.02	.04	.08	..	..	..	.06	..	.06	1.12	..	.44	23
24	..	..	..	.02	..	..	.28	..	.28	.13	..	.51	24
25	.08	..	..	..	..	.28	.04	..	..	..	.03	.40	25
26	.02	.03	..	..	..	.08	.01	..	..	..	..	.65	26
27	.08	.03	..	..	..	.20	.11	..	..	.49	..	..	27
28	..	.05	..	..	..	.20	..	..	.44	.24	..	..	28
29	..		..	..	..	.39	.07	..	..	..	.14	.31	29
30	.10	X	..	..	..	.12	..	..	..	..	.28	.32	30
31	.04	X	..	X	..	X	.10	..	X	1.08	X	.14	31
Total	3.93	4.34	.62	.84	1.73	1.69	4.03	2.28	1.02	4.44	2.64	7.19	YEAR'S TOTAL 34.75
Rain Days.	24	23	7	10	9	10	17	8	7	15	11	25	166.

W. 8,000. X. 15.

end for auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN

Kept at Killerton
in the County of Devon
by J Wilson Observer

Lat. 50.44" Long. 3 32 w
Time of Observation 9 a m.
Nearest Railway Station Silverton G W Ry
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m.m												
1	4.3	. .	9.8	. .	6.4	0.4	0.4	. .	1.5	4.0	3.4	. .	1
2	3.1	1.3	0.5	. .	0.3	. .	. .	. .	0.7	5.1	8.5	. .	2
3	. .	24.8	. .	1.0	7.5	0.3	5.3	. .	. .	11.8	7.8	. .	3
4	2.3	3.5	. .	. .	3.8	6.0	. .	. .	1.0	2.1	23.3	. .	4
5	. .	. .	2.1	. .	2.3	2.1	. .	. .	. .	. .	4.8	. .	5
6	0.4	3.2	1.0	. .	1.4	2.8	14.0	. .	. .	0.3	13.7	. .	6
7	1.2	6.5	6.5	. .	4.5	0.8	1.0	. .	. .	2.6	21.3	4.0	7
8	. .	4.8	5.6	. .	5.0	2.6	. .	. .	. .	. .	7.8	2.8	8
9	. .	3.4	3.2	. .	2.8	1.3	1.4	. .	. .	3.4	2.1	11.6	9
10	. .	15.3	. .	1.5	1.3	. .	1.5	. .	. .	1.2	. .	6.7	10
11	. .	. .	. .	2.0	. .	. .	. .	. .	. .	. .	. .	. .	11
12	2.5	1.5	8.2	0.2	3.5	. .	1.9	1.5	. .	1.3	. .	. .	12
13	. .	5.4	1.5	1.5	. .	. .	. .	10.5	. .	. .	. .	. .	13
14	0.4	12.3	1.4	4.1	1.3	. .	. .	0.4	. .	1.4	. .	. .	14
15	. .	3.6	3.6	. .	. .	. .	. .	1.0	. .	. .	. .	. .	15
16	1.8	2.0	. .	4.3	. .	. .	2.4	13.4	. .	2.5	. .	. .	16
17	1.2	6.0	. .	2.1	. .	. .	. .	. .	8.3	10.8	29.5	. .	17
18	0.4	7.8	6.3	2.8	. .	. .	. .	. .	4.7	. .	. .	. .	18
19	2.5	4.9	4.6	1.5	.	. .	. .	. .	. .	. .	3.8	3.9	19
20	2.3	18.4	5.6	. .	. .	. .	. .	. .	. .	. .	1.4	26.8	20
21	0.3	2.1	5.2	1.8	3.2	. .	. .	. .	. .	. .	. .	5.4	21
22	. .	. .	. .	. .	. .	2.2	. .	2.0	. .	8.2	. .	15.2	22
23	. .	. .	. .	4.2	. .	4.5	. .	5.1	. .	4.8	1.5	2.3	23
24	. .	. .	1.4	. .	10.2	0.3	. .	1.7	. .	10.4	. .	7.0	24
25	. .	14.5	3.8	. .	. .	0.4	. .	13.8	0.3	1.4	8.5	. .	25
26	. .	16.2	1.5	. .	. .	3.5	. .	13.0	32.0	25.4	1.2	. .	26
27	0.5	11.5	31.2	. .	. .	5.2	. .	3.2	13.5	8.2	. .	. .	27
28	. .	2.3	1.2	. .	. .	0.1	. .	3.6	4.0	9.8	. .	8.2	28
29	. .	5.0	. .	. .	. .	6.5	. .	49.2	3.0	4.2	. .	5.6	29
30	. .	X	. .	. .	. .	. .	. .	. .	. .	3.9	. .	. .	30
31		X	. .	X	. .	X	. .	. .	X	7.6	X	3.2	31
Total	23.2	176.3	104.2	27.0	53.5	39.0	27.9	118.4	74.0	142.5	138.6 138.6	102.7 102.7	YEAR'S TOTAL ~~1027.5~~ 1027.3
Rain Days.	14	23	20	12	14	1~~6~~5	8	13	10	2~~1~~2	15	13	179

W. 8,000, VIII. 16

measured in m.m

1777

REGISTER OF RAINFALL IN 1917

and months

FORM A.
BRITISH RAINFALL.
4 JAN 1918

Kept at Killerton
in the County of Devon.
by J Wilson Gardener

Lat.
Long.
Time of Observation 9. a-m
Nearest Railway Station Silverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	1.2	. .	3.5	5.4	. .	5.4	. .	14.1	11.2	. .	1.2	. .	1
2	0.4	. .	. .	. .	. .	0.7	. .	. .	. .	. .	. .	. .	2
3	. .	. .	. .	3.5	. .	. .	14.4	0.7	. .	3.1	26.3	. .	3
4	. .	. .	17.2	. .	. .	. .	. .	. .	. .	7.8	. .	. .	4
5	2.6	. .	9.5	5.2	. .	7.0	. .	. .	2.0	9.0	1.3	. .	5
6	. .	. .	4.2	. .	. .	0.5	. .	4.2	. .	. .	3.6	. .	6
7	11.4	. .	. .	. .	. .	. .	6.3	5.3	. .	7.4	. .	1.0	7
8	3.2	. .	. .	3.2	. .	. .	19.5	7.8	0.4	10.3	1.9	. .	8
9	. .	. .	7.5	1.5	. .	. .	1.0	0.6	. .	12.0	8.6	5.8	9
10	4.8	. .	7.3	3.7	. .	. .	. .	3.4	. .	3.9	1.0	. .	10
11	0.6	. .	32.8	3.8	. .	. .	. .	3.8	.	4.8	3.4	. .	11
12	0.8	. .	. .	. .	14.3	. .	. .	. .	.	7.2	. .	. .	12
13	0.4	. .	4.2	. .	. .	. .	. .	5.3	3.9	1.6	. .	. .	13
14	. .	. .	. .	1.8	. .	. .	0.5	10.5	1.0	. .	. .	. .	14
15	. .	. .	. .	. .	. .	. .	2.0	1.2	. .	2.8	. .	3.5	15
16	. .	3.7	. .	. .	. .	. .	. .	0.6	. .	6.2	. .	9.2	16
17	. .	. .	. .	3.2	. .	. .	9.5	. .	8.4	1.2	. .	. .	17
18	. .	1.4	. .	. .	1.5	3.3	3.9	1.3	14.9	. .	. .	. .	18
19	. .	12.4	6.8	. .	. .	2.4	. .	. .	1.9	. .	0.6	. .	19
20	. .	3.8	1.2	. .	10.5	1.7	. .	9.3	2.8	. .	. .	. .	20
21	. .	. .	1.3	. .	. .	3.2	. .	. .	. .	. .	0.6	. .	21
22	. .	. .	. .	. .	. .	. .	. .	12.1	. .	2.1	. .	. .	22
23	. .	4.7	. .	. .	5.4	. .	. .	2.8	. .	4.9	0.4	. .	23
24	. .	. .	. .	. .	. .	3.4	. .	. .	. .	4.3	. .	. .	24
25	. .	2.9	2.6	. .	. .	. .	9.1	3.4	0.8	1.8	2.7	. .	25
26	. .	. .	. .	. .	7.9	1.2	. .	9.3	2.5	2.6	0.6	. .	26
27	. .	. .	. .	. .	4.8	3.7	. .	23.8	. .	0.9	0.4	. .	27
28	. .	. .	2.4	. .	3.8	36.0	. .	5.8	. .	. .	. .	. .	28
29	. .	. .	1.5	. .	. .	2.6	. .	1.5	. .	11.9	. .	2.6	29
30	. .	X	2.0	. .	. .	. .	1.4	1.8	. .	1.4	. .	. .	30
31	. .	X	2.4	X	. .	X	. .	. .	X	7.7	X	. .	31
Total	25.4	28.9	106.4 106.4	33.3	48.2 48.2	71.1	67.6 67.8	123.6	49.6	114.9	52.6	22.1	YEAR'S TOTAL 743.7
Rain Days.	9	6	16	9	7	13	10	22	11	22	14	5	144

W. 8,000, IX. 17.

113

FORM A.
BRITISH RAINFALL.

9. 1

REGISTER OF RAINFALL IN 1918

Kept at Killerton

in the County of S Devon

by J Wilson Gardener

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Silverton G. W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Measured in			M. M.									
1	..	2.5	..	3.2	0.7	..	..	32.9	..	1.2	24.4	5.6	1
2	..	1.6	..	..	..	..	..	0.2	..	..	..	1.3	2
3	..	3.8	..	0.6	1.2	..	..	10.0	..	..	1.3	..	3
4	..	1.9	..	3.0	..	..	..	4.1	7.1	..	10.4	6.3	4
5	..	..	5.7	..	6.5	..	..	16.2	9.3	3.2	..	1.4	5
6	6.5	1.2	..	4.8	4.8	..	..	..	..	2.4	..	4.7	6
7	..	2.8	..	..	..	..	..	..	6.4	3.2	8.0	2.3	7
8	..	2.7	..	..	..	..	..	..	2.3	8.9	..	0.7	8
9	4.0	1.8	..	..	..	3.6	2.3	..	6.8	..	..	5.6	9
10	3.9	..	..	9.8	..	..	15.3	..	3.5	..	..	11.2	10
11	..	..	2.1	0.3	..	..	1.6	..	2.8	3.2	1.8	4.8	11
12	..	1.2	4.2	..	5.2	..	1.3	..	11.7	..	..	0.5	12
13	..	..	..	..	3.2	..	7.0	..	4.8	4.8	..	1.3	13
14	6.8	..	..	..	..	1.4	2.6	..	..	2.7	..	2.8	14
15	35.2	..	..	1.5	1.2	1.8	9.8	..	~~[illegible]~~	0.9	..	5.8	15
16	12.8	..	..	12.1	..	..	1.2	..	18.4	..	..	5.3	16
17	7.2	..	..	2.2	..	..	7.8	..	3.9	..	..	2.8	17
18	13.3	..	..	..	..	11.6	2.6	..	27.2	2.0	..	3.2	18
19	4.3	..	..	..	..	..	3.1	0.9	2.3	..	..	(4.7)	19
20	7.5	3.2	2.4	5.3	..	..	7.2	..	1.8	..	..	..	20
21	2.1	..	2.3	..	..	1.3	3.7	..	4.5	2.1	..	9.4	21
22	0.5	..	..	..	4.2	..	18.6	..	4.9	1.0	..	3.5	22
23	1.6	..	..	..	5.3	..	3.3	0.3	2.4	..		9.3	23
24	..	4.8	..	..	..	..	1.4	3.8	3.9	..	4.3	4.5	24
25	..	..	..	..	..	..	1.3	13.5	..	0.8	3.8	..	25
26	..	1.6	..	3.0	..	..	8.8	..	0.8	..	3.2	3.9	26
27	..	2.9	..	..	..	..	..	2.0	9.0	..	4.8	..	27
28	..	4.5	2.6	..	..	..	..	..	1.3	..	..	1.5	28
29	..		..	..	..	..	..	..	27.1	..	..	..	29
30	..	X	9.1	..	..	..	..	..	2.1	..	..	5.1	30
31	..	X	6.2	X	..	X	..	..	X	2.3	X	..	31
Total	105.7	36.5	34.6	45.8	32.3	19.7	98.9	83.9	164.3	38.7	62.0	101.9	YEAR'S TOTAL 829.3
Rain Days.	13	14	8	11	9	5	18	10	23	14	9	25	159

W. 6,590, VII. 18. w w c

1666

9 JAN 20

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Killerton

in the County of Devon.

by J Wilson Gardener

Lat. 50° 44" Long 3. 32 W

Time of Observation 9 a.m

Nearest Railway Station Silverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	16.1	. .	3.2	2.2	. .	. .	4.0	. .	0.7	6.2	. .	17.5	1
2	2.6	. .	. .	. .	1.2	. .	. .	. .	2.3	1.2	. .	32.7	2
3	6.4	. .	9.5	. .	. .	. .	. .	. .	0.4	. .	1.8 ~~4.8~~	. .	3
4	12.2	13.2	9.2	. .	. .	2.7	6.9	. .	10.9	. .	. .	4.2	4
5	4.6	9.8	28.8	. .	. .	. .	. .	. .	6.2	. .	1.5	4.5	5
6	14.8	9.0	1.6	. .	. .	. .	. .	. .	0.1	. .	. .	10.3	6
7	9.2	. .	4.5	3.1	. .	. .	. .	. .	. .	. .	. .	4.6	7
8	6.5	. .	5.8	1.5	. .	. .	. .	. .	. .	. .	. .	. .	8
9	2.8	. .	0.5	5.1	4.2	. .	. .	. .	0.2	. .	6.8	10.9	9
10	2.5	. .	2.6	. .	0.5	. .	. .	. .	. .	. .	. .	3.8	10
11	6.7	. .	8.5	1.6	3.4	. .	. .	. .	. .	1.1	. .	. .	11
12	4.7	. .	0.6	. .	. .	. .	. .	. .	. .	. .	. .	. .	12
13	. .	. .	3.5	9.2	. .	. .	. .	. .	. .	3.1	. .	12.5	13
14	2.8	7.0	. .	13.4	4.5	. .	. .	. .	0.8	. .	. .	6.0	14
15	2.6	0.7 0.5	13.5	2.6	. .	. .	. .	. .	. .	6.2	. .	. .	15
16	2.3	18.4	7.2	. .	. .	. .	. .	. .	. .	. .	6.9	. .	16
17	. .	7.3	0.8	. .	. .	. .	. .	0.4	. .	. .	6.9	. .	17
18	1.6	7.9	. .	. .	. .	. .	. .	. .	. .	. .	6.5	3.2	18
19	10.3	13.2	. .	. .	. .	. .	29.6	9.8	0.5	. .	9.8	0.5	19
20	13.7	. .	. .	. .	. .	7.2	. .	2.8	7.3	. .	3.0	4.5	20
21	1.2	15.4	. .	. .	. .	. .	3.4	1.3	3.5	. .	. .	0.8	21
22	. .	. .	. .	. .	. .	. .	1.3	. .	7.7	. .	10	3.0	22
23	. .	. .	. .	. .	. .	. .	. .	. .	6.0	22.7	. .	9.8	23
24	. .	. .	. .	. .	. .	8.2	. .	5.8	. .	11.9	. .	6.2	24
25	2.5	. .	. .	1.2	. .	. .	. .	10.5	. .	. .	7.5	0.7	25
26	3.7	. .	1.8	1.8	. .	. .	0.3	0.6	1.6	. .	. .	16.5	26
27	9.4	. .	. .	3.5	. .	. .	. .	27.7	. .	. .	. .	0.8	27
28	. .	. .	9.5	. .	. .	. .	. .	. .	. .	. .	. .	9.4	28
29	. .	. .	1.2	2.8	. .	. .	. .	2.3	. .	2.3	. .	11.2	29
30	. .	X	. .	1.9	. .	. .	. .	8.7	. .	. .	. .	. .	30
31	. .	X	. .	X	. .	X	. .	. .	X	. .	X	. .	31
TOTAL	139.2	102.4 ~~101.9~~	114.3	54.9 ~~64.9~~	13.8	18.1	45.5	69.9	45.8 ~~52.2~~	54.7	59.7	173.6 ~~169.9~~	YEAR'S TOTAL 883.9 ~~874.7~~
Days with 0·2 mm. or more	22	10	18	13	5	3	6	10	14	8	10	22	142

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1401

[illegible] [illegible] 1666

MAR 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Killerton (M.O)
in the County of Devonshire
by J. [illegible]

Lat. .... Long. ....
Time of Observation 9h G.M.T.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	16.1	-	3.2	2.2	-	-	4.0	-	0.7	6.2	-	17.5	1
2	2.6	-	-	-	1.2	-	-	-	23	1.2	-	32.7	2
3	6.4	-	9.5	-	-	-	-	-	4.0	-	1.8	-	3
4	12.2	13.2	9.2	-	-	2.7	6.9	-	10.9	-	-	4.2	4
5	4.6	9.8	28.8	-	-	-	-	-	6.2	-	1.5	4.5	5
6	14.8	9.0	1.6	-	-	-	-	-	1.0	-	-	10.3	6
7	9.2	-	4.5	3.1	-	-	-	-	-	-	-	4.6	7
8	6.5	-	5.8	1.5	-	-	-	-	-	-	-	-	8
9	2.8	-	0.5	5.1	4.2	-	-	-	0.2	-	6.8	-	9
10	2.5	-	2.6	-	0.5	-	-	-	-	-	-	10.9	10
11	6.7	-	8.5	1.6	3.4	-	-	-	-	1.1	-	3.8	11
12	4.7	-	0.6	-	-	-	-	-	-	-	-	-	12
13	-	7.0	3.5	9.2	-	-	-	-	-	3.1	-	-	13
14	2.8	0.7	-	13.4	4.5	-	-	-	-	-	-	12.5	14
15	2.6	0.5	-	2.6	-	-	-	-	-	6.2	-	6.0	15
16	2.3	18.4	-	-	-	-	-	-	0.8	-	6.9	-	16
17	-	7.3	-	-	-	-	-	.04	-	-	6.9	-	17
18	1.6	7.9	15.5	-	-	-	-	-	0.5	-	6.5	-	18
19	10.3	13.2	7.2	-	-	-	29.6	9.8	7.3	-	9.8	3.2	19
20	13.7	-	0.8	-	-	7.2	-	2.8	3.5	-	3.0	0.5	20
21	1.2	15.4	-	-	-	-	3.4	1.3	1.7	-	-	4.5	21
22	-	-	-	-	-	-	1.3	-	6.0	-	1.0	0.8	22
23	-	-	-	-	-	-	-	-	-	22.7	-	3.0	23
24	-	-	-	-	-	8.2	-	5.8	-	11.8	-	9.8	24
25	2.5	-	-	1.2	-	-	-	10.5	-	-	7.5	-	25
26	3.7	-	1.8	1.8	-	-	0.3	0.6	1.6	-	-	6.2	26
27	9.4	-	-	8.5	-	-	-	27.7	-	-	-	0.7	27
28	-	-	9.5	-	-	-	-	-	-	-	-	16.5	28
29	-		1.2	2.8	-	-	-	2.2	-	2.3	-	0.8	29
30	-		-	1.9	-	-	-	8.7	-	-	-	9.4	30
31	-		-		-		-	0.1		-		11.2	31
TOTAL	139.2	102.4	114.3	54.9	13.8	18.1	45.5	69.9	~~46.3~~ 45.8	54.7	51.7	173.6	YEAR'S TOTAL ~~884.4~~ 883.9
Days with 0·2 mm. or more	22	11	18	13	5	3	6	10	1~~3~~4	8	10	22	142

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN

REGISTER OF RAINFALL IN 1920.

Kept at Killerton

in the County of Devon

by J Wilson

Lat. 50° 44′ Long. 3° 32′ W.

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Silverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.3	. .	. .	2.5	9.9	. .	5.4	. .	. .	. .	1.8	14.1	1
2	7.4	. .	2.4	3.0	. .	. .	4.6	17.8	3.0	3.5	. .	1.7	2
3	. .		. .	1.8	. .	. .	. .	. .	. .	10.2	. .	10.3	3
4	. .		. .	0.5	. .	. .	. .	5.0	. .	2.8	. .	. .	4
5	. .		5.2	3.9	3.2	. .	4.9	. .	. .	7.2	. .	. .	5
6	. .		9.2	3.2	. .	. .	8.5	. .	. .	5.4	. .	. .	6
7	. .		. .	11.4	5.0	. .	12.8	. .	. .	. .	. .	. .	7
8	2.0		. .	7.2	3.8	. .	4.2	. .	. .	. .	. .	3.8	8
9	19.1		. .	7.6	. .	8.7	2.6	. .	. .	. .	. .	. .	9
10	14.4		3.0	. .	. .	9.8	11.3	. .	. .	. .	. .	. .	10
11	3.4		2.7	12.4	. .	. .	. .	. .	. .	. .	. .	. .	11
12	3.6		. .	7.0	. .	3.8	3.2	. .	. .	. .	1.2	. .	12
13	6.6	2.5	13.8	1.3	. .	. .	. .	. .	. .	. .	4.8	. .	13
14	1.3	1.9	5.7	14.6	. .	. .	. .	. .	. .	8.5	. .	. .	14
15	. .	3.6	. .	6.3	5.0	1.5	. .	. .	3.5	7.8	. .	. .	15
16	. .	. .	. .	4.2	. .	1.8	3.6	. .	4.8	4.5	. .	. .	16
17	0.1	. .	2.8	2.5	. .	4.3	. .	. .	10.0	. .	. .	. .	17
18	. .	. .	. .	2.4	4.9	3.0	0.6	. .	. .	. .	. .	. .	18
19	. .	2.5	. .	5.8	0.6	11.3	. .	. .	. .	. .	. .	. .	19
20	. .	. .	. .	5.9	0.5	. .	. .	. .	. .	. .	. .	. .	20
21	. .	. .	. .	1.2	. .	. .	4.2	. .	. .	2.1	. .	. .	21
22	. .	. .	. .	2.5	. .	. .	. .	. .	. .	. .	. .	13.2	22
23	4.0	. .	. .	. .	. .	. .	9.5	. .	. .	. .	. .	16.4	23
24	. .	. .	2.9	. .	. .	. .	. .	9.5	. .	. .	7.0	. .	24
25	. .	. .	3.5	. .	. .	. .	14.3	. .	. .	. .	. .	. .	25
26	. .	1.6	4.2	. .	. .	. .	. .	. .	. .	. .	6.8	. .	26
27	(50.0)	. .	7.3	3.0	1.8	7.8	. .	. .	. .	. .	16.8	6.1	27
28	. .	. .	5.4	5.2	. .	. .	3.8	. .	. .	. .	. .	. .	28
29	. .	. .	12.8	. .	. .	. .	. .	. .	. .	. .	2.0	. .	29
30	. .	╳	. .	. .	3.2	3.5	. .	. .	11.8	. .	8.2	2.5	30
31	1.8	╳	9.4	╳	. .	╳	2.4	. .	╳	13.0	╳	. .	31
TOTAL	(117.0) ~~67.0~~	12.1	90.3	115.4 ~~114.5~~	37.9	55.5	95.8	32.3	33.1	65.0	48.6	76.1	YEAR'S TOTAL (779.1) ~~728.2~~
Days with 0·2 mm. or more	(19)	(10)	15	23	10	10	16	3	5	10	8	8	~~(137)~~
Days with 1·0 mm. or more	(18)	(6)	15	22	8	10	15	3	5	10	8	8	(128)

~~Ht~~ Wass only A. Jan ~~[illegible]~~ [illegible] 1580

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(MO)

Kept at Killerton
in the County of Devon
by John Wilson, for Rt. Hon. F. D. Acland

Lat. 50° 44′ N Long. 3° 32′ W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.3		-	2.5	9.9	-	5.4	-	-	-	1.8	14.1	1
2	7.4		2.4	3.0	-	-	4.6	17.8	3.0	3.5	-	1.7	2
3	-	x	-	1.8	-	-	-	-	-	10.2	-	10.3	3
4	-		-	0.5	-	-	-	5.0	-	2.8	-	-	4
5	-	Observer	5.2	3.9	3.2	-	4.9	-	-	7.2	-	-	5
6	-		-	3.2	-	-	8.5	-	-	5.4	-	-	6
7	-		9.2	11.4	5.0	-	12.8	-	-	-	-	-	7
8	2.0	x	-	7.2	3.8	-	4.2	-	-	-	-	3.8	8
9	19.1	- x	-	7.6	-	8.7	2.6	-	-	-	-	-	9
10	14.4	- x✓	-	-	-	9.8	11.3	-	-	-	-	-	10
11	3.4	-	3.0	12.4	-	-	-	-	-	-	-	-	11
12	3.6	- x	2.7	7.0	-	3.8	3.2	-	-	-	-	-	12
13	6.6	2.5x	-	1.3	-	-	-	-	-	-	-	-	13
14	1.3	1.9	13.8	14.6	-	-	-	-	-	8.5	1.2	-	14
15	-	3.6 2.5	5.7	6.3	5.0	1.5	-	-	3.5	7.8	4.8	-	15
16	-	-	-	4.2	-	1.8	3.5	-	4.8	4.5	-	-	16
17	0.1	-	-	2.5	-	4.3	-	-	10.0	-	-	-	17
18	-	-	2.8	2.4	4.9	3.0	0.6	-	-	-	-	-	18
19	-	-	-	5.8	0.6	11.3	-	-	-	-	-	-	19
20	x✓	-	-	5.9	0.5	-	-	-	-	-	-	-	20
21		-	-	1.2	-	-	4.2	-	-	2.1	-	-	21
22	x	-	-	2.5	-	-	-	-	-	-	-	13.2	22
23	4.0	-		-	-	-	9.5	-	-	-	-	18.4	23
24	-	-	-	-	-	-	-	9.5	-	-	7.0	-	24
25	x✓	0.6	2.9	-	-	-	14.3	-	-	-	-	-	25
26	x✓	-	3.5	-	-	-	-	-	-	-	6.8	-	26
27	x (50.0)	-	4.2	3.0	1.8	7.8	-	-	-	-	16.8	6.1	27
28	✓	-	7.3	5.2	-	-	3.8	-	-	-	-	-	28
29	✓	-	5.4	-	-	-	-	-	-	-	2.0	-	29
30	x✓		12.8	-	3.2	3.5	-	-	11.8	-	8.2	8.5	30
31	1.8		9.4		-		2.4	-		13.0		-	31
TOTAL	(117.0)	12.1	~~88.3~~ 90.3	115.4	37.9	55.5	95.8	32.3	33.1	65.0	48.6	76.1	YEAR'S TOTAL (779.1)
Days with 0·2 mm. or more	(19)	(10)	15	23	10	10	16	3	5	10	8	8	~~(137)~~
	(8)	(4)	15	22	56	10	15	3	5	10	8	8	(128)

(44,284). Wt.81,058—2,68. 500. 10/19. Gp.132. A.&E.W.

Copied from 49202.

1777

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

Kept at Killerton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" Ground " Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·58									1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10									·69			·74	10
11													11
12					·39								12
13													13
14													14
15							·33			·78			15
16													16
17													17
18													18
19													19
20								81					20
21													21
22													22
23			·65			·32							23
24													24
25		·39											25
26													26
27													27
28											·96		28
29													29
30		×											30
31	·72	×		×		×			×		×		31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	4·85 ✓	1·40 ✓	2·75	3·21 ✓	1·79	0·71 ✓	1·28 ~~1·09~~	2·73 ✓	4·33	3·94	5·28	3·94	36·21
Days with ·01 in. or more.	23	6	18	17	16	6	14	16	20 ~~19~~	25	20	23	204
Days with ·04 in. or more.	19	5	12	15	10	4	9	11	16 ~~15~~	18	17	19	155
40-9999	123·1	35·6	69·9	81·5	45·4	18·0	32·6	69·3	110·1	100·2	134·0	100·1	919·8

(Signed) ....

P.T.O.

STH BRENT

BLACKADON ASYLUM

DEVON

1911 - 1917, 1920

911

M.O.

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Blacka

in the County of

by H. Vic

op 5 in.

above Ground 1 ft. 0 in.

,, Sea Level 607 ft.

on Name Wiangaton
Distance 2 miles Direction V

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	-	0·07	-	0·17	-	0·01	0·03	-	0·01	0·07	0·02	1
2	0·02	.	0·04	0·10	0·72	-	-	0·31	-	0·18	0·26	0·75	2
3	0·02	-	0·07	0·01	0·46	-	-	-	0·02	0·01	0·40	0·18	3
4	-	-	0·32	0·01	-	-	-	0·42	-	0·01	0·81	0·70	4
5	0·45	-	0·11	0·01	-	-	-	0·70	-	0·15	0·11	-	5
6	0·60	-	0·16	-	-	-	-	-	-	0·28	0·23	1·40	6
7	0·35	-	0·01	0·04	-	-	-	-	-	0·01	0·68	0·03	7
8	0·25	-	0·25	-	-	-	-		-	-	0·10	0·98	8
9	0·40	-	-	-	-	0·37	-	-	-	-	0·25	0·90	9
10	0·15	0·12	1·55	-	-	-	-	-	-	-	0·02	0·33	10
11	0·47	-	-	-	0·01	-	-	-	0·03	-	1·55	0·03	11
12	0·02	-	1·10	-	-	-	-	-	0·25	-	0·10	0·40	12
13	-	0·01	0·08	-	-	-	-	-	0·15	-	0·08	0·47	13
14	-	0·28	0·04	-	0·01	-	-	-	0·01	0·07	0·12	0·55	14
15	-	0·10	0·12	-	-	0·04	-	-	-	0·05	0·77	0·04	15
16	0·01	0·09	-	-	-	0·58	-	-	-	0·05	0·66	0·84	16
17	-	0·23	0·82	0·02	-	0·20	-	-	-	0·02	0·53	0·75	17
18	-	0·59	0·52	0·25	-	0·10	-	-	-	0·13	0·24	0·55	18
19	-	0·01	0·07	0·04	-	0·52	-	-	0·55	0·41	0·30	0·96	19
20	0·05	0·08	0·10	0·30	-	0·05	-	-	0·15	0·63	0·01	0·73	20
21	0·03	0·95	0·01	0·05	-	0·25	-	-	0·14	0·30	-	0·11	21
22	0·05	0·13	-	0·46	-	0·23	-	0·10	0·55	0·50	-	0·80	22
23	0·01	0·34	0·09	0·03	-	0·08	-	0·05	0·22	0·51	0·05	0·88	23
24	0·04	0·62	-	-	-	0·50	-	0·14	0·01	0·43	0·01	0·54	24
25	0·10	0·16	-	0·48	-	0·09	-	0·04	0·20	0·29	-	0·23	25
26	0·06	0·33	-	0·82	-	0·01	-	0·42	0·03	0·80	-	0·57	26
27	-	1·43	0·02	0·18	0·01	0·02	-	0·18	0·14	0·33	0·03	0·38	27
28	-	0·41	0·03	0·60	-	0·01	-	0·06	-	0·02	0·05	0·02	28
29	-	-	-	0·23	0·09	0·98	0·95	-	0·25	0·96	0·01	0·01	29
30	-	-	0·01	0·01	-	0·10	0·25	-	0·02	0·30	0·44	0·14	30
31	-	-	0·03	-	-	-	0·15	-	-	0·05	-	0·03	31
Total	3·10	5·88	5·62	3·64	1·47	4·13	1·36	2·45	2·72	6·50	7·88	14·32	TOTAL for year ✓ 59·07
No. of Rain Days.	17 19 (2 snow)	17	23	15 18 3 snow	7	17	4	11	16	25	26	30	213

W. 8,000, X. '11.

911

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Blackadon Asylum
in the County of Devon
by H. Victor Rigg

S. 3

RAIN GAUGE
Pattern M.O.
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 607 ft.

Time of Observation

Nearest Railway Station
Name Wrangaton
Distance 2 miles Direction V

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	-	0·07	-	0·17	-	0·01	0·03	-	0·01	0·07	0·02	1
2	0·02	.	0·04	0·10	0·72	-	-	0·31	-	0·18	0·26	0·75	2
3	0·02	-	0·07	0·01	0·46	-	-	-	0·02	0·01	0·40	0·18	3
4	-	-	0·32	0·01	-	-	-	0·42	-	0·01	0·81	0·70	4
5	0·45	-	0·11	0·01	-	-	-	0·70	-	0·15	0·11	-	5
6	0·60	-	0·16	-	-	-	-	-	-	0·28	0·23	1·40	6
7	0·35	-	0·01	0·04	-	-	-	-	-	0·01	0·68	0·03	7
8	0·25	-	0·25	-	-	-	-	-	-	-	0·10	0·98	8
9	0·40	-	-	-	-	0·37	-	-	-	-	0·25	0·90	9
10	0·15	0·12	1·55	-	-	-	-	-	-	-	0·02	0·33	10
11	0·47	-	-	-	0·01	-	-	-	0·03	-	1·55	0·03	11
12	0·02	-	1·10	-	-	-	-	-	0·25	-	0·10	0·40	12
13	-	0·01	0·08	-	-	-	-	-	0·15	-	0·08	0·47	13
14	-	0·28	0·04	-	0·01	-	-	-	0·01	0·07	0·12	0·55	14
15	-	0·10	0·12	-	-	0·04	-	-	-	0·05	0·77	0·04	15
16	0·01	0·09	-	-	-	0·58	-	-	-	0·05	0·66	0·84	16
17	-	0·23	0·82	0·02	-	0·20	-	-	-	0·02	0·53	0·75	17
18	-	0·59	0·52	0·25	-	0·10	-	-	-	0·13	0·24	0·55	18
19	-	0·01	0·07	0·04	-	0·52	-	-	0·55	0·41	0·30	0·96	19
20	0·05	0·08	0·10	0·30	-	0·05	-	-	0·15	0·63	0·01	0·73	20
21	0·03	0·95	0·01	0·05	-	0·25	-	-	0·14	0·30	-	0·11	21
22	0·05	0·13	-	0·46	-	0·23	-	0·10	0·55	0·50	-	0·80	22
23	0·01	0·34	0·09	0·03	-	0·08	-	0·05	0·22	0·51	0·05	0·88	23
24	0·04	0·62	-	-	-	0·50	-	0·14	0·01	0·43	0·01	0·54	24
25	0·10	0·16	-	0·48	-	0·09	-	0·04	0·20	0·29	-	0·23	25
26	0·06	0·33	-	0·82	-	0·01	-	0·42	0·03	0·80	-	0·57	26
27	-	1·43	0·02	0·18	0·01	0·02	-	0·18	0·14	0·33	0·03	0·38	27
28	-	0·41	0·03	0·60	-	0·01	-	0·06	-	0·02	0·05	0·02	28
29	-	-	-	0·23	0·09	0·98	0·95	-	0·25	0·96	0·01	0·01	29
30	-	-	0·01	0·01	-	0·10	0·25	-	0·02	0·30	0·44	0·14	30
31	-	-	0·03	-	-	-	0·15	-	-	0·05	-	0·03	31
Total	3·10	5·88	5·62	3·64	1·47	4·13	1·36	2·45	2·72	6·50	7·88	14·32	TOTAL for year 59·07
No. of Rain Days.	~~17~~ 19 (2 snow	17	23	~~15~~ 16 3 snow	7	17	4	11	16	25	26	30	213

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

26 APR 1913

Kept at Blackadon Asylum

in the County of Devon S3

by H. V. Prigg

Lat. 50°21 N Long. 4' 8" W

Time of Observation 9 am

Nearest Railway Station Wrangaton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 607 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	–	0·20	–	0·03	0·37	0·03	0·02	0·11	0·70	–	0·45	1
2	–	–	0·22	0·22	–	1·60	0·02	0·03	–	0·06	–	0·05	2
3	0·08	–	0·47	0·01	–	0·37	0·05	1·94	0·33	0·02	–	0·30	3
4	0·55	0·03	0·59	–	0·05	0·42	–	0·20	0·01	–	0·55	–	4
5	1·05	0·28	0·45	–	0·08	0·07	0·12	0·95	–	–	0·01	0·25	5
6	0·90	0·08	0·01	–	0·82	0·18	0·01	0·41	–	–	0·01	0·05	6
7	0·10	0·90	0·25	0·06	0·37	0·85	0·02	0·26	0·01	–	0·11	0·40	7
8	1·12	0·20	0·38	–	0·02	0·15	0·05	0·06	–	–	0·01	0·01	8
9	0·05	0·09	0·25	0·09	–	0·07	0·17	0·23	–	–	0·01	0·87	9
10	0·38	0·08	0·10	0·02	0·02	0·03	0·19	0·27	–	–	0·38	0·25	10
11	0·02	0·10	0·45	–	–	–	0·03	0·10	–	–	0·50	1·12	11
12	0·02	0·67	0·53	–	0·03	–	0·23	0·65	–	–	0·02	–	12
13	0·45	–	0·21	–	–	0·02	0·23	0·02	–	0·22	–	0·77	13
14	0·25	0·22	1·06	–	0·06	0·02	–	0·12	–	0·10	–	0·40	14
15	0·87	0·45	0·06	–	0·35	0·70	–	0·02	–	0·01	–	0·93	15
16	0·29	–	0·65	–	0·10	0·03	–	0·94	–	0·42	–	0·35	16
17	0·01	–	0·20	–	0·05	0·50	–	1·80	–	–	0·05	0·10	17
18	0·01	0·05	0·16	–	0·01	0·02	–	0·22	–	0·20	0·02	0·20	18
19	0·01	0·17	0·47	–	–	0·23	0·06	0·08	–	0·03	0·05	0·01	19
20	0·05	0·19	0·60	–	0·18	0·01	–	0·12	–	0·45	0·40	–	20
21	0·01	0·94	0·44	–	0·34	–	–	0·13	–	0·90	0·01	–	21
22	0·37	0·76	0·34	–	0·02	–	0·08	0·72	–	0·14	0·11	0·27	22
23	0·58	0·65	0·57	–	–	0·05	–	1·90	–	0·10	0·40	0·46	23
24	0·10	0·15	0·27	–	–	0·62	–	0·02	–	0·01	0·01	0·32	24
25	0·33	0·03	0·02	–	–	0·09	0·10	0·15	–	0·30	0·90	0·41	25
26	0·02	0·14	–	–	–	0·01	0·04	0·20	–	0·43	0·82	0·56	26
27	–	0·20	0·06	–	–	0·87	0·56	0·24	–	2·15	0·03	1·02	27
28	–	0·17	0·04	–	–	0·40	0·14	1·00	0·45	0·45	1·02	0·50	28
29	–	0·38	0·02	–	–	0·03	0·15	0·20	0·54	0·80	–	0·05	29
30	–		0·08	–	0·01	0·05	0·30	–	0·35	0·52	–	0·01	30
31	–		0·23		0·02		0·78	0·05		0·02		0·62	31
Total	7·63	6·93	9·38	0·40	2·56	7·76	3·36	13·05	1·80	8·03	5·42	10·73	YEAR'S TOTAL 77·05
Rain Days.	25	23	30	5	18	26	21	30	7	21	21	27	254.

FORM A.
BRITISH RAINFALL.

2 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Blackadon Asylum, Ivybridge

in the County of Devon S. 3

by H Victor Prigg

Lat. Long.

Time of Observation As before

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·06	0·23	0·47	0·15	0·14	—	—	—	0·03	0·24	0·73	0·10	1
2	0·35	0·21	0·02	0·05	0·27	—	0·03	—	—	0·05	0·35	0·13	2
3	0·75	0·04	0·32	0·08	0·24	—	—	—	1·83	0·13	0·01	0·42	3
4	1·45	0·03	0·28	0·09	0·01	0·08	—	0·01	0·18	0·02	0·20	0·29	4
5	0·20	0·04	0·02	—	0·35	0·45	0·03	—	0·72	0·23	0·46	0·63	5
6	0·20	0·23	0·07	—	0·19	0·43	—	—	0·02	0·44	0·28	0·20	6
7	0·04	0·52	0·18	—	0·98	0·16	0·12	—	—	0·42	0·45	0·01	7
8	0·10	0·36	—	—	0·35	0·01	0·14	0·11	—	0·05	0·04	0·32	8
9	0·20	0·28	0·05	—	0·05	0·09	—	0·12	—	0·01	0·66	0·07	9
10	1·05	0·01	0·05	0·01	0·05	0·10	0·01	—	—	0·20	0·32	—	10
11	0·80	—	0·01	0·06	0·90	0·21	—	—	0·02	0·05	0·94	0·25	11
12	0·~~19~~ 08	—	—	0·01	0·~~04~~	0·06	—	—	0·08	—	0·54	0·05	12
13	0·~~35~~ 19	0·01	0·32	0·10	0·00	0·01	—	0·10	0·22	0·01	0·34	0·01	13
14	0·~~40~~ 35	—	0·23	0·01	0·21	—	0·01	—	0·02	0·02	0·09	0·12	14
15	0·35	—	0·64	1·11	—	—	0·01	—	0·08	—	0·10	0·05	15
16	0·40	—	0·81	0·02	—	—	0·05	0·45	0·70	—	0·08	—	16
17	0·15	—	0·08*	0·09	—	—	0·05	0·01	0·01	—	0·15	—	17
18	0·05	—	0·56	0·39	0·02	—	0·01	—	—	—	0·15	—	18
19	0·57	—	0·10	0·01	0·05	0·02	0·05	—	0·76	0·08	0·01	—	19
20	0·37	—	0·18	0·47	0·01	—	—	—	0·02	0·07	0·63	—	20
21	0·02	—	0·30	0·17	0·05	—	0·05	0·04	—	0·05	0·34	—	21
22	0·42	—	0·47	—	0·07	0·17	—	0·06	0·03	—	0·01	0·20	22
23	0·07	—	0·10	0·01	0·01	0·03	—	—	0·01	0·05	0·06	0·53	23
24	0·15	0·20	—	0·16	—	0·05	—	0·02	—	0·01	0·12	0·01	24
25	0·02	0·01	—	0·57	—	—	—	—	0·05	0·11	0·07	0·08	25
26	—	—	—	0·97	—	0·03	—	0·07	0·01	0·02	0·01	0·52	26
27	0·80	—	0·30	0·25	—	—	—	0·20	—	0·28	—	0·02	27
28	0·41	—	0·12	0·36	0·01	—	—	0·03	0·16	0·20	—	0·20*	28
29	0·15		1·26	0·42	0·03	—	0·26	0·01	0·01	0·07	0·08	—	29
30	1·20		0·01	0·10	0·03	—	0·16	0·47	—	0·73	0·04	—	30
31	0·30		0·17		0·02		0·01	0·33		0·14		—	31
Total	11·25	2·17	7·12	5·66	4·08	1·90	0·99	2·03	4·96	3·68	7·26	4·21	YEAR'S TOTAL 55·31
Rain Days.	30	13	25 → ● 1 → *	24	20	15	15	15	20	25	28	20 ● 1 *	~~250~~ ● 2 *
			26		23							21	253

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

1 - MAY 1915

Kept at Plymouth Borough Asylum

in the County of Devon S 3

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 607½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·02	0·10	0·35	0·00	0·09	0·66	0·54	0·00	0·00	1·15	0·10	1
2	0·00	0·00	0·11	0·02	0·16	0·04	0·13	0·02	0·00	0·00	0·48	0·42	2
3	0·03	0·00	0·55	0·22	0·94	0·00	0·00	0·01	0·00	0·00	0·03	0·04	3
4	0·15	0·00	0·18	0·83	0·13	0·00	0·90	0·31	0·04	0·00	0·20	0·70	4
5	0·25	0·00	0·26	0·40	0·10	0·00	0·00	0·01	0·02	0·00	0·25	0·02	5
6	0·01	0·10	0·15	0·09	0·39	0·00	0·03	0·10	0·00	0·00	0·02	0·88	6
7	0·14	1·65	0·73	0·25	0·06	0·02	0·62	0·32	0·43	0·00	0·01	0·45	7
8	0·53	0·01	0·95	0·10	0·05	0·24	0·00	0·20	0·01	0·00	0·01	0·08	8
9	0·24	0·07	0·31	0·26	0·04	0·32	0·00	0·33	0·50	0·00	0·00	0·01	9
10	0·17	0·74	0·29	0·30	0·58	0·12	0·00	0·00	0·46	0·00	0·07	0·22	10
11	0·00	0·25	1·08	0·00	0·01	0·06	0·00	0·00	0·02	0·00	0·16	0·98	11
12	0·00	0·31	0·40	0·00	0·00	0·13	0·01	0·00	0·42	0·05	0·15	0·48	12
13	0·00	0·80	0·31	0·00	0·00	0·00	0·17	0·00	0·44	0·05	0·52	0·16	13
14	0·00	0·40	0·32	0·00	0·00	0·03	0·02	0·42	0·05	0·02	0·90	0·25	14
15	0·02	0·00	0·50	0·00	0·00	0·00	0·07	0·20	0·05	0·21	0·46	0·54	15
16	0·03	0·00	0·05	0·00	0·00	0·00	0·03	0·01	0·70	0·01	0·01	0·02	16
17	0·00	0·00	0·47	0·00	0·00	0·00	0·03 (2)	0·00	0·02	0·00	0·00	1·05	17
18	0·00	0·15	0·17	0·00	0·00	0·00	0·30	0·00	0·20	0·00	0·00	0·40	18
19	0·00	0·14	0·88	0·00	0·00	0·00	1·96	0·00	0·08	0·00	0·07	0·10	19
20	0·00	0·35	0·17	0·00	0·00	0·07	0·01	0·00	0·02	0·00	0·05	0·25	20
21	0·00	0·56	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·51	0·00	0·01	21
22	0·00	0·11	0·11	0·02	0·11	0·03	0·00	0·20	0·00	0·50	0·00	0·01	22
23	0·01	0·16	0·73	0·00	0·02	0·01	0·17	0·02	0·00	0·23	0·01	0·00	23
24	0·22	0·01	0·02	0·00	0·01	0·00	0·04	0·05	0·00	0·05	0·05	0·00	24
25	0·05	0·12	0·33	0·00	0·00	0·00	0·03	0·87	0·00	1·10	0·13	0·93	25
26	0·10	0·06	0·52	0·00	0·00	0·00	0·22	0·04	0·00	0·08	0·49	0·64	26
27	0·10	0·26	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·04	0·20	0·53	27
28	0·87	0·28	0·55	0·00	0·05	0·00	0·02	0·00	0·00	0·15	0·43	0·65	28
29	0·02		0·32	0·00	0·20	0·00	0·00	0·00	0·00	0·02	0·90	0·02	29
30	0·25	X	0·13	0·01	0·02	0·00	0·00	0·00	0·00	0·33	0·45	0·88	30
31	0·18	X	0·01	X	0·04	X	1·00	0·00	X	1·60	X	0·33	31
Total	3·37	6·55	10·21	2·85	2·91	1·16	6·44	3·65	3·46	4·95	7·20	11·15	YEAR'S TOTAL 63·90
Rain Days.	19	21	28 (Rain) 2 (Snow) 30	12	17	12	21	17	16	16	25	29	235 Rain 2 Snow

W. 8,000. X. 14.

Exd JW. 1818

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
1 - MAR 1916

Kept at Blackadon Asylum
in the County of Devon
by H Victor Pugh

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bittaford Halt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 607 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·32	0·48	0·01	0·00	0·11	0·00	0·00	0·58	0·52	0·45	0·02	0·43	1
2	0·48	0·12	0·23	0·20	0·00	0·32	0·01	0·20	0·06	0·03	0·00	0·52	2
3	0·08	0·35	0·25	0·55	0·35	0·04	0·00	0·01	0·02	0·00	0·00	0·80	3
4	0·04	0·20	0·03	0·01	0·05	0·04	0·00	0·01	0·00	0·00	0·00	0·23	4
5	0·15	0·68	0·01	0·18	0·01	0·01	0·01	0·74	0·00	0·00	0·00	0·76	5
6	1·25	0·25	0·00	1·00	0·00	0·00	0·57	0·16	0·00	0·00	0·00	0·22	6
7	0·76	0·56	0·00	0·08	0·00	0·00	0·35	0·03	0·00	0·37	0·05	0·52	7
8	0·10	0·27	0·00	0·00	0·00	0·00	0·04	0·08	0·00	0·04	0·20	0·30	8
9	0·02	0·20	0·00	0·10	0·00	0·00	0·05	0·01	0·00	0·01	0·48	1·10	9
10	0·37	0·63	0·08	0·07	0·00	0·00	0·01	0·03	0·00	0·25	0·10	0·18	10
11	0·15	0·07	0·29	0·01	0·00	0·00	0·04	0·20	0·00	0·08	1·57	0·12	11
12	0·12	0·48	0·01	0·00	0·71	0·00	0·00	0·13	0·00	0·18	0·40	0·01	12
13	0·03	1·13	0·00	0·00	1·70	0·00	0·07	0·04	0·03	0·00	0·18	0·03	13
14	0·10	0·02	0·00	0·00	0·01	0·00	0·25	0·04	0·35	0·27	0·02	2·15	14
15	0·18	0·00	0·00	0·00	0·46	0·00	0·73	0·02	0·10	0·04	0·03	0·25	15
16	0·03	1·86	0·00	0·00	0·36	0·00	1·78	0·00	0·01	0·00	0·00	0·24	16
17	0·04	0·33	0·01	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·00	0·02	17
18	0·02	0·38	0·00	0·00	0·01	0·00	0·15	0·00	0·00	0·01	0·00	0·00	18
19	0·05	0·03	0·00	0·03	0·77	0·00	0·00	0·00	0·00	0·00	0·00	0·00	19
20	0·52	0·00	0·00	0·15	0·01	0·20	0·22	0·00	0·00	0·17	0·00	0·02	20
21	0·28	0·03	0·00	0·00	0·17	0·30	0·72	0·00	0·00	0·36	0·00	0·07	21
22	0·10	0·03	0·57	0·01	0·00	0·02	0·85	0·00	0·05	0·04	0·00	0·40	22
23	0·02	0·02	0·10	0·00	0·00	0·10	0·05	0·00	0·18	1·71	0·00	1·12	23
24	0·00	0·00	0·01	0·01	0·00	0·28	0·37	0·00	0·14	0·26	0·00	1·03	24
25	0·00	0·00	0·00	0·04	0·00	0·10	0·01	0·00	0·01	0·00	0·01	0·50	25
26	0·01	0·46	0·00	0·00	0·00	0·17	0·08	0·00	0·00	0·00	0·00	0·99	26
27	0·09	0·06	0·00	0·00	0·00	0·30	0·02	0·00	0·01	0·86	0·00	0·01	27
28	0·00	0·06	0·00	0·00	0·00	0·32	0·00	0·05	0·00	0·15	0·03	0·09	28
29	0·00		0·00	0·00	0·00	0·70	0·00	0·00	0·05	0·05	0·40	0·24	29
30	0·27	X	0·00	0·02	0·00	0·17	0·00	0·00	0·01	0·70	0·58	0·38	30
31	0·02	X	0·00	X	0·00	X	0·29	0·08	X	0·72	X	0·28	31
Total	5·60 ✓	8·72 ✓	1·60 ✓	2·46 ✓	4·76 ✓	3·07 ✓	6·67 ✓	2·41 ✓	1·54 ✓	6·75 ✓	4·07 ✓	13·01 ✓	YEAR'S TOTAL 60·66
Rain Days.	27 ✓	24 ✓	12 ✓	15 ✓	14 ✓	15 ✓	22 ✓	17 ✓	14 ✓	21 ✓	14 ✓	29 ✓	224 ~~228~~

W. 8,000. X. 15.

1775

FORM A. BRITISH RAINFALL.

18 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Blackadon Asylum
in the County of Devon
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bittaford Halt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 607½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30	0.00	0.10	0.00	0.15	0.00 ~~0.17~~	0.01	0.00	0.25	0.52	0.10	0.00	1
2	0.86	0.12	0.13	0.00	0.01	0.13 ~~0.00~~	0.00	0.00	0.08	0.55	0.37	0.00	2
3	0.15	1.13	0.01	0.00	0.40	0.47 ~~0.13~~	0.00	0.00	0.02	0.86	0.20	0.00	3
4	0.13	0.43	0.00	0.00	0.02	0.10 ~~0.47~~	0.12	0.00	0.07	0.20	0.68	0.00	4
5	0.10	0.40	0.02	0.00	0.05	0.04 ~~0.10~~	0.00	0.00	0.00	0.19	0.26	0.00	5
6	0.18	0.20	0.00	0.00	0.14	0.20 ~~0.04~~	1.33	0.00	0.00	0.12	1.05	0.00	6
7	0.10	0.27	0.25	0.00	0.08	0.00 ~~0.20~~	0.00	0.00	0.00	0.20	0.60	0.06	7
8	0.01	0.21	0.45	0.00	0.42	0.10 ~~0.00~~	0.00	0.00	0.00	0.01	0.10	0.28	8
9	0.01	0.11	0.10	0.00	0.02	0.05 ~~0.10~~	0.05	0.00	0.00	0.05	0.10	0.30	9
10	0.04	1.02	0.01	0.12	0.17	0.00 ~~0.05~~	0.00	0.00	0.00	0.06	0.05	0.04	10
11	0.02	0.01	0.00	0.14	0.07	0.00	0.00	0.00	0.10	0.00	0.01	0.03	11
12	0.21	0.20	0.14	0.09	0.21	0.01 ~~0.00~~	0.48	0.25 ~~0.00~~	0.00	0.35	0.00	0.00	12
13	0.04	1.03	0.20	0.02	0.02	0.00 ~~0.01~~	0.06	0.27	0.00	0.07	0.00	0.18	13
14	0.00	0.47	0.03	0.00	0.28	0.00	0.00	0.45	0.00	0.15	0.00	0.40	14
15	0.03	0.34	0.15	0.15	0.01	0.00	0.00	0.15	0.00	0.03	0.00	0.07	15
16	0.43	0.07	0.01	(0.27)	0.01	0.00	0.05	0.43	0.00	0.20	0.00	0.20	16
17	0.28	0.20	0.00	0.03	0.00	0.00	0.00	0.03	0.00	0.68	1.06	0.13	17
18	0.07	0.28	0.23	0.09	0.00	0.00	0.00	0.00	0.31	0.10	0.05	0.00	18
19	0.30	0.27	0.06	0.10	0.00	0.00	0.00	0.00	0.01	0.00	0.14	0.00	19
20	0.12	0.91	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.90	20
21	0.03	0.08	0.10	0.01	0.04	0.30 ~~0.00~~	0.00	0.00	0.00	0.00	0.02	0.22	21
22	0.01	0.00	0.02	0.00	0.00	0.25 ~~0.30~~	0.00	0.06	0.00	0.22	0.05	0.72	22
23	0.03	0.03	0.00	0.12	0.00	0.14 ~~0.25~~	0.00	0.22	0.00	0.46	0.54	0.04	23
24	0.00	0.25	0.04	0.45	0.35	0.02 ~~0.14~~	0.00	0.23	0.00	0.65	0.15	0.25	24
25	0.02	0.30	0.10	0.01	0.03	0.48 ~~0.02~~	0.00	0.35	0.00	0.01	0.12	0.03	25
26	0.03	0.16	0.05	0.00	0.00	0.52 ~~0.48~~	0.00	0.30	0.70	0.80	0.02	0.09	26
27	0.04	0.00	1.30	0.00	0.00	0.02 ~~0.52~~	0.00	0.15	0.21	0.13	0.01	0.00	27
28	0.01	0.05	0.03	0.00	0.00	0.57 ~~0.02~~	0.00	0.12	0.75	0.60	0.00	1.02	28
29	0.03	0.08	0.10	0.00	0.00	0.01 ~~0.57~~	0.00	1.35	0.04	0.25	0.00	0.53	29
30	0.00	╳	0.01	0.00	0.00	0.06	0.00	0.01	0.00	0.65	0.00	0.03	30
31	0.00	╳	0.00	╳	0.17	╳	0.00	0.23	╳	0.39	╳	0.01	31
Total	3.58	8.62	3.81	1.55	2.65	3.47	2.10	4.60	2.54	8.50	5.71	5.53	YEAR'S TOTAL 52.66
Rain Days.	27	18 rain 8 Snow. 26	18 rain 7 Snow. 25	14	20	18	7	16	11	27	22	17 rain. 4 Snow. 21	215 days rain 19 Snow. 234

W. 8,000, VIII. 16

1695

REGISTER OF RAINFALL IN 19*17*

FORM A.
BRITISH RAINFALL.
26 MAR 1918

Kept at Blackadon Asylum.

in the County of Devon.

by H Victor Rigg

Lat. ~~3 53~~ 50.24 N Long. 3.53 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 607½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	0.00	0.00	0.26 Snow.	0.00	0.44	0.00	0.04	0.10	0.00	0.10	0.00	1
2	0.01	0.00	0.04	0.16 Snow.	0.00	0.04	0.00	0.00	0.00	0.03	0.02	0.00	2
3	0.05	0.00	0.00	0.16 Snow.	0.00	0.00	0.00	0.00	0.00	0.42	0.55	0.00	3
4	0.00	0.23 Snow.	0.43 Snow. Rain.	0.00	0.00	0.00	0.12	0.00	0.05	0.70	0.03	0.00	4
5	0.10	0.00	0.20	0.30	0.00	0.45	0.00	0.00	0.00	0.17	0.15	0.00	5
6	0.05	0.00	0.12	0.00	0.00	0.14	0.00	0.12	0.03	0.12	0.12	0.08	6
7	0.58	0.00	0.00	0.02	0.00	0.00	0.31	0.08	0.00	0.32	0.13	0.06	7
8	0.10	0.00	0.50 Snow	0.06	0.00	0.00	0.20	0.45	0.05	0.70	0.20	0.40	8
9	0.00	0.00	0.10	0.08 Snow.	0.05	0.00	0.05	0.00	0.02	0.25	0.15	0.00	9
10	0.41	0.00	0.37	0.35 Snow. Rain.	0.00	0.00	0.00	0.34	0.20	0.05	0.02	0.02	10
11	0.04	0.00	0.75	0.25 Snow.	0.00	0.00	0.00	0.00	0.00	0.38	0.22	0.00	11
12	0.19 ~~0.00~~	0.00	0.03	0.02	0.48	0.00	0.00	0.00	0.00	0.37	0.00	0.00	12
13	0.04 ~~1.35 Snow.~~	0.00	0.28	0.18	0.00	0.10	0.00	0.02	0.16	0.14	0.00	0.01	13
14	0.00	0.00	0.00	0.13	0.00	0.00	0.04	0.07	0.12	0.00	0.00	0.00	14
15	1.35 Snow.	0.00	0.00	0.00	0.00	0.00	0.16	0.03	0.05	0.39	0.00	0.46 Snow.	15
16	0.00	0.10	0.00	0.10	0.00	0.00	0.00	0.02	0.03	0.50	0.00	0.23 Sleet.	16
17	0.00	0.05	0.03	0.33	0.20	0.00	0.52	0.09	1.17	0.12	0.00	0.00	17
18	0.00	0.15	0.00	0.00	0.72	0.05	0.56	0.02	0.65	0.00	0.00	0.00	18
19	0.00	0.83	0.06	0.00	0.00	0.42	0.00	0.07	0.11	0.00	0.15	0.00	19
20	0.00	0.12	0.01	0.00	0.55	0.03	0.00	0.00	0.02	0.00	0.08	0.04	20
21	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.05	0.00	0.16	0.02	0.00	21
22	0.00	0.00	Snow. 0.02	0.00	0.02	0.00	0.00	0.86	0.00	0.17	0.02	0.00	22
23	0.00	0.22	0.00	0.00	0.12	0.02	0.00	0.55	0.00	0.19	0.02	0.00	23
24	0.00	0.00	0.00	0.00	0.00	0.05	0.45	0.12	0.00	0.32	0.05	0.00	24
25	0.00	0.03	0.03	0.00	0.00	0.00	0.07	0.28	0.32	0.30	0.06	0.00	25
26	0.00	0.00	0.00	0.00	0.27	0.13	0.03	0.36	0.30	0.40	0.14	0.00	26
27	0.00	0.00	0.00	0.00	0.00	0.88	0.02	1.05	0.00	0.60	0.01	0.00	27
28	0.00	0.02	0.24	0.00	0.00	0.40	0.00	0.85	0.00	0.00	0.10	0.05 Snow.	28
29	0.00		0.10	0.00	0.00	0.25	0.00	0.02	0.00	0.78	0.05	0.10	29
30	0.00	X	0.35	0.00	0.00	0.00	0.25	0.40	0.00	0.02	0.07	0.00	30
31	0.00	X	0.08 Snow.	X	0.23	X	0.00	0.04	X	0.16	X	0.04 Snow.	31
Total	2.95	1.75	3.74	2.40	2.64	3.43	2.78	5.93	3.38	7.76	2.46	1.49	YEAR'S TOTAL 40.71
Rain Days.	11 Rain. 1 Snow.	8 Rain. 1 Snow.	15 Rain. 4 Snow.	~~9~~ Rain. ~~6~~ Snow.	9	15	13	23	16	25	23	8 Rain. 3 Snow.	~~175~~ Rain. ~~15~~ Snow.
	12	9	19	14				29				11	189

W. 8,000, IX. 17.

1513

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blackadon, Ivybridge
in the County of Devon
by H Victor Prigg A.M. Inst. C.E.

Lat. Long.
Time of Observation 9 a
Nearest Railway Station Bittaford Halt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08*	—	·01	·14	·48	—	·70	—	·11	·04	·02	1·10	1
2	·25	·01	—	·29	·02	—	·05	·07	·10	·05	—	·30	2
3	·35	·06	—	·06	—	—	·02	—	·03	·17	—	·50	3
4	—	—	·03	—	—	—	·07	1·32	—	·47	—	—	4
5	—	·03	·20	·09	·14	—	·42	·51	—	·22	—	—	5
6	—	—	·19	·01	·55	—	·39	—	—	·10	—	—	6
7	·08	—	·05	·61	·06	—	·50	—	·02	·03	—	·42	7
8	·02	·05	—	·50	·13	—	·15	·06	—	·03	—	·41	8
9	·85	·20	·02	·03	—	·04	·36	—	·02	—	—	—	9
10	·97	·52	·43	·04	—	·17	·22	—	—	—	·04	—	10
11	·20	·03	·22	·66	·43	·02	·29	—	—	—	—	—	11
12	·79	·28	·21	·11	·02	—	·10	—	—	·04	·30	·40	12
13	·28	·06	·52	·04	—	·05	·01	—	—	·19	—	·25	13
14	·46	·10	·46*	·53	—	—	·10	—	·32	·70	·67	—	14
15	·27	·12	·21	·20	·05	—	—	—	·12	1·08	·20	—	15
16	·03	·05	·09	·02	—	·05	·14	—	·18	·06	·06	—	16
17	·24	—	·02	·02	·60	—	·02	—	·90	·16	—	—	17
18	·13	·04	·03	·07	·04	·43	·13	·27	·02	—	·01	—	18
19	·05	·02	—	·42	—	·46	—	—	·15	·02	—	—	19
20	·03	·03	—	·34	—	·49	·05	—	—	·45	—	·80	20
21	—	—	—	·19	—	—	·04	—	·10	·10	—	·15	21
22	·09	—	—	·22	—	·01	·05	—	—	—	—	·45	22
23	·02	—	·02	—	—	—	·12	·04	—	—	—	1·02	23
24	·03	·06	·40	·01	—	—	·02	·01	—	—	·16	·35	24
25	·21	·02	·10	·02	·01	·02	1·17	—	—	—	·02	·06	25
26	·28	·03	·15	—	·19	·03	·03	—	—	—	·26	·07	26
27	·45	·05	·05	·09	—	·34	·10	—	—	—	·41	·30	27
28	·67	·02	·13	—	·01	·07	·44	—	—	—	·02	·25	28
29	·50	·02	·49	—	·03	·01	·07	—	—	—	·72	·75	29
30	·35	✕	·01	·03	·03	·70	·23	—	1·07	·02	·67	1·14	30
31	·19	✕	·45	✕	—	✕	·02	—	✕	·44	✕	·42	31
TOTAL	7·87	1·80	4·49	4·74	2·79	2·89	6·01	2·28	3·14	4·37	3·56	9·14	YEAR'S TOTAL 53·08
Days with ·01 in. or more	27	21	24	25	16	15	29	7	13	19	14	19	229
ys with 4 in. more	22	12	17	18	10	10	23	6	9	15	10	19	171

283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

88 309

DEVON

START BAY
SLAPTON
1911–1916

RE 911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at Start B
in the County of South
by H. G. Morgan

op 5 in.
above Ground 1 ft. in.
„ Sea Level 130 ft.

ion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·01	·05			·02		·03			1
2			·02	·04	·53			·14		·16	·24	·52	2
3			·01		·32			·01	·01	·01	·24	·48	3
4			·07	—				·05		·02	·35	·34	4
5	·26		·11					·11		·48	·13		5
6	·52		·33					·02		·11	·20	1·07	6
7	·08										·57	·02	7
8	·10		·17								·12	·64	8
9	·11								·01		·10	·64	9
10	·12	·06	·75								·03	·23	10
11	·38	—	·01						·01		1·38	·09	11
12			·72						·26		·08	·09	12
13			·01						·14		·04	·70	13
14		·16	·03							·16	·04	·60	14
15		·04	·13			·06					·29	·15	15
16		·02	·03			·40					·58	·51	16
17		·05	·56	·01		·04					·30	·41	17
18		·38	·28	·14	·02	·04				·08	·11	·45	18
19	·01	·02	·06	·03		·50			·27	·33	·08	·68	19
20		·03	·13	·08		·03			·23	·36		·69	20
21	·01	·57		·01		·09			·09	·85		·06	21
22	·09	·05		·21		·13			·72	·26	·02	·87	22
23	·02	·19	·01						·07	·30	·10	·49	23
24	·04	·44				·28		·13		·48		·39	24
25	·02	·10		·20		·01			·04	·60		·18	25
26		·12	·01	·47				·14		·62		·46	26
27		·77	·02	·13				·13	·20	·65	·03	·18	27
28		·33		·36				·11	·01		·05	·01	28
29				·07		·59	·82		·17	·46			29
30										·28	·12	·04	30
31			·02				·08			·04		·01	31
Total	1·76	3·33	3·49	1·76	·92	2·17	·90	·86	2·23	6·28	5·20	11·10	TOTAL for year 40·00
No. of Rain Days	13	16	22	13	4	11	2	10	14	20	23	28	176

9,000, IX. '10.

8L

309

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE [illegible] 911

Kept at Start Bay, Slapton

in the County of South Devon 3

by H. G. Morgan

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 130 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·01	·05			·02	—	·03			1
2			·02	·04	·53			·14	—	·16	·24	·52	2
3			·01		·32			·01	·01	·01	·24	·48	3
4			·07					·05		·02	·35	·34	4
5	·26		·11					·11		·48	·13		5
6	·52		·33					·02		·11	·20	1·07	6
7	·08										·57	·02	7
8	·10		·17								·12	·64	8
9	·11								·01		·10	·64	9
10	·12	·06	·75								·03	·23	10
11	·38		·01						·01		1·38	·09	11
12			·72						·26		·08	·09	12
13			·01						·14		·04	·70	13
14		·16	·03							·16	·04	·60	14
15		·04	·13			·06					·29	·15	15
16		·02	·03			·40					·58	·51	16
17		·05	·56	·01		·04					·30	·41	17
18		·38	·28	·14	·02	·04				·08	·11	·45	18
19	·01	·02	·06	·03		·50			·27	·33	·08	·68	19
20		·03	·13	·08		·03			·23	·36		·69	20
21	·01	·57		·01		·09			·09	·85		·06	21
22	·09	·05		·21		·13			·72	·26	·02	·87	22
23	·02	·19	·01						·07	·30	·10	·49	23
24	·04	·44				·28		·13		·48		·39	24
25	·02	·10		·20		·01			·04	·60		·18	25
26		·12	·01	·47				·14		·62		·46	26
27		·77	·02	·13				·13	·20	·65	·03	·18	27
28		·33		·36				·11	·01		·05	·01	28
29				·07		·59	·82		·17	·46	—		29
30										·28	·12	·04	30
31			·02				·08			·04		·01	31
Total	1·76	3·33	3·49	1·76	·92	2·17	·90	·86	2·23	6·28	5·20	11·10	TOTAL for year 40·00
No. of Rain Days	13	16	22	13	4	11	2	10	14	20	23	28	176

9,000, IX. '10.

82 ✓

Ex. C.

305

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at *Start Bay, Slapton*

in the County of *South Devon* S. 3

by *H. G. Morgan*

RAIN GAUGE { Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station { Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06			37	·02		09	·81		·24	1
2			·17	·03		77	·02			·04	·03		2
3			·20			·50		·94	·09			·03	3
4	30	·08	52		·16	27					·32		4
5	74	45	·26		·02		15	62				·26	5
6	·65	·01	·02		·58	·27		·10				·03	6
7	10	·67	·27	·01	·25	·47		·07			·03	·18	7
8	·80	·21	·41			·02	·15					·01	8
9	·01	10	·05	·10		20	·08	·18				·58	9
10	·21	·04	·23	·02			05	·16			·07	·35	10
11	·03	·17						·33			·23	·74	11
12	·02	·25	·21		·05		·14	·98					12
13	·12		·07			·01	·31	·01		·07		·65	13
14	·04	·13	·70		·06			·17		·03		·16	14
15	·56	·16	·01		·33	·40						·45	15
16	·24	·01	·52		·05			·48		·19	·01	·03	16
17	·01		·39		·02	·13		1·19			·03	·10	17
18		·03	·11					·40		·04	·03	·01	18
19	·01	·15	·22			·07	·06	·04		·07		·02	19
20	·03	·09	·29		·17	·06	·02	·02		·42	·05		20
21		·55	·24		·33		·03	·12		·15			21
22	·31	·46	·30				·17	34		·07	·01	·09	22
23	·62	·36	·33			·15		1·34		·14	·25	·27	23
24	·15	·08	·06			·29		·04				·24	24
25	·21	·01	·01			·06		·21		·47	·58	·37	25
26		·07	·01			·35	·01	·13		·16	·59	·55	26
27		·08					·65	·04		1·36	·03	·99	27
28		·11				·14	·11	·45	·15	70	·82	·55	28
29		·26	·01			·08	·21		·33	·38	·04	·11	29
30			·04		·11	·02	·11	01	·61	·20	·01		30
31			·22				·27	·03		·02		·23	31
Total	5·16	4·53	5·93	·16	2·13	4·63	2·56	8·40	1·27	5·32	3·13	7·24	TOTAL for year 50·46
No. of Rain Days.	20	24	28	4	12	20	18	25	5	18	17	25	216

W. 8,000, X. '11.

88

Cndly B. ·19·iii·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

315

Kept at Start Bay

W D11

in the County of S. Devon

3

by H. G. Morgan

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·20	·31	·07	·02				·08	·22	·38	·06	1
2	·43	·18		·15	·30		·12		·01	·23	·20	·07	2
3	·58	·07	·14	·03	·17				·64	·08	·01	·28	3
4	1·48		·28	·09	·01	·04		·01	·06	·05	·12	·35	4
5	·27	·05			·27	·15			·35	·19	·61	·37	5
6	·04	·10	·11		·15	·26				·35	·15	·03	6
7		·43	·05		·56	·06	·11			·20	·29		7
8	·06	·29			·17	·02	·09	·11		·02	·03	·13	8
9	·04	·06			·18	·02		·20	·01		·35	·03	9
10	·93	·01	·02		·09	·02		·02		·17	·08		10
11	·82			·02	·82	·10			·01	·02	·80	·10	11
12	·04				·03		·02		·01		·36	·01	12
13	·24		·15	·09	·01			·05	·07		·22		13
14	·31		·18	·01	·17						·03	·02	14
15	·36		·40	·86				·01	·07		·05	·04	15
16	·31		·56	·09			·04	·27	·21		·04		16
17	·17		·04	·06							·13		17
18	·05		·37	·26							·12		18
19	·60		·09		·04	·01			·43	·03			19
20	·08		·28	·28		·02				·12	·33		20
21	·01		·31	·06	·03			·02		·03	·34		21
22	·27		·32		·05	·10	·02	·04	·02	·03		·19	22
23	·02		·01			·01		·05			·06	·87	23
24	·11	·05		·10	·01	·05		·01			·06	·01	24
25	·01			·41				·01	·05	·10	·01	·03	25
26				·87				·21		·01		·32	26
27	·63		·15	·38				·07		·30		·02	27
28	·37		·01	·27					·11	·23	·01	·10	28
29	·23		1·06	·31	·01		·25			·21			29
30	·85		·01		·03		·32			·65	·03		30
31	·31		·30					·15		·14			31
Total	9·63	1·44	5·15	4·41	3·12	·86	·97	1·23	2·13 2·13	3·38	4·81	3·03	YEAR'S TOTAL 40·16
Rain Days.	29	10	22	19	20	13	8	15	15	21	25	19	216

W. 7,500, XI. 12

DL

written 9.III.15

REGISTER OF RAINFALL IN 1914

300

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Start Bay

in the County of S. Devonshire S3

by H. G. Morgan

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12	·02		·10	·20	·52			1·04	·73	1
2	·01		·05	·02	·06	·01	·15				·34	·01	2
3	·03		·30	·14	·71		—	·01				·43	3
4	·12		·12	·57	·02		·40	·52	1·01		·27	·01	4
5	·14		·26	·32	·11							·58	5
6		·04	·12	·14	·16		·05	·06			·01	·03	6
7	·12	·92	·29	·15	·01		·39	·12	·50			·74	7
8	·24	·01	1·27	·04	·02	·14		·12			·03	·37	8
9	·23	·06	·37	·19	·01	·08		·13	·61			·09	9
10	·13	·41	·19	·14	·17	·09		—	·43		·06	·01	10
11		·16	·85			·05			·02		·01	·23	11
12		·20	·22						·25	·06	·09	·82	12
13		·49	·45			·18	·05		·30	·13	·33	·56	13
14		·30	·46			·14		1·65	·05	·02	·87	·21	14
15	·02	·02	·28					·13	·04	·19	·34	·30	15
16			·01				·01		·53		·01	·29	16
17		·74	·32				·02				·03	·02	17
18		·14	·10				·29		·24		·04	·86	18
19		·10	·70				1·40		·01		·02	·40	19
20		·40	·11			·07	·01					·22	20
21		·46	·01			·02	·01			·38		·21	21
22		·31	·05		·19	·02	·03	·10		·15		·01	22
23		·08	·49		·02		·01	·01		·47		·01	23
24	·01	·21	·03		·06			·03		·01			24
25	·05		·23		·02		·01	·73		·76	·01		25
26	·02	·07					·03	·01		·10	·09	·49	26
27		·06								·01	·29	·58	27
28	·01	·15	·38		·13					·08	·14	·66	28
29	·57		·20		·14		·01			·13	·34	·88	29
30	·01		·07	·02		·06				·05	·52	·01	30
31	·05						·56			·51	·73	·62	31
Total	1·76	5·33	8·05	1·75	1·83	·96	3·63	4·14	3·99	3·05	5·61 ~~4·88~~	·24 ~~10·28~~ 9·89	YEAR'S TOTAL 49·99
Rain Days.	16	21	28 ~~27~~	11	15	12	18	14	12	15	22 ~~21~~	29	213

W.7,000, XI. 13

8L ✓

cnd W pr with 14·III·16

REGISTER OF RAINFALL IN 1915

1812
2917

FORM A.
BRITISH RAINFALL.

Kept at Start Bay

in the County of S. Devonshire

by H. G. Morgan

S3

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·40			·03		·13	·18	·28	·37	03	·25	1
2	·61	·15	·32	·14				·41	·10	·03		·56	2
3	·32	·11		·21	·80	·11		·22		04		1.04	3
4	·02	·08		·02	·04	·02						·14	4
5	·05	·80	·02	·11		·03		·58				·50	5
6	·15	·21		·55	·01	·02		·13				·16	6
7	1·24	·53		·15			·37			·38	03	·28	7
8	·40	·57					·04			·02	08	·35	8
9	·11	·17		·02			·02	·04			49	·95	9
10	·01	·39	·02	·04				·01		·18	05	·18	10
11	·36	·11	·32					·12		·23	1·15	·10	11
12	·21	·42		·04	·75		·03	·04	·01	·13	28		12
13	·09	·49			1·20				·01		06	·03	13
14	·01	·02						·02	·17		03	1·60	14
15	·11				·42		·43			·14	04	·14	15
16	·13	1·71			·25		·48					·20	16
17	·01	·31			·03		1·25	·08				·02	17
18		·19			·14						·07		18
19	·01	·03		·02			·08						19
20	·33			·17	·47		·11			·15		·07	20
21	·06	·20				·34	·48		·02				21
22	·10	·08	·41		·11	·29	·64		·01	·04		·44	22
23			·16						·16	1·14		·72	23
24			·01	·03		·42	·13		·05	·24		·84	24
25	·75		·03	·06		·37	·07		·33	·64		·26	25
26		·36				·36						1·06	26
27		·04				·28	·35		·02	·93			27
28		·06				·14		·02	·56	·08	·04	·10	28
29						·13		·01	·14	·10	·31	·18	29
30	·20					·20				·50	·60	·15	30
31	·03							·08		·95		·35	31
Total	5·55	7·43 7·4~~5~~3	1·29	1·56	4·25	2·71	4·61	1·94	1·86	5·69	3·26	10·67 10·67	YEAR'S TOTAL 50·82
Rain Days.	24	23	8	13	12	13	15	14	13	19	14	26	194

W. 8,000. X. 14.

8h [illegible] 8h ~~264~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Start Bay

in the County of S. Devonshire

by H. G. Morgan

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30				–								1
2	.45	.12											2
3	.10	1.12											3
4	.15	.23											4
5	.13	.19											5
6	.06	.11		.04									6
7	.05	.14											7
8		.14											8
9		.10											9
10		.90		.06									10
11				.12									11
12	.10	.09		.08									12
13		.27		.04									13
14	.03	.52		.04									14
15		.54		.10									15
16	.20	.14		.14									16
17	.22	.20											17
18	.14	.32											18
19	.23	.24		.10									19
20	.10	1.00											20
21	.02	.23											21
22	.20												22
23	.30	.02		.10									23
24		.20		.25									24
25		.20											25
26	.04	.40											26
27	.04	.04											27
28		.22											28
29		.10											29
30		X		.03									30
31		X		X		X			X		X		31
Total	2.86	7.78		1.10									YEAR'S TOTAL
Rain Days.	19	26		12									

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

SOUTH BRENT
GREAT AISH.
DEVON.
1911 - 1920

11

Kept at Great

in the County of D

by Catherine

aker. L. Casella

p 5 in.

bove Ground 1 ft. — in.

„ Sea Level 500 ft.

9 a.m.

Name Brent

Distance 1m Direction S.E.

IMPORTANT N

previous day. If an

requested to add the

for it at the end of

the selection and pla

Organization are given

Dr. H. R. Mill, 62, Camden Square, London, N.W.

nd the result entered to the

niversal rule, he is earnestly

year in the space provided

ement of rain,

British Rainfall

n application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·04	—	·20	—		·01	—	—	·11	·02	1
2	—	—	·08	·10	·84	—	—	·42	—	·16	·30	·87	2
3	—	—	·02	·01	·54	—	—	—	·02	—	·54	·17	3
4	—	—	·30	—	—	—	—	·50	—	—	·75	·74	4
5	·45	—	·12	—	—	—	—	·72	—	·10	·15	—	5
6	·64	—	·22	—	—	—	—	—	—	·23	·13	1·40	6
7	·16	—	—	·04	—	—	—	—	—	—	·64	·01	7
8	·14	—	·32	—	—	—	—	—	—	—	·17	·94	8
9	·23	—	—	—	—	·01	—	—	—	—	·33	1·03	9
10	·21	·12	1·30	—	—	—	—	—	—	—	—	·45	10
11	·70	—	·01	—	—	—	—	—	·02	—	1·72	·10	11
12	·05	—	1·16	—	—	—	—	—	·29	—	·07	·38	12
13	—	—	·06	—	—	—	—	—	·15	—	[illegible]	·59	13
14	—	·30	·02	—	—	—	—	—	—	·15	·14	·61	14
15	—	·09	·14	—	—	·03	—	—	—	·03	·70	·10	15
16	—	·08	·02	—	—	·34	—	—	—	·01	·65	1·05	16
17	·01	·17	·78	·01	—	·28	—	—	—	—	·54	·96	17
18	—	·53	·57	·27	—	·13	—	—	—	·11	·32	·62	18
19	—	·03	·10	·05	—	·76	—	—	·68	·40	·34	1·00	19
20	·04	·10	·10	·34	—	·02	—	—	·05	·58	—	·72	20
21	·01	1·00	—	·01	—	·32	—	—	·14	·61	—	·18	21
22	·08	·16	—	·46	—	·30	—	·08	·54	·55	—	·85	22
23	—	·28	·08	—	—	·04	—	·02	·20	·55	·08	1·05	23
24	·05	·50	—	—	—	·59	—	·21	·01	·41	—	·68	24
25	·05	·18	—	·54	—	·07	—	·02	·25	·27	—	·13	25
26	—	·36	—	·83	—	—	—	·68	—	·84	—	·60	26
27	—	1·61	·02	·21	—	—	—	·21	—	·38	·03	·29	27
28	—	·46	·01	·62	—	—	—	·05	—	—	·15	—	28
29	—		—	·20	·12	·83	1·00	—	·51	1·06	—	·01	29
30	—		·02	—	—	·08	·30	—	·02	·41	·45	·08	30
31	—		·21		—		·18	—		·07		—	31
Total	2·84	5·97	5·70	3·69	1·70 1·70	3·80	1·48	2·92	2·88	6·92	8·42	15·63	61·95 TOTAL for year 61·95
No. of Rain Days	15	16	23	14	4	14	3	11	13	19	22	28	~~188~~ 182
9,000, IX. '10.	8·81	14·51	18·20	19·90	23·70	25·18	28·10	30·98	37·90	46·32			

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at Great Aish S. Brent S. 3
in the County of Devon
by Catherine M. Kingwell (miss)

RAIN GAUGE
Pattern maker L. Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brent
Distance 1 m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·04	—	·20	—		·01	—	—	·11	·02	1
2	—	—	·08	·10	·84	—	—	·42	—	·16	·30	·87	2
3	—	—	·02	·01	·54	—	—	—	·02	—	·54	·17	3
4	—	—	·30	—	—	—	—	·50	—	—	·75	·74	4
5	·45	—	·12	—	—	—	—	·72	—	·10	·15	—	5
6	·64	—	·22	—	—	—	—	—	—	·23	·13	1·40	6
7	·16	—	—	·04	—	—	—	—	—	—	·64	·01	7
8	·14	—	·32	—	—	—	—	—	—	—	·17	·94	8
9	·23	—	—	—	—	·01	—	—	—	—	·33	1·03	9
10	·21	·12	1·30	—	—	—	—	—	—	—	—	·45	10
11	·70	—	·01	—	—	—	—	—	·02	—	1·72	·10	11
12	·05	—	1·16	—	—	—	—	—	·29	—	·07	·38	12
13	—	—	·06	—	—	—	—	—	·15	—	[illegible]	·59	13
14	—	·30	·02	—	—	—	—	—	—	·15	·14	·61	14
15	—	·09	·14	—	—	·03	—	—	—	·03	·70	·10	15
16	—	·08	·02	—	—	·34	—	—	—	·01	·65	1·05	16
17	·01	·17	·78	·01	—	·28	—	—	—	—	·54	·96	17
18	—	·53	·57	·27	—	·13	—	—	—	·11	·32	·62	18
19	—	·03	·10	·05	—	·76	—	—	·68	·40	·34	1·00	19
20	·04	·10	·10	·34	—	·02	—	—	·05	·58	—	·72	20
21	·01	1·00	—	·01	—	·32	—	—	·14	·61	—	·18	21
22	·08	·16	—	·46	—	·30	—	·08	·54	·55	—	·85	22
23	—	·28	·08	—	—	·04	—	·02	·20	·55	·08	1·05	23
24	·05	·50	—	—	—	·59	—	·21	·01	·41	—	·68	24
25	·05	·18	—	·54	—	·07	—	·02	·25	·27	—	·13	25
26	—	·36	—	·83	—	—	—	·68	—	·84	—	·60	26
27	—	1·61	·02	·21	—	—	—	·21	—	·38	·03	·29	27
28	—	·46	·01	·62	—	—	—	·05	—	—	·15	—	28
29	—		—	·20	·12	·83	1·00	—	·51	1·06	—	·01	29
30	—		·02	—	—	·08	·30	—	·02	·41	·45	·08	30
31	—		·21		—		·18	—		·07		—	31
Total	2·84	5·97	5·70	3·69	1·70 1·70	3·80	1·48	2·92	2·88	6·92	8·42	15·63	TOTAL for year 61·95 61·95
No. of Rain Days	15	16	23	14	4	14	3	11	13	19	22	28	~~185~~ 182
9,000, IX. '10.		8·81	14·51	18·20	19·90	23·70	25·18	28·10	30·98	37·90	46·32		

FORM A2.
BRITISH RAINFALL.
3 JAN 191

REGISTER OF RAINFALL IN 1912

Kept at Great-Aish, S Brent

in the County of Devon S. 3

by C. M. Kingwell

Rain Gauge
Pattern maker L. Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brent
Distance 1 m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·23	—	—	·41	—	—	·10	·74	—	·63	1
2	—	—	·25	·12	—	1·06	·01	—	—	·03	·02	·01	2
3	·03	—	·48	—	—	·40	·08	1·72	·27	—	·39	·37	3
4	·65	·39	·73	—	·05	·31	—	·20	—	—	—	—	4
5	1·09	·44	·53	—	·07	·01	·32	1·02	—	—	—	·29	5
6	1·03	·06	—	—	·93	·21	—	·42	—	—	—	·02	6
7	·10	·86	·26	·03	·30	·58	·02	·18	—	—	·05	·44	7
8	1·29	·21	·50	·01	—	·14	·08	·01	—	—	—	—	8
9	·12	·15	·12	·22	—	·04	·17	·31	—	—	—	1·06	9
10	·41	·08	·09	·02	—	·02	·21	·39	—	—	·45	·26	10
11	·01	·15	·34	—	—	—	·07	·10	—	—	·59	1·07	11
12	—	·68	·43	—	·03	—	·15	·61	—	—	·09	·02	12
13	·48	—	·08	—	—	—	·23	—	—	·32	—	·66	13
14	·29	·21	1·22	—	·04	—	—	·17	—	·08	—	·27	14
15	·93	·62	·03	—	·37	·56	—	·01	—	—	—	·78	15
16	·33	—	·85	—	·27	·02	—	1·19	—	·43	—	·10	16
17	—	—	·19	—	·05	·36	—	2·16	—	—	—	·32	17
18	·01	·05	·31	—	—	—	—	·33	—	·16	·05	·10	18
19	·01	·25	·46	—	—	·16	·05	·12	—	·01	·02	·03	19
20	·05	·16	·67	—	·21	—	—	·15	—	·59	·24	—	20
21	·01	1·09	·49	—	·45	—	·04	·19	—	·52	—	—	21
22	·42	·95	·46	—	·01	—	—	·68	—	·18	·09	·34	22
23	·72	·74	·51	—	—	·08	—	1·94	—	—	·38	·53	23
24	·08	·21	·16	—	—	·70	·03	·02	—	·05	·01	·43	24
25	—	·03	·02	—	—	·09	·09	·13	—	·31	·78	·32	25
26	—	·16	—	—	—	·01	·03	·12	—	·59	·82	·66	26
27	—	·12	·03	—	—	·94	·60	·23	—	2·51	·02	1·10	27
28	—	·17	·03	—	—	·51	·17	1·12	·36	·54	1·08	·59	28
29	—	·39	—	—	—	·03	·27	·31	·86	·72	·09	·08	29
30	—		·09	—	—	·01	·30	—	·31	·47	—	·01	30
31	—		·29		—		·85	·07		·01		·77	31
Total	8·06	8·17	9·85	·40	2·78	6·65	3·77	13·90	1·90	8·26	5·17	11·26	TOTAL for year 80·17
No. of Rain Days	20	23	28	5	12	22	20	27	5	18	17	27	224
		16·23	26·08	26·48	29·26	35·91	39·68	53·58	55·48	63·74	68·91	80·17	

9,000, IX. '10.

✓ Cadly own. stats 19·11·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4 - JAN 1914

Kept at Great Aish, S Brent

in the County of S Devon 3

by Catherine M. Knigwell

Lat. .... Long. ——

Time of Observation 9 a.m.

Nearest Railway Station Brent

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·24	·50	·17	·19	—	—	—	·03	·18	·76	·13	1
2	·27	·23	·02	·07	·32	—	·02	—	—	·08	·30	·02	2
3	·93	·04	·29	·07	·30	—	—	—	1·32	·13	—	·43	3
4	1·73	·02	·25	·06	—	·06	—	·02	·29	·07	·20	·60	4
5	·22	·03	·09	—	·38	·53	·03	—	·77	·17	·48	·54	5
6	·34	·21	·15	—	·28	·49	—	—	·11	·49	·27	·15	6
7	·04	·79	—	—	1·14	·18	·16	—	—	·44	·45	·20	7
8	·08	·52	—	—	·27	—	·11	·07	—	·01	·08	·05	8
9	·22	·19	·03	—	·09	·07	·01	·12	—	—	·63	·09	9
10	·97	—	·04	—	·08	·05	—	·03	—	·20	·22	—	10
11	·85	·01	·03	·07	·81	·13	—	—	·02	·01	1·17	·18	11
12	·10	—	—	—	·08	·02	—	—	·14	·01	·78	·04	12
13	·17	—	·43	·04	—	—	—	·06	·35	—	·33	—	13
14	·39	—	·41	·02	·37	—	—	·61	—	·01	·18	·07	14
15	·58	—	·61	1·62	—	—	—	—	·10	—	·12	·03	15
16	·83	—	·97	·05	—	—	·04	—	·75	—	·05	—	16
17	·14	—	·06	·16	—	—	·02	—	—	—	·28	—	17
18	·05	—	·64	·41	·09	—	—	—	—	—	·28	—	18
19	·67	—	·09	—	·05	·04	·02	—	·78	·12	·02	—	19
20	·38	—	·25	·53	—	—	—	—	·01	·08	1·19	—	20
21	·02	—	·37	·03	—	—	·02	·05	—	—	·52	—	21
22	·44	—	·50	—	—	·20	—	·11	·04	·05	—	·15	22
23	·03	—	·21	—	—	·04	—	·02	—	·02	·06	·87	23
24	·11	·22	—	·18	·03	·04	—	—	—	—	·21	·02	24
25	—	—	—	·81	—	—	—	—	·04	·10	—	·08	25
26	—	—	—	1·42	—	—	—	—	—	·02	·11	·60	26
27	·82	—	·24	·36	—	—	—	·14	—	·25	—	·03	27
28	·48	—	·15	·41	—	—	—	·01	·04	·25	—	·23	28
29	·14		1·13	·56	·01	—	·18	—	—	·09	·06	—	29
30	1·45		—	·07	·02	—	·17	·30	—	·74	·08	—	30
31	·21		·13		·08		—	·32		·12			31
Total	12·69	2·50	7·59	7·11	4·59	1·85	·78	1·86	4·79	3·64	8·83	4·51	YEAR'S TOTAL 60·74
Rain Days.	29	11	24	20	18	12	11	13	15	23	25	20	221

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 JAN 1915

Kept at Great-Aish

in the County of Devon S 3

by Catherine M. Kingwell.

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station S. Brent - 1 mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·06	·25	—	·09	·40	·63	—	—	·88	·11	1
2	—	—	·11	·04	·18	·02	·11	—	—	—	·04	·38	2
3	·03	—	·73	·25	1·21	—	—	·03	—	—	·44	·03	3
4	·15	—	·28	·82	·22	—	·86	·28	·04	—	·29	·73	4
5	·27	—	·46	·45	·10	—	—	—	—	—	·16	·03	5
6	—	·10	·31	·15	·39	—	·02	·26	—	—	—	1·27	6
7	·21	1·74	·81	·36	·08	·03	·56	·51	·56	—	—	·69	7
8	·47	—	1·38	·14	·02	·36	·01	·37	—	—	·01	·11	8
9	·30	·07	·63	·35	·03	·41	—	·46	·78	—	·01	—	9
10	—	·93	·17	·31	·47	·10	—	—	1·21	—	·04	·22	10
11	—	·22	1·17	—	—	·09	—	—	·08	—	·17	·98	11
12	—	·34	·36	—	—	—	—	—	·59	·08	·17	·69	12
13	—	1·31	·44	—	—	—	·17	—	·80	·05	·60	·27	13
14	—	·76	·65	—	—	·14	·02	·26	·10	·04	1·02	·13	14
15	·02	—	·49	—	—	—	·12	·22	·04	·04	·50	·56	15
16	·03	—	·12	—	—	—	·01	—	·66	—	—	·01	16
17	—	·92	·55	—	—	—	·01	—	—	—	—	1·53	17
18	—	·28	·14	—	—	—	·36	—	·17	—	—	·40	18
19	—	·14	·79	—	—	—	1·89	—	·06	—	·11	·12	19
20	—	·47	·36	—	—	·13	—	—	—	—	·04	·27	20
21	—	·55	·04	—	—	—	—	—	—	·44	—	·01	21
22	—	·26	·11	·02	·12	·10	—	·18	—	·57	—	—	22
23	—	·17	·82	—	—	—	·16	·01	—	·23	—	—	23
24	·01	—	·01	—	—	—	·03	·04	—	·05	·08	—	24
25	·24	—	·34	—	—	—	·06	1·12	—	1·06	·17	1·47	25
26	—	·11	—	—	—	—	·16	·04	—	·09	·45	·82	26
27	·15	·31	—	—	—	—	—	—	—	·01	·27	·80	27
28	·22	·30	·79	—	·08	—	—	—	—	·13	·44	1·07	28
29	1·06		·17	—	·12	—	—	—	—	·02	1·40	·04	29
30	·02		·39	—	—	—	—	—	—	·30	·76	1·11	30
31	·20		—		—		1·07	—		1·29		·45	31
Total	3·38	8·98	12·68	3·14	3·02	1·47	6·02	4·41	5·09	4·42	8·05	14·30	YEAR'S TOTAL 74·96
Rain Days.	15	18	28	11	12	10	17 18	14	12	15	22	27	207 202

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1819

FORM A.
BRITISH RAINFALL
3 JUL 1916

REGISTER OF RAINFALL IN 1915

Kept at Great Aish, S. Brent

in the County of Devon S3

by Catherine M. Kingwell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Brent 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·88	·01	—	·07	—	—	·84	·22	·46	·03	·37	1
2	·52	·26	·68	·23	—	·28	—	·29	·06	·01	—	·62	2
3	·08	·54	·62	·45	·38	—	—	—	—	—	—	·76	3
4	·09	·28	·01	·24	·07	—	—	—	—	—	—	·48	4
5	·16	1·05	—	—	—	—	—	·62	—	—	—	·97	5
6	1·45	·39	—	1·14	—	—	·70	·10	—	—	—	·47	6
7	·92	1·05	—	·24	—	—	·27	—	—	·24	·03	·56	7
8	·14	·37	—	—	—	—	·03	·08	—	·03	·20	·49	8
9	·02	·32	—	·19	—	—	·01	—	—	—	·62	1·66	9
10	·68	1·00	·08	·07	—	—	—	·02	—	·27	·22	·12	10
11	·36	·07	·42	—	—	—	·03	·14	—	·11	2·19	·07	11
12	·15	·56	—	·03	·73	—	—	·15	—	·20	·63	—	12
13	·05	1·42	—	—	1·60	—	·04	·04	·02	—	·28	·05	13
14	·26	—	—	—	—	—	·31	·23	·39	·21	—	2·91	14
15	·46	—	—	—	·43	—	·85	—	·08	·04	·02	·31	15
16	·05	2·14	—	—	·39	—	1·84	—	—	—	—	·22	16
17	·05	·44	—	—	·03	—	—	—	—	—	—	—	17
18	—	·54	—	—	—	—	·08	—	—	—	—	—	18
19	·03	·02	—	·05	·82	—	·20	—	—	—	—	—	19
20	·70	—	—	·13	·03	·24	—	—	—	·17	—	·03	20
21	·25	·04	—	—	·12	·17	1·03	—	—	·23	—	·05	21
22	·11	·02	·70	—	—	—	·92	—	·04	·04	—	·70	22
23	·05	·01	·10	—	—	·12	·11	—	·23	1·88	—	1·13	23
24	—	—	—	·01	—	·31	·20	—	·10	·17	—	1·23	24
25	—	—	—	·04	—	·21	·24	—	—	—	—	·74	25
26	—	·86	—	—	—	·19	·08	—	—	—	—	1·39	26
27	·09	·08	—	—	—	·23	·06	—	·01	1·13	·01	—	27
28	—	·16	—	—	—	·31	—	·04	·30	·11	·03	·13	28
29	—	—	—	—	—	·80	—	—	·05	·07	·46	·29	29
30	·39	✕	—	—	—	·07	—	—	·03	·92	·65	·54	30
31	·05	✕	—	✕	—	✕	·34	·11	✕	1·06	✕	·59	31
Total	7·54	12·50	2·62	2·82	4·67	2·93	7·34	2·661	1·53	7·35	5·37	16·88	YEAR'S TOTAL 74·21
Rain Days.	25	23	8	12	11	11	19	12	12	19	13	26	191
W. 8,000. X. 14.		20·04	22·66	25·48	30·15	33·08	40·42	43·08	44·61	51·96	57·33	74·21	

Ex D.L

776

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
16 JAN 1917

Kept at Great-Aish, S. Brent
in the County of Devon
by C. M. Kingwell

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Brent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	—	·11	—	·12	·23	—	—	·15	·53	·14	—	1
2	1·00	·18	·16	—	—	—	—	—	·10	·68	·57	—	2
3	·23	1·52	—	—	·49	·11	—	—	·06	1·04	·14	—	3
4	·32	·40	—	—	·02	·87	·12	—	·08	·26	·88	—	4
5	·22	·45	—	—	·05	·18	—	—	—	·36	·40	—	5
6	·15	·42	·02	—	·23	·10	1·33	—	—	·29	1·42	—	6
7	·09	·35	·26	—	·18	·09	—	—	—	·15	·86	·18	7
8	—	·28	·58	—	·53	·02	·05	—	—	—	·16	·38	8
9	—	·09	·08	—	—	·05	—	—	—	—	·17	·31	9
10	·03	1·09	—	·11	·22	—	·03	—	—	—	·07	·02	10
11	—	—	—	·23	·14	·03	—	—	·07	·14	—	·02	11
12	·23	·18	·14	·11	·13	—	·69	·21	—	·64	—	—	12
13	—	·75	·19	·04	—	—	·04	·49	—	·04	—	—	13
14	·03	·71	·03	·03	·17	—	—	·62	—	·21	—	—	14
15	·02	·69	·30	·15	—	—	—	·10	—	·05	—	·70	15
16	·61	·16	—	·15	—	—	·05	—	—	·26	—	·36	16
17	·62	·27	—	·05	—	—	—	—	·22	1·40	1·47	—	17
18	·13	·56	·37	·17	—	—	—	—	·34	·29	·09	·26	18
19	·82	—	·09	·25	—	—	—	—	—	—	·46	·22	19
20	·22	1·26	·17	—	—	—	—	—	—	—	·12	1·33	20
21	·13	·14	—	·02	·04	—	—	—	—	—	—	{1·27	21
22	·10	—	·03	·03	—	·29	—	·06	—	·38	·08		22
23	—	·03	·03	·23	—	·26	—	·29	—	·37	1·08	·16	23
24	·03	·26	·17	1·03	·30	·11	—	·31	—	·70	·11	·41	24
25	—	·40	·07	—	·05	·01	—	·36	—	·03	·30	·05	25
26	·8	·34	—	—	—	·53	—	·18	·66	1·15	·07	·11	26
27	·05	—	1·50	—	—	1·04	—	·70	·22	·48	·02	—	27
28	—	·09	·08	—	—	·05	—	·14	·82	·67	—	·93	28
29	—	·04	—	—	—	1·10	—	2·05	·04	·26	—	·91	29
30	—	X	—	—	—	·10	—	·01	—	·53	—	·06	30
31	—	X	—	X	—	X	—	·35	X	·49	X	·07	31
Total	5·58	10·66	4·38	2·60	2·67	5·17	2·31	5·87	2·76	11·40	8·54	7·75	YEAR'S TOTAL 69·69
Rain Days.	21	24	19	14	14	18	7	14	11	25	20	20	207
		16·24	20·62	23·22	25·89	31·06	33·37	39·24	42·00	53·40	61·94	69·69	

W. 8,000. X. 15.

1697

FORM A.
BRITISH RAINFALL.

6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Great-Aish, S. Brent
in the County of Devon
by C. M. Kingwell

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Brent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	—	—	·15	—	·12	—	·09	—	—	·13	·01	1
2	·03	—	·03	·25	—	—	—	—	—	—	·07	—	2
3	·23	—	—	·04	—	—	—	—	—	·67	·74	—	3
4	—	·29	·67	·08	—	—	·53	—	·05	·67	·01	—	4
5	·33	—	·25	·28	—	·42	—	—	·02	·29	·32	—	5
6	—	—	·28	—	—	·09	—	·06	—	·18	·24	·26	6
7	·87	—	·42	·20	—	—	·40	·08	—	·13	·54	·15	7
8	·13	—	—	·12	—	·01	·04	·50	·04	1·08	·24	·38	8
9	—	—	·40	·45	·05	—	—	—	·01	·36	·65	—	9
10	·61	—	·37	·25	—	—	—	·38	·08	·02	·03	·03	10
11	·35	—	·99	·07	—	—	—	·10	·02	·74	·23	—	11
12	·03	—	·05	—	·63	—	—	—	—	1·00	—	—	12
13	—	—	·30	·14	—	·12	—	·11	·35	·18	—	—	13
14	—	—	—	·19	—	—	·15	·13	·11	·01	—	·02	14
15	—	—	—	·03	—	—	·14	·08	·02	·92	—	·67	15
16	—	·15	—	·12	—	—	—	·01	·10	·84	—	—	16
17	—	·08	—	·22	·15	—	·63	·18	1·25	·14	—	—	17
18	—	·17	—	—	·78	·07	—	·05	·95	·01	—	—	18
19	—	1·03	·09	—	—	·49	—	·01	·10	—	·09	—	19
20	—	·11	·07	—	·56	—	—	·01	—	—	·05	·05	20
21	—	—	·01	—	—	·05	—	·03	—	·23	·01	—	21
22	—	·08	—	—	·01	—	—	1·10	—	—	·01	—	22
23	—	·38	—	—	·11	—	—	·46	—	·61	·04	—	23
24	—	·03		—	—	·11	·49	·03	—	·57	·16	—	24
25	—	·36	·05	—	—	—	·01	·36	·51	·07	·18	—	25
26	—	—	—	—	·30	·13	—	·49	·38	·11	·06	—	26
27	—	—	—	—	—	1·12	—	1·66	—	·02	·01	—	27
28	—	—	·29	—	—	·24	—	·90	—	—	·08	·04	28
29	—	—	·17	—	—	—	—	·06	—	1·25	·08	·12	29
30	—	X	·51	—	—	—	·33	·58	—	·04	·06	·01	30
31	—	X	·09	X	·39	X	—	·13	X	·28	X	·02	31
Total	2·73	2·38	5·04	2·59	2·98	2·97	2·72	7·61	3·99	10·42	4·03	1·76	YEAR'S TOTAL 49·22
Rain Days.	9	10	18	15	9	12	9	25	15	25	23	12	182
W. 8,000, VIII. 16		5·11	10·15	12·74	15·72	18·69	21·41	29·02	33·01	43·43	47·46	49·22	

Exd. Cfd.

42

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21.1.19

Kept at Great Aish, S. Brent
in the County of S Devon
by C. M. Kingwell

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Brent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·62	—	·15	·09	—	—	·43	—	—	1·07	—	1
2	—	·54	—	·05	—	—	—	—	·01	·01	—	1·25	2
3	—	·18	—	·77	·01	—	—	·01	·03	·15	·28	·17	3
4	—	·05	—	·03	—	—	—	·46	·41	—	1·75	1·02	4
5	·05	—	·25	·10	·41	—	—	·97	·40	·61	—	·08	5
6	·26	·81	·34	·32	·01	—	—	·04	—	·22	—	·35	6
7	—	·32	—	·02	·04	·23	—	·04	·71	·10	·58	·63	7
8	—	·10	—	—	·05	—	—	—	·21	1·11	—	·01	8
9	—	—	—	·01	—	·27	·40	—	·87	·27	·05	·92	9
10	·14	·01	—	·15	—		·60	—	·09	·35	·01	·37	10
11	·15	·05	·53	·05	·02	—	—	—	·20	—	·11	·31	11
12	·09	·30	·05	—	·56	—	·45	—	·03	—	—	·21	12
13	·02	·01	—	—	·04	—	·32	—	1·27	·54	—	·69	13
14	·73	—	—	—	·16	·16	·07	—	1·46	·10	—	·53	14
15	·80	—	—	·21	·06	·05	·80	—	·17	—	·01	·32	15
16	1·17	—	·03	—	—	—	·13	·02	·14	—	—	·22	16
17	·29	—	—	·12	—	—	·73	·08	·14	·18	—	·67	17
18	1·56	·02	·25	—	—	1·08	·14	·04	1·25	—	—	·59	18
19	·26	·15	·27	·05	—	—	·15	·03	·13	·02	—	·28	19
20	·18	·55	—	·15	—	—	·08	—	·48	·20	—	—	20
21	·11	·14	—	—	—	—	·18	—	·25	·08	—	·23	21
22	·05	·04	—	—	·13	·21	1·32	—	·23	·10	·10	·63	22
23	·54	·03	—	—	·06	—	·45	—	·11	—	·12	·31	23
24	·10	·43	—	—	·03	—	·12	·37	·38	—	·40	·16	24
25	·08	—	—	·05	—	·02	·23	·84	·34	·06	·34	—	25
26	·09	·22	—	—	—	—	·26	·01	—	·02	·04	1·04	26
27	—	·38	·19	—	—	—	—	·24	·09	·03	·41	·15	27
28	—	·11	·41	·02	—	—	—	—	·02	·05	·16	·34	28
29	—	—	·64	—	—	—	—	—	1·16	—	·14	·17	29
30	—	✕	·49	—	—	—	—	·08	·02	·09	—	·09	30
31	—	✕	·19	✕	—	✕	—	—	✕	·07	✕	—	31
Total	6·67 ✓	5·06 ✓	3·64 ✓	2·25 ✓	1·67 ✓	1·82	6·43 ✓	3·66 ✓	10·60 ✓	4·36 ✓	5·57 ✓	11·74 ✓	YEAR'S TOTAL 63·47 ✓
Rain Days.	19 ✓	21 ✓	12 ✓	16 ✓	14 ✓	7 ✓	17 ✓	15 ✓	27 ✓	21 ✓	16 ✓	27 ✓	212

W. 8,000, IX. 17. 11·73 15·37 17·62 19·29 21·11 27·54 31·20 41·80 46·16 51·73

1661

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Great-Aish, S. Brent
in the County of Devon
by C. M. Kingwell

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Brent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·17	—	·36	—	·28	—	·28	—	·20	·25	—	·96	1
2	·36	—	·03	—	—	—	·02	—	·23	·02	—	·23	2
3	·39	—	·51	—	·34	—	—	—	·37	—	·03	·34	3
4	·64	·67	·60	—	—	—	—	·37	1·10	—	·09	·03	4
5	·04	·38	·78	—	—	—	—	—	·61	—	·05	·36	5
6	·60	1·44	·39	·09	—	—	—	—	—	—	·03	·71	6
7	·45	—	·65	·13	—	—	·02	—	—	—	·01	·09	7
8	·50	—	·45	·05	·01	·06	—	—	—	—	·75	—	8
9	·16	—	·24	·43	·22	—	—	—	—	—	·21	·06	9
10	·26	—	1·50	·06	—	—	—	—	—	—	—	·73	10
11	·23	—	·72	·46	·82	·05	·01	—	—	·02	—	·59	11
12	·60	—	·04	·04	—	·05	—	—	—	·17	·14	·01	12
13	·47	·24	·22	·81	—	—	·08	—	—	·16	—	·35	13
14	1·54	·30	—	·91	·70	—	·01	—	·12	·11	—	·23	14
15	·39	·11	—	·19	—	—	—	—	—	·22	—	·28	15
16	·10	1·72	—	—	·06	—	—	—	—	—	·58	·01	16
17	·02	·26	—	—	—	·11	—	·01	—	—	·60	·12	17
18	·08	·41	·49	—	·04	—	·61	·63	—	—	·84	·04	18
19	1·18	·73	·30	—	—	·26	·47	·70	·21	—	·41	·04	19
20	·61	·10	·12	—	—	·33	—	·21	·27	—	·21	·26	20
21	·20	1·16	—	—	—	—	·59	—	·14	·02	—	·24	21
22	—	·03	·04	—	—	—	·01	·02	·44	—	·13	·19	22
23	—	—	·15	—	—	—	—	·07	·20	·68	·19	·25	23
24	—	·02	—	—	—	·17	—	·15	—	·39	·17	·53	24
25	·32	·03	—	·08	—	·06	—	·76	—	—	·08	·41	25
26	·09	·03	·23	·09	—	—	—	·08	—	·01	·08	·94	26
27	·26	·01	·11	·52	—	—	—	1·98	—	—	—	·11	27
28	·03	·02	·81	·18	—	—	—	·21	—	—	·55	1·10	28
29	·02	✕	—	·01	—	—	—	·07	—	·15	·02	·35	29
30	·01	✕	·05	·16	—	·07	—	·15	·04	—	·85	1·18	30
31	·01	✕	—	✕	—	✕	—	—	✕	—	✕	·73	31
Total	10·73	7·66	8·79	4·21	2·47	1·16	2·10	5·41	3·93	2·20	6·02	11·17	YEAR'S TOTAL 65·85
Rain Days.	28	18	22	16	8	9	10	14	12	12	21	30	200
W. 8,000, IX. 17.	18·39	27·18	31·39	33·86	35·02	37·12	42·53	46·46	48·66	54·68	65·85		

Max daily fall 1·98 in on Aug 27.

1576

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Great Aish, S. Brent

in the County of Devon

by C. M. Kingwell

Lat. .... Long. ....

Time of Observation 9 o'clock

Nearest Railway Station Brent

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	—	·02	·30	·91	—	·94	·02	·05	·16	·03	1·32	1
2	·39	·01	—	·25	·02	—	·08	·16	·11	·06	—	·40	2
3	·65	·11	—	·07	—	—	—	·01	·02	·83	—	·60	3
4	—	—	·03	—	—	—	·14	1·34	—	·38	—	·01	4
5	—	·01	·28	·03	·17	—	·40	·77	—	·22	—	—	5
6	—	—	·29	·01	·51	—	·33	—	—	·06	—	—	6
7	·26	—	·03	·64	·06	—	·65	—	—	—	—	·29	7
8	·04	·06	—	·60	·13	—	·20	·05	—	·03	—	·27	8
9	1·95	·29	·02	·04	—	·07	·56	·03	—	—	—	—	9
10	1·65	·54	·47	·03	—	·31	·61	—	—	—	—	—	10
11	·50	·04	·26	1·01	·43	·02	·35	—	—	—	—	—	11
12	·80	·41	·33	·31	·01	—	·16	—	—	·02	·34	·21	12
13	·26	·06	·94	·10	—	·01	—	—	—	·23	—	·14	13
14	·66	·08	·60	·96	—	—	·12	—	·30	·94	·75	·05	14
15	·13	·20	·19	·49	·03	—	—	—	·13	·90	·18	—	15
16	·01	·05	·21	·01	·03	·11	·22	—	·34	·06	·06	—	16
17	·22	—	·08	·02	·84	—	·01	—	·82	·18	—	—	17
18	·39	—	·03	·13	·06	·43	·22	·23	·07	—	—	—	18
19	·13	·03	—	·55	·01	·58	·01	—	·04	·01	—	—	19
20	·08	·07	—	·56	—	·31	·01	—	—	·48	—	·99	20
21	·02	—	—	·24	—	—	·04	—	·13	·08	—	·19	21
22	·19	—	—	·24	—	—	·09	—	—	—	—	·48	22
23	·06	—	·12	—	—	—	·24	·01	—	—	—	1·37	23
24	·05	·05	·53	·02	—	—	—	—	—	—	·14	·47	24
25	·05	·03	·18	—	—	—	1·36	—	—	—	—	·09	25
26	·38	—	·27	—	·03	·02	·05	—	—	—	·31	·09	26
27	·90	·09	·12	·16	—	·43	·08	—	—	—	·37	·37	27
28	1·13	·01	·13	·03	—	·16	·40	—	—	—	—	·27	28
29	·79	—	·69	—	·04	—	·03	—	—	—	·78	·87	29
30	·23		—	—	·03	·72	·20	—	·92	·01	·72	1·40	30
31	·20		·46		—		·01	—		·49		·61	31
TOTAL	12·32	2·14	6·28	6·80	3·31	3·17	7·71	2·62	2·93	5·14	3·68	10·49	YEAR'S TOTAL 66·59
Days with ·01 in. or more	28	18	23	24	16	12	27	9	11	18	10	21	217
	[illegible]	15	18	17		9	22	5	47·28	52·42	56·10	30	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

REGIST

DEVON.

SOUTH BRENT.

"GLAZEBROOK"

1915, 1917 – 1920

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Hazebrook ... am.

in the County of Devo... Brent J. W. R.

Gauge 5 in.

by Ven Cholmondel... ...e Ground 1 ft. — in.

Sea Level 430 ft.

IMPORTANT NOTE.—I... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·	·70	·22	·50	·03	·67	1
2							·	·22	·06	·01	·	·62	2
3							·	·	·	·	·	·90	3
4							·	·	·	·	·	·50	4
5							·01	·64	·	·	·	1·03	5
6							·63	·12	·	·	·	·30	6
7							·27	·	·	·30	·03	·70	7
8							·03	·09	·	·04	·15	·35	8
9							·	·	·	·	·70	1·75	9
10							·01	·01	·	·27	·24	·14	10
11							·02	·17	·	·13	2·10	·08	11
12							·	·13	·01	·16	·65	·	12
13							·05	·03	·40	·	·25	·05	13
14							·30	·23	·08	·21	·01	2·80	14
15							·53	·	·	·03	·02	·28	15
16							2·00	·	·	·01	·	·25	16
17							·	·	·	·	·	·	17
18							·11	·	·	·	·	·	18
19							·19	·	·	·	·	·	19
20							·01	·	·	·16	·	·03	20
21							1·00	·	·	·30	·	·03	21
22							·91	·	·04	·05	·	·70	22
23							·07	·	·19	1·70	·	1·37	23
24							·17	·	·13	·18	·	1·25	24
25							·04	·	·	·	·	·70	25
26							·11	·	·03	·	·	1·42	26
27							·07	·	·01	1·08	·	·	27
28							·	·	·29	·14	·04	·13	28
29							·	·	·04	·06	·58	·30	29
30		X					·	·	·02	·90	·82	·50	30
31		X		X		X	·30	·15	X	1·20	X	·43	31
Total							6·80	2·49	1·52	7·43	5·62	17·28	YEAR'S TOTAL ~~41·14~~
Rain Days.							21	11	13	20	13	26	104

W. 8,000. X. 15.

√

REGIST

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Haytbrook T. Brent

in the County of Devon.

by Ven Cholmondeley Esq S

Time of Observation 9 am.

Nearest Railway Station Brent J. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·	·70	·22	·50	·03	·67	1
2							·	·22	·06	·01	·	·62	2
3							·	·	·	·	·	·90	3
4							·	·	·	·	·	·50	4
5							·01	·64	·	·	·	1·03	5
6							·63	·12	·	·	·	·30	6
7							·27	·	·	·30	·03	·70	7
8							·03	·09	·	·04	·15	·35	8
9							·	·	·	·	·70	1·75	9
10							·01	·01	·	·27	·24	·14	10
11							·02	·17	·	·13	2·10	·08	11
12							·	·13	·01	·16	·65	·	12
13							·05	·03	·40	·	·25	·05	13
14							·30	·23	·08	·21	·01	2·80	14
15							·53	·	·	·03	·02	·28	15
16							2·00	·	·	·01	·	·25	16
17							·	·	·	·	·	·	17
18							·11	·	·	·	·	·	18
19							·19	·	·	·	·	·	19
20							·01	·	·	·16	·	·03	20
21							1·00	·	·	·30	·	·03	21
22							·91	·	·04	·05	·	·70	22
23							·07	·	·19	1·70	·	1·37	23
24							·14	·	·13	·18	·	1·25	24
25							·04	·	·	·	·	·70	25
26							·11	·	·03	·	·	1·42	26
27							·07	·	·01	1·08	·	·	27
28							·	·	·29	·14	·04	·13	28
29							·	·	·04	·06	·58	·30	29
30		✕					·	·	·02	·90	·82	·50	30
31		✕		✕		✕	·30	·15	✕	1·20	✕	·43	31
Total							6·80	2·49	1·52	7·43	5·62	17·28	YEAR'S TOTAL ~~41·14~~
Rain Days.							21	11	13	20	13	26	104

W. 8,000. X. 15.

✓ fwd for auth of ~~WD~~

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

3. JAN 1918

Kept at Glazebrook S. Brent

in the County of Devon

by Vere Cholmondeley

Lat. .... Long. ....

Time of Observation 9 (am)

Nearest Railway Station Brent

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11			·05		·09			·09		·25	·07	1
2	·02		·10	·24		·90			·07		·12		2
3	·20			·14		·03					·03		3
4	·30	·33	·63						·05	·63	·77		4
5	·01		·25	·36						·95	·01		5
6	·82		·26			·29				·28	·30		6
7	·15			·23		·09				·19	·21	·25	7
8							·39			·34	·12	·19	8
9				·09			·23	·44	·06	·84	·59	·31	9
10	·56			·42	·05					·31	·63		10
11	·03		1·50	·23				·50	·12	·03			11
12	·35		·03							·99	·25		12
13	·04		·30	·21	·69					1·00			13
14									·34	·17			14
15	1·00			·24				·22	·11				15
16		·13		·14			·25		·03	·82		·65	16
17		·07		·21				·10	·05	·92		·40	17
18		·15			·17		·63	·21	1·30	·15	·09		18
19		1·02			·87		·75		·87	·04	·05		19
20		·15				·68			·05				20
21					·56								21
22						·07				·23	·02		22
23	·01	·37			·11			1·13		·20	·11		23
24						·04		·60		·28	·07		24
25						·05		·08		·55			25
26						·12		·32	·44	·07			26
27					·30	·06		·50	·47	·07	·14		27
28						·95		1·50		·04			28
29						·25		1·00					29
30		X				·28		~~2~~·03		1·19	·08	·12	30
31		X		X		X	·37	·61	X	·04	X		31
Total	~~3·60~~	~~2·22~~	~~3·07~~	~~2·56~~	~~2·75~~	~~3·90~~	~~2·42~~	~~7·24~~	~~3·83~~	~~9·33~~	~~4·94~~	~~1·99~~	YEAR'S TOTAL ~~43·6~~
Rain Days.	~~13~~	~~8~~	~~7~~	~~12~~	~~7~~	~~14~~	~~6~~	~~14~~	~~14~~	~~24~~	~~18~~	~~7~~	143
	3·49	2·22	3·12	2·51	2·84	3·81	2·62	7·33	3·96	10·58	3·66	1·92	48·06

W. 8,000, IX. 17.

~~W.~~ [illegible] [illegible] WP

41

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6 · 1 · 19

Kept at Glazebrook . S. Brent - Devon
in the County of Devon
by Vere Cholmondeley

Lat. Long.
Time of Observation 9 (am)
Nearest Railway Station Brent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 450 ft:

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.16							.03	.04	.14	1
2		.50		.22	.11			.44			1.05		2
3		.56		.14				.04				1.28	3
4		.17		.07					.04	.18	1.00	.25	4
5		.04		.77				+ [illegible]	.44	.67	.80	.95	5
6		.74	.17	.10	.41			.73	.40	.23		.08	6
7	.32		.35	.36						.06		.33	7
8		.33			.03			.04	.55	1.00	.61	.56	8
9		.11							.22	.34			9
10	.19			.04		.33	.36		.88	.36	.05	1.00	10
11	.07			.25			.59		.17			.39	11
12	.05	.06	.52	.05			.54		.21		.11	.33	12
13		.27	.05		.65		.31		.05			.13	13
14					.05		.41		1.30	.50		.73	14
15	.69				.18	.20	.03		1.27	.10		.41	15
16	.93				.06	.05	.72		.16	.06		.50	16
17	1.05			.19		.03	.09		.12			.21	17
18	.37			.11			.54	.08	.11			.74	18
19	1.49		.29			1.02	.12		1.08	.17		.53	19
20	.22	.10	.28	.05			.20	.08	.12			.28	20
21	.15	.59		.15		.05	.04		.46				21
22	.10	.14				.15.	.12		.66	.06		.56	22
23	.04	.02			.12		1.38		.22	.10	.10	.58	23
24	.52				.04		.44		.10	.08	.08	.34	24
25	.08	.32					.08	.35	.40	.06	.36	.16	25
26	.10			.03			.21	.59.		.08	.32		26
27	.03	.20					.27		.27	.08	.05	1.02	27
28	.05	.37	.19					.19	.10		.36	.13	28
29			.44						.18		.18	.32	29
30		X	.59						1.08			.15	30
31		X	.45	X		X		.07.	X	.07.	X	.09.	31
	–	.16	–				–		.03	.04	.14	.08	YEAR'S TOTAL
Total	6·47	4·52	3·49	2·83	1.20	1.73	6.45	3.08	11.39	4.28	5.11	12.10	62.62
Rain Days.	19	16	11	14.	9.	7.	18.	11	25.	19.	14.	27	190
	6·45	4·68	3·33	2·53	1·65	1·83	6·45	3·78 ·47	10·62	4·24	5·21	12·13	62·20
	18	17	10	14	9	7	18	11	26	19	14	27	190

W. 6,500, 1/8/18.

1 - WD. ~~W.~~ 1806

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Glazebrook, S. Brent

in the County of Devon

by Vere Cholmondeley

Lat. .... Long. ....

Time of Observation 9 (am)

Nearest Railway Station Brent G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·80

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08				07							93	1
2	1.05		39		23		35		18	26		1.10	2
3	38				05				20			25	3
4	35		50		23				40		04	31	4
5	70	71.	58					51	95		08		5
6		37	70						56			28	6
7	64	1.50	39	12							09	62	7
8	46		65	13								16	8
9	37		37	07		08					53		9
10	15		27	37	27						27		10
11	26		1.53	10								80	11
12	27		69	49	86	03				21		53	12
13	53		05	06						19	16.	04	13
14	15	21	22	74			10			09		36	14
15	1.55	31		1.02	67							23	15
16	27	12		17						28		26	16
17	11	1.65			07	05					63		17
18	05	30				16		10			55	12	18
19	09	44	57					68	30		70.		19
20	1.18	65	28			30	50	70	20		55	07	20
21	60	05	13			36		27	12		25	25	21
22	22	1.04					72		45		04	18	22
23			09						06		07	15	23
24			11.					05	05	91	16	27	24
25						19		16		58	12	50	25
26	38	07		07		05		89	22		06	12	26
27	07		20	15				11			07	90	27
28	28		24	50				1.90				10	28
29			69	14				72			58	1.15	29
30		×						10		17		26	30
31		×		×		×		16	×		×	1.18	31
TOTAL	~~10.19~~ 10.11	7.42	~~8.65~~ 8.65	~~4.13~~ 07 4.20	~~2.43~~ 2.38	7.22	1.67	5.75	3.69	2.69	~~4.95~~ 93 5.88	~~11.12~~ 80 10.99	YEAR'S TOTAL ~~63.93~~ 64.65
Days with ·01 in. or more	24	13	20	~~14~~ 15	9	8	4	13	12	8	~~10~~ 9	26	~~169~~ 168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cndfr W D 1514

cndfr anth

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Glazebrook S. Brent

in the County of Devon

by Rev Cholmondeley

Lat. Long.

Time of Observation 9 (am)

Nearest Railway Station Brent

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .60

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.80	.21		.48			.90			1.00	.52	77	1
2	.20		.13	.16	.87		1.00			.12		1.25	2
3	.42			.35			.10	18	.12	.05		.37	3
4	.69	.12		.10						.72		.60	4
5			.04				.15	1.52		.40			5
6			.27	.06	.12		.45	.42		.25 .25			6
7			.26		.60		.35			.09			7
8	.28			.70			.63	.09				.35	8
9		.07		.68	.23		.15					.26	9
10	1.95	.34				.10	.87						10
11	1.84	.50				.25	.27						11
12	.53	.03	.47	1.06	.42		35						12
13	.87	.40	.27	.26			.16				.44		13
14	.30	.07	.47	.10						.30			14
15	.85	.12	.90	.87		.11	.15		.42	1.05	.77		15
16	.20	.18	.65	.44						.75			16
17		.05	.27			.62	.20		.69	.07	.20		17
18	.25		.23		.90	.42			68	.12			18
19	.40		.06	.15	.04	.43	20	.20	.11				19
20	.14			.64					.10				20
21	.07			.42						.40		1.25	21
22				.22			.06			.11		.27	22
23	.27			.30			.09		.06			.50	23
24	.07						.20					1.18	24
25	.08	14				.50						.55	25
26	.06	.21	.65				1.30				.15	.08	26
27	.38		.12	.15	.20	.10	.05					.06	27
28	.79		.25				.07				.30	.35	28
29	1.21		.12				.67				.37	.25	29
30	.81	✕	.12								.70	.90	30
31	.41	✕	.70	✕		✕	.20	~~2.41~~	✕		✕	1.25	31
	.21	–	.48	–	–	90	–	–	1.00	.52	.77	.60	YEAR'S TOTAL
TOTAL	~~13.87~~ 13.28	~~2.44~~ 2.23	~~5.98~~ 6.46	~~7.14~~ 6.66	3.38	~~2.53~~ 3.43	~~8.57~~ 7.67	2.41	~~2.18~~ 3.18	~~5.43~~ 4.95	~~2.45~~ 3.78	~~10.24~~ 10.07	67.62 67.42
Days with ·01 in. or more	25	~~13~~ 12	18 19	~~18~~ 17	8	8 9	22 ~~23~~	5	8 7	14	8	17	~~164~~
Days with ·04 in. or more	25	12 11	18 9	18 17	8	8 9	23 22	5	8 7	14	8	17	163

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

B. Made

FORM A. 1. **METEOROLO** **ORGANIZATION.**

12 MAR 20

REC 1919.

DEVON.

SOUTH BRENT.

"SOMERSWOOD"

1919

Kept at Somerswo

in the County of D

by H F W P

...ong.

9 a.m

...ion Brent (GWR)

...f Rain Gauge 5 in.

...ge above Ground 1 ft ... in.

,, Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	10·11	7·14	7·07	3·54	2·27	1·28	2·10	5·08	3·61	2·33	4·93	9·11	YEAR'S TOTAL 58·57
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible]

FORM A. 1. METEOROLO ORGANIZATION.

12 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Sowerswood S. Brent

in the County of Devon

by H F W Prince

Lat.

Long.

Time of Observation 9. a m

Nearest Railway Station Brent (GWR)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	10·11	7·14	7·07	3·54	2·27	1·28	2·10	5·08	3·61	2·33	4·93	9·11	YEAR'S TOTAL 58·57
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

TEIGNMOUTH

BONNICLIFF

DEVON

1911 — 1918

LL IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Bonnic

in the County of D

by Miss Mabe

p 5 in.

above Ground 1 ft.

„ Sea Level 260 ft.

g. A.M.

Name Teignmouth

Distance 3/4 mile Direction S.

IMPORTANT N ... and the result entered to the previous day. If an ... universal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... rement of rain, the selection and pl ... British Rainfall Organization are giver ... n application to Dr. H. R. Mill, 62, (

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.05	0.04	—	—	—	—	0.01	0.01	0.01	1
2	—	—	—	0.02	0.34	0.01	—	0.20	—	0.09	0.13	0.32	2
3	—	—	—	—	0.12	—	—	—	0.22	0.01	0.11	0.07	3
4	—	—	0.08	—	—	—	—	0.01	—	—	0 13	0.61	4
5	0.13	—	0.07	—	—	—	—	0.08	—	0.02	0.04	—	5
6	0.26	—	0.35	—	—	—	—	—	—	—	0.08	1.20	6
7	0.03	—	—	0.02	—	—	—	—	—	—	0.40	—	7
8	0.01	—	0.08	—	—	—	—	—	—	—	0.08	0.58	8
9	—	—	—	—	—	0.55	—	—	—	—	0.58	0.90	9
10	—	0.02	0.35	—	0.25	—	—	—	—	—	0.01	0.26	10
11	0.19	—	0.01	—	—	—	—	—	0.01	—	0.82	0.03	11
12	—	—	0.59	—	—	—	—	—	0.06	—	0.02	0.08	12
13	—	—	0.01	—	—	—	—	—	0.25	—	0.01	0.52	13
14	—	0.09	—	—	—	—	—	—	—	0.13	—	0.71	14
15	—	0.01	0.02	—	—	0.02	—	—	—	—	0.30	0.04	15
16	—	—	0.10	—	—	0.39	—	—	—	—	0.55	0.71.	16
17	—	—	0.39.	0.01	—	0.22	—	—	—	—	0.23	0.73	17
18	—	0.18	0.24	0.26	—	0.34	—	—	—	0.20	0.33	0.59.	18
19	—	0.05	0.01	0.02	—	0.41	—	—	0.35	0.18	0.11	0.51	19
20	0.01	0.01	0.26	0.02	—	—	—	—	0.14	0.46	0.01	0.75	20
21	0.01	0.09	0.01	—	—	0.01	—	0.11	0.10	0.67	—	0.06	21
22	0.28	0.01	0.02	0.01	—	0.12	—	—	0.30	0.09	—	0.61	22
23	—	0.17	0.07	—	—	0.27	—	—	0.02	0.37	0.08	0.31	23
24	—	0.12	—	—	—	0.42	—	0.03	—	0.33	0.01	0.21	24
25	—	0.06	—	0.01	—	0.03	—	0.07	0.07	0.10	—	0.11	25
26	—	0.09	—	0.25	0.03	—	—	0.02	—	0.60	0.02	0.16	26
27	—	0.27	0.02	0.02	—	—	—	0.05	0.12	1.47	0.02	0.14	27
28	—	0.19	—	0.36	—	—	—	0.06	—	0.01	0.03	—	28
29	—	—	—	0.12	—	0.20	0.58	—	0.13	0.18	0.01		29
30	—	—	—	—	—	—	0.02	—	0.03	0.20	0.08		30
31	—		—		—	~~0.05~~	0.05	—		0.01			31
Total	0.92	1.36	2.68	1.17.	0.78	2.99	0.65	0.63	1.80	4.13	4.20	10.22 10·22	31.53 for year 31.53
No. of Rain Days	8	14	18	13	5	13	3	9	13	19	26	25	167

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bonnicliff. Teignmouth S. 5

in the County of Devon

by Miss Mabel Horner

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 260 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Teignmouth
Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.05	0.04.	—	—	—	—	0.01	0.01	0.01	1
2	—	—	—	0.02	0.34	0.01	—	0.20	—	0.09	0.13	0.32	2
3	—	—	—	—	0.12	—	—	—	0.22	0.01	0.11	0.07	3
4	—	—	0.08	—	—	—	—	0.01	—	—	0 13	0.61	4
5	0.13	—	0.07	—	—	—	—	0.08	—	0.02	0.04	—	5
6	0.26	—	0.35	—	—	—	—	—	—	—	0.08	1.20	6
7	0.03	—	—	0.02	—	—	—	—	—	—	0.40	—	7
8	0.01	—	0.08	—	—	—	—	—	—	—	0.08	0.58	8
9	—	—	—	—	—	0.55	—	—	—	—	0.58	0.90	9
10	—	0.02	0.35	—	0.25	—	—	—	—	—	0.01	0.26	10
11	0.19	—	0.01	—	—	—	—	—	0.01	—	0.82	0.03	11
12	—	—	0.59	—	—	—	—	—	0.06	—	0.02	0.08	12
13	—	—	0.01	—	—	—	—	—	0.25	—	0.01	0.52	13
14	—	0.09	—	—	—	—	—	—	—	0.13	—	0.71	14
15	—	0.01	0.02	—	—	0.02	—	—	—	—	0.30	0.04	15
16	—	—	0.16	—	—	0.39	—	—	—	—	0.55	0.71.	16
17	—	—	0.39.	0.01	—	0.22	—	—	—	—	0.23	0.73	17
18	—	0.18	0.24	0.26	—	0.34	—	—	—	0.20	0.33	0.59.	18
19	—	0.05	0.01	0.02	—	0.41	—	—	0.35	0.18	0.11	0.51	19
20	0.01	0.01	0.26	0.02	—	—	—	—	0.14	0.46	0.01	0.75	20
21	0.01	0.09	0.01	—	—	0.61	—	0.11	0.10	0.67	—	0.06	21
22	0.28	0.01	0.02	0.01	—	0.12	—	—	0.30	0.09	—	0.61	22
23	—	0.17	0.07	—	—	0.27	—	—	0.02	0.37	0.08	0.31	23
24	—	0.12	—	—	—	0.42	—	0.03	—	0.33	0.01	0.21	24
25	—	0.06	—	0.01	—	0.03	—	0.07	0.07	0.10	—	0.11	25
26	—	0.09	—	0.25	0.03	—	—	0.02	—	0.60	0.02	0.16	26
27	—	0.27	0.02	0.02	—	—	—	0.05	0.12	1.47	0.02	0.14	27
28	—	0.19	—	0.36	—	—	—	0.06	—	0.01	0.03	—	28
29	—	—	—	0.12	—	0.20	0.58	—	0.13	0.18	0.01		29
30	—	—	—	—	—	—	0.02	—	0.03	0.20	0.08		30
31	—		—		—	0.05	~~0.05~~ 5	—		0.01			31
Total	0.92	1.36	2.68	1.17.	0.78	2.99	0.65	0.63	1.80	4.13	4.20	10.22 10·22	31.53 for year 31.53
No. of Rain Days	8	14	18	13	5	13	3	9	13	19	26	25	167

9,000, IX. '10.

Cord by Den Sons 21.11.13 W

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
2 JAN 1913

Kept at Bonnicliff. Teignmouth
in the County of Devon S.5
by Miss Mabel Horner

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Teignmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0.10		—	0.47	0.02	—	0.17	0.84	—	0.24	1
2	—	—	0.17		—	0.20	0.01	0.15		0.02	0.03	—	2
3	—	—	0.28		—	0.21	0.08	0.86		—	—	0.01	3
4	0.18	0.04	0.70		0.02	0.32	—	0.06		—	0.21	—	4
5	0.48	0.31	0.20		—	0.05	0.02	0.44		—	0.01	0.21	5
6	0.20	0.05	—		0.23	0.18	—	0.06		—	—	—	6
7	0.04	0.75	0.22		0.64	0.58	—	0.06		—	—	0.31	7
8	0.63	0.15	0.63		—	0.34	—	0.02		+	—	0.01	8
9	0.05	0.03	0.07	0.03	—	0.11	0.04	0.08		—	—	0.24	9
10	0.13	0.07	0.08		—	0.18	—	0.24		—	0.05	0.26	10
11	0.06	—	—		—	—	—	0.04		—	0.14	0.40	11
12	0.01	0.57	0.06		—	—	0.09	0.52		—	0.01	0.01	12
13	0.11	—	—		—	0.02	0.92	0.01		0.03	—	0.06	13
14	0.05	0.01	0.47		0.11	—	—	0.08		0.01	—	0.01	14
15	0.64	0.11	0.06		0.32	0.28	—	0.01		—	—	0.09	15
16	0.30	0.01	0.29		0.06	0.02	—	0.02		0.01	—	0.01	16
17	0.02	—	0.19		0.02	0.05	—	0.78		—	0.01	0.05	17
18	0.06	0.01	0.08		—	0.01	—	0.20		—	—	0.05	18
19	0.01	0.02	0.23		—	0.02	0.03	0.13		—	0.02	0.02	19
20	0.02	0.05	0.41		0.17	—	0.02	0.22		0.26	0.02	—	20
21	—	0.13	0.26		0.28	—	—	0.05		0.10	—	—	21
22	0.58	0.34	0.13		0.14	—	0.08	0.05		0.10	0.02	0.07	22
23	0.67	0.33	0.13		0.01	0.04	0.06	0.27		0.06	0.04	0.21	23
24	0.11	0.03	—		—	0.36	—	0.04		0.12	0.01	0.19	24
25	0.15	—	—		—	0.06	—	0.40		0.35	0.17	0.35	25
26	—	0.02	—		—	—	0.07	0.03		0.22	0.43	0.36	26
27	—	0.01	—		—	0.37	0.43	0.15		1.00	0.01	0.33	27
28	—	0.11	—		—	0.04	0.08	0.55	0.10	0.42	0.40	0.55	28
29	—	0.59	0.01		—	0.05	0.14	0.16	0.40	0.43	0.01	0.01	29
30	—		0.08		—	0.26	0.07	—	0.29	0.28	—	—	30
31	—		(0.28)		—		0.56			(·03)		0.02	31
Total	4.50	3.74	5.13	0.03	1.40	4.22	2.72	5.68	0.96	4.28	1.59	4.03	YEAR'S TOTAL 38.28
Rain Days.	21	22	23	1	11	23	17	28	4	17	17	25	209

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Bonnicliff, Teignmouth

in the County of Devon

by Mabel Horner

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Teignmouth.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.14	0.17	0.03	0.16	—	—	—	0.07	0.19	0.32	—	1
2	0.21	0.22	—	0.10	0.19	—	0.05	—	0.03	0.01	0.12	—	2
3	0.43	—	0.03	0.01	0.31	—	—	—	0.03	0.49	—	0.21	3
4	1.05	—	0.02	—	0.07	0.04	—	—	0.05	0.33	0.05	0.09	4
5	0.07	0.05	0.03	—	0.15	0.11	0.02	—	0.89	0.13	0.46	0.42	5
6	0.02	0.10	0.11	—	0.05	0.09	—	—	0.01	1.75	0.02	0.14	6
7	0.01	0.41	0.07	—	0.68	0.02	0.26	—	—	0.41	0.23	0.01	7
8	0.03	0.20	—	—	0.16	—	0.03	0.01	—	0.04	0.01	—	8
9	0.01	0.01	—	—	0.14	—	0.07	0.14	—	—	0.34	—	9
10	0.56	0.01	—	—	0.14	—	—	0.10	—	0.15	0.08	—	10
11	0.41	0.01	—	0.01	0.70	0.06	—	—	—	0.04	1.17	—	11
12	0.06	—	—		0.04	0.03	—	—	—	—	0.56	—	12
13	0.11	—	0.04		—	—	—	0.05	0.17	—	0.06	—	13
14	0.31	—	0.15	0.04	0.36	—	—	—	0.02	—	0.10	—	14
15	0.27	—	0.43	0.33	—	—	—	—	0.18	—	0.01	—	15
16	0.26	—	0.34	0.06	—	—	—	0.01	0.33	—	—	—	16
17	0.08	—	0.01	0.03	—	—	—	—	—	—	0.01	—	17
18	—	—	0.30	0.05	—	—	—	—	—	—	0.06	—	18
19	0.66	—	0.02	—	—	0.08	—	—	0.37	0.04	—	—	19
20	0.12	—	0.29	0.29	—	—	—	—	0.01	0.13	0.31	—	20
21	—	—	0.25	0.01	—	—	—	—	—	0.04	0.45	—	21
22	0.26	—	0.44	—	—	0.07	—	0.04	0.04	0.41	—	0.26	22
23	—	—	—	—	—	0.01	—	—	—	0.01	0.04	1.08	23
24	—	0.04	—	0.05	—	0.02	—	—	—	—	0.01	0.01	24
25	—	—	—	0.36	—	—	—	0.01	0.04	0.09	—	—	25
26	—	—	—	1.50	—	—	—	0.13	0.01	0.01	—	0.18	26
27	0.47	—	0.16	0.27	—	—	—	0.02	—	0.56	—	0.01	27
28	0.29	—	0.06	0.15	—	—	—	—	—	0.34	—	0.18	28
29	0.21		0.52	0.26	0.01	—	—	0.01	—	0.25	—	—	29
30	0.36		—	—	0.01	—	—	0.01	—	0.77	—	—	30
31	0.04		0.15		0.02		—	0.42		0.10		—	31
Total	6.30	1.19	3.59	3.55	3.19	0.53	043	0.95	2.25	6.28	4.41	2.59	YEAR'S TOTAL 35.26
Rain Days.	24	10	20	17	16	10	5	12	15	22	20	11	182

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at *Bonnicliff, Teignmouth*
in the County of *Devon*
by *Miss Mabel Horner*

S5

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Teignmouth
Diameter of Rain Gauge 5½ in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.02	0.02	—	0.05	0.03	0.46	—	—	0.69	0.24	1
2	—	—	0.02	0.19	0.02	—	0.31	—	—	—	0.40	0.50	2
3	0.02	—	0.13	0.15	0.81	—	—	—	—	—	—	0.06	3
4	0.07	—	0.01	0.28	0.18	—	0.47	0.23	—	—	0.75	0.80	4
5	0.19	—	0.04	0.11	0.07	—	—	—	0.11	—	—	0.05	5
6	—	0.06	0.03	0.07	0.12	—	0.03	—	—	—	—	0.71	6
7	—	1.35	0.15	0.22	0.02	0.18	0.21	0.04	0.14	—	—	0.57	7
8	0.03	—	0.67	0.13	—	0.29	—	0.02	0.07	—	—	0.07	8
9	—	0.04	0.72	0.26	0.09	0.58	—	0.29	1.19	—	—	—	9
10	0.03	0.60	0.09	0.16	0.01	0.06	—	—	0.45	—	—	0.06	10
11	—	0.13	0.31	0.01	—	0.11	—	—	0.07	—	0.02	1.40	11
12	—	0.22	0.11	—	—	—	—	—	0.07	0.07	0.02	0.70	12
13	—	0.54	0.42	—	—	—	0.10	—	0.15	0.24	0.37	0.24	13
14	—	0.36	0.36	—	—	0.13	0.08	0.88	—	0.06	0.51	0.31	14
15	—	—	0.08	—	—	—	0.07	0.21	—	0.09	0.43	0.11	15
16	—	—	0.03	—	—	—	—	—	0.38	—	—	—	16
17	—	0.26	0.31	—	—	—	—	—	—	—	—	0.78	17
18	—	0.04	0.07	—	—	—	0.03	—	0.17	—	—	0.22	18
19	—	0.05	0.98	—	—	—	2.16	—	0.06	—	0.04	0.05	19
20	—	0.42	0.22	—	—	0.06	—	—	—	—	0.03	0.20	20
21	—	0.73	—	—	—	0.03	—	—	—	0.40	—	0.02	21
22	—	0.02	—	—	0.24	0.07	—	—	—	0.17	—	—	22
23	—	0.04	0.32	—	0.03	—	—	—	—	0.45	—	—	23
24	—	0.11	—	—	0.23	—	—	0.03	—	—	—	—	24
25	0.11	—	0.29	—	0.02	—	0.03	0.41	—	0.41	0.04	0.42	25
26	0.06	0.01	—	—	—	—	0.05	0.05	—	0.02	0.22	0.80	26
27	0.01	0.01	—	—	—	—	—	—	—	0.03	0.35	0.38	27
28	~~0.1~~	0.03	0.41	—	0.06	—	—	—	—	0.04	0.32	1.09	28
29	0.12		0.24	—	0.13	—	—	—	—	0.10	0.82	0.01	29
30	0.01	X	0.11	0.03	—	—	—	—	—	0.28	0.73	1.13	30
31	0.09	X	—	X	—	X	0.52	—	X	0.88	X	0.32	31
Total	0.74	5.02	6.14	1.63	2.03	1.56	4.09	2.62	2.86	3.24	5.74	11.24	YEAR'S TOTAL 46.91
Rain Days.	11	19	25	12	14	10	13	10	11	14	16	26	181.

W. 8,000. X. 14.

1854

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bonnicliff Teignmouth

in the County of Devon

by Miss M. Horner

S5

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Teignmouth

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.39	0.18	~~0.02~~	—	—	—	—	0.68	0.36	0.60	0.05	0.24	1
2	0.34	0.15	0.02	—	—	0.08	—	0.43	0.16	0.05	—	0.83	2
3	—	0.14	0.03	0.01	0.62	—	—	—	—	—	—	0.61	3
4	0.02	0.07	—	—	0.04	—	—	—	—	—	—	0.36	4
5	0.01	0.91	—	0.15	—	—	—	0.31	—	—	—	0.73	5
6	0.91	0.15	—	0.37	0.01	—	0.52	—	—	—	—	0.19	6
7	0.24	0.43	—	0.15	—	—	0.20	—	—	0.01	—	0.59	7
8	0.11	0.56	—	—	—	—	0.02	0.09	—	0.28	0.06	0.25	8
9	—	0.12	~~0.04~~	0.02	—	—	—	—	—	—	0.34	0.90	9
10	0.10	0.45	0.04	0.05	—	—	—	—	—	0.15	0.04	0.09	10
11	0.19	0.43	0.21	—	0.02	—	0.04	0.05	—	0.03	1.08	0.03	11
12	0.08	0.49	—	0.05	0.74	—	—	0.22	—	0.03	0.38	—	12
13	—	0.59	—	—	0.80	—	—	0.02	0.03	—	0.18	—	13
14	0.02	—	—	—	—	—	0.30	0.10	0.05	0.20	0.02	0.95	14
15	0.14	—	—	—	0.34	—	0.18	—	—	0.02	0.04	0.06	15
16	0.01	1.56	—	—	0.28	—	0.98	—	—	—	—	0.29	16
17	—	0.54	—	—	0.12	—	—	—	0.01	—	—	0.13	17
18	—	0.20	—	—	—	—	—	—	—	—	—	—	18
19	0.01	—	—	—	0.50	—	0.13	0.27	—	—	—	—	19
20	0.15	—	—	0.14	—	0.12	0.02	—	—	0.31	—	0.06	20
21	0.42	0.04	—	—	—	—	0.22	—	—	0.06	—	—	21
22	0.06	0.02	0.39	0.04	—	0.11	0.48	—	—	0.02	—	0.37	22
23	—	0.02	0.08	—	—	0.10	0.08	—	0.08	1.95	—	0.66	23
24	—	—	—	0.02	—	0.01	0.77	—	0.07	0.16	—	0.49	24
25	—	—	0.02	0.03	—	0.87	0.05	—	—	—	—	0.41	25
26	0.01	0.15	—	—	—	0.02	0.20	—	0.07	—	—	1.21	26
27	0.01	0.06	—	—	—	0.22	0.08	—	—	0.49	—	—	27
28	—	0.05	—	0.02	—	0.19	—	—	0.59	0.07	—	0.07	28
29	—		—	—	—	0.66	0.48	—	0.10	—	0.22	0.11	29
30	0.21	╳	—	—	—	0.10	—	—	—	0.65	0.91	62	30
31	—	╳	—	╳		╳	0.25	—	╳	1.37	╳	37	31
Total	3.43	7.31	.79	1.05	3.47	2.48	5.00	2.17	1.52	6.45	3.32	10.62	YEAR'S TOTAL 47.61
Rain Days.	20	22	7	12	9	11	18	9	10	18	11	25	172

W. 8,000. X. 15.

10

1815

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Bonnicliff. Teignmouth
in the County of Devon
by Miss M. Horner

Lat. .... Long. ....
Time of Observation 9. A.M.
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.13	—	0.08	—	0.17	—	—	—	0.14	0.24	0.26	—	1
2	0.20	0.09	—	—	0.01	—	—	—	0.10	0.22	0.29	—	2
3	—	1.44	—	—	0.30	0.02	0.01	—	—	0.47	0.24	—	3
4	0.19	0.11	—	—	0.17	0.09	—	—	0.01	0.04	0.66	—	4
5	—	0.08	0.06	—	0.01	0.20	—	—	—	0.09	0.04	—	5
6	0.01	0.11	—	—	0.15	0.02	0.73	—	—	0.03	0.77	—	6
7	0.05	0.29	0.08	—	0.04	0.26	0.62	—	—	0.02	0.51	0.04	7
8	—	0.51	0.19	—	0.29	0.05	—	—	—	—	0.03	0.13	8
9	—	0.08	0.01	—	—	0.30	0.01	—	—	—	0.08	0.10	9
10	—	0.48	—	0.01	0.01	—	—	—	—	0.09	—	0.01	10
11	—	—	—	—	—	—	—	—	—	—	—	—	11
12	0.04	—	0.26	0.01	0.16	—	0.02	0.08	—	—	—	—	12
13	—	0.16	0.18	0.02	—	—	0.01	0.17	—	—	—	0.01	13
14	—	0.56	0.25	—	0.01	—	—	0.37	—	0.04	—	—	14
15	—	0.21	0.11	0.08	—	—	—	0.05	—	0.08	—	0.09	15
16	0.18	0.06	—	0.10	—	—	0.06	0.17	—	0.04	—	—	16
17	0.18	0.05	—	—	—	—	—	—	0.07	0.28	0.88	—	17
18	0.65	0.06	0.37	—	—	—	—	—	0.18	0.02	—	0.09	18
19	0.11	0.13	0.27	0.03	—	—	—	—	0.08	—	0.15	0.09	19
20	0.08	0.85	0.30	0.01	—	—	—	—	—	—	0.01	1.39	20
21	0.01	0.04	0.11	—	0.05	—	—	—	—	—	—	0.20	21
22	—	—	—	—	—	0.09	—	0.05	—	0.25	—	0.62	22
23	0.01	0.01	—	—	—	0.17	—	0.14	—	0.19	0.12	0.05	23
24	—	0.09	—	0.03	0.31	0.03	—	0.07	—	0.56	0.02	0.36	24
25	—	0.34	0.04	—	—	—	—	0.33	0.01	—	0.23	—	25
26	0.01	0.05	0.08	—	0.01	0.46	—	0.08	1.22	0.69	—	0.03	26
27	—	—	1.07	—	—	0.48	—	0.15	0.70	0.13	—	—	27
28	—	0.08		—	—	—	—	0.08	0.04	0.37	—	0.24	28
29	—	0.19		—	—	0.23	—	2.83	0.20	0.06	—	0.33	29
30	—	✗		—	—	—	—	—	—	0.95	—	—	30
31	—	✗		✗	—	✗	—	0.02	✗	0.30	✗	—	31
Total	1.25 ✓	6.07 ✓	3.46 ✓	.29 ✓	1.69 ✓	2.40 ✓	0.86 ✓	4.59 ✓	2.75 ✓	5.16 ✓	4.23 ✓	3.78 ✓	YEAR'S TOTAL ~~36.53~~ 36.55
Rain Days.	14 ✓	24 ✓	16 ✓	8 ✓	14 ✓	13 ✓	7 ✓	14 ✓	11 ✓	22 ✓	15 ✓	16 ✓	174

W. 8,000, VIII. 16

√

REGISTER OF RAINFALL IN 1917

2 JAN 1918

FORM BRITISH RAINFALL

Kept at Bonnicliff. Teignmouth

in the County of Devon

by Miss M. Holmer

Lat. .... Long. ....

Time of Observation 9. A M

Nearest Railway Station Teignmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.07	0.17	—	0.22	—	0.35	—	—	0.01	—	1
2	—	—	—	0.11	—	0.02	—	—	—	0.01	—	—	2
3	0.03	—	—	0.04	—	—	0.28	0.01	—	0.16	0.66	—	3
4	0.01	—	0.48	—	—	—	—	—	0.05	0.27	—	—	4
5	0.06	—	0.23	0.06	—	0.48	—	—	0.01	0.06	0.05	—	5
6	—	—	0.17	—	—	0.04	—	—	—	0.03	0.05	—	6
7	0.30	—	—	—	—	—	0.02	0.18	—	0.10	0.04	—	7
8	0.15	—	0.28	0.03	—	—	0.26	0.43	0.03	0.32	0.08	0.27	8
9	—	—	0.09	0.03	0.02	—	0.03	0.05	—	0.27	0.03	—	9
10	0.16	—	0.37	0.28	—	—	—	0.36	—	0.05	—	—	10
11	0.02	—	0.99	0.09	—	—	—	0.02	0.01	0.15	0.15	—	11
12	0.16	—	0.01	—	0.22	—	—	—	—	0.20	0.01	—	12
13	—	—	0.25	0.01	—	—	—	0.23	0.01	0.11	—	—	13
14	—	—	—	0.08	—	—	0.08	0.33	—	—	—	—	14
15	0.04	—	—	—	—	—	0.17	0.15	—	0.19	—	0.49	15
16	—	0.11	—	0.03	—	—	—	—	—	0.24	—	0.12	16
17	—	0.02	—	0.02	—	—	0.20	0.04	0.52	0.10	—	—	17
18	—	0.19	—	—	0.47	0.02	0.10	—	0.53	0.01	—	—	18
19	—	0.39	0.06	—	—	0.16	—	—	0.14	—	—	—	19
20	—	0.02	0.01	—	0.43	0.03	—	—	0.05	—	—	0.06	20
21	—	—	—	—	—	0.02	—	—	—	—	0.02	—	21
22	0.02	—	0.03	—	0.04	—	—	0.28	—	0.05	—	—	22
23	—	0.06	—	—	0.26	—	—	0.13	—	0.10	—	—	23
24	—	—	—	—	—	—	0.42	0.11	—	0.02	—	—	24
25	—	—	0.04	—	—	—	0.04	0.20	—	0.09	0.15	—	25
26	—	—	—	—	0.31	0.05	—	1.00	0.07	0.01	—	—	26
27	—	—	—	—	—	0.41	—	0.74	—	0.03	—	—	27
28	—	0.12	0.02	—	0.01	0.32	—	0.29	—	—	—	—	28
29	—		0.10	—	—	0.32	—	—	—	0.50	—	0.13	29
30	—	X	0.19	—	—	—	0.19	0.15	—	0.01	—	—	30
31	—	X	0.02	X	0.03	X	—	—	X	0.30	X	0.01	31
Total	0.95	0.91	3.41	0.95	1.79	2.09	1.79	5.05	1.42	3.38	1.25	1.08	YEAR'S TOTAL 24.07
Rain Days.	10	7	18	12	9	12	11	19	10	25	11	6	150

W. 8,000, IX. 17.

150

74

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
2. 1. 19

Kept at Bonnicliff-Teignmouth
in the County of Devon
by M. Holmes

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.20	—	0.15	—	—	—	0.75	—	—	0.70	—	1
2	—	0.13	—	0.18	—	—	—	0.03	—	0.01	—	0.20	2
3	—	0.15	—	0.30	0.06	—	—	0.05	—	—	0.05	—	3
4	—	0.01	—	—	—	—	—	0.12	0.56	—	0.87	0.14	4
5	—	—	0.07	—	0.50	—	—	0.47	0.56	0.16	—	0.02	5
6	0.16	0.09	0.01	0.08	—	—	—	0.03	—	0.20	—	0.12	6
7	—	0.09	—	—	0.03	—	—	—	0.28	0.04	0.35	0.14	7
8	0.07	0.06	—	—	—	—	—	—	0.09	0.38	0.01	—	8
9	0.03	—	—	0.01	—	0.01	0.25	—	0.39	0.01	0.01	0.26	9
10	0.03	—	—	0.43	—	—	0.16	—	0.14	0.11	—	0.33	10
11	—	—	0.10	0.07	0.01	—	0.81	—	0.15	0.01	0.08	0.01	11
12	—	0.04	0.11	—	0.14	—	0.02	—	—	—	—	—	12
13	0.02	—	—	—	0.16	—	0.29	—	0.15	0.04	—	0.01	13
14	0.23	—	—	—	0.03	0.06	0.03	—	0.20	0.03	—	0.07	14
15	0.97	—	—	0.01	0.07	0.04	0.59	—	0.01	0.04	—	0.17	15
16	0.58	—	—	0.16	—	0.03	0.01	—	0.17	—	—	0.03	16
17	0.25	—	0.01	0.18	—	—	0.44	—	—	—	—	0.21	17
18	0.71	—	0.02	—	—	0.63	0.03	—	0.70	0.05	—	0.32	18
19	0.14	0.01	0.11	—	—	—	0.12	—	0.03	—	—	0.13	19
20	0.03	0.03	—	0.15	—	—	0.02	—	0.18	0.04	—	—	20
21	0.04	—	—	—	—	—	—	—	0.35	0.26	—	0.38	21
22	0.02	—	—	—	0.07	—	0.43	—	0.18	0.01	0.02	0.15	22
23	0.04	0.02	—	—	0.07	—	0.44	0.02	0.03	—	0.03	0.10	23
24	—	0.11	—	—	—	—	0.13	0.02	0.04	—	0.10	0.29	24
25	—	—	—	0.15	0.10	—	0.19	0.58	—	0.02	0.25	—	25
26	—	—	—	—	—	—	0.14	0.01	0.01	—	0.06	0.03	26
27	0.01	—	0.08	—	—	—	—	0.05	0.07	0.01	0.09	—	27
28	—	0.11	0.20	—	—	—	—	—	0.01	0.02	0.01	0.01	28
29	—		0.11	—	—	—	—	—	1.36	—	—	—	29
30	—	X	0.28		—	—	—	—	—	0.06	0.18	0.07	30
31	—	X	0.03	X	—	X	—	—	X		X		31
Total	3.33	1.05	1.13	1.87	1.24	0.77	4.10	2.13	5.66	1.50	2.81	3.19	YEAR'S TOTAL 28.78
Rain Days.	16/8	13	12.	12	11	5	17	11	22	19	15	22	175

W. 8,000, IX. 17.

1727

FORM A2.
BRITISH RAINFALL.

-5 JUN 1912

9 11

TEIGN MOUTH.

HAZELDOWN RES

DEVON.

1911 – 1920

Kept at Te

in the County of De

by Dutuit (

p 8 in.
bove Ground 2 ft. in.
„ Sea Level 227. ft.
Tom.
Name Teignmouth
Distance Direction

IMPORTANT N … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl… British Rainfall Organization are give… on application to Dr. H. R. Mill, 62, (

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·05	.	.	.	.	.	·01	·02	·02	1
2	-	-	-	·01	·28	.	.	·14	-	·08	·10	·25	2
3	-	-	-	.	·07	.	.	.	·02	.	·05	·07	3
4	-	-	·07	.	.	.	.	.	.	.	·06	·53	4
5	·09	.	·07	.	.	.	.	·17	.	·03	·04	.	5
6	·23	.	·34	.	.	.	.	.	.	·02	·09	·98	6
7	·02	.	-	.	-	.	.	.	.	.	·36	.	7
8	-	.	·08	.	.	.	.	.	.	.	·10	·52	8
9	-	.	.	.	.	·19	.	.	.	.	·58	·60	9
10	-	.	·30	.	·32	.	.	.	.	.	.	·24	10
11	·12	.	.	.	.	.	.	.	.	.	·70	·04	11
12	-	.	·46	.	.	.	.	.	·02	.	·02	·08	12
13	-	.	.	.	.	.	.	.	·25	.	·01	·45	13
14	-	·07	.	.	.	.	.	.	.	·15	.	·64	14
15	-	.	.	.	.	·02	.	.	.	.	·23	·05	15
16	-	.	·07	.	.	·41	.	.	.	.	·49	·42	16
17	-	.	·18	.	.	·20	.	.	.	.	·21	·58	17
18	.	·17	·17	·24	.	·25	.	.	.	·16	·30	·48	18
19	-	·04	.	·02	.	·41	.	.	·31	·17	·12	·44	19
20	·02	·02	·29	.	.	.	.	.	·11	·27	.	·73	20
21	-	·05	.	.	.	.	.	.	·08	·70	.	·04	21
22	·31	-	.	.	.	·11	.	·18	·31	·10	.	·59	22
23	.	·08	·11	.	.	.	.	.	·02	·37	·11	·20	23
24	.	·10	.	.	.	·43	.	.		·34	.	·19	24
25	-	·05	.	·02	.	·04	.	·03	·05	·05	.	·10	25
26	-	·07	.	·20	·02	.	.	.	.	·44	·02	·14	26
27	-	·16	·02	·03	.	.	.	·02	·11	·52	·02	·12	27
28	-	·17	.	·34	.	.	.	·07	.	.	·02	.	28
29	.		.	·20	.	·19	·59	·06	·10	·14	.	.	29
30	.		.	.	.	.	.	.	.	·08	·08	.	30
31	.		.		.		·12	.		·01		.	31
Total	·79	·98	2·16	1·11	·69	2·25	·71	·67	1·38	3·64	3·73	8·53.	TOTAL for year
No. of Rain Days.	6	11	12	9	4	10	2	7	11	18	22	25	26·64

W. 8,000, X. '11.

1727

FORM A2.
BRITISH RAINFALL
-5 JUN 1912

REGISTER OF RAINFALL IN 1911

Kept at Teignmouth {Hazeldown Reservoir}

in the County of Devon.

by District Council

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 227 ft.

Time of Observation 9am

Nearest Railway Station
Name Teignmouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·05	.	.	.	.	.	·01	·02	·02	1
2	-	-	-	·01	·28	.	.	·14	-	·08	·10	·25	2
3	-	-	-	.	·07	.	.	.	·02	.	·05	·07	3
4	-	-	·07	.	.	.	.	.	.	.	·06	·53	4
5	·09	.	·07	.	.	.	.	·17	.	·03	·04	.	5
6	·23	.	·34	.	.	.	.	.	.	·02	·09	·98	6
7	·02	.	-	.	-	.	.	.	.	.	·36	.	7
8	-	.	·08	.	.	.	.	.	.	.	·10	·52	8
9	-	.	.	.	.	·19	.	.	.	.	·58	·60	9
10	-	.	·30	.	·32	.	.	.	.	.	.	·24	10
11	·12	.	.	.	.	.	.	.	.	.	·70	·04	11
12	-	.	·46	.	.	.	.	.	·02	.	·02	·08	12
13	-	.	.	.	.	.	.	.	·25	.	·01	·45	13
14	-	·07	.	.	.	.	.	.	.	·15	.	·64	14
15	-	.	.	.	.	·02	.	.	.	.	·23	·05	15
16	-	.	·07	.	.	·41	.	.	.	.	·49	·42	16
17	-	.	·18	.	.	·20	.	.	.	.	·21	·58	17
18	.	·17	·17	·24	.	·25	.	.	.	·16	·30	·48	18
19	-	·04	.	·02	.	·41	.	.	·31	·17	·12	·44	19
20	·02	·02	·29	.	.	.	.	.	·11	·27	.	·73	20
21	-	·05	.	.	.	.	.	.	·08	·70	.	·04	21
22	·31	-	.	.	.	·11	.	·18	·31	·10	.	·59	22
23	.	·08	·11	.	.	.	.	.	·02	·37	·11	·20	23
24	.	·10	.	.	.	·43	.	.		·34	.	·19	24
25	-	·05	.	·02	.	·04	.	·03	·05	·05	.	·10	25
26	-	·07	.	·20	·02	.	.	.	.	·44	·02	·14	26
27	-	·16	·02	·03		.	.	·02	·11	·52	·02	·12	27
28	-	·17	.	·34	.	.	.	·07	.	.	·02	.	28
29	-		.	·20	.	·19	·59	·06	·10	·14	.	.	29
30	-		.	.	.	.	.	.	.	·08	·08	.	30
31	.		.		.		·12	.		·01		.	31
Total	·79	·98	2·16	1·11	·69	2·25	·71	·67	1·38	3·64	3·73	8·53.	TOTAL for year
No. of Rain Days.	6	11	12	9	4	10	2	7	11	18	22	25	26·64

W. 8,000, X. '11.

✓

REGISTER OF ~~RAINFALL~~ IN 1912

FORM A.
BRITISH RAINFALL.

11 JAN 1913

Kept at Teignmouth (Haldon Reservoir)

in the County of Devon. S. 5

by Town Council

Lat. Long.

Time of Observation 7·30 am

Nearest Railway Station G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·06	·	·	·45	·02	·	·22	·74	·	·21	1
2	·	·	·17	·	·	·16	·	·09	·	·	·02	·	2
3	·	·	·15	·	·	·22	·09	1·01	·	·	·	·	3
4	·12	·	·54	·	·	·20	·	·06	·	·	·20	·	4
5	·48	·	·17	·	·02	·03	·	·37	·	·	·	·15	5
6	·23	·07	·	·	·20	·14	·	·06	·	·	·	·	6
7	·02	·79	·21	·	·04	·58	·	·03	·	·	·	·30	7
8	·52	·16	·54	·	·	·33	·	·03	·	·	·	·04	8
9	·05	·03	·08	·04	·	·10	·05	·06	·	·	·	·18	9
10	·08	·07	·11	·	·	·24	·	·28	·	·	·05	·25	10
11	·12	·03	·	·	·	·	·08	·06	·	·	·11	·31	11
12	·	·54	·04	·	·	·	·87	·53	·	·	·	·	12
13	·10	·	·	·	·	·02	·	·	·	·04	·	·05	13
14	·04	·	·45	·	·11	·	·	·08	·	·	·	·	14
15	·56	·10	·06	·	·31	·25	·	·	·	·	·	·09	15
16	·30	·02	·30	·	·05	·03	·	·02	·	·	·	·	16
17	·03	·	·18	·	·	·05	·	·70	·	·	·01	·05	17
18	·02	·02	·09	·	·	·	·	·03	·	·	·	·06	18
19	·02	·03	·21	·	·	·03	·04	·18	·	·	·	·02	19
20	·02	·06	·36	·	·14	·	·03	·13	·	·27	·	·	20
21	·	·09	·23	·	·30	·	·	·10	·	·09	·	·	21
22	·57	·25	·12	·	·12	·	·08	·04	·	·10	·04	·13	22
23	·68	·	·14	·	·	·04	·05	·26	·	·06	·06	·18	23
24	·13	·	·	·	·	·22	·	·03	·	·10	·	·11	24
25	·18	·03	·	·	·	·07	·	·43	·	·29	·13	·20	25
26	·	·	·	·	·	·	·09	·04	·	·30	·23	·32	26
27	·	·03	·	·	·	·31	·38	·15	·	·69	·	·24	27
28	·	·	·	·	·	·04	·07	·47	·19	·36	·34	·50	28
29	·	·51	·02	·	·	·11	·13	·24	·39	·47	·	·01	29
30	·		·	·	·	·20	·07	·	·29	·24	·	·	30
31	·		·30		·		·59	·		·		·01	31
Total	4·27	2·83	4·23	·04	1·32	4·02	2·64	5·48	1·09	3·75	1·19	3·41	YEAR'S TOTAL 34·27
Rain Days.	20	17	22	1	9	22	15	26	4	13	10	21	~~191~~ 180

W. 7,500, XI. ·12

This record is copied from the Council Book & is taken by different Observers ER corr fr ante 20.11.14 DL

FORM A.
BRITISH RAINFALL.

15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at {Hazeldown Reservoir} Teignmouth
in the County of Devon 5 5
by the Town Council

Lat. 50° 32' 49" N Long. 3° 29' 25" W.
Time of Observation 7 am.
Nearest Railway Station GWR Teignmouth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.10	.08	.05	.19	.	.	.	.06	.17	.28	.	1
2	.20	.20	.c	.16	.20	.	.06	.	.01	.	.12	.	2
3	.18	.	.04	.02	.38	.	.	.	.	.32	.	.19	3
4	1.02	.	.01	.	.09	.05	.	.	.07	.	.04	.08	4
5	.03	.05	.01	.	.15	.07	.02	.	.95	.	.33	.34	5
6	.01	.05	.11	.	.10	.08	.	.	.	1.47	.02	.10	6
7	.	.13	.09	.	.73	.	.33	.	.	.38	.19	.	7
8	.03	.08	.	.	.23	.03	.02	.	.	.03	.		8
9	.	.	.	.	.15	.	.08	.12	.	.	.33	.	9
10	.59	.	.	.	.25	.	.	.03	.	.13	.04	.	10
11	.52	.	.	.03	.70	.05	.	.	.	.06	.90	.	11
12	.06	.	.	.	.04	.02	.	.	.	.	.39	.	12
13	.39	.	.02	.	.	.	—	.05	.23	.	.04	.	13
14	.25	.	.11	.05	.32	.	.	.	.01	.	.07	.	14
15	.27	.	.28	.59	.	.	.	.	.05	.	.01	.	15
16	.21	.	.30	.09	.	.	.	.	.33	.	.	.	16
17	.09	.	.	.04	.	.	.	.	.	.	.	.	17
18	.	.	.11	.08	.	.	.	.	.	.	.06	.	18
19	.45	.	.03	.	.	.07	.	.	.30	.02	.	.	19
20	.11	.	.31	.32	.	.	.	.	.	.07	.32	.	20
21	.	.	.18	.01	.01	.	.	.	.	.03	.40	.	21
22	.25	.	.54	.	.	.03	.	.03	.04	.34	.	.22	22
23	.	.	.	.	.	.01	.	.	.	.	.04	.75	23
24	.	.08	.	.05	.	.	.	.	.	.	.01	.	24
25	.	.	.	.37	.	.	.	.	.05	.09	.	.	25
26	.	.	.	1.40	.	.	.	.09	.	.01	.	.15	26
27	.43	.	.16	.35	.01	.	.	.	.	.33	.	.	27
28	.33	.	.03	.28	.	.	.	.	.	.33	.	.03	28
29	.19		.49	.31	.	.	.	.	.	.21	.	.	29
30	.26		.	.	.02	.	.	.	.	.68	.	.	30
31	.05		.17		.		.	.30		.05		.	31
Total	5.92	0.69	3.07	4.20	3.57	0.41	0.51	0.62	2.10	4.72	3.59	1.86	YEAR'S TOTAL 31.26
Rain Days.	22	7	3.07 19	17	16	9	5	6	11	18	18	8	31.26 156

W.7,000, XI. 13

[illegible] 9·11·15   H. M.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
23 JAN 1915

Kept at Hazeldown Reservoir, Teignmouth
in the County of Devon   S 5
by the Town Council

Lat. 50° 32' 49 N Long. 3° 29' 28" W
Time of Observation Jan: to May & Sept to Dec: 9 am, June to Aug: 6am.
Nearest Railway Station GWR Teignmouth
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.03	.	.	.05	.03	.46	.	.	.27	.24	1
2	.	.	.	.18	.01	.	.25	.	.	.	.39	.40	2
3	.01	.	.11	.13	.66	.	—	.	.	.	.	.	3
4	.15	. —	—	.25	.13	.	.47	.27	.	.	.64	.74	4
5	.12	.	.04	.06	.08	.	.	.	.11	.	.	.	5
6	.	.06	.02	.05	.12	.	.02	.	.	.	.	.71	6
7	.	1.02	.15	.18	.04	.15	.20	.06	.13	.	.	.47	7
8	.05	.	.50	.06	—	.22	.	.	.07	.	.	.09	8
9	.	.02	.48	.19	.08	.45	.	.30	1.30	.	.	.	9
10	.02	.55	.07	.16	.01	.05	.	.	.42	.	.	.03	10
11	.	.14	.33	.	.	.10	.	.	.05	.	.04	1.06	11
12	.	.21	.10	.	.	.	.	.	.08	.09	.	.55	12
13	.	.54	.32	.	.	.	.11	.	.13	.18	.27	.20	13
14	.	.41	.30	.	.	.14	.03	.51	.	.04	.45	.20	14
15	.	.	.09	.	.	.	.09	.17	.	.09	.21	.10	15
16	.	.	.03	.	.	.	.	.	.26	.	.	.	16
17	.	.25	.25	.	.	.	.	.	.	.	.	.70	17
18	.	.05	.05	.	.	.	.02	.	.16	.	.	.21	18
19	.	.03	.40	.	.	.	1.34	.	.05	.	.03	.04	19
20	.	.40	.45	—	.	.07	.	.	.	.	.	.29	20
21	.	.57	.	.	.	.	.	.	.	.32	.	.03	21
22	.	.03	.	.	.18	.07	.	.	.	.21	.	.	22
23	.	.06	.29	.	.03	.	.	.	.	.40	.	.	23
24	.	.03	.	.	.18	.	.	.02	.	.	.06	.	24
25	.11	.	.27	.	.01	.	.06	.33	.	.33	.06	.63	25
26	.06	.	.	.	.	.	.04	.05	.	.02	.18	.30	26
27	.	.	.	.	.	.	.	.	.	.02	.30	.29	27
28	.	.03	.30	.	.03	.	.	.	.	.04	.27	.76	28
29	.09		.19	.	.14	.	.	.	.	.04	.79	.03	29
30	.	X	.11	.02	.	.	.	.	.	.25	.57	1.05	30
31	.13	X	—	X	.05	X	.40	.	X	1.03	X	27	31
Total	0.74	4.40	4.88	1.28	1.75	1.30	3.06 ~~2.66~~	2.17	2.76	3.06	4.53	9.42	39.35 YEAR'S TOTAL ~~38.95~~ 39.35
Rain Days.	9	17	23	10	15	9	13	~~8~~ 9	11	14	15	24	16~~8~~9

W. 8,000. X. 14.

notified 15/3/16

~~W~~ MK cnd fr auth 15.III.16

1852

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Hazeldown Reservoir Teignmouth

in the County of Devon 55

by the District Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W

Time of Observation 6 am 6·30 & 7 am.

Nearest Railway Station GWR Teignmouth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. = in.

" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	7am	7am	7am	7am	7am	6am	6am	7am	6.30am	7am	7am	7am	
1	·39	·15	—	—	—	—	—	·60	·25	·44	·05	·18	1
2	·26	·15	·04	—	—	·08	—	·27	·12	·15	—	·87	2
3	—	·13	·05	—	·56	—	—	—	—	—	—	·52	3
4	·01	·07	—	—	·04	—	—	—	—	—	—	·40	4
5	·04	·94	—	·15	—	—	—	·38	—	—	—	·55	5
6	·75	·12	—	·38	·01	—	·42	—	—	—	—	·21	6
7	·21	·32	—	·06	—	—	·14	—	—	·03	—	·50	7
8	·10	·38	—	—	—	—	·04	·10	—	·23	—	·20	8
9	—	·08	—	·02	—	—	—	—	—	—	·34	·80	9
10	·11	·36	·04	·04	—	—	—	—	—	·14	·04	·09	10
11	·17	·32	·16	—	·05	—	·02	·01	—	·04	·90	·03	11
12	·08	·47	—	·03	·60	—	—	·18	—	·03	·33	—	12
13	—	·49	—	—	·60	—	·01	·03	·06	·01	·17	—	13
14	·03	—	—	—	—	—	·21	·04	·05	·19	—	·78	14
15	·13	—	—	—	·28	—	·11	—	—	·02	·04	·10	15
16	·02	1·32	—	—	·20	—	·84	—	—	—	—	·30	16
17	·01	·50	—	—	·14	—	—	—	—	—	—	·08	17
18	—	·16	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	·46	—	·14	·47	—	—	—	—	19
20	·17	—	—	·12	—	·10	—	—	—	·25	—	·03	20
21	·22	·08	—	—	·01	—	·15	—	·04	·08	—	·02	21
22	·08	·01	·35	·03	·02	·10	·51	—	—	—	—	·34	22
23	—	·04	·09	—	—	·06	·04	—	·08	1·45	—	·40	23
24	—	—	·02	·02	—	·01	·60	—	·07	·20	—	·36	24
25	—	—	·03	·02	—	·74	·08	—	—	—	—	·42	25
26	—	·17	—	—	—	·02	·11	—	·13	—	—	·98	26
27	·04	·04	—	—	—	·20	·06	—	—	·39	—	—	27
28	—	·05	—	·03	—	·13	—	—	·47	·04	—	·09	28
29	—	—	—	—	—	·75	·43	—	·08	·01	·18	·07	29
30	·20	✕	—	—	—	·05	—	—	—	·63	·59	·50	30
31	—	✕	—	✕	—	✕	·20	·01	✕	1·20	✕	·28	31
Total	3·02	6·35	0·78	0·90 ·90	2·97	2·24	4·11	2·09	1·35	5·53 5·53	2·64	9·10	YEAR'S TOTAL 41·08 41·08
Rain Days.	19	22	8	11	12	11	18	10	10	19	9	26	175

W. 8,000. X. 15.

✓ Excd FW 1813

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5. MAR 1917

Kept at Hazeldown Reservoir, Teignmouth
in the County of Devon
by Town Council.

Lat. 50° 32′ 49″ N. Long. 3° 29′ 28″ W.
Time of Observation 7am.
Nearest Railway Station GWR.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	7am												
1	.08	.63	.15	—	.24	—	—	—	.10	.30	.17	—	1
2	.25	.08	—	—	—	—	—	—	.10	.24	.30	—	2
3	—	1.22	—	—	.30	—	—	—	—	.47	.31	—	3
4	.22	.10	—	—	.20	.16	.04	—	.02	.08	.67	—	4
5	—	.06	.07	.02	—	.17	—	—	—	.14	.15	—	5
6	—	.18	.02	—	.04	.04	.70	—	—	.11	.83	—	6
7	.07	.23	.05	—	.05	.26	.02	—	—	.08	.57	.06	7
8	—	.35	19	—	.35	.04	—	—	—	—	.03	.16	8
9	—	.13	.10	—	—	.25	.02	—	—	—	.10	.11	9
10	—	.40	—	.02	.02	—	—	—	—	.09	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	11
12	.04	.02	.33	.02	.19	—	.03	.15	—	—	—	—	12
13	—	.20	.25	.03	—	—	.02	.25	—	—	—	.02	13
14	—	.56	.27	.01	.02	—	—	.38	—	.08	—	—	14
15	—	.27	.13	.12	—	—	—	.03	—	.06	—	.10	15
16	.16	.08	—	.08	—	—	.10	.30	—	—	—	—	16
17	.17	.06	—	.07	—	—	—	—	.10	.32	.89	—	17
18	.06	.09	.34	.01	—	—	—	—	.11	.04	—	.10	18
19	.14	.10	.39	—	—	—	—	—	.10	—	.14	.10	19
20	.09	.95	.35	—	—	—	—	—	—	—	.01	1.10	20
21	.02	.03	.12	—	.07	—	—	—	—	—	—	.50	21
22	—	—	—	—	—	.15	—	—	—	.35	.01	.66	22
23	.02	.62	—	.01	—	.10	—	.19	—	.16	.15	—	23
24	—	.06	—	.04	.25	—	—	.10	—	.64	.03	.05	24
25	—	.27	.05	—	—	—	—	.27	—	—	.20	.40	25
26	—	.05	.63	—	.04	.23	—	.13	1.15	.80	—	.04	26
27	—	—	1.37	—	—	.62	—	.09	.98	.18	—	—	27
28		.06	—	—	—	—	—	.10	.05	.60	—	.32	28
29	—	.17	.02	—	—	.29	—	3.25	—	.08	—	.34	29
30	—	X	—	—	—	—	—	.01	—	1.12	—	—	30
31	—	X	—	X	—	X	—	.04	X	.26	X	.01	31
Total	1.32	5.77	4.23	.43	1.77	2.31	.93	5.29	2.71	6.20	4.59	4.07	YEAR'S TOTAL 39.62
Rain Days.	12	26	18	11	12	11	7	14	9	21	16	16	173

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

24 JAN 1918

Kept at Teignmouth (Hazeldown Reservoir)
in the County of Devon
by Town Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.
Time of Observation 7am.
Nearest Railway Station GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. = in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·10	·15	–	·17	–	·38	–	·02	·02	–	1
2	–	–	–	·12	–	·15	–	–	–	·02	–	–	2
3	·04	–	–	·05	–	–	·31	·02	–	·17	·91	–	3
4	·02	–	·42	–	–	–	–	–	·06	·31	–	–	4
5	·06	–	·25	·07	–	·44	–	–	·02	·14	·09	–	5
6	–	–	·15	–	–	–	–	–	–	–	·05	·04	6
7	·30	–	–	–	–	·02	·05	·20	–	·13	·04	–	7
8	·18	–	·40	–	–	–	·11	·42	·05	·37	·07	·28	8
9	–	–	·04	·03	·03	–	·06	·03	–	·24	·05	–	9
10	·17	–	·43	·30	–	–	–	·38	–	·05	–	·01	10
11	·03	–	1·04	·09	–	–	–	·26	·03	·18	·17	–	11
12	·17	–	–	·02	·25	–	–	·02	–	·25	·02	–	12
13	–	–	·28	·01	–	–	–	·16	·03	·14	–	–	13
14	–	–	–	·10	–	–	·20	·16	–	–	–	–	14
15	·06	–	–	–	–	–	·28	·06	–	·20	–	·50	15
16	–	·13	–	·02	–	–	–	·02	–	·25	–	·12	16
17	–	·01	–	·04	–	–	·25	·09	·55	·10	–	–	17
18	–	·24	–	·01	·59	–	·16	–	·50	·02	–	–	18
19	–	·39	·06	–	–	·25	–	–	·16	–	–	–	19
20	–	·06	·03	–	·47	·03	–	–	·10	–	–	·01	20
21	–	–	–	–	–	·08	–	–	–	–	·04	·07	21
22	–	–	·04	–	–	–	–	·45	–	·05	–	–	22
23	–	·08	–	–	·28	–	–	·15	–	·10	–	–	23
24	–	–	–	–	–	–	·32	·08	–	·06	–	–	24
25	–	·01	·05	–	–	–	·04	·10	·05	·11	·13	–	25
26	–	–	–	–	·34	–	–	·97	·08	·03	–	–	26
27	–	–	–	–	–	·53	–	·88	–	·06	–	–	27
28	–	·12	·03	–	·02	·38	–	·32	–	–	–	·01	28
29	–	·15		–	–	·41	–	–	–	·51	–	·15	29
30	–	X	·18	–	–	–	·16	·19	–	·03	–	–	30
31	–	X	·03	X	·05	X	–	–	X	·37	X	–	31
Total	1·03	1·04	3·68	1·01	2·03	2·46	1·94	5·34	1·63	3·94	1·59	1·19	YEAR'S TOTAL 26·88
Rain Days.	9	8	17	13	8	10	11	21	11	25	11	9	153

W. 8,000, IX. 17.

Exe 8

72

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Teignmouth (Hazeldown Reservoir)

in the County of S Devon

by the Town Council (Mr Geo Rossiter)

Lat. 50° 32' 49" N Long. 3° 29' 28" W.

Time of Observation 7am.

Nearest Railway Station GWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. = in.

" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	7am.	7am.	7am	7am	7am.	7am.	7am.	7am.	7am.	7am	7am.	7am	
1	–	·20	–	·14	·02	–	–	·79	–	–	·81	·02	1
2	–	·17	–	·12	–	–	–	·03	–	·03	–	·25	2
3	–	·11	·01	·45	·11	–	–	·07	–	–	·04	–	3
4	–	·01	–	·02	–	–	–	·75	·56	–	·96	·15	4
5	·17	–	·08	–	·64	–	–	·35	·49	·21	–	·02	5
6	–	·14	–	·10	–	–	–	·22	–	–	–	·18	6
7	–	·12	–	·03	·06	–	–	–	·29	·24	·35	·17	7
8	·08	·09	–	–	–	–	–	–	·09	·33	–	·01	8
9	·02	–	–	·03	–	·04	·29	–	·40	·09	·02	·31	9
10	·05	–	–	·44	–	–	·28	–	·16	·14	·02	·35	10
11	–	–	·14	·10	–	–	·99	–	·15	·03	·11	·02	11
12	–	·11	·11	–	·16	–	·06	–	–	–	·03	·01	12
13	·03	–	–	–	·14	–	·32	–	·17	·03	–	·03	13
14	·23	–	–	–	·12	·06	·04	–	·26	·05	–	·10	14
15	1·06	–	–	–	·07	·03	·63	–	·03	·06	–	·15	15
16	·60	–	–	·17	–	·02	·03	–	·22	–	–	·05	16
17	·32	–	·03	·25	–	–	·43	–	·03	–	–	·24	17
18	·81	–	–	–	–	·59	·06	–	·80	·06	–	·34	18
19	·10	–	·12	·01	–	–	·13	–	·03	–	–	·16	19
20	·13	·08	–	·02	–	–	·04	–	·18	·04	–	·01	20
21	·08	·08	–	·14	–	·02	–	–	·35	·24	–	·50	21
22	·03	–	–	–	·08	–	·43	–	·15	·05	–	·14	22
23	·06	–	–	–	·09	–	·43	·04	·09	–	·06	·16	23
24	–	·15	–	–	–	–	·12	–	·05	–	·10	·38	24
25	–	–	–	·18	·10	–	·20	·63	–	·05	·26	·02	25
26	–	–	–	–	–	–	·12	·02	·04	·01	·05	·04	26
27	·03	·03	·09	–	–	–	–	·09	·09	·02	·16	–	27
28	–	·12	·24	–	–	–	–	–	–	·03	·02	·03	28
29	–	–	·10	–	–	–	–	–	1·52	–	–	·02	29
30	–		·34	–	–	–	–	–	·02	·07	·19	·08	30
31	–		·02		–		–	–		–		–	31
Total	3·80	1·41	1·28	2·20	1·59	0·76	4·60	2·39	6·17	1·81	3·18	3·94	YEAR'S TOTAL 33·13
Rain Days.	16	13	11	15	11	6	17	10	23	19	15	28	184

W, 6,500, VII. 18. W W C

Ex: Hob

1629

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hazeldown Reservoir Teignmouth
in the County of Devon
by Town Council (Geo Rossiter)

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.
Time of Observation 6 am
Nearest Railway Station GWR Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	-	-	-	·06	-	·35	-	-	·13	-	·85	1
2	·21	-	-	-	·02	-	·06	-	·12	·09	-	·01	2
3	·39	-	·31	-	-	-	-	-	·11	-	·02	·04	3
4	·57	·80	·60	-	-	·07	·16	·10	·53	-	·03	·05	4
5	·02	·22	·79	-	-	-	-	-	·61	-	·07	·04	5
6	·73	·90	·05	·02	-	-	-	-	-	-	·01	·27	6
7	·24	-	·30	·10	-	-	·02	-	·02	-	-	·06	7
8	·48	-	·19	-	-	·01	-	-	-	-	·17	-	8
9	·21	-	-	·22	·16	-	-	-	-	-	·68	-	9
10	·16	-	·44	·02	·02	-	-	-	-	·02	·01	·28	10
11	·11	-	·32	·10	·23	-	·07	-	-	-	·05	·26	11
12	·07	-	·05	-	-	·02	·02	-	·04	·06	·11	·02	12
13	·09	·14	·17	·42	-	-	-	-	-	·03	-	·10	13
14	·47	·28	-	·32	·73	-	-	-	·05	·07	-	·26	14
15	·29	·20	-	·05	-	-	-	-	-	·05	-	·34	15
16	·08	1·02	-	-	-	-	-	-	-	-	·15	-	16
17	-	·22	-	-	-	-	-	-	-	-	·10	-	17
18	-	·59	·56	-	-	-	·21	·03	-	-	·12	-	18
19	·51	·70	·15	-	-	·07	·75	·15	·15	-	·09	·02	19
20	·47	·02	·02	-	-	·45	-	·35	·12	-	·15	-	20
21	·01	·89	-	-	-	·03	-	-	·07	·02	·01	·10	21
22	-	-	-	-	-	-	·02	-	·17	-	-	·05	22
23	-	-	·03	-	-	-	-	·09	·01	·46	·05	·16	23
24	-	-	-	·01	-	·18	-	-	-	·43	·18	·16	24
25	·08	·05	-	·07	-	·11	-	·40	-	-	-	·02	25
26	·20	·04	02	·03	-	-	-	·08	·02	-	·08	·30	26
27	·27	-	·07	·23	-	-	·03	·83	-	-	-	·03	27
28	·03	-	·18	·08	-	-	-	1·02	-	-	·67	·37	28
29	-	-	-	·04	-	-	-	·12	-	·06	-	·11	29
30	-		-	·02	-	·05	-	·09	-	-	·64	·61	30
31	-		·03		-		-	-		-		·61	31
TOTAL	6·08	6·07	4·28	1·73	1·22	0·99	1·69	3·26	2·02	1·42	3·39	5·12	YEAR'S TOTAL 37·27
Days with ·01 in. or more	23	14	18	15	6	9	10	11	13	11	20	25	175

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hazeldown Reservoir Teignmouth
in the County of Devon
by Geo. Rossiter

Lat. 50° 32' 49" N Long. 3° 29' 28" W.
Time of Observation 9 am.
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	-	·12	·48	-	·47	-	·12	·07	·03	·84	1
2	·24	-	-	·16	-	-	·02	·10	·06	·03	-	·16	2
3	·01	·05	-	·07	-	-	·02	-	-	·53	-	·18	3
4	-	-	·01	-	-	-	·27	·50	-	·21	-	-	4
5	-	·01	·08	·04	-	-	·28	·20	-	·10	-	-	5
6	-	-	·36	-	·20	-	·18	-	-	·10	-	-	6
7	·03	-	-	·12	·09	-	·42	-	-	-	-	·05	7
8	·02	·04	-	·24	·07	-	·23	-	-	·02	-	·25	8
9	·49	·01	-	·02	-	·25	-	-	-	-	-	-	9
10	1·15	·06	·03	-	-	·30	·33	-	-	-	-	-	10
11	·33	-	·17	·54	·18	·04	·16	-	-	-	-	-	11
12	·15	·08	·06	·13	-	·07	·03	-	-	-	·12	-	12
13	·05	·02	·60	·09	-	-	-	-	-	·06	·01	-	13
14	·01	·05	·46	·59	-	-	-	-	·10	·11	·42	-	14
15	-	·09	·06	·35	·04	-	·01	-	·02	·68	·06	-	15
16	-	·03	·01	·04	-	-	·17	-	·15	·11	·01	-	16
17	-	·01	·01	·09	·16	·05	·02	-	·30	-	-	-	17
18	·09	·02	-	·07	·10	·23	·04	·24	·08	-	-	-	18
19	·01	-	-	·48	-	·22	-	-	-	-	-	-	19
20	·01	·05	-	·17	·05	·26	-	-	-	·03	-	·23	20
21	-	-	-	·04	-	-	·02	-	-	·22	-	·14	21
22	·03	-	-	·03	-	-	-	-	-	-	-	·39	22
23	-	-	-	-	-	-	·22	-	-	-	-	·45	23
24	-	-	·22	-	-	-	-	·04	-	-	·15	·23	24
25	-	·03	·08	-	·02	-	·69	-	-	-	-	·04	25
26	·23	-	·25	-	-	-	·06	-	-	-	·21	·16	26
27	·75	·13	·12	·04	·02	·11	·05	-	-	-	·45	·26	27
28	·55	·04	·11	·01	-	-	·08	-	-	-	-	·11	28
29	·52	-	·96	·07	·03	·01	-	-	-	-	·24	·38	29
30	·18		-	-	-	·10	·01	-	·56	-	·29	·47	30
31	·13		·30		-		·02	-		·57		·21	31
TOTAL	5·10	0·72	3·89	3·51	1·44	1·64	3·80	1·08	1·39	2·84	1·99	4·55	YEAR'S TOTAL 31·95
Days with ·01 in. or more	21	16	18	22	12	11	23	5	8	14	11	17	178
Days with ·04 in. or more	14	9	14	19	9	10	15	5	7	11	8	17	138

✓

REGI

FORM A2.
BRITISH RAINFALL.

5 JUN 1912

TEIGNMOUTH

LANDSCORE RES

DEVON

1911 – 1919.

Kept at Teignmout

in the County of Devon

by District Co

in.

nd 1 ft. in.

Level 136 ft.

e Teignmouth

nce Direction

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading in the space provided for it at the end of this p of rain, the selection and placing o Rainfall Organization are given in " ication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.	.	·05	.	.	.	·04	.	·02	·03	·63	1
2	.	.	.	·02	·37	.	.	·19	.	·07	·15	·32	2
3	.	.	.	.	·13	.	.	.	·03	·05	·13	·68	3
4	.	.	·09	.	.	·01	.	.	.	.	·13	·61	4
5	·05	.	·05	.	.	.	.	·18	.	·03	·07	.	5
6	·33	.	·40	.	.	.	.	.	.	·02	·07	1·24	6
7	·03	.	.	·02	.	.	.	.	.	.	·44	.	7
8	.	.	·09	.	.	.	.	.	.	.	·09	·58	8
9	.	.	.	.	.	·22	.	.	.	.	·58	·68	9
10	·01	·01	·38	.	·23	.	.	.	.	.	.	·48	10
11	·21	.	·02	.	.	.	.	.	.	.	·80	·04	11
12	.	.	·57	.	.	.	.	.	·02	.	·06	·10	12
13	.	.	.	.	.	.	.	.	·29	.	·01	·50	13
14	.	·08	·01	.	.	.	.	.	.	·16	.	·71	14
15	.	.	.	.	.	·04	.	.	.	.	·28	·05	15
16	.	.	·02	.	.	·43	.	.	.	.	·55	·55	16
17	.	.	·45	.	.	·20	.	.	.	.	·24	·75	17
18	.	·17	·31	.	.	·31	.	.	.	·17	·27	·68	18
19	.	·04	.	·27	.	·42	.	.	·34	·19	·13	·41	19
20	·02	·02	·30	·04	.	-	.	.	·14	·29	.	·73	20
21	·02	·10	.	·02	.	·02	.	·25	·07	·75	.	·14	21
22	·24	.	·02	·02	.	·14	.	.	·34	·07	.	·54	22
23	.	·17	·13	.	.	·02	.	.	·02	·21	·12	·24	23
24	.	·12	.	.	.	·43	.	·04	.	·45	.	·27	24
25	.	·05	.	·02	.	·02	.	·01	·08	·02	.	·07	25
26	.	·05	.	·27	·03	.	.	·03	·12	·36	·02	·17	26
27	.	·25	·03	·03	.	.	.	·05	.	·75	·02	·13	27
28	.	·26	·03	·37	.	.	.	·07	·09	.	·03		28
29	.		.	·16	.	·19	·66	-	·02	·20	.		29
30	.		.	.	.	·02	·05	.		·23	·07		30
31	.		.				·03	.		·01	.		31
Total	·91	1·32	2·90	1·29	·76	2·47	·74	·86	1·56	4·05	4·29	10·10	TOTAL for year
No. of Rain Days.	8	12	16	12	4	14	3	9	12	19	22	25	31·25 156

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

5 JUN 1912

REGI

Kept at Teignmouth {Landscore Reservoir}

in the County of Devon

by District Council

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 136 ft.

Time of Observation 9am.

Nearest Railway Station
Name Teignmouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.	.	·05	.	.		·04	.	·02	·03	·03	1
2	.	.	.	·02	·37	.	.	·19	.	·07	·15	·32	2
3	.	.	.	.	·13	.	.	.	·03	·05	·13	·68	3
4	.	.	·09	.	.	·01	.	.	.	.	·13	·61	4
5	·05	.	·05	.	.	.	.	·18	.	·03	·07	.	5
6	·33	.	·40	.	.	.	.	.	.	·02	·07	1·24	6
7	·03	.	.	·02	.	.	.	.	.	.	·44	.	7
8	.	.	·09	.	.	.	.	.	.	.	·09	·58	8
9	.	.	.	.	.	·22	.	.	.	.	·58	·68	9
10	·01	·01	·38	.	·23	.	.	.	.	.	.	·48	10
11	·21	.	·02	.	.	.	.	.	.	.	·80	·04	11
12	.	.	·57	.	.	.	.	.	·02	.	·06	·10	12
13	.	.	.	.	.	.	.	.	·29	.	·01	·50	13
14	.	·08	·01	.	.	.	.	.	.	·16	.	·71	14
15	.	.	.	.	.	·04	.	.	.	.	·28	·05	15
16	.	.	·02	.	.	·43	.	.	.	.	·55	·55	16
17	.	.	·45	.	.	·20	.	.	.	.	·24	·75	17
18	.	·17	·31	.	.	·31	.	.	.	·17	·27	·68	18
19	.	·04	.	·27	.	·42	.	.	·34	·19	·13	·41	19
20	·02	·02	·30	·04	.	-	.	.	·14	·29	.	·73	20
21	·02	·10	.	·02	.	·02	.	·25	·07	·75	.	·14	21
22	·24	.	·02	·02	.	·14	.	.	·34	·07	.	·54	22
23	.	·17	·13	.	.	·02	.	.	·02	·21	·12	·24	23
24	.	·12	.	.	.	·43	.	·04	.	·45	.	·27	24
25	.	·05	.	·02	.	·02	.	·01	·08	·02	.	·07	25
26	.	·05	.	·27	·03	.	.	·03	·12	·36	·02	·17	26
27	.	·25	·03	·03	.	.	.	·05	.	·75	·02	·13	27
28	.	·26	·03	·37	.	.	.	·07	·09	.	·03		28
29	.		.	·16	.	·19	·66	-	·02	·20	.		29
30	.		.	.	.	·02	·05	.		·23	·07		30
31	.		.				·03	.		·01	.		31
Total	·91	1·32	2·90	1·29	·76	2·47	·74	·86	1·56	4·05	4·29	10·10	TOTAL for year
No. of Rain Days.	8	12	16	12	4	14	3	9	12	19	22	25	31·25 156

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Teignmouth. (Landscore Reservoir)
in the County of Devon. 55
by Town Council.

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W
Time of Observation 6 am
Nearest Railway Station GWR
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·		·22	·	·	·21	·03	·01	·18	·80	·	·25	1
2	·	·	·19	·	·	·23	·02	·16	·	·07	·03	·02	2
3	·	·	·15	·	·	·29	·08	1·02	·	·	·	·02	3
4	·12	·	·81	·	·02	·02	·	·07	·	·	·21	·	4
5	·38	·38	·20	·	·	·06	·03	·46	·	·	·	·14	5
6	·37	·08	·	·	·11	·67	·	·06	·	·	·	·08	6
7	·03	·62	·18	·	·15	·30	·	·05	·	·	·	·	7
8	·64	·29	·68	·	·	·05	·	·05	·	·	·	·32	8
9	·07	·05	·08	·01	·	·23	·04	·07	·	·	·	·06	9
10	·05	·10	·15	·03	·	·	·	·24	·	·	·06	·21	10
11	·15	·02	·02	·	·	·	·	·06	·	·	·18	·28	11
12	—	·56	·05	·	·	·02	·07	·58	·	·	·	·43	12
13	·11	·02	·	·	·	·	·82	·	·	·05	·	·05	13
14	·04	·	·45	·	·11	·	·	·08	·	·	·	·08	14
15	·53	·10	·07	·	·31	·27	·	·	·	·	·	·03	15
16	·46	·03	·31	·	·05	·	·	·02	·	·03	·	·11	16
17	·04	·	·15	·	·	·06	·	·72	·	·	·	·02	17
18	·05	·02	·15	·	·	·	·04	·08	·	·	·	·05	18
19	·02	·03	·22	·	·	·03	·	·21	·	·	·	·05	19
20	·02	·07	·41	·	·15	·	·	·14	·	·	·	·03	20
21	-	·07	·40	·	·31	·	·	·03	·	·30	·05	—	21
22	·57	·37	·06	·	·05	·	·04	·05	·	·10	·02	·	22
23	·70	·31	·23	·	·	·05	·07	·24	·	·06	·	·12	23
24	·12	·04	·	·	·	·17	·	·07	·	·10	·07	·22	24
25	·19	·	·	·	·	·18	·08	·39	·	·13	·17	·16	25
26	·	·02	·	·	·	·	·40	·06	·	·17	·52	·42	26
27	·	·	·	·	·	·32	·16	·16	·	·42	·02	·44	27
28	·	·11	·	·	·	·06	·	·58	·28	1·33	·40	·42	28
29	·	·41	·02	·	·	·	·15	·17	·39	·41	·02	·54	29
30	·	·		·	·	·20	·	·01	·31	·45		·02	30
31	·	·	·39	·	·40		·70	·		·30 31st. ·04		·03	31
Total	4·60	3·70	5·59	·04	1·66	3·42	2·73	5·87	1·16	4·76	1·75	4·60	YEAR'S TOTAL 39·88
Rain Days.	20	21	23	2	10	19	15	28	4	16	12	27	197

W. 7,500, XI. ·13 This record is copied from the Council book. tis taken by different observers

~~W~~ DL cwd [illegible] 20.III.14

FORM A.
BRITISH RAINFALL.

13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at {Landscore Reservoir} Teignmouth.

in the County of S Devon 5

by Town Council

Lat. 50° 32' 49" N Long. 3° 22' 25" W

Time of Observation Jan: to July. 6:30 am. Aug: Sept: & Oct. 6 am. Nov: Dec: 7 am.

Nearest Railway Station Teignmouth GWR.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.15	.	.05	.15	.03	.	.	.09	.13	.19	.	1
2	.23	.26	.16	.16	.11	.	.06	.	.02	.01	.10	.	2
3	.32	.	.04	.02	.47	.	.	.	.	.03	.	.17	3
4	1·29	.	.04	.	.08	.05	.	.	.12	.	.04	.10	4
5	.08	.06	.04	.	.15	.08	.	.	.68	.56	.36	.30	5
6	.03	.10	.12	.	.04	.06	.	.	.03	1.25	.02	.	6
7	.01	.47	.10	.	.54	.02	.27	.	.	.35	.21	.	7
8	.04	.20	.	.	.58	.	.	.	.	.04	.	.	8
9	.02	.02	.	.	.14	.	.	.	.	.	.32	.	9
10	.39	.	.	.	.18	.	.13	.15	.	.15	.06	.	10
11	.90	.	.	.03	.45	.03	.	.04	.	.03	.86	.	11
12	.06	.	.	.	.35	.03	.	.	.	.	.36	.01	12
13	.22	.	.05	.	.	.	.	.05	.23	.	.05	.	13
14	.40	.	.12	.05	.38	.	.	.	.03	.	.09	.	14
15	.31	.	.	.47	.	.	.	.	.16	.	.02	.	15
16	.27	.	.46	.10	.	.	.	.01	.28	.	.	.	16
17	.10	.	.36	.05	.	.	.	.	.	.	.	.	17
18	.03	.	.02	.06	.	.	.	.	.	.	.06	.	18
19	.74	.	.30	.	.	.	.	.	.29	.	.	.	19
20	.17	.	.05	.23	.	.	.	.	.	.02	.20	.	20
21	.	.	.30	.10	.02	.	.	.	.	.11	.45	.	21
22	.27	.	.29	.	.	.	.	.	.04	.03	.	.12	22
23	.	.	.59	.	.	.	.	.04	.	.19	.05	1·02	23
24	.	.07	.	.05	.	.	.	.	.	.	.02	.	24
25	.	.	.	.24	.	.	.	.	.05	.09	.	.	25
26	.	.	.	1·48	.	.	.	.10	.	.01	.	.	26
27	.43	.	.21	.36	.	.	.	.	.	.35	.02	.	27
28	.41	.	.05	.25	.01	.	.	.	.	.31	.	.16	28
29	.19	.	.59	.31	.	.	.	.	.	.20	.	.14	29
30	.31		.	.02	.	.	.	.	.	.66	.	.	30
31	.08		.20		.		.	.26		.06		.	31
Total	7·30	1·33 1·33	4·09	4·03	3·65	0·30	0·46	0·65	2·02	4·58	3·48	2·05	YEAR'S TOTAL 33.94 33·94
Rain Days.	25	8	20	18	15	7	3	7	12	20	19	8	162

W.7,000, XI. 13

corr per auth. by own data
June 30–Aug. divided } 9-11-15

~~H.~~ M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 JAN 1915

Kept at Landscore Reservoir, Teignmouth
in the County of Devon
S 5
by The Town Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W
Time of Observation Jan to Mar: 7am Apl to Nov: 6am Dec: 7am
Nearest Railway Station GWR Teignmouth
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.	.	·04	·03	·32 ~~·47~~	.	.	·60	·22	1
2	.	.	.	·17	·02	.	·23	·05	.	.	·48	·42	2
3	.	.	·10	·13	·62	.	.	.	.	.	–	.	3
4	.	.	.	·24	·14	.	·45	·28	.	.	·56	·63	4
5	·20	.	·04	·09	·05	.	.	.	·11	.	.	.	5
6	.	·05	·03	·06	·10	.	·06	·01	.	.	.	·72	6
7	.	1·06	·12	·17	·02	·10	·18	·02	·15	.	.	·42	7
8	·03	.	·40	–	·01	·22	.	·05	·09	.	.	(·05)	8
9	.	·04	·81	·27	·02	·43	.	·18	1·00	.	.	.	9
10	·02	·52	·08	·15	·08	·06	.	·06	·54	.	.	.	10
11	.	·15	·27	.	.	·09	.	.	·04	.	.	1·04	11
12	.	·22	·10	.	.	.	.	.	·06	·08	.	·70	12
13	.	·45	·26	.	.	.	·09	.	·12	·13	·27	·20	13
14	.	·42	·37	.	.	·10	·10	·60	.	·09	·45	·17	14
15	.	.	·08	.	.	.	·05	·20	.	·13	·26	·12	15
16	.	.	·03	.	.	.	·03	.	·27	.	–	.	16
17		·22	·25	.	.	.	.	.	·02	.	.	·55	17
18	.	·02	·08	.	.	.	·02	.	·15	.	.	·27	18
19	.	·06	·50	.	.	.	1·87	.	·08	.	.	.	19
20	.	·36	·60	.	.	·06	.	.	.	.	·04	·07	20
21	.	·57	·04	.	.	.	.	.	.	·34	.	·22	21
22	.	·08	.	.	·17	·07	.	.	.	·16	.	·03	22
23	.	·04	·25	.	·02	.	.	.	.	·26	.	.	23
24	.	·05	.	.	·11	.	.	·05	.	·15	.	.	24
25	·10	.	·25	.	·04	.	·06	·31	.	·33	·07	·23	25
26	·10	.	·02	.	.	.	·05	·05	.	·03	·18	·74	26
27	·02	.	.	.	.	.	.	.	.	·03	·27	·33	27
28		·04	·34	.	·03	.	.	.	.	·04	·27	·75	28
29	·10	.	·18	.	·13	.	.	.	.	·04	·63	.	29
30	·02	×	·10	·02	.	.	.	.	.	·27	·67	1·02	30
31	·08	×	–	×	.	×	(·40)	.	×	·65	×	·20	31
Total	0·67	4·35	5·30	1·30	1·56	1·~~4~~7 1·17	~~2·42~~ 3·62	2·~~5~~8 2·18	2·63	2·73	4·75	9·10 ✓	YEAR'S TOTAL 39·3~~4~~6
Rain Days.	9	17	24	9	15	9	1~~7~~4	13	12	15	13	21	17~~0~~

39·36

W. 8,000. X. 14.

Ex M.L

1851

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

15 JAN 191

Kept at Landscore Reservoir Teignmouth
in the County of Devon
by The District Council

S5

Lat. 50°32'49"N Long. 3° 29'28" W.
Time of Observation 6am & 6.30 am
Nearest Railway Station GWR Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
Time	6.30am	6.30am	6.30am	6.30am	6.30am	6am	6am	6am	6am	6am	6am	6am	
1	·56	·15	—	—	—	—	—	·25	·29	·31	·05	·32	1
2	·24	·12	·02	—	—	·08	—	·64	·12	·23	—	·66	2
3	—	·12	·04	·02	·58	—	—	—	—	—	—	·50	3
4	·01	·04	—	—	·05	—	—	—	—	—	—	·45	4
5	·04	·65	—	—	—	—	—	·29	—	—	—	·62	5
6	·66	·31	—	·42	·02	—	·29	—	—	—	—	·14	6
7	·29	·28	—	·10	—	—	·20	—	—	·03	—	·46	7
8	·11	·44	—	—	—	—	·09	·06	—	·10	—	·07	8
9	—	·12	—	·02	—	—	—	—	—	·09	·31	·91	9
10	·08	·24	·04	·08	—	—	—	—	—	·15	·03	·07	10
11	·08	·46	·18	—	·03	—	·04	·02	—	·03	·78	·02	11
12	·03	·40	—	·05	·51	—	—	·20	—	·04	·46	—	12
13	—	·55	—	—	·75	—	·02	·02	·03	—	·18	—	13
14	—	—	—	—	—	—	·21	·11	·04	·14	—	·71	14
15	·12	—	—	—	·18	—	·08	—	—	·02	·05	·12	15
16	·03	1·20	—	—	·30	—	·85	—	—	—	—	·32	16
17	—	·62	—	—	·16	—	—	—	—	—	—	·07	17
18	—	·19	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	·46	—	·10	·21	—	—	—	—	19
20	·12	—	—	·13	—	·09	—	—	—	·22	—	·03	20
21	·23	·04	—	—	·01	—	·11	—	·03	·11	—	·02	21
22	·03	—	·26	·05	·02	·10	·43	—	—	—	—	·31	22
23	·06	·07	·18	—	—	—	·10	—	·08	1·47	—	·41	23
24	—	—	·04	·03	—	·08	·82	—	·07	·12	—	·43	24
25	—	—	·03	·04	—	·95	·06	—	—	—	—	·42	25
26	—	·15	—	—	—	·04	·15	—	·35	—	—	·98	26
27	—	·04	—	—	—	·15	·05	—	—	·40	—	·02	27
28	—	·05	—	·04	—	·15	—	—	·40	·08	—	·06	28
29	—	—	—	—	—	·33	·38	—	·11	·01	—	·08	29
30	·18		—	—	—	·07	—	—	—	·64	·66	·31	30
31	·02		—		—		·20	·02		1·21		·45	31
Total	2·89	6·24	·79	·98	3·07	2·04	4·18	1·82	1·52	5·40	2·52	8·96	YEAR'S TOTAL 40·41 ✓
Rain Days.	18	21	8	11	12	10	18	9	10	19	8	27	171 ✓

W. 8,000. X. 15.

Exe E17

1812

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5. MAR 1917

2

Kept at Landscore Reservoir Teignmouth

in the County of Devon.

by

Lat. 50° 32′ 49″ N. Long. 3° 29′ 28″ W.
Time of Observation 9am
Nearest Railway Station GWR.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	6 am.	6am	6am	6·am	6am	6am	6am	6am	6am	6am	6am	6·30am	
1	·07	—	·16	—	·19	—	—	—	·15	·31	·25	—	1
2	·33	·06	—	—	—	—	—	—	·10	·18	·04	—	2
3	—	1·27	—	—	·07	—	~~·05~~	—	—	·55	·66	—	3
4	·16	·10	—	—	·43	·11	·05	—	·62	·05	·70	—	4
5	·02	·03	·06	·02	—	·18	~~·05~~	—	—	·09	·18	—	5
6	—	·12	·02	—	·16	·06	·72	—	—	·08	·90	—	6
7	·03	·20	·11	—	·06	·19	·03	—	—	·02	·55	·07	7
8	—	·18	·17	—	·36	·10	—	—	—	—	·04	·12	8
9	—	·35	·07	—	—	·27	·02	—	—	—	·10	·03	9
10	—	·38	—	·01	·02	—	—	—	—	·08	—	·12	10
11	—	—	—	—	—	—	—	—	—	—	—	—	11
12	·04	·02	·30	·02	·16	—	·02	·09	—	—	—	—	12
13	—	·18	·24	·02	—	—	·02	·17	—	—	—	—	13
14	—	·60	·25	·03	·04	—	—	·40	—	·07	—	—	14
15	—	·23	·15	·05	—	—	—	·07	—	·05	—	·03	15
16	·16	·10	—	·12	—	—	·08	·15	—	—	—	—	16
17	·16	·05	—	·01	—	—	—	—	·09	·27	1·05	—	17
18	·05	·07	·33	—	—	—	—	—	·08	·03	—	·12	18
19	·12	·14	·37	—	—	—	—	—	·13	—	·17	·16	19
20	·05	·95	·31	—	—	—	—	—	—	—	·03	1·20	20
21	—	·16	·12	—	·07	—	—	—	—	—	—	·68	21
22	—	—	·03	—	—	·10	—	—	—	·36	·01	·61	22
23	·02	·02	—	—	—	·13	—	·20	—	·18	·18	—	23
24	—	·03	—	·09	·21	·04	—	·09	—	·68	·03	·06	24
25	—	·14	·07	—	—	—	—	·32	—	·02	·21	·40	25
26	·02	—	·10	—	·02	·35	—	·11	·96	·84	·02	·05	26
27	—	·45	1·45	—	—	·49	—	·15	1·05	·15	—	—	27
28	—	·04	—	—	—	—	—	·05	·06	·46	—	·23	28
29	—	·15	·02	—	—	·25	—	3·15	·25	·08		·31	29
30	—	✕	—	—	—	—		·01	—	·91	—	—	30
31	—	✕	—	✕	—	✕		·03	✕	·28	✕	—	31
Total	1·23	6·02	4·33	0.37	1·79	2·27	·94	4·99	2·89	5·74	5·12	4·19	YEAR'S TOTAL 19.88
Rain Days.	13	25	19	9	12	12	4	14	10	22	17	15	175

4·33

W. 8,000, VIII. 16

1732

FORM A.
BRITISH RAINFALL.
24 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Teignmouth (Landscore Reservoir)

in the County of Devon

by Town Council

Lat. 50° 32′ 49″ N. Long. 3° 29′ 28″ W.

Time of Observation 6am & 6.30am

Nearest Railway Station G. W. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	6am	6.30am	6am	6am	6am	6.30am	6am	6am	6am	6am	6am	6.30am	
1	–	–	.15	.21	–	.17	–	.32	–	–	.02	.01	1
2	–	–	–	.11	–	.09	–	–	–	.03	–	–	2
3	.03	–	–	.07	–	–	.27	.02	–	.06	.84	–	3
4	.02	–	.56	–	–	–	–	–	.05	.39	–	–	4
5	.10	–	.26	.08	–	.43	–	–	.02	.09	.07	–	5
6	–	–	.14	–	–	–	–	–	–	–	.05	–	6
7	.30	–	–	–	–	.02	.03	.13	–	.11	.05	–	7
8	.13	–	.45	.04	–	–	.13	.66	.03	.33	.05	.30	8
9	– "	–	.04	.06	.05	–	.10	.04	–	.25	.08	–	9
10	.13	–	.41	.31	–	–	–	.41	–	.05	–	.02	10
11	.06	–	1.15	.07	–	–	–	.07	.03	.16	.16	–	11
12	.18	–	–	.05	.25	–	–	.01	–	.21	.02	–	12
13	–	–	.27	.01	–	–	–	.18	.03	.15	–	–	13
14	–	–	–	.09	–	–	.10	.40	.01	–	–	–	14
15	.07	–	–	–	–	–	.17	.05	–	.17	–	.17	15
16	–	.15	–	.06	–	–	–	–	–	.27	–	.51	16
17	–	.02	–	.04	–	–	.20	.07	.52	.11	–	–	17
18	–	.20	–	.01	.60	–	.13	–	.42	.03	–	–	18
19	–	.37	.07	–	–	.21	–	–	.24	–	–	–	19
20	–	.04	.02	–	.45	.04	–	–	.04	–	–	.01	20
21	–	–	.02	–	–	.04	–	–	–	–	.04	.07	21
22	–	–	.02	–	–	–	–	.32	–	.04	–	–	22
23	–	.06	–	–	.30	–	–	.16	–	.17	–	–	23
24	–	–	–	–	–	–	.41	.08	–	.05	.01	–	24
25	–	–	.03	–	–	–	.10	.10	.03	.07	.12	–	25
26	–	–	–	–	.31	.01	–	1.01	.04	.05	–	–	26
27	–	–	–	–	–	.51	–	.77	–	.03	–	–	27
28	–	.05	04	–	.03	.20	–	.41	–	–	–	–	28
29	–		.07	–	–	.54	–	–	–	.58	–	.20	29
30	–	X	.21	–	–		.17	.17	–	.03	–	–	30
31	–	X	.04	X	.04	X	–	–	X	.31	X	–	31
Total	1.02	0.89	3.95	1.21	2.03	2.26	1.81	5.38	1.46	3.74	1.51	1.29	YEAR'S TOTAL 26.55
Rain Days.	9	7	18	14	8	11	11	20	12	24	12	8	154

W. 8,000, IX. 17.

71

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Teignmouth (Landscore Reservoir)
in the County of S Devon
by The Town Council (Mr Geo. Rossiter

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.
Time of Observation 6 6:30 am
Nearest Railway Station GWR.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 133. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
Time	6am.	6:30am	6am	6:30am.	6am	6am.	6am.	6am.	6am.	6a	6am	6a	
1	–	·23	–	·06	·02	–	–	·75	–	–	·86	·04	1
2	–	·10	–	·06	–	–	–	·03	–	·02	–	·22	2
3	–	·16	·01	·37	·10	–	–	·05	–	·01	·03	–	3
4	–	·02	–	·02	–	–	–	·08	·19	–	1·00	·12	4
5	–	–	·09	–	·53	–	–	·39	·83	·19	–	·02	5
6	·17	·10	–	·06	–	–	–	·11	–	–	–	·12	6
7	–	·10	–	·02	·04	–	–	–	·32	·24	·39	·18	7
8	·08	·06	–	–	–	–	–	–	·09	·28	–	·02	8
9	·02	–	–	·02	–	·04	·28	–	·41	·08	·02	·22	9
10	·02	–	–	·40	–	–	·22	–	·17	·11	·02	·42	10
11	–	–	·05	·12	–	–	·90	–	·15	·02	·05	·02	11
12	–	·06	·15	–	·10	–	·05	–	–	·02	·06	·02	12
13	·02	–	–	–	·15	–	·30	–	·15	·02	–	(·03)	13
14	·21	–	–	–	·05	·05	·06	–	·23	·08	–	·07	14
15	·95	–	–	–	·08	·07	·60	–	·02	·06	–	·17	15
16	·61	–	–	·19	–	·02	·06	–	·20	–	–	·06	16
17	·32	–	·03	·21	–	–	·38	–	·02	–	–	·24	17
18	·85	–	–	–	–	·65	·05	–	·76	·05	–	·24	18
19	·16	–	·14	·02	–	–	·13	·02	·04	–	–	·27	19
20	·11	·04	–	·02	–	–	·03	–	·20	·05	–	·02	20
21	·07	·01	–	·15	–	–	–	–	·36	·23	–	·46	21
22	·02	–	–	–	·08	–	·40	–	·10	·04	–	·10	22
23	·04	–	–	–	·11	–	·50	·04	·08	–	·06	·12	23
24	–	·15	–	–	–	–	·11	–	·04	–	·12	·42	24
25	–	–	–	·17	·07	–	·16	·61	–	·05	·22	·17	25
26	–	–	–	–	–	–	·13	–	·03	·01	·04	·03	26
27	·03	·02	·06	·01	–	–	–	·06	·10	·02	·14	–	27
28	–	·11	·26	–	–	–	–	–	–	·02	·02	·02	28
29	–	–	·10	–	–	–	–	–	1·44	–	·02	·02	29
30	–	X	·37	–	–	–	–	–	–	·08	–	·07	30
31	–	X	·04	X	–	X	–	–	X	–	X	–	31
Total	3·62	1·16	1·30	1·90	1·33.	0·83	4·36	2·14	5·93	1·68	3·05	3·94	YEAR'S TOTAL 31·24
Rain Days	16	13	11	16	11	5	17	10	22	21	15	28	185

Fox. 1806

1628

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

30 JAN 20

Kept at Landscore Reservoir Teignmouth

in the County of Devon

by Town Council (Geo Rositer)

Lat. 50° 32 49" N Long. 3° 29' 28" W

Time of Observation 6 am

Nearest Railway Station Teignmouth G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft = in.

" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	-	-	-	·05	-	·30	-	-	·13	-	·94	1
2	·22	-	-	-	·01	-	·07	-	·12	·11	-	·01	2
3	·42	-	·27	-	-	-	-	-	·11	-	·03	·02	3
4	·82	·79	·57	-	-	·06	·10	10	·55	-	·05	·03	4
5	·05	·27	·70	-	-	-	-	-	·58	-	·06	·03	5
6	·49	·98	·04	·03	-	-	-	-	-	-	·01	·27	6
7	·28	-	·30	·08	-	-	·02	-	·02	-	-	·10	7
8	·48	-	·17	-	·01	-	-	-	-	-	·36	-	8
9	·28	-	-	·21	·21	-	-	-	-	-	·71	-	9
10	·14	-	·35	·07	·02	-	-	-	-	·03	-	·30	10
11	·06	-	·38	·09	·24	-	-	-	-	-	·04	·25	11
12	·05	-	·06	-	-	·03	·08	-	·05	·06	·10	·04	12
13	·03	·14	·18	·47	-	-	-	-	-	·03	-	·10	13
14	·45	·22	-	·31	·53	-	·01	-	·10	·06	-	·26	14
15	·25	·18	-	·09	-	-	-	-	-	·03	-	·32	15
16	·11	1·03	-	-	-	-	-	-	-	-	·13	-	16
17	-	·23	-	-	-	-	-	-	-	-	·10	-	17
18	-	·72	·54	-	-	-	·15	·02	-	-	·10	-	18
19	·48	·80	·15	-	-	·01	·65	·10	·10	-	·07	·03	19
20	·53	·02	·02	-	-	·50	-	·32	·14	-	·12	-	20
21	·03	·93	-	-	-	·02	-	-	·07	·02	·02	·07	21
22	-	-	-	-	-	-	·03	-	·15	-	-	·07	22
23	-	-	·04	-	-	-	-	·05	·02	·38	·04	·14	23
24	-	-	-	-	-	·15	-	-	-	·41	·15	·22	24
25	·05	·03	-	·08	-	·10	-	·37	-	-	-	·04	25
26	·20	·04	·01	·04	-	-	-	·07	-	-	·07	·32	26
27	·21	-	·08	·25	-	-	·02	·84	-	-	-	·03	27
28	·02	-	·21	·08	-	-	-	1·00	-	-	·64	·36	28
29	-		-	·03	-	-	-	·10	-	·07	-	·11	29
30	-		-	·03	-	·04	-	·06	-	-	·65	·57	30
31	-		-		-		-	-		-		·58	31
TOTAL	6·04	6·38	4·07	1·86	1·07	0·91	1·43	3·03	2·01	1·33	3·45	5·21	YEAR'S TOTAL 36·49
Days with ·01 in. or more	23	14	17	14	7	8	10	11	12	11	19	25	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

5 JUN 1912

REGISTE

TEIGNMOUTH.
SHALDON RES,
DEVON
1911 - 1920

Kept at Teignmouth ... ft. ... in.

in the County of Devon. ... 227 ft.

by District Coun ... mmouth

Direction

IMPORTANT NOTE.—Rain ... entered to the previous day. If an Observer pre ... he is earnestly requested to add the reading at 9 ... space provided for it at the end of this paragrap ... ain, the selection and placing of rain ... fall Organization are given in "*Rules f* ... to Dr. H. R. Mill, 62, Camden Squa

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·02	·03	·03	1
2					·43			·22		·08	·19	·45	2
3					·15					·02	·22	·11	3
4			·05								·25	·70	4
5	·03		·03							·05	·12		5
6	·30		·40					·07		·05	·12	1.30	6
7	·03										·49	~~1.30~~	7
8			·05								·10	·60	8
9						·11					·45	1.30	9
10	·01		·55		·04							·25	10
11	·12										·98	·04	11
12			·50						·02		·03	·17	12
13											·02	·65	13
14		·03								·16		·75	14
15						·05					·33	·05	15
16			·10			·49					·58	·85	16
17			·50			·23					·28	·76	17
18		·28	·30	·31		·30				·17	·20	·80	18
19		·62				·43				·19	·10	·50	19
20		·01	·05	·05					·40	·28		·85	20
21		·04						·07	·20	1·10		·10	21
22	·35					·12			·05	·15		·70	22
23			·28						·54	·30	·10	·05	23
24		·40				·47				·40		·25	24
25		·08	·01	·02		·03				·30		·05	25
26		·09		·30				·14	·12	·45		·20	26
27		·32		·05				·05		·82		·15	27
28		·31		·39			·05	·02	·20		·04		28
29				·11		·21	·73			·25			29
30							·02		·23	·29	·10		30
31													31
Total	·84	1·58	2·82	1·23	·62	2·44	·80	·57	1·49	5·08	4·73	11·66	TOTAL for year
No. of Rain Days.	6	10	12	7	3	10	3	6	8	18	20	25	34·16 128

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

5 JUN 1912

REGISTE

Kept at Teignmouth {Shaldon}

in the County of Devon.

by District Council

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 227 ft.

Time of Observation 7am

Nearest Railway Station: Name Teignmouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										·02	·03	·03	1
2					·43			·22		·08	·19	·45	2
3					·15					·02	·22	·11	3
4			·05								·25	·70	4
5	·03		·03							·05	·12		5
6	·30		·40					·07		·05	·12	1.30	6
7	·03										·49	~~1·30~~	7
8			·05								·10	·60	8
9						·11					·45	1·30	9
10	·01		·55		·04							·25	10
11	·12										·98	·04	11
12			·50						·02		·03	·17	12
13											·02	·65	13
14		·03								·16		·75	14
15						·05					·33	·05	15
16			·10			·49					·58	·85	16
17			·50			·23					·28	·76	17
18		·28	·30	·31		·30				·17	·20	·80	18
19		·62				·43				·19	·10	·50	19
20		·01	·05	·05					·40	·28		·85	20
21		·04						·07	·20	1·10		·10	21
22	·35					·12			·05	·15		·70	22
23			·28						·54	·30	·10	·05	23
24		·40				·47				·40		·25	24
25		·08	·01	·02		·03				·30		·05	25
26		·09		·30				·14	·12	·45		·20	26
27		·32		·05				·05		·82		·15	27
28		·31		·39			·05	·02	·20		·04		28
29				·11		·21	·73			·25			29
30							·02		·23	·29	·10		30
31													31
Total	·84	1·58	2·82	1·23	·62	2·44	·80	·57	1·49	5·08	4·73	11·66	TOTAL for year
No. of Rain Days.	6	10	12	7	3	10	3	6	8	18	20	25	34·16 128

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 JAN 1913

Kept at Teignmouth (Shaldon Reservoir)
in the County of Devon S 5
by Town Council

Lat. Long.
Time of Observation 6·30 am
Nearest Railway Station GWR.
Diameter of Rain Gauge 5 ~~8~~ in.
Height of top of Gauge above Ground 1 ~~2~~ ft. = in.
" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.28			.50	.03	.	.16	1.05	.	.18	1
2	.	.	.20			.20	.	.08			.07	.	2
3	.	.	.10			.25	.15	1.00			.	.05	3
4	.03	.	1.03			.30	.	.08			.18	.	4
5	.55	.38	.21		.02	.04	.05	.55				.25	5
6	.30	.08	.02		.18	.12	.	.06				.	6
7	.02	.64	.20		.15	.58	.	.03				.36	7
8	.70	.28	.75		.	.09	.	.03				.02	8
9	.05	.06	.10		.	.03	.05	.11				.22	9
10	.08	.13	.30	.02	.	.45	.	.21			.05	.30	10
11	.12	.02	.			.	.	.09			.08	.45	11
12	.	.38	.05			.	.07	.66			.	.	12
13	.15	.	.			.	.57	.02			.	.10	13
14	.08	.	.45		.14	.	.	.08				.10	14
15	.62	.12	.03		.30	.30	.	.				.05	15
16	.48	.04	.40		.08	.03	.	.05				.	16
17	.03	.	.18		.05	.08	.	.97				.08	17
18	.	.04	.10		.	.	.	.13				.04	18
19	.02	.04	.29		.	.04	.04	.21				.04	19
20	.03	.09	.46		.15	.	.03	.15	.	.36		.	20
21	.	.10	.22		.35	.	.	.07		.09		.	21
22	.63	.45	.18			.	.10	.06		.07	.06	.18	22
23	.50	.31	.20			.03	.09	.21		.06	.06	.24	23
24	.15	.05	.			.30	.	.18		.03	.	.25	24
25	.20	.	.			.13	.	.32		.10	.06	.60	25
26	.	.05	.			.	.10	.12		.71	1.05	.35	26
27	.	.	.			.31	.40	.18		1.60	.	.55	27
28	.	.15	.			.08	.09	.69	.13	.50	.45	.55	28
29	.	.	.			.	.20	.21	.40	.40	.	.	29
30	.		.			.23	.08	.	.30	.23	.	.	30
31	.		.42				.80	.		.		.	31
Total	4.44	3.41	6.17	.02	1.42	4.09	2.85	6.55	0.99	5.20	2.06	4.96	YEAR'S TOTAL 42.46
Rain Days.	19	19	22	1	9	20	16	27	4	12	9	21	149

W. 7,500, XI. 12 This record is copied from the Council Book & is taken by different observers

W D L

cnd for auth 20.III.14

FORM A.
BRITISH RAINFALL.

15 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at {Sheldon Reservoir} Teignmouth.

in the County of S Devon 5

by The Town Council.

Lat. 50° 32' 49" N Long. 3° 29' 25" W.

Time of Observation 7 a.m.

Nearest Railway Station G.W.R. Teignmouth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.08	.20	.05	.	.	.	.	.06	.08	.08	.	1
2	.25	.28	.02	.18	.10	.	.10	.	.	.	.26	.	2
3	.60	.	.08	.03	.40	.	.	.	.	.07	.	.22	3
4	1.43	.	.10	.	.05	.09	.	.	.06	.65	.06	.08	4
5	.12	.04	.03	.	.13	.09	.	.	.86	.	.35	.30	5
6	.01	.10	.07	.	.05	.05	.	.	.	.84	.04	.08	6
7	.	.60	.04	.	.75	.05	.20	.	.	.25	.25	.	7
8	.10	.34	.	.	.36	.	.03	.	.	.	.	.	8
9	.02	.03	.	.	.21	.	.11	.	.	.	.41	.	9
10	.61	.	.	.	.27	.	.	.20	.	.17	.04	.	10
11	.85	.	.	.05	.45	.02	.	.	.	.03	.93	.	11
12	.	.	.	.	.06	.04	.	.	.	.	.36	.	12
13	.12	.	.	.	.02	.	.	.05	.11	.	.06	.	13
14	.40	.	.21	.05	.35	.	.	.	.03	.	.06	.	14
15	.30	.	.45	.65	.	.	.	.	.11	.	.06	.	15
16	.28	.	.35	.07	.	.	.	.	.25	.	.	.	16
17	.10	.	.	.04	.	.	.	.	.	.	.04		17
18	.06	.	.35	.12	.	.	.	.	.	.	.	.	18
19	.90	.	.05	.	.	.10	.	.	.32	.02		.	19
20	.08	.	.34	.32	.	.	.	.	.	.15	.35	.	20
21	.	.	.20	.06	.06	.	.	.	.	.05	.40	.	21
22	.32	.	.58	.	.	.04	.	.05	.03	.08	.	.22	22
23	.	.	.	.	.	.05	.	.	.	.	.06	1.02	23
24	.	.	.	.06	.	.	.	.	.	.	.02	.	24
25	.	.	.	.35	.	.	.	.	.08	.12		.	25
26	.	.	.	1.54	.	.	.	.11	.	.02	.	.18	26
27	.73	.	.19	.40	.	.	.	.	.	.44	.	.	27
28	.30	.	.05	.25	.	.	.	.	.	.35	.	.06	28
29	.19	.	.55	.30	.	.	.	.	.	.30	.	.	29
30	.48	.	.	.	.	.	.	.	.	.75	.	.	30
31	.05		.21		.		.	.36		.10	.	.	31
Total	8.30	1.47	4.07	4.52 4.52	3.56	0.53	0.44	0.77	1.91	4.47	3.83	2.16	YEAR'S TOTAL 36.03 36.03
Rain Days.	23	7	19	17	14	9	4	5	10	18	18	8	152

W.7,000, XI. 13

cadly run dots – for autho } 9.III.15

~~H.~~ M.g.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 JAN 1915

Kept at Shaldon Reservoir, Teignmouth

in the County of Devon S5

by the Town Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28 W

Time of Observation Jan to May & Oct: to Dec: 7 a.m. June & July 6 am. Aug: & Sept: 7 a.m.

Nearest Railway Station G.W.R. Teignmouth

Diameter of Rain Gauge 5′ in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03		.05	.06	.36			.65	.30	1
2				.10			.25				.46	.43	2
3			.05	.14	.72							.04	3
4	.09			.29	.20		.50	.25			.50	.63	4
5	.12		.05	.10	.06				.10				5
6		.06	.02	.19	.12		.09	.03				.85	6
7		1.30	.09	.10	.03		.23	.06	.19			.36	7
8	.09		.51	.19		.20			.25			.13	8
9		.05	.38	.19	.06	.53		.35	.61				9
10		.65	.08	.18	.05	.05			.68			.05	10
11		.14	.16			.05			.06		.02	1.25	11
12		.25	.10						.09			.70	12
13		.65	.40				.09		.07	.15	.20	.26	13
14		(.35) .35	.32			.17	.02	.77		.04	.50	.16	14
15			.11				.03	.20		.14	.25	.06	15
16			.03						.37				16
17		.20	.25									.75	17
18		.06	.09						.15			.17	18
19		.05	.40				1.72		.05		.06	.07	19
20		.43	.50			.07						.18	20
21		.65								.46			21
22		.05			.19	.04				.19			22
23			.30							.42			23
24	.15	.03			.11					.06	.02		24
25	.10		.25		.02			.39		.38	.03	.55	25
26	.09						.03	.05		.02		.63	26
27		.02								.02	.45	.49	27
28		.06	.40		.05					.06	.35	.76	28
29	.05		.29		.13		.02			.04	.85		29
30			.09	.01						.35	.59	1.27	30
31	.11		-				.46			.90		.28	31
Total	.80	5.00	4.87	1.52	1.74	1.16	3.50	2.46	2.62	3.23	4.93	10.37	YEAR'S TOTAL 42.20 42.29
Rain Days.	8	17	22	11	12	8	12	9	11.	14	14	23	161

W. 8,000. X. 14.

Cat Md

1853

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
15 JAN 1916

Kept at Shaldon Reservoir Teignmouth

in the County of Devon

by the District Council

55

Lat. 50° 32′ 49″ N Long. 3° 29′ 28° W.

Time of Observation 6.30 & 7am

Nearest Railway Station GWR Teignmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	7am	7am.	7am.	6.30am	7am.	6.30am	6.30am	6.30am	6.30a	6.30a	7am	7am.	
1	.55	.05	—	—	—	—	—	.45	.23	—	.02	.29	1
2	.22	.26	.04	—	—	.10	—	.34	.06	.20	—	.69	2
3	.04	.05	.04	—	.60	—	—	—	—	.03	—	.47	3
4	.03	.15	—	—	.04	—	—	—	—	—	—	.45	4
5	.02	.96	—	—	—		—	.35	—	—	—	.68	5
6	.77	.18	—	.48	.01	—	.43	—	—	—	—	.16	6
7	.29	.38	—	.10	—	—	.18	—	—	.06	—	.35	7
8	.08	.45	—	—	—	—	.06	.08	—	.08	.05	.25	8
9	.08	.12	—	—	—	—	—	—	—	—	.23	.98	9
10	.08	.35	.04	—	—	—	—	—	—	.12	.05	.05	10
11	.07	.38	.15	.04	.04	—	.02	.02	—	.05	1.00	—	11
12	.01	.55	—	—	.54	—	—	.18	-	.03	.35	—	12
13	—	.51	—	—	.85	—	.01	.03	.03	—	.03	—	13
14	.02	—	—	—	—	—	.25	—	.02	.16	—	1.12	14
15	.02	—	—	—	.33	—	.16	—	—	.03	.07	.09	15
16	—	1.57	—	—	.20	—	1.05	—	—	—	—	.26	16
17	—	.67	—	—	.10	—	—	—	—	—	—	.03	17
18	—	.24	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	.50	—	.10	—	—	—	—	—	19
20	.20	—	—	.15	—	.08	—	—	—	.18	—	.02	20
21	.22	.02	—	—	.01	—	.14	—	—	.08	—	.02	21
22	.04	—	.30	.06	.03	.12	.53	—	—	—	—	.30	22
23	—	.03	.18	—	—	.05	.05	—	.15	1.35	—	.65	23
24	—	—	.05	.03	—	.03	.16	—	.07	.10	—	.38	24
25	—	—	.03	.05	—	.98	.06	—	—	—	—	.40	25
26	—	.18	—	—	—	.02	.18	—	.20	—	—	1.15	26
27	—	—	—	—	—	.20	.04	—	—	.45	—	—	27
28	—	.04	—	.03	—	.15	—	.02	.41	.08	—	.05	28
29	—	-	—	—	—	.50	.16	—	.08	—	.28	.15	29
30	.20	✕	—	—	—	.06	.03	—	—	.75	.90	.55	30
31	—	✕	—	✕	—	✕	.25	.01	✕	1.12	✕	.40	31
Total	2.94	7.14	.83	.94	3.25	2.29	3.86	1.48	1.25	4.87	2.98	9.94	YEAR'S TOTAL 41.77 ✓
Rain Days.	18	20	8	8	12	11	19	9	9	17	10	25	166 ✓

W. 8,000. X. 15.

Exd Yw

1814

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5. MAR 1917

Kept at Shaldon Reservoir
in the County of Devon
by Town Council

Lat. 50° 32′ 49″ N. Long. 3° 29′ 28″ W.
Time of Observation 6, 6:30 & 7 am.
Nearest Railway Station GWR.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	7am	7am	7am	6.30am	7am	6am	7am	6.30am	7am	6.30am	7am	7am.	
1	·10	—	·20	—	·19	—	—	—	·16	·31	·35	—	1
2	·36	·02	—	—	—	—	—	—	·11	·21	·28	—	2
3	—	1·56	—	—	·10	—	—	—	—	·58	·50	—	3
4	·38	·12	—	—	·45	·18	·04	—	·02	—	·80	—	4
5	·02	·09	—	—	—	·11	—	—	—	·18	·18	—	5
6	—	·17	—	—	·16	·05	·80	—	—	·11	1·12	—	6
7	·02	·26	·04	—	·05	·22	—	—	—	—	·58	·05	7
8	—	·30	·19	—	·36	·05	—	—	—	—	—	·15	8
9	—	·04	—	—	—	·27	—	—	—	—	·14	·21	9
10	—	·52	—	—	—	—	—	—	—	·06	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	11
12	·02	·03	·35	—	·21	—	—	·13	—	—	—	—	12
13	—	·20	·22	·02	—	—	—	·22	—	—	—	—	13
14	—	·60	·18	—	·03	—	—	·07	—	·10	—	—	14
15	—	·32	·15	—	—	—	—	·11	—	·16	—	·03	15
16	·20	·06	—	·12	—	—	·14	·20	—	—	—	—	16
17	·23	·05	—	·06	—	—	—	—	·08	·34	1·04	—	17
18	·05	·03	·35	—	—	—	—	—	·11	·03	—	·10	18
19	·18	·12	·40	—	—	—	—	—	—	—	·17	·12	19
20	·05	1·00	·32	—	—	—	—	—	—	—	·04	1·23	20
21	·04	·06	·07	—	·11	—	—	—	—	—	—	·63	21
22	—	—	—	—	—	·11	—	—	—	·43	·02	·10	22
23	·05	·03	—	—	—	·15	—	·21	—	·24	·25	·05	23
24	—	·06	—	·09	·21	—	—	·11	—	·75	·04	·50	24
25	—	·14	·09	—	—	—	—	·38	—	—	·21	—	25
26	—	—	·06	—	·04	·26	—	·32	·92	·85	—	·10	26
27	—	·32	1·30	—	—	·42	—	·15	1·18	·18	—	—	27
28	—	·08	—	—	—	—	—	·06	—	·45	—	·35	28
29	—	—	—	—	—	·31	—	2·67	·14	·08	—	·37	29
30	—	X	—	—	—	—	—	—	—	·80	—	—	30
31	—	X	—	X	—	X	—	·04	X	·29	X	—	31
Total	1·70	6·18	3·92	0·29	1·91	2·13	0·98	4·67	2·72	6·15	5·72	3·99	YEAR'S TOTAL 40·36
Rain Days.	13	24	14	4	11	11	3	13	8	19	15	14	149

W. 8,000, VIII. 16

1734

FORM A.
BRITISH RAINFALL.
24 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Teignmouth (Shaldon Reservoir)
in the County of Devon
by Town Council.

Lat. 50° 32' 49" N Long. 3° 29' 28" W.
Time of Observation 6'30 & 7am.
Nearest Railway Station G.W.R. Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	7am	7am	7am	6·30am	6·30am	6·30am	6·30am	7am	7am	6·30am	7am	7am	
1	–	–	·65	·10	–	·22	–	·29	–	–	·02	–	1
2	–	–	–	·10	–	·05	–	–	–	·03	–	–	2
3	·05	–	–	·04	–	–	·15	·02	–	·16	1·02	–	3
4	·01	–	·45	–	–	–	–	–	·04	·42	–	–	4
5	·06	–	·31	·09	–	·38	–	–	·01	·03	·03	–	5
6	–	–	·13	–	–	–	–	–	–	–	·05	·01	6
7	·30	–	–	–	–	·03	·03	·16	–	·14	·06	–	7
8	·15	–	·44	·03	–	–	·15	·50	·07	·36	·05	·28	8
9	–	–	·07	·03	·03	–	·05	·03	–	·17	·03	–	9
10	·11	–	·50	·33	–	–	–	·37	–	·03	–	·01	10
11	·04	–	1·22	·06	–	–	–	·02	·04	·23	·22	–	11
12	·15	–	–	·02	·23	–	–	·03	–	·23	·03	–	12
13	–	–	·32	·02	–	–	–	·20	·04	·07	–	–	13
14	–	–	–	·12	–	–	·10	·63	–	–	–	–	14
15	·07	–	–	–	–	–	·16	·21	–	·16	–	·52	15
16	–	·15	–	·03	–	–	–	–	–	·35	–	·13	16
17	–	·03	–	·02	–	–	·25	·09	·64	·13	–	–	17
18	–	·20	–	·06	·69	–	·18	–	·63	·04	–	–	18
19	–	·37	·07	–	–	·25	–	–	·10	–	–	–	19
20	–	·03	·02	–	·43	·06	–	–	·06	–	–	·01	20
21	–	–	–	–	–	·04	–	–	–	–	·03	·08	21
22	–	–	·03	–	–	–	–	·47	–	·02	–	–	22
23	–	·06	–	–	·30	–	–	·17	–	·12	–	–	23
24	–	–	–	–	–	–	·36	·08	–	·05	–	–	24
25	–	–	·03	–	–	–	·06	·20	·03	·02	·10	–	25
26	–	–	–	–	·29	–	–	1·22	·09	·03	–	–	26
27	–	–	–	–	–	·52	–	·90	–	·08	–	–	27
28	–	·05	·02	–	·03	·22	–	·32	–	–	–	·03	28
29	–	–	·11	–	–	·40	–	–	–	·67	–	·15	29
30	–	X	·25	–	–	–	·10	·25	–	·02	–	–	30
31	–	X	·16	X	·07	X	–	–	X	·31	X	–	31
Total	0·94	0·89	4·18	1·05	2·07	2·17	1·59	6·16	1·75	3·87	1·64	1·22	YEAR'S TOTAL 27·53
Rain Days.	9	7	17	14	8	10	11	20	11	24	11	9	151

W. 8,000, IX. 17.

[illegible] 82

73

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
10 1 19

Kept at Shaldon Reservoir Teignmouth
in the County of S Devon
by the Town Council (Mr Geo Rossiter.)

Lat. 50°32'49" N Long. 3° 29'28" W.
Time of Observation 7am
Nearest Railway Station GWR Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·28	–	·15	–	–	–	·78	–	–	·96	·02	1
2	–	·12	–	·06	–	–	–	–	–	·02	–	·32	2
3	–	·18	–	·36	·11	–	–	·03	–	–	·04	–	3
4	–	–	–	·08	–	–	–	·07	·55	–	1·09	·21	4
5	·19	–	·06	–	·59	–	–	·40	·50	·29	–	·03	5
6	–	·15	–	·10	–	–	–	·40	–	·05	–	·18	6
7	–	·14	–	–	·05	–	–	·10	·30	·12	·43	·17	7
8	·09	·11	–	–	–	–	–	–	·10	·26	–	·01	8
9	·03	–	–	·02	–	·03	·31	–	·38	·07	·02	·33	9
10	·07	–	–	·47	–	–	·19	–	·17	·12	·01	·40	10
11	–	–	–	·07	–	–	·90	–	·16	·02	·03	·01	11
12	–	–	–	–	·16	–	·03	–	–	·01	·06	–	12
13	·04	–	·11	–	·65	–	·40	–	·26	·03	–	·02	13
14	·24	–	·10	–	·08	–	·02	–	·16	·11	–	·10	14
15	1·00	–	–	–	·08	·06	·63	–	·05	·08	–	·24	15
16	·62	–	–	·14	–	·01	·02	–	·19	–	–	·04	16
17	·30	–	·03	·20	–	–	·46	–	·02	–	–	·24	17
18	·80	·05	–	–	–	·70	·13	–	·78	·06	–	·25	18
19	·12	–	·19	–	–	–	·16	–	·04	–	–	·13	19
20	·05	–	–	·15	–	–	·05	–	·25	·05	–	·02	20
21	·06	–	–	–	–	·01	–	–	·35	·20	–	·49	21
22	·03	·07	–	–	·08	–	·45	–	·12	·04	–	·14	22
23	·08	·09	–	–	·09		·68	–	·07	–	·08	·12	23
24	–	–	–	–	–	–	·11	–	·06	–	·12	·28	24
25	–	–	–	·13	·06	–	·19	·63	–	·03	·22	·02	25
26	–	–	–	–	–	–	·18	–	·02	·01	·04	·03	26
27	·04	·02	·12	–	–	–	–	·09	·11	·02	·06	–	27
28	–	·09	·29	–	–	–	–	–	–	·02	·01	·01	28
29	–		·12	–	–	–	–	–	1·50	–	–	·01	29
30	–		·34	–	–	–	–	–	–	·10	·10	·05	30
31	–		·05		–		–	–		–		–	31
Total	3·76	1·30	1·41	1·93	1·35	0·81	4·91	2·50	6·14	1·71	3·27	3.8·7	YEAR'S TOTAL 32·96
Rain Days.	16	11	10	12	10	5	17	8	22	21	15	27	174

W, 6,500, VII. 18. W W C

[illegible] 1630

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Shaldon Reservoir. Teignmouth
in the County of Devon.
by Town Council (Geo Rossiter)

Lat. 50° 32' 49 N Long. 3° 29' 28" W.
Time of Observation 7am.
Nearest Railway Station G.W.R. Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	-	.15	-	.06	-	.29	-	.02	.14	-	.90	1
2	.27	-	-	-	-	-	.04	-	.08	.11	-	-	2
3	.40	-	.31	-	-	-	-	-	.11	-	.02	.01	3
4	.58	.89	.59	-	-	.07	.08	.11	.79	-	.06	.03	4
5	.01	.21	.63	-	-	-	-	-	.59	-	.03	.04	5
6	.67	1.00	.05	.03	-	-	-	-	-	-	.01	.28	6
7	.26	-	.31	.08	-	-	-	-	.02	-	-	.07	7
8	.46	-	.19	-	-	.02	-	-	-	-	.72	-	8
9	.25	-	-	.22	.13	-	-	-	-	-	.62	-	9
10	.05	-	.48	-	.02	-	-	-	-	.03	-	.41	10
11	.07	-	.39	.11	.31	-	.05	-	-	-	.05	.25	11
12	.15	-	.02	.03	-	.03	-	-	-	.06	.06	.02	12
13	.14	.15	.18	.48	-	-	-	-	-	.02	-	.32	13
14	.50	.24	-	.32	.46	-	-	-	.16	.05	-	.12	14
15	.20	.25	-	.04	-	-	-	-	-	.02	-	.41	15
16	.11	1.05	-	-	-	-	-	-	-	-	.12	-	16
17	-	.40	-	-	-	-	-	-	-	-	.14	-	17
18	.06	.28	.59	-	-	-	.25	.03	-	-	.13	-	18
19	.63	.73	.13		-	.01	.67	.17	.08	-	.06	.02	19
20	.52	.02	.01	-	-	.50	-	.36	.14	-	.11	-	20
21	.02	1.01	-	-	-	.01	-	-	.08	-	-	.11	21
22	-	-	-	-	-	-	.02	-	.24	-	-	.02	22
23	-	-	.03	-	-	-	-	.06	.01	.46	.04	.08	23
24	-	-	-	-	-	.19	-	-	-	.40	.15	.05	24
25	.06	-	-	.06	-	.08	-	.47	-	-	-	.10	25
26	.09	.01	.01	.03	-	-	-	.07	-	-	.05	.40	26
27	.22	-	.07	.31	-	-	.08	1.36	-	-	-	.03	27
28	.03	-	.25	.04	-	-	-	.78	-	-	.64	.41	28
29	-		-	.03	-	-	-	.10	-	.06	-	.07	29
30	-		-	.02	-	.02	-	.06	-	-	.78	.68	30
31	-		-		-		-	-		-		.72	31
TOTAL	6.25	6.24	4.39	1.80	0.98	0.93	1.48	3.57	2.32	1.35	3.79	5.55	YEAR'S TOTAL 38.65
Days with .01 in. or more	24	13	18	14	5	9	8	11	12	10	18	24	166

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

27 APL 1921

Kept at Shaldon Reservoir Teignmouth.
in the County of Devon
by the Town Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.
Time of Observation 9 am.
Nearest Railway Station GWR Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	–	·01	·09	·62	–	·50	–	·10	·17	·03	1·12	1
2	·50	–	–	·19	–	–	·03	·06	·05	·05	–	·20	2
3	·01	·07	–	·20	–	–	·02	–	–	·63	–	·23	3
4	–	–	·01	–	–	–	·18	·64	–	·25	–	–	4
5	–	–	·10	·22	–	–	·22	·27	–	·07	–	–	5
6	–	–	·33	–	·18	–	·17	–	–	·13	–	–	6
7	–	–	–	·08	·05	–	·50	–	–	–	–	·05	7
8	·03	·04	–	·31	·04	–	·32	–	–	·02	–	·31	8
9	·65	·02	–	·02	–	·18	·03	–	–	–	–	–	9
10	1·42	·04	·01	–	–	·33	·35	–	–	–	–	–	10
11	·31	–	·19	·75	·29	·06	·17	–	–	–	–	–	11
12	·17	·08	·09	·19	–	·13	·04	–	–	–	·12	·21	12
13	·01	·02	·71	·11	–	–	–	–	–	·07	·13	·19	13
14	–	·08	·49	·71	–	–	–	–	·10	·14	·03	·02	14
15	–	·09	·05	·45	·07	–	·01	–	·04	·69	·57	–	15
16	–	·04	·01	·02	–	–	·18	–	·11	·09	·07	–	16
17	–	·01	–	·10	·27	·03	·05	–	·41	–	–	–	17
18	·01	·03	–	·10	·04	·26	·09	·22	·07	–	–	–	18
19	·02	–	–	·48	–	·30	–	–	–	–	–	–	19
20	–	·04	–	·19	·10	·18	–	–	–	·04	–	·33	20
21	–	–	–	·03	–	–	·03	–	–	·21	–	·12	21
22	·03	–	–	·06	–	–	–	–	–	–	–	·43	22
23	·01	–	–	–	–	–	·19	–	–	–	·15	·58	23
24	–	–	·27	–	–	–	–	·03	–	–	–	·30	24
25	–	·03	·12	–	·03	–	·79	–	–	–	·24	·04	25
26	·26	–	·32	–	–	–	·06	–	–	–	–	·19	26
27	·91	·13	·22	·04	·02	·14	·03	–	–	–	·40	·33	27
28	·56	·03	·09	–	–	–	·10	–	–	–	–	·11	28
29	·62	–	·81	·04	·03	·02	–	–	–	–	·32	·45	29
30	·17		–	–	·01	·10	·03	–	·74	–	·39	·65	30
31	–		·31		–		–	–		·41		–	31
TOTAL	5·86	0·75	4·14	4·38	1·75	1·73	4·09	1·22	1·62	2·97	2·45	5·86	YEAR'S TOTAL 36·82 ins.
Days with ·01 in. or more	18	15	18	21	13	11	23	5	8	14	11	19	176
Days with ·04 in. or more	11	9	14	18	9	9	16	4	8	13	9	18	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON.

TEIGNMOUTH.

"THE SHRUBBERY"

1912 - 1920

FORM A.
BRITISH RAINFALL.
8 - JAN 1913

REGIS 12.

Kept at The Shrubbery, T g. 3.29 W.

A.M.

TEIGNMOUTH

in the County of DEVON. 8 in.

by Evan A. Norton. bove Ground 1 ft. 0 in.

Sea Level 275. ft.

IMPORTANT NOTE.- d the result entered to the previous day. If an Observ not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. --

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	--	--	.12	--	---	.46	.03	away	.18	.82	--	.27	1
2	- -	--	.17			.19	.01	from		.02	.04		2
3			.29			.21	.09	home				.02	3
4	.20	.05	.72		.02	.30	.02				.21		4
5	.48	.35	.21			.06						.23	5
6	.21	.05			.25	.19							6
7	.04	.69	.21		.04	.57						.32	7
8	.59	.18	.64			.35						.01	8
9	.06	.04	.08			.12	.05					.26	9
10	.15	.07	.08			.19					.06	.26	10
11	.05	.04									.14	.46	11
12	.12	.53 -----	.07				.10					.01	12
13	.49	~~.12~~				.03	.86			.04		.07	13
14	.05	.03	.46		.11							.02	14
15	.58	.13	.06		.31	.28						.11	15
16	.27	.01	.30		.07	.02				.08	.01	.02	16
17	.09		.19		.01	.007				.01	.01	.01	17
18		.01	.09									.05	18
19	.01	.03	.22			.03	.03				.02	.02	19
20	.02	.06	.41		.18		·03			·36	·03		20
21	—	·15	·28	—	·28	—	—	—	—	·10	—	—	21
22	.62	.31	.14		.15		.08			.10	.03	.15	22
~~22~~	—	—	—	—	—	—	—	—	—	—	—	—	~~22~~
23	.66	.32	.12			.05				.06	.06	.21	23
24	.13	.04	.01			.39				.14		.20	24
25	.15					.04	.07				.19	.37	25
26		.03					.08			.63	.57	.46	26
27		.01				.37	.42			1.12		.36	27
28		.11				.04	.09		.20	.43	.40	.51	28
29		.53	.01			.07	.15		.40	.38	.01	.03	29
30	~~.89~~	~~.29~~	.09			.26	.12		.29	.29			30
31			.27				.57			.04		.04	31
Total	4.48	3.77	5.24	0.00	1.42	4.29	2.80	ab.	1.07	4.56	1.78	4.47	YEAR'S TOTAL ---
Rain Days.	19	23	24	none	10	22	14		4	16	14	25	----

Blank spaces mean no rain ~~or~~ except in August.

W. 7,500, XI. ·12

REGIS 2.

S 5

Kept at The Shrubbery, TEIGNMOUTH.

in the County of DEVON.

by Evan A. Norton.

Lat. 50.33 Long. 3.29 W.

Time of Observation 9 A.M.

Nearest Railway Station TEIGNMOUTH

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 275. ft.

FORM A. BRITISH RAINFALL. 8 - JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. --

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	--	--	.12	--	---	.46	.03	away	.18	.82	--	.27	1
2	--	--	.17			.19	.01	from		.02	.04		2
3			.29			.21	.09	home				.02	3
4	.20	.05	.72		.02	.30	.02				.21		4
5	.48	..35	.21		.	.06					.	.23	5
6	.21	.05	.		.25	.19							6
7	.04	.69	.21		.04	.57						.32	7
8	.59	.18	.64			.35						.01	8
9	.06	.04	.08			.12	.05					.26	9
10	.15	.07	.08			.19					.06	.26	10
11	.05	.04									.14	.46	11
12	. .12	.53	.07				.10					.01	12
13	.49	.12				.03	.86			.04		.07	13
14	.05	.03	.46		.11							.02	14
15	.58	.13	.06		.31	.28						.11	15
16	.27	.01	.30		.07	.02				.03	.01	.02	16
17	.09		.19		.01	007				.01	.01	.01	17
18		.01	.09									.05	18
19	.01	.03	.22			.03	.03				.02	.02	19
20	.02	.06	.41		.18		·03			·36	·03		20
21	—	·15	·28	—	·28	—	—	—	—	·10	—	—	21
22	.62	.31	.14		.15		.08			.10	.03	.15	22
	—	—	—	—	—	—	—	—	—	—	—	—	
23	.66	.32	.12			.05				.06	.06	.21	23
24	.13	.04	.01			.39				.14		.20	24
25	.15					.04	.07				.19	.37	25
26	.	..03					.08			.63	.57	.46	26
27		.01				.37	.42			1.12		.36	27
28	.	.11				.04	.09		.20	.43	..40	.51	28
29		.53	.01			.07	.15		.40	.38	.01	.03	29
30	~~.89~~	~~.89~~	.09			.26	.12		.29	.29			30
31			.27				.57			.04		.04	31
Total	4.48	3.77	5.24	0.00	1.42	4.29	2.80	ab.	1.07	4.56	1.78	4.47	YEAR'S TOTAL ---
Rain Days.	19	23	24	none	10	22	17	—	4	16	14	25	----

Blank spaces mean no rain ~~or~~ except in august.

W. 7,500, XI. ·12

TEIGNMOUTH.

THE SHRUBBERY.

DEVON

1913 - 1920

REGIST

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

V.

Kept at The Shrubbery,
in the County of Devon.
by EVAN AUGUSTUS NORT

gnmouth
in.
und 1 ft. in.
Level 275 ft.

IMPORTANT NOTE.— result entered to the
previous day. If an Observ rule, he is earnestly
requested to add the reading the space provided
for it at the end of this pa of rain,
the selection and placing of Rainfall
Organization are given in "R cation to
Dr. H. R. Mill, 62, Camden

Jan. 1, following.
-----

b are reversed in order,

Date.	Jan.	Feb.	March.	Apr							~~Nov.~~ Oct.	Dec.	Date.
1	-	.14	.18	.04	.18	-	-	-	.06	.19	.15	-	1
2	.23	.22	-	.14	.55	-	.06	-	.02	.11	-	-	2
3	.57	-	.05	.02	.33	-	-	-	.03	-	.36	.19	3
4	.97	-	.04	-	.07	.05	-	-	.05	.06	.28	.07	4
5	.08	.06	.04	-	.15	.09	.02	-	.73	.35	.13	.34	5
6	.03	.12	.12	-	.09	.08	-	-	-	.02	1.38	.12	6
7	.01	.45	.08	-	.59	.02	.21	-	-	.20	.35	-	7
8	.04	.22	-	-	.17	-	.03	.04	-	.01	.04	-	8
9	.01	-	-	-	.16	-	.05	.31	-	.28	-	.01	9
10	.56	.01	-	-	.14	-	-	.09	-	.06	.14	-	10
11	.67	.01	-	.03	.63	.05	-	[illegible]	-	.93	.04	-	11
12	.06	-	-	-	.04	.03	-	.01	.01	.42	-	-	12
13	.42	-	.05	.01	-	-	-	.06	.14	.06	-	-	13
14	.34	-	.16	.05	.37	-	-	-	.01	.09	-	-	14
15	.28	-	.45	.51	-	-	-	-	.17	.01	-	-	15
16	.25	-	.31	.06	-	-	-	.01	.26	-	-	-	16
17	.08	-	.01	.04	-	-	-	-	-	.01	-	-	17
18	.01	-	.24	.07	-	-	-	-	-	.06	-	-	18
19	.68	-	.04	-	-	.07	-	-	.24	-	.04	-	19
20	.14	-	.29	.31	-	-	-	.02	.01	.27	.11	-	20
21	-	-	.34	.02	-	-	-	-	-	.36	.02	-	21
22	.28	-	.40	-	-	.05	-	.05	.04	-	.37	.23	22
23	-	-	-	-	-	.01	-	-	-	.04	-	.82	23
24	-	.07	-	.05	-	.01	-	-	-	.01	-	-	24
25	-	-	-	.37	.01	-	-	-	.05	-	.09	-	25
26	-	-	-	1.23	-	-	-	.11	-	-	.01	.15	26
27	.47	-	.17	.23	-	-	-	.01	-	-	.45	-	27
28	.28	-	.07	.24	-	-	-	-	-	-	.29	.15	28
29	.23	–	.55	.28	-	-	-	.01	-	-	.20	-	29
30	.37	–	)	–	-	-	-	.01	-	-	.62	-	30
31	.07	–	.15	–	.01	-	-	.34	-	-	.09	-	31
Total	7.13	1.30	3.74	3.70	3.49	0.46	0.37	1.07 ~~1.10~~	1.82	3.54	5.16	2.08	YEAR'S TOTAL 33.86 ✓
Rain Days.	25	9	20	18	15	10	5	13	14	20	20	9	178 ✓

Nov. Oct.

W. 7,500, XI. ·12

REGIST

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at The Shrubbery, Teignmouth.

in the County of Devon. 5

by EVAN AUGUSTUS NORTON

Lat. 50.33 N. Long. 3.29 W.
Time of Observation 9 A.M.
Nearest Railway Station Teignmouth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -----

Please note that Nov. + Oct are reversed in order

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Oct.	Dec.	Date.
1	-	.14	.18	.04	.18	-	-	-	.06	.19	.15	-	1
2	.23	.22	-	.14	.55	-	.06	-	.02	.11	-	-	2
3	.57	-	.05	.02	.33	-	-	-	.03	-	.36	.19	3
4	.97	-	.04	-	.07	.05	-	-	.05	.06	.28	.07	4
5	.08	.06	.04	-	.15	.09	.02	-	.73	.35	.13	.34	5
6	.03	.12	.12	-	.09	.08	-	-	-	.02	1.38	.12	6
7	.01	.45	.08	-	.59	.02	.21	-	-	.20	.35	-	7
8	.04	.22	-	-	.17	-	.03	.04	-	.01	.04	-	8
9	.01	-	-	-	.16	-	.05	.31	-	.28	-	.01	9
10	.56	.01	-	-	.14	-	-	.09	-	.06	.14	-	10
11	.67	.01	-	.03	.63	.05	-	~~.01~~	-	.93	.04	-	11
12	.06	-	-	-	.04	.03	-	.01	.01	.42	-	-	12
13	.42	-	.05	.01	-	-	-	.06	.14	.06	-	-	13
14	.34	-	.16	.05	.37	-	-	-	.01	.09	-	-	14
15	.28	-	.45	.51	-	-	-	-	.17	.01	-	-	15
16	.25	-	.31	.06	-	-	-	.01	.26	-	-	-	16
17	.08	-	.01	.04	-	-	-	-	-	.01	-	-	17
18	.01	-	.24	.07	-	-	-	-	-	.06	-	-	18
19	.68	-	.04	-	-	.07	-	-	.24	-	.04	-	19
20	.14	-	.29	.31	-	-	-	.02	.01	.27	.11	-	20
21	-	-	.34	.02	-	-	-	-	-	.36	.02	-	21
22	.28	-	.40	-	-	.05	-	.05	.04	-	.37	.23	22
23	-	-	-	-	-	.01	-	-	-	.04	-	.82	23
24	-	.07	-	.05	-	.01	-	-	-	.01	-	-	24
25	-	-	-	.37	.01	-	-	-	.05	-	.09	-	25
26	-	-	-	1.23	-	-	-	.11	-	-	.01	.15	26
27	.47	-	.17	.23	-	-	-	.01	-	-	.45	-	27
28	.28	-	.07	.24	-	-	-	-	-	-	.29	.15	28
29	.23	—	.55	.28	-	-	-	.01	-	-	.20	-	29
30	.37	—	}	-	-	-	-	.01	-	-	.62	-	30
31	.07	—	.15	—	.01	-	-	.34	-	-	.09	-	31
Total	7.13	1.30	3.74	3.70	3.49	0.46	0.37	1.07 ~~1.10~~	1.82	3.54	5.16	2.08	YEAR'S TOTAL 33.86 ✓
Rain Days.	25	9	20	18	15	10	5	13	14	20	20	9	178 ✓

Nov. Oct.

W. 7,500, XI. ·12

Ex. W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Shrubbery, Teignmouth
in the County of Devon 55
by Evan A Norton

Lat. 50° 33' N. Long. 3° 29' W.
Time of Observation 9. A.M.
Nearest Railway Station Teignmouth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
– – –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·02		·05	·03	·37			·51	·21	1
2				·13	·02	·01	·24				·46	·40	2
3	·02		·18	·12	·65							·07	3
4	·07			·23	·14		·38	·22			·57	·63	4
5	·13		·04	·09	·06				·10			·05	5
6		·05	·02	·05	·11		·04					·59	6
7		1·07	·14	·13	·02	·14	·18	·04	·12			·45	7
8	·04		·52	·11	·01	·23		·01	·07			·06	8
9		·04	·50	·20	·09	·45		·24	1·00				9
10	·03	·51	·07	·13	·01	·06			·35		·02	·06	10
11		·11	·25			·10	·01		·07		·02	1·10	11
12		·20	·10				·08		·07	·07	·22	·57	12
13		·46	·34				·09		·13	·19	·43	·19	13
14		·32	·30			·12	·06	·73	·01	·05	·26	·24	14
15			·08					·19		·07		·09	15
16			·02						·27				16
17		·22	·24						·01			·66	17
18		·05	·06				·03		·14			·12	18
19		·04	·80				1·72		·05		·03	·04	19
20		·35	·19			·06					·03	·16	20
21		·59				·03				·34		·02	21
22		·02			·21	·07				·14		·01	22
23		·04	·26		·01		·01			·42			23
24		·09			·19		·01	·04		·01	·01	·01	24
25	·10		·23		·02		·02	·34		·34	·04	·30	25
26	·05	·01					·04	·04		·02	·18	·69	26
27		·01								·01	·30	·32	27
28		·04	·34		·06					·04	·25	·80	28
29	·11	×	·20		·11					·08	·76	·05	29
30		×	·09	·03						·23	·56	·94	30
31	·08	×		×		×	·40		×	·69	×	·32	31
Total	·63	4·22	4·98	1·24	1·41	1·32	3·34	2·22	2·39	2·70	4·65	9·24	YEAR'S TOTAL 38·64 ✓
Rain Days.	9	19	23	11	15	11	16	10	13	15	14	28	187 ✓

W. 8,000. X. 14.

The Greatest Falls are underlined.

Ext. List

1855

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6. JAN 1916

Kept at The Shrubbery Teignmouth
in the County of Devon
by Evan A. Norton

55

Lat. 50° 33′ N   Long. 3° 29′ W.
Time of Observation 9 a.m.
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·17		·	·	·	·	·57	·28	·48	·04	·16	1
2	·27	·12	·02	·	·	·08	·	·38	·12	·04	·	·75	2
3	·	·12	·04	·03	·58	·	—	·	·	·01	·	·51	3
4	·02	·07	·	·	·04	·	·	·	·	·	·	·27	4
5	·02	·79	·	·13	·	·	·	·27	·	·	·	·61	5
6	·74	·11	·	·29	·01	·01	·43	·	·	·	·	·17	6
7	·20	·38	·	·12	·	·	·16	·	·	·03	·	·46	7
8	·19	·46	·	·	·	·	·02	·08	·	·23	·06	·23	8
9	·	·10	·	·02	·	·	·	·	·	·	·27	·72	9
10	·10	·40	·05	·05	·	·	·	·	·	·12	·03	·08	10
11	·15	·32	·18	·	·03	·	·03	·05	·	·03	·91	·03	11
12	·07	·41	·	·03	·60	·	·	·18	·	·03	·30	·01	12
13	·	·48	·	·	·62	·	·01	·02	·03	·	·16	·01	13
14	·03	·	·	·	·	·	·24	·07	·04	·15	·02	·80	14
15	·11	·	·	·	·28	·	·16	·	·	·03	·04	·07	15
16	·01	1·32	·	·	·26	·	·79	·	·	·	·	·24	16
17	·01	·43	·	·	·07	·	·	·	·01	·	·	·11	17
18	·01	·16	·	·	·	·	·	·	·	·	·	·01	18
19	·01	·	·	·	·42	·	·11	·23	·	·	·	·	19
20	·13	·01	·	·12	·	·11	·01	·	·	·26	·	·06	20
21	·27	·04	·	·	·01	·01	·21	·	·01	·05	·	·01	21
22	·05	·01	·33	·04	·01	·10	·34	·	·	·03	·	·30	22
23	·	·02	·09	·	·	·09	·07	·	·10	1·55	·	·53	23
24	·	·	·	·03	·	·01	·64	·	·05	·13	·	·38	24
25	·01	·	·02	·04	·	·73	·04	·	·	·	·	·33	25
26	·02	·15	·	·	·	·02	·14	·	·06	·	·	·98	26
27	·01	·05	·	·	·	·17	·06	·	·	·40	·	·	27
28	·	·04	·	·02	·	·15	·	·01	·47	·04	·01	·07	28
29	·	X	·	·	·	·55	·38	·	·08	·	·21	·09	29
30	·14	X	·	·	·	·04	·	·	·	·57	·78	·51	30
31	·	X	·	X	·	X	·20	·01	X	1·12	X	·30	31
Total	2·93	6·16	·73	·92	2·93	2·07	4·04	1·87	1·25	5·30	2·83	8·80	YEAR'S TOTAL 39·83
Rain Days.	23	23	7	12	12	13	19	11	11	19	12	29	191

W. 8,000. X. 15.

Exd HW

1916

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

6 JAN 1917

Kept at "The Shrubbery", Leignmouth

in the County of Devon

by Evan A. Norton

Lat. 50° 33′N Long. 3° 29′ W.

Time of Observation 9. A.M. (Greenwich Time)

Nearest Railway Station Leignmouth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·01	·10	·	·20	·01	·	·	·14	·28	·21	·	1
2	·18	·09	·01	·	·01	·	·	·	·10	·24	·37	·	2
3	·	1·23	·	·	·34	·04	·02	·	·	·53	·27	·	3
4	·18	·10	·	·	·14	·15	·	·	·02	·06	·80	·	4
5	·	·09	·04	·02	·02	·14	·	·	·	·12	·05	·	5
6	·01	·10	·01	·	·16	·04	·79	·	·	·06	·90	·	6
7	·04	·23	·10	·	·05	·30	·03	·	·	·04	·52	·06	7
8	·	·39	·20	·	·32	·25	·	·	·	·	·04	·15	8
9	·	·08	·02	·	·01	·11	·02	·	·	·	·09	·11	9
10	·	·40	·	·02	·01	·	·	·	·	·10	·01	·02	10
11	·	·	·	·01	·02	·02	·	·	·	·	·01	·	11
12	·05	·02	·32	·02	·14	·	·04	·11	·	·01	·01 Fog	·	12
13	·	·19	·21	·03	·	·	·02	·17	·	·	·01	·02	13
14	·	·54	·29	·	·02	·	·	·36	·	·06	·01	·	14
15	·01	·25	·14	·10	·	·	·	·05	·	·08	·	·11	15
16	·16	·04	·	·12	·	·	·04	·18	·	·04	·	·01	16
17	·14	·06	·	·01	·	·	·	·	·11	·24	·84	·	17
18	·06	·08	·41	·01	·	·	·	·	·16	·04	·01	·09	18
19	·11	·16	·29	·04	·	·	·	·	·12	·	·14	·11	19
20	·04	·96	·30	·02	·	·	·	·	·	·	·02	1·40	20
21	·01	·04	·13	·	·04	·	·	·	·	·	·	·20	21
22	·	·	·	·	·	·11	·	·11	·	·28	·01	·66	22
23	·02	·02	·	·01	·	·13	·	·12	·	·21	·16	·06	23
24	·	·08	·	·05	·32	·04	·	·12	·	·60	·04	·37	24
25	·02	·50	·06	·	·	·01	·	·34	·02	·01	·23	·01	25
26	·01	·10	·09	·	·02	·46	·	·10	1·86	·42	·	·04	26
27	·	·01	1·33	·	·	·47	·	·16	·14	·16	·	·01	27
28	·	·11	·	·		·	·	·14	·11	·41	·	·26	28
29	·	·19	·01	·	·	·25	·	2·83	·15	·08	·	·36	29
30	·	X	·	·	·0	·01	·	·01	·	1·00	·	·01	30
31	·	X	·	X	·	X	·	·03	X	·33	X	·01	31
Total	1·22 ✓	6·13 ✓	4·09 ✓	0·46 ✓	1·91 ✓	2·54 ✓	0·99 ✓	4·83 ✓	2·96 ✓	5·46 ✓	4·48 ✓	4·04 ✓	YEAR'S TOTAL 39·77 ✓
Rain Days.	16 ✓	24 ✓	19 ✓	13 ✓	16 ✓	14 ✓	4 ✓	15 ✓	11 ✓	24 ✓	22 ✓	21 ✓	208 ✓

W. 8,000, VIII. 16

1736

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at "The Shrubbery," Teignmouth
in the County of Devon
by Evan A. Norton.

Lat. 50° 33′ N. Long. 3° 29′ W.
Time of Observation 9. A.M (Greenwich Time adhered to throughout)
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·09	·23	–	·25	–	·34	·01	–	·02	·01	1
2	–	–	–	·12	–	·03	–	–	–	·01	–	–	2
3	·04	–	–	·06	–	–	·30	·02	–	·18	·73	–	3
4	·03	·03	·49	–	–	–	–	–	·07	·28	·01	–	4
5	·08	–	·26	·08	–	·51	–	–	–	·07	·07	–	5
6	–	–	·17	–	–	·05	–	–	–	·04	·07	·01	6
7	·31	–	–	–	–	–	·03	·19	–	·11	·05	–	7
8	·14	–	·36	·05	–	–	·26	·44	·06	·33	·09	·29	8
9	–	–	·08	·05	·04	–	·05	·06	·01	·28	·05	–	9
10	·19	–	·38	·31	–	–	–	·40	–	·06	·01	·01	10
11	·03	–	1.03	·11	–	–	–	·06	·02	·17	·16	–	11
12	·15	–	·02	–	·24	–	–	–	–	·21	·02	–	12
13	·01	–	·27	·03	–	–	–	·25	·03	·04	·01	–	13
14	–	–	–	·09	–	·01	·10	·36	·01	–	·01	·01	14
15	·07	–	–	–	–	–	·18	·13	–	·22	–	·50	15
16	·01	·13	–	·04	–	–	–	·02	–	·24	–	·12	16
17	–	·03	–	·04	·04	·01	·23	·06	·54	·10	–	–	17
18	–	·20	–	·01	·53	·12	·14	–	·55	·01	–	–	18
19	–	·42	·07	–	–	·10	–	–	·15	–	–	–	19
20	–	·03	·02	–	·46	·06	–	–	·06	–	–	–	20
21	·02	·01	·02	–	–	·02	–	·03	–	–	·03	·01	21
22	·03	–	·04	–	·07	–	–	·30	–	·06	·01	–	22
23	·01	·07	–	–	·26	–	–	·16	–	·11	–	–	23
24	–	–	–	–	–	·01	·43	·14	–	·04	·01	–	24
25	–	·01	·05	–	–	–	·05	·25	·03	·10	·13	–	25
26	–	–	–	–	·32	·07	–	1.00	·08	·02	–	–	26
27	–	–	–	–	·01	·52	–	·79	–	·03	–	–	27
28	–	·14	·04	–	·03	·42	–	·30	–	–	–	·01	28
29	–		·11	–	–	·19	–	–	–	·57	·01	·14	29
30	–		·20	–	–	–	·20	·08	–	·02	–	–	30
31	–		·04		·07		–	–		·32		·04	31
Total	1.13	1.07	3.74	1.22	2.07	2.37	1.97	5.38	1.62	3.62	1.49	1.15	YEAR'S TOTAL 26.83
Rain Days.	15	10	19	13	11	15	11	21	13	25	18	11	182

W. 8,000, IX. 17.

Exe N 89 75

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10. 19

Kept at 'The Shrubbery', Teignmouth.

in the County of S Devon

by Evan Augustus Norton

Lat. 50° 33' N. Long. 3° 29' W.

Time of Observation 9. A.M. (Greenwich Time).

Nearest Railway Station Teignmouth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·	·23	·	·16	·01	·	·	·69	·01	·01	·71	·	1
2	·	·15	·	·21	·	·	·	·04	·	·01	·01	·23	2
3	·	·17	·	·35	·08	·	·	·05	·	·	·08	·01	3
4	·	·01	·	·	·03	·	·	·21	·62	·	·94	·17	4
5	·	·	·10	·03	·49	·	·	·42	·53	·19	·01	·04	5
6	·14	·11	·01	·08	·	·	·	·01	·01	·22	·	·14	6
7	·	·11	·	·01	·06	·01	·	·	·30	·05	·38	·14	7
8	·08	·04	·	·	·	·	·	·	·08	·41	·	·	8
9	·04		·	·05	·	·03	·29	·	·42	·01	·03	·29	9
10	·05	·	·	·50	·	·	·17	·	·16	·13	·02	·37	10
11	–	·	·11	·02	·01	·	·82	·	·16	·02	·10	·02	11
12	·	·07	·12	·	·16	·	·02	·	·01	·01	·01	·	12
13	·03	·	·	·	·16	·	·32	·	·21	·06	·	·02	13
14	·26	·	·	·	·05	·07	·03	·	·19	·04	·	·09	14
15	·99	·	·	·04	·07	·05	·62	·	·07	·06	·	·20	15
16	·70	·	·01	·16	·	·04	·02	·	·15	·	·	·05	16
17	·23	·	·02	·20	·	·	·46	·	·	·	·	·24	17
18	·81	·	·04	·	·	·69	·10	·01	·72	·07	·	·34	18
19	·17	·03	·13	·01	·	·	·08	·	·05	·	·	·15	19
20	·05	·05	·	·17	·	·	·03	·	·20	·06	·	·	20
21	·06	·02	·	·	·	·02	·01	·	·37	·27	·	·42	21
22	·03	·	·	·	·10	·	·86	·01	·15	·02	·04	·17	22
23	·05	·04	·	·	·08	·	·04	·03	·04	·	·04	·11	23
24	·	·12	·	·	·	·	·14	·10	·05	·	·12	·36	24
25	·01	·	·	·19	·11	·	·20	·50	·	·05	·26	·	25
26	·	·02	·	·	·	·	·16	·02	·03	·01	·08	·04	26
27	·02	·01	·18	·	·	·	·	·05	·09	·02	·11	·	27
28	·	·12	·15	·01	·	·	·	·	·10	·03	·01	·02	28
29	·	X	·14	·	·	·	·	·	1·26	·	·01	·01	29
30	·	X	·30	·	·	·	·	·	·02	·08	·20	·08	30
31	·01	X	·05	X	·	X	·	·	X	·02	X	·	31
Total	3.43 ✓	1.33 ✓	1.36 ✓	2.19 ✓	1.41 ✓	·91 ✓	4.37 ✓	2.14 ✓	6.00 ✓	1.85 ✓	3.19 ✓	3.44 ✓	YEAR'S TOTAL 32.22 ✓
Rain Days.	18 ✓	16 ✓	13 ✓	16 ✓	13 ✓	4 ✓	18 ✓	13 ✓	26 ✓	23 ✓	19 ✓	24 ✓	206 ✓

W, 6,500, VII. 18. W W C

[illegible] 1632

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 'The Shrubbery', Teignmouth.
in the County of Devon
by Evan A. Norton

Lat. 50° 33′ N Long. 3° 29′ W.
Time of Observation 9 A.M. (Local Time).
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	–	·13	–	·03	–	·36	–	·02	·15	–	·90	1
2	·28	–	–	–	–	–	·14	–	·13	·05	–	·01	2
3	·40	–	·32	–	–	–	–	–	·25	–	·02	·07	3
4	·73	·80	·60	–	–	·10	·07	·10	·46	–	·06	–	4
5	–	·20	·64	–	–	–	–	–	·55	–	·04	·04	5
6	·44	·91	·05	·01	–	–	–	–	–	–	–	·24	6
7	·25	·01	·29	·09	–	–	–	–	–	–	–	·06	7
8	·48	–	·19	–	–	–	–	–	–	–	·25	–	8
9	·14	–	·01	·22	·16	–	–	–	–	–	·59	–	9
10	·14	–	·44	–	–	–	–	–	–	·01	–	·26	10
11	·06	–	·34	·10	·24	·01	·08	–	–	·03	·06	·06	11
12	·12	–	·03	·04	–	·01	–	–	·04	·04	·10	·10	12
13	·07	·14	·19	·46	–	–	–	–	–	·05	–	·41	13
14	·42	·22	–	·34	·88	–	–	–	·06	·04	–	·25	14
15	·24	·22	–	·05	–	–	–	–	–	·06	–	–	15
16	·08	1.03	–	–	–	–	–	–	–	–	·11	–	16
17	·01	·89	–	–	–	–	–	·01	–	–	·10	–	17
18	·04	·29	·55	–	–	–	·21	–	–	–	·12	–	18
19	·54	·54	·15	–	–	·19	·61	·37	·07	–	·10	·01	19
20	·31	·01	·02	–	–	·35	–	·17	·12	–	–	·02	20
21	·02	·94	–	–	–	–	·02	–	·07	–	–	·07	21
22	–	–	–	–	–	–	·01	–	–	–	·12	·06	22
23	–	–	·02	–	–	–	–	–	–	·46	·05	·18	23
24	–	–	–	–	–	·22	–	·13	–	·35	·20	·28	24
25	·07	·05	–	·06	–	·06	–	·29	–	–	·01	·03	25
26	·22	·04	·04	·07	–	–	–	·02	–	–	·06	·30	26
27	·27	·01	·03	·21	–	–	–	1·65	–	–	–	·02	27
28	·05	·01	·20	·02	–	–	–	·05	–	–	·79	·39	28
29	·01		–	·02	–	–	–	·07	–	·05	·01	·08	29
30	–		–	–	–	·05	–	·10	·04	–	·66	·56	30
31	–		·02		–		–	–		–		·65	31
TOTAL	5.77	6.31	4·26	1·69	1.31	·99	1.50	2.96	1·81	1.29	3.45	5.08	YEAR'S TOTAL 36.42 ✓
Days with ·01 in. or more	25	17	20	13	4	8	8	11	11	11	19	24	171 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Entd. [illegible] 1547

JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "The Shrubbery", Teignmouth
in the County of Devon
by Evan Augustus Norton

Lat. 50° 33′ N Long. 3° 29′ W.
Time of Observation 9 A.M. (Local Time)
Nearest Railway Station Teignmouth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	—	·20	·54	—	·43	—	·10	·08	·04	·81	1
2	·29	—	—	·19	—	—	—	·08	·06	·11	—	·16	2
3	—	·06	—	·10	—	—	·03	—	—	·44	—	·23	3
4	—	—	·01	—	—	—	·22	·49	—	·20	—	—	4
5	—	—	·11	·04	·02	—	·31	·25	—	·15	—	—	5
6	—	—	·30	·04	·18	—	·26	—	—	·05	—	—	6
7	—	—	·02	·09	·11	—	·30	—	—	—	—	·04	7
8	—	·05	—	·24	·05	—	·08	—	—	·02	—	·26	8
9	·54	·01	—	·01	—	·28	·15	—	—	—	—	—	9
10	1·03	·05	·02	—	—	·25	·16	—	—	—	—	—	10
11	·40	·01	·18	·51	·29	·04	·17	—	—	—	—	—	11
12	·15	—	·10	·12	—	·12	·03	—	—	—	·15	·30	12
13	·08	—	·58	·13	—	—	—	—	—	·02	·01	·22	13
14	·01	·05	·54	·66	—	—	—	—	·09	·32	·39	·02	14
15	—	·09	·04	·35	—	—	—	—	—	·52	·04	—	15
16	—	·04	·02	—	·04	—	·15	—	·12	·05	—	—	16
17	—	—	—	·11	·25	·06	·03	—	·35	—	—	—	17
18	·09	·03	—	·10	·06	·26	—	·28	·03	—	—	—	18
19	·03	·02	—	·45	—	·35	—	—	—	—	—	—	19
20	—	·03	—	·23	—	·16	·05	—	—	·11	—	·34	20
21	—	—	—	·05	—	—	·03	—	—	·12	—	·08	21
22	·02	—	—	·04	—	—	·04	—	—	·01	—	·41	22
23	·01	—	—	—	—	—	·17	·02	—	—	—	·43	23
24	·01	·01	·21	—	—	—	·02	—	—	—	·11	·19	24
25	—	—	·10	—	·09	—	·68	—	—	—	·01	·03	25
26	·26	—	·26	—	—	—	·04	—	—	—	·18	·17	26
27	·80	·13	·19	·04	—	·11	·10	—	—	—	·39	·24	27
28	·57	·02	·09	·01	—	—	—	—	—	—	—	·14	28
29	·55		·96	·06	·04	—	—	—	—	—	·27	·34	29
30	·18	✕	—	—	—	·10	·01	—	·58	·07	·31	·55	30
31	·13	✕	·19	✕	—	✕	·03	—	✕	·49	✕	·14	31
TOTAL	5·30	0·60	3·92	3·77	1·67	1·73	3·49	1·12	1·33	2·76	1·90	5·10	YEAR'S TOTAL 32·69
Days with ·01 in. or more	19	14	18	22	11	10	23	5	7	16	11	20	176
Days with ·04 in. or more	14	7	14	20	10	10	16	4	6	13	9	18	141

TEIGNMOUTH
WOODLANDS
DEVON
1911 – 1912

911

FORM A2.
BRITISH RAINFALL.
6 MAY 1912

Kept at Woodla

in the County of

by W B H

op 8 in.
above Ground 1 ft. 2 in.
„ Sea Level 93 ft.
9 A.M.
tion { Name Teignmouth
Distance Direction

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add th… ng year in the space provided for it at the end … asurement of rain, the selection and … e British Rainfall Organization are giv… e on application to Dr. H. R. Mill, 62

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	.05	–	–	–	–	–	–	.02	–	1
2	–	–	–	.01	.35	01	–	.19	–	.11	.13	.29	2
3	–	–	–	–	.10	–	–	–	02	–	.10	.07	3
4	–	–	.07	–	–	–	–	.01	–	–	.11	.59	4
5	.15	–	08	–	–	–	–	.08	–	–	.05	.01	5
6	.21	–	32	–	–	–	–	–	–	.03	.08	1.13	6
7	.02	–	–	–	–	–	–	–	–	–	.38	.01	7
8	–	–	.07	–	–	–	–	–	–	–	.08	.54	8
9	–	–	–	–	–	.28	–	–	–	–	.55	.86	9
10	–	.03	.37	–	.22	–	–	–	–	–	–	.24	10
11	.18	–	–	–	–	–	–	–	–	–	.76	.03	11
12	–	–	.55	–	–	–	–	–	.12	–	–	.08	12
13	–	–	–	–	–	–	–	–	.18	–	.02	.49	13
14	–	.07	.01	–	–	–	–	–	–	.14	–	.66	14
15	–	–	.01	–	–	.02	–	–	–	–	.26	.05	15
16	–	–	–	–	–	.37	–	–	–	–	.53	.64	16
17	–	–	.50	–	–	.21	–	–	–	–	.22	.72	17
18	–	.16	.24	.25	–	.32	–	–	–	.16	.30	.52	18
19	–	.05	.02	–	–	.41	–	–	.33	.15	.10	.45	19
20	.02	.01	.27	.04	–	–	–	–	.13	.79	–	.71	20
21	.01	.08	–	–	–	–	–	.14	.10	.28	–	.05	21
22	.22	.02	.02	–	–	.13	–	–	.29	.07	–	.53	22
23	–	.12	.10	–	–	.14	–	–	–	.31	.11	.26	23
24	.02	.11	–	–	–	.42	–	.03	–	31	–	.22	24
25	–	.04	–	.02	–	.04	–	.01	.07	.11	–	.05	25
26	–	.08	–	.25	02	–	–	.02	~~0~~	72	–	.18	26
27	–	.30	–	.02	–	–	–	.05	.10	.25	.02	.13	27
28	–	13	03	.37	–	–	–	.05	–	–	.03	–	28
29	–	|	–	.12	–	.19	.57	–	.10	16	–	–	29
30	–	|	–	–	–	01	–	–		.21	.07	–	30
31	–	|	–	|	–	|	.07	–	|	–	|	–	31
Total	.83	1.20	2.66	1.13	.69	2.55	.64	.58	1.44	3.80	3.92	9.51	TOTAL for year 28.95
No. of Rain Days.	8	13	15	9	4	13	2	9	10	15	20	26	144

W. 8,000, X. '11.

REGISTER OF RAINFALL 911

FORM A2.
BRITISH RAINFALL.
6 MAY 1912

Kept at Woodlands Teignmouth

in the County of Devon S 5

by W B Harris

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 98 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Teignmouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	.05	–	–	–	–	–	–	.02	–	1
2	–	–	–	.01	.35	01	–	.19	–	.11	.13	.29	2
3	–	–	–	–	.10	–	–	–	02	–	.10	.07	3
4	–	–	.07	–	–	–	–	.01	–	–	.11	.59	4
5	.15	–	08	–	–	–	–	.08	–	–	.05	.01	5
6	.21	–	32	–	–	–	–	–	–	.03	.08	1.13	6
7	.02	–	–	–	–	–	–	–	–	–	.38	.01	7
8	–	–	.07	–	–	–	–	–	–	–	.08	.54	8
9	–	–	–	–	–	.28	–	–	–	–	.55	.86	9
10	–	.03	.37	–	.22	–	–	–	–	–	–	.24	10
11	.18	–	–	–	–	–	–	–	–	–	.76	.03	11
12	–	–	.55	–	–	–	–	–	.12	–	–	.08	12
13	–	–	–	–	–	–	–	–	.18	–	.02	.49	13
14	–	.07	.01	–	–	–	–	–	–	.14	–	.66	14
15	–	–	.01	–	–	.02	–	–	–	–	.26	.05	15
16	–	–	–	–	–	.37	–	–	–	–	.53	.64	16
17	–	–	.50	–	–	.21	–	–	–	–	.22	.72	17
18	–	.16	.24	.25	–	.32	–	–	–	.16	.30	.52	18
19	–	.05	.02	–	–	.41	–	–	.33	.15	.10	.45	19
20	.02	.01	.27	.04	–	–	–	–	.13	.79	–	.71	20
21	.01	.08	–	–	–	–	–	.14	.10	.28	–	.05	21
22	.22	.02	.02	–	–	.13	–	–	.29	.07	–	.53	22
23	–	.12	.10	–	–	.14	–	–	–	.31	.11	.26	23
24	.02	.11	–	–	–	.42	–	.03	–	.31	–	.22	24
25	–	.04	–	.02	–	.04	–	.01	.07	.11	–	.05	25
26	–	.08	–	.25	.02	–	–	.02	~~0~~	.72	–	.18	26
27	–	.30	–	.02	–	–	–	.05	.10	.25	.02	.13	27
28	–	13	03	.37	–	–	–	.05	–	–	.03	–	28
29	–	|	–	.12	–	.19	.57	–	.10	.16	–	–	29
30	–	|	–	–	–	01	–	–		.21	.07	–	30
31	–	|	–	|	–	|	.07	–	|	–	|	–	31
Total	.83	1.20	2.66	1.13	.69	2.55	.64	.58	1.44	3.80	3.92	9.51	TOTAL for year 28.95
No. of Rain Days.	8	13	15	9	4	13	2	9	10	15	20	26	144

W. 8,000, X. '11.

Ex H.

FORM A2.
BRITISH RAINFALL.

6 JUN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woodlands Teignmouth

in the County of Devon S. 5

by W B Harris

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 98 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Teignmouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	,06	–	–	,42	–	–	,16	,80	–	26	1
2	–	–	,16	–	–	,16	–	,13	–	–	,02	–	2
3	–	–	,26	–	–	,20	,09	,85	–	–	–	,02	3
4	,16	,03	,68	–	,02	,29	–	,05	–	–	,20	–	4
5	,48	,35	,20	–	–	–	,05	,44	–	–	–	20	5
6	,21	,04	,01	–	,23	,16	–	,06	–	–	–	–	6
7	,07	,77	,25	–	,02	,52	–	,04	–	–	–	,30	7
8	,55	,11	,57	–	–	,27	–	,04	–	–	–	,01	8
9	,05	,04	,07	,03	–	,09	,03	,09	–	–	–	,23	9
10	,17	,07	,11	–	–	,21	–	,16	–	–	,07	,24	10
11	,02	,07	–	–	–	–	–	,04	–	–	12	,41	11
12	–	,48	,05	–	–	–	,09	,54	–	–	–	,01	12
13	,10	–	–	–	–	,02	,86	,01	–	,03	–	,06	13
14	,05	,05	,44	–	,10	–	–	,07	–	–	–	,01	14
15	,62	,06	,07	–	,29	,26	–	–	–	–	–	,10	15
16	,25	–	,29	–	,06	,02	–	–	–	,02	–	,01	16
17	,03	–	,19	–	–	,04	–	,71	–	–	,01	,05	17
18	,03	,02	,07	–	–	–	–	,22	–	,01	–	,04	18
19	,01	,03	,22	–	–	,02	,03	,08	–	–	,02	01 ,07	19
20	,02	,05	,45	–	,16	–	,03	,17	–	,29	,01	–	20
21	–	,20	,28	–	,28	–	–	,03	–	,10	–	–	21
22	,56	,21	,16	–	,06	–	,07	,04	–	,06	,02	,11	22
23	,66	,30	,09	–	,01	,04	,05	,25	–	,08	,04	,20	23
24	,12	,03	–	–	–	,33	–	,03	–	,11	–	,16	24
25	,15		–	–	–	,03	–	,36	–	,35	17	,38	25
26	–	,02	–	–	–	–	,09	,04	–	,23	,50	,43	26
27	–	–	,01	–	–	,35	,43	,14	–	1,21	–	,33	27
28	–	,09	–	–	–	,03	,09	,53	,19	,42	,39	,51	28
29	–	,53	,01	–	–	,06	,13	,14	,35	45 ,45	,01	,02	29
30	–		,08	–	–	,24	,06	–	,29	,26	–	–	30
31	–		,28	|	–	|	,58	–	|	,03	|	02	31
Total	4,31	3,55	5,06	,03	1,23	3,76	2,68	5.26	,99	4,45	1,58	4,12	TOTAL for year 37,02
No. of Rain Days.	20	21	,25	1	10	21	15	26	4	16	13	25	197

W. 8,000, X. '11.

I made

DEVON

TIVERTON

"BROOMHILL"

1912 – 1914

REGIST

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Broomhill, Tiver

in the County of Devon S6

by Rev. John Dickinso

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			23			60	6	2	7	85			1
2			13	6	2	15		11		4	2		2
3	1		20			16	3	94	9			2	3
4	27		103			15		5			26		4
5	69		31		2	1	5	50			1	6	5
6	83	15	6		23	16	37	29				8	6
7	2	61	11	2	23	75		26				7	7
8	55	17	30	4		13	9	1	3		2	2	8
9	5	7	20	19		101	6	5				50	9
10	23	8	11	2		4					14	18	10
11	4	7	32								8	35	11
12	3	36	29			2	9	3				39	12
13	24				1	3	44	3		2		20	13
14	7	4	78		13	3		10				5	14
15	47	3	2		34	75		1				38	15
16	41		23		1	2		18		15	13	10	16
17	13		13		4	16		86		1		13	17
18	8	1	25					9		4	1	8	18
19	1	21	24			4	5	66		6	1	1	19
20	8	8	38		14	1	8	28		60	8		20
21		26	40		36		1	11		29			21
22	25	25	20		15		10	36		13	2	9	22
23	28	39	36			2	14	90		5	9	26	23
24	5	5	9			25	1	2		19		13	24
25	9					12	12	51		19	26	56	25
26		2					1	8		28	50	33	26
27		1				50	46			104	3	30	27
28		13				7	13	43	26	35	28	45	28
29		11	1			23	22	26	67	92		8	29
30			3			6	33	1	14	42	30		30
31			38				30			7		7	31
Total	4.88	3.10	6.79	.33	1.68	5.47	3.15	7.15	1.26	5.70	2.24	4.89	TOTAL for year 46.64
No. of Rain Days.	22	20	26	5	12	25	21	27	6	19	17	25	225

W. 8,000, X. '11.

made

REGIST

FORM A2.
BRITISH RAINFALL.
9- JAN 1913

Kept at Broomhill, Tiverton - N. Devon

in the County of Devon S6

by Rev. John Dickinson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
,, ,, ,, Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			23			60	6	2	7	85			1
2			13	6	2	15		11		4	2		2
3	1		26			16	3	94	9			2	3
4	27		163			15		5			26		4
5	69		31		2	1	5	50			1	6	5
6	83	15	6		23	16	37	29				8	6
7	2	61	11	2	23	75		26				7	7
8	55	17	30	4		13	9	1	3		2	2	8
9	5	7	20	19		101	6	5				50	9
10	23	8	11	2		4					14	18	10
11	4	7	32								8	35	11
12	3	36	29			3	9	3				39	12
13	24				1	3	44	3		2		20	13
14	7	4	78		13	3		10				5	14
15	47	3	2		34	75		1				38	15
16	41		23		1	2		18		15	13	10	16
17	13		13		4	16		86		1		13	17
18	8	1	25					9		4	1	8	18
19	1	21	24			4	5	66		6	1	1	19
20	8	8	38		14	1	8	28		60	8		20
21		26	40		36		1	11		29			21
22	25	25	20		15		10	36		13	2	9	22
23	28	39	36			2	14	90		5	9	26	23
24	5	5	9			25	1	2		19		13	24
25	9					12	12	51		19	26	56	25
26		2					1	8		28	50	33	26
27		1				50	46			104	3	30	27
28		13				7	13	43	26	35	28	45	28
29		11	1			23	22	26	67	92		8	29
30			3			6	33	1	14	42	30		30
31			38				30			7		7	31
Total	4.88	3.10	6.79	.33	1.68	5.47	3.15	7.15	1.26	5.70	2.24	4.89	TOTAL for year 46.64
No. of Rain Days.	22	20	26	5	12	25	21	27	6	19	17	25	225

W. 8,000, X. '11.

S. made

Cordy mm stats for auth 20.III.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

9- JAN 1914

Kept at Broomhill. Tiverton.

in the County of 5 Devon. 6 RR

by Rev. J. Dickinson.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Tiverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		24	24	8	2				7	5	9	18	1
2	6	12		16	17		1			31	16		2
3	17		17	5	20					27	10	25	3
4	167	3	5	1	12	2	3		33	82		19	4
5	3	3			18	26	2		18		7	46	5
6	6	7	16		2	9	9			70	8	26	6
7	6	23	3		88	14	2			33	22	3	7
8	2	5			40	1	2			16			8
9		7	2		9	14		29			45	5	9
10	47		6		18	3		1		25	20		10
11	68			19	40	8				5	83	4	11
12					11	4			4		44		12
13	15		2					12	25		11		13
14	32		19	3	3					3	18	1	14
15	20	4	39	66					17		7	1	15
16	18		59	6					13				16
17	3		Snow 3	8							3		17
18	20		17	14	2	2					15		18
19	56		16	2	7	7	4		39	2			19
20	34		24	17		1			3	2			20
21			16	2	9	10					39		21
22	81		92	4				3	10	1	6	14	22
23	4		2			22		11	1			59	23
24	4	7		10				2			4		24
25		4		47					9	3	4	11	25
26				73				4		2		26	26
27	8		26	23						46		1	27
28	15		6	36	7					53		2	28
29	9		50	31	1					29	2		29
30	42			1	3					48	6		30
31	26		22		14		(·03)	61		1			31
Total	709.	99	466	392	323	126	26	123	179	434	379	261	YEAR'S TOTAL 35·17 35·17
Rain Days.	25	11	22	21	20	14	8 7	8	12	20	21	16	197.

W. 7,500, XI. 12

[illegible] Cord for auth 10·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 8 JAN 1915

Kept at Broomhill – Tiverton

in the County of Devon S6 ~~XI~~ RJ

by Revd. J. Dickinson

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Tiverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	16		7	14		12	14	28			17	11	1
2	3		10	11	2½		25				34	52	2
3	1		51	34	41			19				9	3
4	14		22	31	15		37	19			36	46	4
5	16		24	40	4						11	8	5
6		6	6	20	7		28	3			3	18	6
7	5	28	23	16	7	12	25	18	6			24	7
8	15		109	2	24	74		18	5				8
9	2	1	more snow than rain 28	12	5	50		12	62				9
10	5	15	2	21	13	5			43		2	4	10
11		11	72		12	16			1		10	57	11
12		28	9						40		8	69	12
13		29	34			11	3		49	27	35	20	13
14		7	53					46	2	11	30	3	14
15			24				3	70	9	3	33	10	15
16			3				3		23			63	16
17		28	43				2						17
18		12	10				5		11			31	18
19		11	39				185		8		14	16	19
20		31	15			15						27	20
21		47	3			2		2		24		10	21
22		4			18	16		1		57			22
23		7	18				10			18			23
24			5		1			6		1	15	42	24
25	16		42		7		12	61		50			25
26	11	2	11				5	8		5	13	51	26
27	4	1								14	16	20	27
28	4	12	16		5					25	11	90	28
29	12		14		10					17	27	7	29
30		X	3			5				12	22	78	30
31	2	X		X	3	X	50		X	38	X	38	31
Total	126	280	696	201	174½	218	407 407	311	259	302	337	804	YEAR'S TOTAL 40.15 41.15
Rain Days.	15	18	28	10	16	11	15	14	12	14	18	25	196

W. 8,000, X. 14.

DEVON.

TIVERTON

"HIGHFIELD"

1911 - 1912

FORM A2.
BRITISH RAINFALL

3 - JAN 1912

REG 11

Kept at Highfie

in the County of De

by G. W. T

5 in.

ove Ground 1 ft. 10 in.

" Sea Level 456 ft.

9 a.m Tiverton

Name Tiverton

Distance 1½ miles Direction E

IMPORTANT NOTE.— measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	.	5	13	4	.				.	5	7	1
2	.	.	5	2	38	.		61	.	25	20	13	2
3		1	9	1	37			9	6		9	9	3
4		.	10	2	1			25	2	8	21	4	4
5	39		17	.				67		3	15	4	5
6	39		25	.	1			4		5	15	64	6
7	8			2				1	.		54	1	7
8	5		23	1				.	.		11	1.15	8
9	9	.		.				.	.		56	58	9
10	11	3	51		20			.	1		1	48	10
11	50		3	.	6						56	16	11
12			78	.	1			1	5	.	27	24	12
13			2	.				.	51	3	15	52	13
14		7						.		5	1	99	14
15		3	3			9		.			30	10	15
16	2	3	1			27		.		.	27	28	16
17		10	9	6		31	2	.			10	61	17
18		35	11	37	1	37				16	24	34	18
19		16	2	14	.	90			84	32	31	1.2	19
20	6	8	11	14		2		1	24	20		65	20
21	1	24	4	2		5		2	18	36		24	21
22	12	8	.	11		8			18	90		73	22
23	2	14	2	2		12			19	27	2	14	23
24	2	42				29		20		43		20	24
25	3	14	.	16		5		1	7	20	.	29	25
26	1	17		51	94	1	1	5		32	5	43	26
27		34	4	11	7	2		27	15	56	.	30	27
28		38	5	60		0		11			35	2	28
29			.	44		52	24	5	35	46	1	0	29
30			1	1			6	1	35	14	12	4	30
31			1				7	.		18			31
Total	1.94	2.77	2.82	2.88	2.10	2.10	.40	2.41	2.86	5.14	4.07	10.96	TOTAL for year 42.30
No. of Rain Days	16	17	23	18	11	14	5	16	14	19	24	29	206

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Highfield Tiverton

in the County of Devon S.6

by G. W. Hanson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 456 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Tiverton
Distance 1½ miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	·	5	13	4	·				·	5	7	1
2	·	·	5	9	38	·		61	·	25	20	13	2
3		1	9	1	37			9	6		9	9	3
4		·	10	2	1			25	2	8	21	41	4
5	39		17	·				67		3	15	4	5
6	39		25	·	1			4		5	15	64	6
7	8			2				1	·		54	1	7
8	5	·	23	1				·	·		11	1.15	8
9	9	·		·				·	·		56	58	9
10	11	3	51		20			·	1		1	48	10
11	50		3	·	6						56	16	11
12			78	·	1			1	5	·	27	24	12
13			2	·				·	51	3	15	52	13
14		7						·		5	1	99	14
15		3	3			9		·			30	10	15
16	2	3	1			27		·		·	27	28	16
17		10	9	6		31	2	·			10	61	17
18		35	11	37	1	37				16	24	34	18
19		16	2	14	·	90			84	32	31	1. 2	19
20	6	8	11	14		2		1	24	20		65	20
21	1	24	4	2		5		2	18	36		24	21
22	12	8	·	11		8			18	90		73	22
23	2	14	2	2		12			19	27	2	14	23
24	2	42				29		20		43		20	24
25	3	14	·	16		5		1	7	20		29	25
26	1	17		51	94	1	1	5		32	5	43	26
27		34	4	11	7	2		27	15	50	·	30	27
28		38	5	60		0		11			35	2	28
29			·	44		52	24	5	35		46	1	0	29
30			1	1			6	1	35	14	12	4	30
31			1				7	·		18			31
Total	1.94	2.77	2.82	2.88	2.10	2.10	.40	2.41	2.86	5.14	4.07	10.96	TOTAL for year 42.30
No. of Rain Days	16	17	23	18	11	14	5	16	14	19	24	29	206

9,000, IX. '10.

Cord fr auth 21.11.13

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Highfield Tiverton

in the County of Devon S.6

by G. W. Hanson

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 450 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Tiverton
Distance 1½ miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			30			70	10	2	8	.86		34	1
2			15	5		17	4	11		5	2	1	2
3	2	1	25	1	3	19	6	89	12			2	3
4	36		1.17			17		8	·		29		4
5	78	17	36		3	2		40	2		1	7	5
6	97	15	4		27	22	35	33			1	9	6
7	5	65	13	2	29	77		31			3	8	7
8	64	20	43	4		13	12	3	1				8
9	6	12	24	23		1.08	8	6	·		1	49	9
10	26	11	13	3		8		1	·		11	23	10
11	9	10	35		2		1	2	·		10	38	11
12	4	41	35	1	1	2	10	3	·		1	13	12
13	18		0			3	57	4	·	1		23	13
14	10	5	79		16	5		14	·	1		[illegible]	14
15	49	5	4		37	83		3	0			46	15
16	48	·	27		3	3		16	0	18	16	11	16
17	27	·	17		6	19		9	0	1		16	17
18	·	2	24					12	0	7	2	11	18
19	2	30	28			7	6	66	0	8	2	3	19
20	12	10	39		16	2	9	35	0	65	10	0	20
21		28	65		41			6		35			21
22	27	30	28		19	1	13	41		14	2	10	22
23	29	38	38			2	13	95		9	11	28	23
24	6	7	9			31		3		20		5	24
25	12	1	·			15	14	55		21	24	57	25
26	·	2	·					8		33	35	33	26
27		2	1			58	47	·		1.10	4	32	27
28		16				13	15	48	22	37	30	46	28
29		15	2			28	19	27	72	80		11	29
30			3		1	7	38		15	40		1	30
31			38				31	1	18	5		8	31
Total	5.6 5.64	3.83	7.92	.39	2.04	6.32	3.51	7.71	1.33	5.96	1.94	5.30	TOTAL for Year [illegible] 51.89
No. of Rain Days.	21	23	27	7	14	26	19	29	7	20	18	27	238

W. 8,000, X. '11.

Entd 10.XI.13

REC 911.

FORM A.
BRITISH RAINFALL.

23 JUN 1913

DEVON.
TIVERTON
TEMPLETON RECTORY.

1911-1912

Kept at Templeton

in the County of D

by Rev. Jas. Fo

Long. 3° 35' W

n 9 a.m

tation Tiverton

Gauge 5 in.

auge above Ground 1 ft. ~~in.~~

„ Sea Level 600 ft.

IMPORTANT NO m. and the result entered to the previous day. If an ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	0	·10	·19	·03	0	0	0	0	·01	·05	·02	1
2	0	0	·03	·01	·32	0	0	·41	0	·46	·26	·10	2
3	0	0	·05	·01	·26	0	0	·05	·06	0	·08	·08	3
4	0	0	·10	·02	·01	0	0	·34	0	·04	·26	·50	4
5	·38	0	·21	·01	0	0	0	·44	0	0	·16	·06	5
6	·24	0	·18	0	0	0	0	·05	0	05	·15	·52	6
7	·09	0	0	·02	0	0	0	0	0	0	·58	·04	7
8	·08	0	·28	0	0	0	·0	0	0	0	·10	1·03	8
9	·06	0	0	0	0	0	0	0	0	0	·74	·58	9
10	·09	·06	·43	0	·29	0	0	0	0	0	0	·38	10
11	·49	0	0	0	·05	0	0	0	0	0	·54	·14	11
12	0	0	·93	0	0	0	0	0	·10	0	·10	·52	12
13	0	0	0	0	0	0	0	0	·36	·01	·10	·47	13
14	0	·08	·02	0	0	0	0	0	0	·07	·14	·83	14
15	0	0	0	0	0	·09	0	0	0	0	·22	·08	15
16	·03	0	·06	0	0	·29	0	0	0	0	·12	·27	16
17	0	·18	·07	·05	0	·31	·04	0	0	0	·07	·49	17
18	0	·38	·08	·41	0	·41	0	0	0	·19	·29	·23	18
19	0	·13	·01	·20	0	·45	0	0	·75	·19	·39	·96	19
20	·06	·07	·18	·08	0	·03	0	0	·23	·50	0	·71	20
21	0	·28	·02	·01	0	·02	0	·03	·15	·24	0	·30	21
22	·07	·17	0	·09	0	·10	0	0	·25	·73	0	·49	22
23	·02	·03	·02	·01	0	·03	0	0	·18	·25	·05	·14	23
24	·02	·39	0	·17	0	·24	0	·19	0	·47	0	·29	24
25	·01	0	0	0	0	05	0	·01	·08	·15	0	·23	25
26	0	·25	0	·42	·79	0	0	·09	0	·46	·05	·31	26
27	0	·38	·03	·07	0	0	0	·28	·19	·30	·02	·33	27
28	0	·24	·05	·61	0	·01	0	·06	0	0	·25	·02	28
29	0		0	·49	0	·53	·22	·06	·44	·54	·03	·01	29
30	0		0	0	0	·05	·16	0	0	·13	·16	03	30
31	0		0		·05		·19	0		·13		0	31
Total	1·70	2·64	2·85	2·87	1·80	2·61	·61	2·01	2·79	4·92	4·91	10·16	YEAR'S TOTAL 39·87
Rain Days.	14	13	19	18	8	14	4	12	11	19	24	30	186

W. 7,500, XI. 12

Entd 10.XI.13

REC 911.

FORM A. BRITISH RAINFALL.

23 JUN 1913

Kept at Templeton Rectory

in the County of Devon

by Rev. Jas. Fowler

Lat. 50° 54′ N Long. 3° 35′ W

Time of Observation 9 a.m

Nearest Railway Station Tiverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	0	·10	·19	·03	0	0	0	0	·01	·05	·02	1
2	0	0	·03	·01	·32	0	0	·41	0	·46	·26	·10	2
3	0	0	·05	·01	·26	0	0	·05	·06	0	·08	·08	3
4	0	0	·10	·02	·01	0	0	·34	0	·04	·26	·50	4
5	·38	0	·21	·01	0	0	0	·44	0	0	·16	·06	5
6	·24	0	·18	0	0	0	0	·05	0	05	·15	·52	6
7	·09	0	0	·02	0	0	0	0	0	0	·58	·04	7
8	·08	0	·28	0	0	0	0	0	0	0	·10	1·03	8
9	·06	0	0	0	0	0	0	0	0	0	·74	·58	9
10	·09	·06	·43	0	·29	0	0	0	0	0	0	·38	10
11	·49	0	0	0	·05	0	0	0	0	0	·54	·14	11
12	0	0	·93	0	0	0	0	0	·10	0	·10	·52	12
13	0	0	0	0	0	0	0	0	·36	·01	·10	·47	13
14	0	·08	·02	0	0	0	0	0	0	·07	·14	·83	14
15	0	0	0	0	0	·09	0	0	0	0	·22	·08	15
16	·03	0	·06	0	0	·29	0	0	0	0	·12	·27	16
17	0	·18	·07	·05	0	·31	·04	0	0	0	·07	·49	17
18	0	·38	·08	·41	0	·41	0	0	0	·19	·29	·23	18
19	0	·13	·01	·20	0	·45	0	0	·75	·19	·39	·96	19
20	·06	·07	·18	·08	0	·03	0	0	·23	·50	0	·71	20
21	0	·28	·02	·01	0	·02	0	·03	·15	·24	0	·30	21
22	·07	·17	0	·09	0	·10	0	0	·25	·73	0	·49	22
23	·02	·03	·02	·01	0	·03	0	0	·18	·25	·05	·14	23
24	·02	·39	0	·17	0	·24	0	·19	0	·47	0	·29	24
25	·01	0	0	0	0	05	0	·01	·08	·15	0	·23	25
26	0	·25	0	·42	·79	0	0	·09	0	·46	·05	·31	26
27	0	·38	·03	·07	0	0	0	·28	·19	·30	·02	·33	27
28	0	·24	·05	·61	0	·01	0	·06	0	0	·25	·02	28
29	0		0	·49	0	·53	·22	·06	·44	·54	·03	·01	29
30	0		0	0	0	·05	·16	0	0	·13	·16	03	30
31	0		0		·05		·19	0		·13		0	31
Total	1·70	2·64	2·85	2·87	1·80	2·61	·61	2·01	2·79	4·92	4·91	10·16	YEAR'S TOTAL 39·87
Rain Days.	14	13	19	18	8	14	4	12	11	19	24	30	186

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

13 JUN 1913

REGISTER OF RAINFALL IN 1912

Kept at Templeton
in the County of Devon 5-6
by Rev. James Fowler

Lat. 50° 54′ Long. 3° 35′
Time of Observation 9. a.m
Nearest Railway Station Tiverton
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. ~~in.~~
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·11	0	·05	·69	·08	·05	·07	1·02	0	·32	1
2	0	0	·19	·10	0	·35	·05	·16	0	·05	0	·03	2
3	·03	0	·28	·01	·01	·13	·06	1·12	·13	0	0	0	3
4	·35	0	1·14	0	0	·25	0	·08	0	0	·35	0	4
5	·97	·12	·34	0	·03	·03	0	·48	0	0	0	·10	5
6	·75	·14	0	0	·26	·96	·18	·41	0	0	0	·08	6
7	·18	·69	·16	0	·35	·66	·08	·31	0	0	·02	·05	7
8	·49	·11	·41	·01	0	·02	·02	·04	·03	0	·03	0	8
9	·05	·08	·42	·36	0	·45	·07	·03	0	0	·01	·05	9
10	·32	·08	·09	·02	0	·17	·03	·08	·02	0	·20	·69	10
11	0	·14	·08	0	0	0	·01	·04	0	0	·15	·44	11
12	·04	·41	·31	0	0	0	·05	·02	0	0	·01	·08	12
13	·34	·01	0	0	0	·03	·55	·07	0	·04	0	·25	13
14	0	·07	1·03	0	·15	·02	0	·16	0	0	0	·05	14
15	·59	·02	·03	0	·28	·94	0	·16	0	·17	0	·45	15
16	·50	0	·32	0	·03	·07	0	·20	0	0	·15	·13	16
17	·21	0	·18	0	·09	·24	0	·90	0	0	0	·19	17
18	·02	0	·23	0	0	0	0	·40	0	·10	·05	·10	18
19	0	·41	·25	0	0	·05	·07	·70	0	·08	·01	·04	19
20	·21	·11	·36	0	·22	·01	·11	·56	0	·65	·20	0	20
21	0	·42	·59	0	·45	0	·02	·19	0	·27	·02	0	21
22	·25	·10	·25	0	·14	0	·14	·45	0	·18	0	·12	22
23	·54	·35	·36	0	0	·11	·15	1·06	0	·08	0	·10	23
24	·08	·13	·12	0	0	·30	0	·03	0	·12	·02	·42	24
25	·17	·01	0	0	0	·24	·09	·40	0	·33	·43	·61	25
26	0	·02	0	0	0	0	·02	·13	0	·26	·53	·25	26
27	0	0	·06	0	0	·43	·48	0	0	1·14	·15	·32	27
28	0	·12	0	0	0	·03	·12	·42	·24	·30	·27	·45	28
29	0	·28	0	0	0	·63	·20	·23	·65	·55	0	·11	29
30	0		·04	0	·04	·11	·38	·02	·15	·25	0	0	30
31	0		·47		0		·31	·02		·05		·10	31
Total	6·09	3·82	7·82	·50	2·10	6·92	3·27	8·92	1·29	5·64	2·60	5·53	YEAR'S TOTAL 54·50
Rain Days.	19	21	25	5	13	24	~~22~~ 23	30	7	18	17	25	~~226~~ 227

W. 7,500, XI. 12

RE 912

DEVON.

TIVERTON

"SOUTHWOOD"

1912—1914

FORM A2.
BRITISH RAINFALL.
13 JAN 1913

Kept at Sou

in the County of D

by P. P.

p in.

bove Ground ft. in.

,, Sea Level ft.

9 am.

Name Cadeleigh

Distance 2 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									7	75	6		1
2												28	2
3									11		1	1	3
4												4	4
5											30		5
6												9	6
7											1	3	7
8											3	12	8
9												1	9
10												71	10
11											18	20	11
12											12	33	12
13												8	13
14								Began				16	14
15								8				6	15
16								3				37	16
17								18		11	10	8	17
18								83				11	18
19								13		6	1	10	19
20								64		13	2	1	20
21								22		60	13		21
22								14		26			22
23								25		16	1	10	23
24								93		7	9	34	24
25								20		8		18	25
26								33		27	28	53	26
27								9		27	47	34	27
28									15	95	2	32	28
29								40	61	36	37	51	29
30								18	13	70		4	30
31										32		1	31
Total								~~4·63~~	1·07	5·09	2·21	5·16	TOTAL for year
No. of Rain Days.									5	15	14	27	

W. 8,000, X. '11.

RE 912

FORM A2.
BRITISH RAINFALL.

13 JAN 1913

Kept at Southwood Tiverton

in the County of Devon

by P. P. Miers

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9 am.

Nearest Railway Station
Name Cadeleigh
Distance 2 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									7	75	6		1
2												28	2
3									11		1	1	3
4												4	4
5											30		5
6												9	6
7											1	3	7
8											3	12	8
9												1	9
10												71	10
11											18	20	11
12											12	33	12
13												8	13
14								Began				16	14
15								8				6	15
16								3				37	16
17								18		11	10	8	17
18								83		.		11	18
19								13		6	1	10	19
20								64		13	2	1	20
21								22		60	13		21
22								14		26			22
23								25		16	1	10	23
24								93		7	9	34	24
25								20		8		18	25
26								33		27	28	53	26
27								9		27	47	34	27
28									15	95	2	32	28
29								40	61	36	37	51	29
30								18	13	70		4	30
31										32		1	31
Total								~~4·63~~	1·07	5·09	2·21	5·16	TOTAL for year
No. of Rain Days.									5	15	14	27	

W. 8,000, X. '11.

Form A. British Rainfall.

17 MAR 1914

corr for audit 24·III·14

REGISTER OF RAINFALL IN 1913

Kept at Southwood Nr Twerton R/

in the County of Devon 6

by Percy Penrose Meeis.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Cadeleigh (Exe Valley line)

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·18	·21	·09	·06	·00	·00	·00	·09	·04	·08	·20	1
2	·08	·10	·00	·17	·25	·00	·02	·00	·00	·63	·12	·02	2
3	·18	·01	·10	·02	·32	·00	·00	·00	·00	·07	·00	·22	3
4	1·39	·02	·04	·00	·13	·06	·00	·00	·57	·31	·13	·26	4
5	·05	·03	·00	·00	·23	·33	·07	·00	·30	·00	·06	·50	5
6	·09	·08	·15	·00	·02	·10	·11	·00	·00	·75	·12	·30	6
7	·05	·21	·03	·00	·82	·15	·05	·00	·00	·23	·19	·02	7
8	·02	·05	·01	·00	·39	·02	·06	·00	·00	·05	·09	·02	8
9	·01	·07	·02	·01	·11	·11	·17	·23	·00	·00	·44	·66	9
10	·54	·01	·08	·01	·15	·07	·00	·00	·00	·19	·27	·00	10
11	·66	·00	·01	·27	·30	·11	·00	·00	·00	·07	·72	·04	11
12	·01	·01	·00	·00	·30	·62	·00	·00	·06	·00	·45	·00	12
13	·15	·00	·02	·00	·00	·00	·04	·15	·20	·00	·11	·00	13
14	·41	·01	·19	·09	·00	·00	·00	·00	·00	·03	·16	·00	14
15	·15	·02	·38	·50	·00	·00	·00	·00	·40	·00	·09	·05	15
16	·25	·00	·58	·07	·00	·00	·03	·08	·15	·00	·02	·00	16
17	·03	·06	·05	·09	·00	·00	·03	·00	·00	·00	·02	·00	17
18	·16	·00	·24	·14	·02	·02	·00	·00	·00	·00	·13	·00	18
19	·62	·00	·19	·00	·08	·03	·09	·00	·45	·02	·00	·00	19
20	·32	·00	·15	·17	·00	·00	·00	·00	·03	·03	·09	·00	20
21	·00	·00	·16	·03	·09	·00	·00	·01	·00	·00	·43	·00	21
22	·74	·00	·90	·12	·02	·00	·03	·03	·12	·01	·00	·12	22
23	·03	·00	·07	·00	·00	·11	·00	·08	·00	·00	·08	·68	23
24	·05	·06	·00	·12	·00	·02	·00	·02	·00	·00	·04	·00	24
25	·01	·04	·00	·33	·00	·00	·00	·00	·09	·03	·05	·08	25
26	·00	·00	·00	1·15	·00	·00	·00	·06	·00	·01	·00	·25	26
27	·08	·00	·28	·30	·00	·00	·00	·01	·00	·42	·00	·00	27
28	·16	·00	·08	·35	·66	·00	·00	·00	·00	·46	·00	·28	28
29	·10	~~·00~~	·46	·28	·03	·00	·00	·00	·00	·28	·00	·00	29
30	·32	~~·00~~	·01	·02	·01	·00	·00	·00	·00	·57	·10	·00	30
31	·20	~~·00~~	·25	—	·16	—	·03	·00	—	·01	—	·00	31
Total	6·90 ✓	·90 ✓	4·66 ✓	4·33 ✓	3·55 ✓	1·15 ✓	·73	·67 ✓	2·46 ✓	4·21	3·90 ✓	3·10	YEAR'S TOTAL 36·56
Rain Days.	29	15	25	21	20	13	12	9	11	20	22	16	213

·73 4·21 36·56

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 15

Kept at "Southwood" Tiverton
in the County of Devon S6
by Mr P. P. Miers

Lat. ______ Long. ______
Time of Observation 9. A.M.
Nearest Railway Station Cadeleigh (G.W.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	·12	—	·12	·11	·32	—	—	·20	·06	1
2	—	·02	·08	·14	·02	—	·31	—	—	—	·35	·48	2
3	—	—	·53	·38	·32	—	—	·28	—	—	—	·11	3
4	·22	—	·24	·27	·17	—	·36	·20	—	—	·42	·50	4
5	·14	—	·24	·40	·04	—	·03	·01	—	—	·06	·12	5
6	—	·06	·10	·24	·08	—	·24	·04	—	—	·14	·14	6
7	·03	·38	·23	·08	·07	·06	·29	·20	—	—	—	·13	7
8	·48	—	1·06	·02	·21	·79	—	·11	·13	—	—	—	8
9	·53	·02	·41	·16	·05	·48	—	·15	·09	—	—	—	9
10	—	·20	·06	·20	·18	·05	—	—	·80	—	·13	·05	10
11	—	·13	·72	—	·10	·17	—	—	·37	—	·10	·58	11
12	—	·30	·12	—	—	—	—	—	·04	·32	·53	·70	12
13	—	·20	·33	—	—	—	·04	—	·48	·12	·26	·20	13
14	—	·08	·50	—	—	·10	—	·35	·53	·04	·24	·04	14
15	—	—	·24	—	—	—	·05	·62	·02	—	—	·13	15
16	—	—	·06	—	—	—	—	—	·08	—	—	—	16
17	—	·25	·44	—	—	—	·05	—	·25	—	—	·46	17
18	—	·16	·05	—	—	—	·07	—	·03	—	·15	·27	18
19	—	·18	·45	—	—	—	1·76	—	·12	—	—	·23	19
20	—	·40	·13	—	—	·20	—	—	·11	—	—	·25	20
21	—	·48	—	—	—	—	·02	—	—	·25	—	·09	21
22	—	·06	·03	—	·16	·16	·08	·03	—	·52	—	—	22
23	—	·12	·22	—	—	·02	—	·03	—	·18	—	—	23
24	·15	·03	·10	—	·03	—	·02	·05	—	—	·15	—	24
25	—	—	·42	—	·02	—	·12	·60	—	·52	·13	·38	25
26	—	—	·26	—	—	—	·09	·05	—	·03	·10	·49	26
27	·13	—	—	—	—	—	·01	—	—	·13	·16	·15	27
28	—	·15	·18	—	·05	—	·02	—	—	·23	·23	·96	28
29	·13	✕	·11	—	·16	—		—	—	·12	·22	·06	29
30	—	✕	·05	—	—	·01		—	—	·15	—	·93	30
31	—	✕	—	✕	·02	✕	·45	—	✕	·76	✕	·52	31
Total	1·01	3·22	7·45	2·01	1·68	2·16	4·12	3·04	3·05	3·37	3·57	8·03	YEAR'S TOTAL 42·71
Rain Days.	8	18	28	10	16	11	19	15	13	13	17	25	193

W. 8,000. X. 14.

DL

REGIS

DEVON.

TIVERTON.

"ST. PETER'S STREET"

1911 – 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Tiverton, St-

in the County of S. Devon

by Miss Gill

in.

round ft. 0 in.

a Level 270 ft.

ne

way Station { Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·05	·02						·03	·04	1
2			·02	·06	·36	·01		·50		·16	·23	·10	2
3			·04		·24			·02	·04	·01	·05	·06	3
4			·06	·01				·17		·10	·16	·40	4
5	·25		·18					·65		·02	·09	·04	5
6	·40		·15					·03		·04	·07	·59	6
7	·05			·01						·01	·44		7
8	·02		·20								·07	1·03	8
9	·03		·01								·43	·60	9
10	·07	·01	·50		·12				·01		·01	·31	10
11	·44		·02		·03						·49	·10	11
12	·01		·79						·05		·16	·27	12
13									·37	·01	·01	·61	13
14		·03								·09	·23	1·09	14
15		·02	·02			·07					·26	·04	15
16						·29					·14	·28	16
17		·04	·10	·04		·28					·10	·54	17
18		·23	·07	·29		·20				·11	·11	·27	18
19		·09		·06		·64			·72	·22	·20	·85	19
20	·03	·07	·09	·09		·02			·16	·31	·01	·58	20
21		·16	·02			·02		·01	·16	·38		·15	21
22	·10	·04		·06		·02			·15	·63		·60	22
23	·02	·10				·05			·12	·20	·01	·11	23
24	·03	·38				·21		·16		·36		·20	24
25		·08		·11		·01			·04	·15		·16	25
26		·16		·39	·45			·04		·21	·04	·37	26
27		·31	·03	·05	·10	·01		·20	·11	·47		·20	27
28		·28	·04	·50				·05			·30	·01	28
29				·33		·37	·13	·02	·25	·43	·01		29
30						·01	·04		·01	·11	·11	·01	30
31							·02			·10			31
Total	1·45	2·00	2·37	2·05	1·32	2·21	·19	1·85	2·19	4·12	3·76	9·61	TOTAL for year 33·12
No. of Rain Days	12	15	18	14	7	15	3	11	13	21	25	28	182

9,000, IX. '10.

9L

REGIS

Kept at Tiverton, St Peter Street

in the County of S. Devon 6

by Miss Gill

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground [illegible] ft. 0 in.
" " " Sea Level 270 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

FORM A2. BRITISH RAINFALL. 26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·05	·02						·03	·04	1
2			·02	·06	·36	·01		·50		·16	·23	·10	2
3			·04		·24			·02	·04	·01	·05	·06	3
4			·06	·01				·17		·10	·16	·40	4
5	·25		·18					·65		·02	·09	·04	5
6	·40		·15					·03		·04	·07	·59	6
7	·05			·01						·01	·44		7
8	·02		·20								·07	1·03	8
9	·03		·01								·43	·60	9
10	·07	·01	·50		·12				·01		·01	·31	10
11	·44		·02		·03						·49	·10	11
12	·01		·79						·05		·16	·27	12
13									·37	·01	·01	·61	13
14		·03								·09	·23	1·09	14
15		·02	·02			·07					·26	·04	15
16						·29					·14	·28	16
17		·04	·10	·04		·28					·10	·54	17
18		·23	·07	·29		·20				·11	·11	·27	18
19		·09		·06		·64			·72	·22	·20	·85	19
20	·03	·07	·09	·09		·02			·16	·31	·01	·58	20
21		·16	·02			·02		·01	·16	·38		·15	21
22	·10	·04		·06		·02			·15	·63		·60	22
23	·02	·10				·05			·12	·20	·01	·11	23
24	·03	·38				·21		·16		·36		·20	24
25		·08		·11		·01			·04	·15		·16	25
26		·16		·39	·45			·04		·21	·04	·37	26
27		·31	·03	·05	·10	·01		·20	·11	·47		·20	27
28		·28	·04	·50				·05			·30	·01	28
29				·33		·37	·13	·02	·25	·43	·01		29
30						·01	·04		·01	·11	·11	·01	30
31							·02			·10			31
Total	1·45	2·00	2·37	2·05	1·32	2·21	·19	1·85	2·19	4·12	3·76	9·61	TOTAL for year 33·12
No. of Rain Days	12	15	18	14	7	15	3	11	13	21	25	28	182

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 - JAN 1913

Kept at Tiverton
in the County of Devon S. 6
by Miss Gill

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tiverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	-	·22	·01	-	·61	·04	·02	·06	·87	-	·30	1
2	-	-	·13	·02	-	·15	·03	·16	-	·03	·01	·01	2
3	-	·01	·19	-	·01	·17	·04	1·00	05	-	-	·01	3
4	·24	-	·85	-	-	·15	-	·04	-	-	·25	-	4
5	·70	·14	·34	-	·01	·01	-	·51	-	-	-	·08	5
6	·69	·15	·05	-	·24	·14	·29	·25	-	-	-	·06	6
7	·01	·62	·14	-	·18	·75	-	·22	-	-	·01	·05	7
8	·59	·13	·26	·02	·01	·10	·07	·01	-	-	·01	·07	8
9	·04	·05	·15	·19	-	·74	·04	·04	-	-	-	·56	9
10	·21	·11	·11	·02	-	·08	-	-	-	-	·11	·19	10
11	·07	·07	·26	-	-	-	-	·01	-	-	04	·07	11
12	·03	·35	·28	-	·01	·01	·09	·02	-	-	-	·18	12
13	·23	-	-	-	-	·05	·43	·03	-	-	-	·02	13
14	·07	·03	·77	-	·12	·03	-	·08	-	·01	-	·36	14
15	·44	·03	·02	-	·32	·64	-	·01	-	·01	-	·08	15
16	·42	·01	·20	-	·01	·01	-	·16	-	·11	·13	·11	16
17	·20	-	·11	-	·03	·14	-	·91	-	-	-	·07	17
18	-	·01	·22	-	-	-	-	·10	-	·02	·01	·01	18
19	·01	·17	·19	-	-	·03	·06	·73	-	·06	-	-	19
20	·09	·08	·32	-	·19	-	·08	·17	-	·60	·04	-	20
21	-	·26	·46	-	·38	-	-	·07	-	·27	-	-	21
22	·28	·23	·19	-	·15	-	·08	·30	-	·12	-	·07	22
23	·27	·40	·34	-	·01	·02	·11	·79	-	·04	·09	·28	23
24	·05	·03	·05	-	-	·26	-	·02	-	·20	-	·20	24
25	·08	-	-	-	-	·14	·10	·48	-	·22	·23	·57	25
26	-	·02	-	-	-	-	·01	·06	-	·28	·44	·28	26
27	-	-	-	-	-	·47	·45	-	-	1·00	·05	·29	27
28	-	·11	-	-	-	·03	·12	·41	·29	·32	·31	·51	28
29	-	·11	-	-	-	·24	·16	·25	68	·81	-	·07	29
30	-		·04	-	-	·08	·37	·01	14	·35	-	01	30
31	-		·38		-		·27	-		·07		07	31
Total	4·72	3·12	6·27	·26	1·67	5·05	2·84	6·86	1·17	5·39	1·73	4·58	YEAR'S TOTAL 43·66
Rain Days.	20	22	25	5	14	24	19	28	5	19	14	27	223

222

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 JAN 1914

Kept at Tiverton
in the County of Devon
by M. E. Gill

6

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tiverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·22	·26	·10	·03	-	-	-	·09	·04	·09	·12	1
2	·04	·11	·01	·16	·18	-	-	-	·01	·30	·17	·01	2
3	·19	-	·15	·05	·17	-	·01	-	-	·31	-	·22	3
4	1·58	·01	·03	·01	·11	·01	·01	-	·28	·37	·10	·19	4
5	·03	·02	-	-	·19	·21	·05	-	·19	-	·07	·46	5
6	·05	·07	·14	-	·03	·08	·12	-	-	·72	·08	·28	6
7	·02	·26	·02	-	·96	·16	·04	-	-	·42	·22	·04	7
8	·01	·04	-	-	·34	·02	·01	-	-	·15	-	-	8
9	-	·07	·01	-	·09	·14	·03	·29	-	-	·47	·03	9
10	·59	·01	·01	-	·14	-	-	·01	-	·33	·19	-	10
11	·60	·01	-	·17	·55	·31	-	-	-	·05	·79	·01	11
12	·02	-	-	-	·06	·03	-	-	·05	-	·43	·01	12
13	·16	-	-	-	-	-	-	·13	·21	-	·11	-	13
14	·33	-	·17	·04	·03	-	-	-	·01	·02	·16	-	14
15	·19	·01	·35	·68	-	-	-	-	·18	-	·06	·01	15
16	·15	-	·55	·03	-	-	·01	·01	·12	-	-	-	16
17	·03	-	·03	·09	-	-	-	-	-	-	-	-	17
18	·11	-	·17	·12	·01	·01	-	-	-	-	·14	-	18
19	·65	-	·14	-	·05	·08	·02	-	·42	·02	·02	-	19
20	·34	-	·17	·18	-	-	-	-	·01	·02	·09	-	20
21	-	-	·21	·02	·12	-	-	-	-	-	·40	-	21
22	·80	-	·87	·04	-	·10	·02	·03	·11	-	-	·11	22
23	·03	-	·01	-	-	·01	-	·10	-	-	·06	·67	23
24	·02	·08	-	·08	-	-	-	·02	-	-	·04	-	24
25	-	·03	-	·60	-	-	-	-	·09	·02	·02	·06	25
26	-	-	-	1·01	-	-	-	·04	·01	·01	-	·22	26
27	·07	-	·28	·20	-	-	-	·02	-	·49	-	·03	27
28	·13	-	·08	·38	·07	-	-	-	-	·51	-	·22	28
29	·09		·50	·35	·01	-	-	·01	-	·24	-	-	29
30	·40		·01	·02	·02	-	-	-	-	·53	·02	-	30
31	·25		·18		·22		·04	·61		·01		-	31
Total	6·89	·94	4·35	4·33	3·38	1·16	·36	1·27	1·78	4·56	3·73	2·69	YEAR'S TOTAL 35·44
Rain Days.	27	13	23	20	20	12	11	11	14	19	21	17	208

W.7,000, XI. 13

81

312

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Tiverton
in the County of S. Devonshire Sb
by M. E. Gill

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·12		13	·12	·27			·15	·10	1
2			·06	·10	·02		·31	·01			·35	·55	2
3	·01		·46	·38	·42			·16			·01	·12	3
4	·13		·15	·32	·04		·34	·18			·36	·49	4
5	·18		·19	·39	·14			·01			·09	·10	5
6		·06	·03	·21	·06		·30	·02			·03	·15	6
7	·03	·38	·22	·15	·05	·14	·27	·23	·05		·01	·19	7
8	·15		1·06	·02	·23	·68		·15	·02			·01	8
9	·02	·01	·26	·12	·04	·49		·12	·71				9
10	·05	·20	·01	·21	·12	·04			·61			·03	10
11		·11	·73		·10	·16			·02		·09	·59	11
12		·36	·08			·01			·40	·01	·06	·79	12
13		·28	·37				·02		·48	·28	·34	·20	13
14		·07	·51			·12		·44	·01	·12	·33	·03	14
15			·20				·03	·70	·07	·02	·40	·09	15
16			·03				·02	·01	·25			·01	16
17		·26	·45				·01					·60	17
18		·12	·09				·03		·11			·32	18
19		·11	·43				1·87		·08		·15	·14	19
20		·37	·10			·16						·25	20
21		·54				·02		·01		·27	·01	·10	21
22		·03	·03		·16	·13		·01		·60			22
23			·18			·01	·10			·23			23
24		·07	·04					·06		·01	·16		24
25	·15	·01	·43		·04		·12	·55		·54	·01	·42	25
26	·09	·01	·10				·03	·04		·05	·11	·60	26
27	·03		·01				·02			·18	·13	·19	27
28	·03	·10	·18		·04					·19	·09	1·08	28
29	·12		·10		·09					·17	·30	·06	29
30			·04			·02				·13	·19	·98	30
31	·01				·02		·48			·85		·43	31
Total	1·00	3·09	6·61	2·02	1·57	2·11	4·07	2·97	2·81	3·65	3·37	8·62	YEAR'S TOTAL 4189
Rain Days.	13	18	29	10	15	13	16	17	12	15	21	27	206

W.7,000, XI. 13

82

1904
~~308~~

FORM A.
BRITISH RAINFALL.

27 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Tiverton

in the County of S. Devonshire 56

by M. E. Gill

Lat.________ Long.________

Time of Observation________

Nearest Railway Station________

Diameter of Rain Gauge________in.

Height of top of Gauge above Ground________ft.________in.

" " " " Sea Level________ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·20	·01		·01			·46	·05	·50	·02	·41	1
2	·13	·23	·24	·01		·10		·41	·01	·08	·01	·46	2
3		·05	·11	·22	·21		·06	·01		·01		·56	3
4	·19	24			·05		·59					·27	4
5	·04	·62	·01	·06	·02		·01	·14				·55	5
6	·85	·05		·25			·35	·03				·14	6
7	·35	·33		·09	·05		·12	·01			·04	·28	7
8	·31	·26		·01			·01	·11			·04	·15	8
9	·02	·05		·20				·02			·50	·88	9
10	·42	46	·02	·04				·25		·14	·03	·02	10
11	·19	·32					·10	·33		·10	1·19	·05	11
12	·25	64		·03	·55			·86		·16	·27	·01	12
13	·01	·81		·01	·50			·56	·09	·01	·12	·08	13
14	·09				·01		·07	·12	·16	·10	·03	1·10	14
15	·25	·01			·30		·27	·02	·02	·03	·21	·09	15
16	·03	·56			·15		·90			·01		·10	16
17		·20			·06								17
18		·16			·01								18
19		·06			·17		·15				·01		19
20	·49			·07		·10				·40		·11	20
21	·31	·06				·01	·03			·17		·09	21
22	·05	·03	·40	·14		·09	·43		·01	·07		·19	22
23		·03	·06			·01	·41		·01	96		·66	23
24		·01		·01			·09		·08	·30		·49	24
25	·01					·38	·24		·01	·01	·02	·38	25
26		·06				·17	·01		·01			·61	26
27	·01	·02				·29	·07			·54			27
28		·10				·08			·40	·19		·02	28
29						·09	·03		·01		·14	·28	29
30	·19	X				·02			·01	·81	·32	·43	30
31	·01	X		X		X	·11	·02	X	·74	X	·14	31
Total	4·65	5·56	·85	1·14	2·09	1·34	4·05	3·35	·87	5·33	2·95	8·55	YEAR'S TOTAL 40·73
Rain Days.	22	25	7	13	13	11	20	15	13	20	15	27	201

W. 8,000. X. 14.

8L

See 8L

1859
273

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Tiverton
in the County of S. Devonshire
by M. E. Gill

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24		·09		·61	·03	·32		·07	·48	·09		1
2	·44	07	·03		·07	·01	·03		·03	·45	·32		2
3		·89			·34	·04	·06		·08	·50	·52	·03	3
4	·16	·17		04	·18	·49			·01	·25	·91		4
5	·04	·01	·09	·01	·25	·17				·03	·29		5
6	·05	·23	·03		·13	·09	·58			·07	·40		6
7	·05	·17	·22		·13	·07	·05			·06	·85	·16	7
8		·28	·11		·30	·29					·38	·11	8
9		·01	·01		·09	·06	·02			·29	·13	·32	9
10	·01	·65	·01	·06	·04		·03			·04	·01	·25	10
11			·01	·23	·01				·01				11
12	·14	·03	·14	·03	·26		·09	·25		04		·01	12
13	·01	·39	·09	·05	·01		·01	·30			·01		13
14	·01	·42	·07		·09			·01		·03			14
15		·27	·15	·14	·01			·33		·02			15
16	·13	·17	·02	·23	·01		·04	1·22		·10			16
17	·08	·29		·04					·60	·46	1·07		17
18		·40	·27	·11					·19	·07			18
19	·23	·12	·19	·09					·02		·15		19
20	·06	1·00	·22								·14	·92	20
21	·11	·07	·13	·08	·10						·01	·10	21
22			·01			·08		·03		·52	·02	·62	22
23	·02	·11	·02	·08		·19		·24		·13	·09	·14	23
24	·02	·19	·03	·03	·48	·01		·08		·60	·02	·26	24
25		·42	·27			·01		·54	·07	·01	·27	·06	25
26		·13	·15		·10	·12		·23	1·31	·88	·06		26
27	·02		1·55			·23		·08	·45	·76	·01		27
28		·10			·09			·09	·08	·71		·55	28
29		·38	·02		·01	·49		1·81	·16	·43		·44	29
30		×						·03		·23		·02	30
31		×		×		×		·03	×	·27	×	·19	31
Total	1·82	6·97	3·93	1·22	3·31	2·38	1·23	5·27	3·08	7·43	5·75	4·18	YEAR'S TOTAL 46·57
Rain Days.	18	25	25	14	21	16	10	15	13	25	21	16	219

W. 8,000. X. 15.

81

1781

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at Tiverton
in the County of S. Devonshire
by M. E. Gill

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·09	·34		·30	-	·45	·02	·01	·05		1
2	·04		·01	·11		·07		·02					2
3	·09			·09			·55	·03		·36	1·08		3
4		·21	·59				·02		·01	·37		·03	4
5	·16		·50	·25		·15		·02	·08	·18	·10		5
6	·04		·11	·01		·02		·01		·04	·27		6
7	·44		·01				·25	·23		·65	·12	·08	7
8	·09		·19	·17		·58	·30	·25	·02	·82	·16	·10	8
9			·07	·04	·03		·01	·04		·60	·26		9
10	·25		·32	·18				·15		·08	·03		10
11	·03		·96	·20				·19	·02	·30	·13		11
12	·04		·01		·54			·03		·62	·01		12
13			·24	·03		·03		·79	·24	·11			13
14			·03	·06			·03	·15	·05	·03		·01	14
15							·17	·03		·18		·37	15
16		·05		·08			·04			·25		·35	16
17		·02		·15			·42	·09	·32	·06			17
18		·06		·01	·04	·02	·26		·70	·04			18
19		·49	·07			·25			·08		·08		19
20		·33	·05		·49	·02		·14	·02		·01	·02	20
21			·06			·32		·03		·05	·01		21
22			·02		·01	·02		·40		·08	·03		22
23		·22			·14	·04		·61		·15	·02		23
24		·01				·16	·13	·10		·28	·07		24
25		·05	·05				·03	·07	·03	·12	·07		25
26					·37	·13		·47	·18	·11	·07		26
27		·01			·28	·16		·96	·01	·07	·09		27
28		·09	·15		·21	1·61		·57			·01	·01	28
29			·14			·28	·03	·09		·30	·04	·10	29
30		X	·09				·07	·12		·08	·01	·01	30
31		X	·13	X	·06	X		·10	X	·30	X	·01	31
Total	1·23	1·54	3·89	1·72	2·17	~~2·50~~ 4·15	2·81	6·14	1·78	6·24	2·72	1·09	YEAR'S TOTAL ~~33·83~~ 35·48
Rain Days.	10	11	22	14	10	~~11~~ 17	14	27	14	27	22	11	199

·60

W. 8,000, VIII. 16

81

Cor. for arith by obsr.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30. 1. 19

117

Kept at Tiverton

in the County of S. Devonshire

by M. E. Gill

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15	·01	·16	·02	-		1·20	·04	·04	1·02		1
2		·03		·02				·11		·02	·03	·19	2
3		·08		·15	·05				·02	·05	·15	·02	3
4		·07		·01				·14	·23	·01	·28	·23	4
5	·01		·13	·07	·04			·57	·35	·11		·07	5
6	·30	·09	·01	·28				·01	·01	·09	·02	·12	6
7		·16		·01	·16				·59	·10	·36	·06	7
8	·09	·06							·23	·40		·05	8
9	·18	·18		·10		·18	·02		·50	·07		·44	9
10	·14			·36		·06	·32		·59	·04		·61	10
11	·02	·12	·11	·01			·35		·19	·04	·05	·32	11
12		·01	·12		·27		·11		·22			·07	12
13	·40				·16		·10		·79	·14		·26	13
14	·21	·02			·01	·01	·11		·15	·04		·10	14
15	1·79			·04	·04	·04	·54			·04		·39	15
16	·70			·52			·05	·02	·23	·01		·15	16
17	·39		·01	·06			·65	·04	·09			·26	17
18	1·17		·09				·06		1·14	·17		·39	18
19	·13	·03	·19				·11	·06	·05	·01		·30	19
20	·14	·18		·08			·16		·21	·01			20
21	·10	·06					·22		·59	·05		·43	21
22	·01	·01			·13		·86		·31	·02		·30	22
23	·12				·11		·15		·10		·01	·21	23
24		·15					·01	·15	·18		·32	·39	24
25		·01			·24		·11	·71			·18		25
26		·05					·50	·02	·06		·07	·34	26
27		·20	·03					·13	·49	·01	·36	·09	27
28		·16	·12						·02		·06	·25	28
29			·09						1·20		·02	·01	29
30			·39					·03	·09	·01	·19	·04	30
31			·33					·09		·09		·04	31
Total	5·90	1·82	1·63	1·87	1·23	·29	4·43	3·28	~~8·87~~ 8·67	1·57	3·12	6·13	YEAR'S TOTAL 39·94
Rain Days.	17	20	13	14	11	4	18	14	27	23	15	28	204

W. 8,000, IX. 17.

82

167°

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Tiverton

in the County of S. Devonshire

by M. E. Gill

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·85		·09	·11	·02	–	·19		·07	·20		·99	1
2	·09		·04		·05				·16	·13	·04	·03	2
3	·29		·39		·04				·09		·10	·35	3
4	·34	·58	·56			·08	·09		·60		·02	·05	4
5	·06	·43	·99						·28		·02	·29	5
6	·70	·51	·17									·32	6
7	·48		·22	·12								·10	7
8	·22		·25	·01		·03						·01	8
9	·11		·05	·15	·21						·27		9
10	·17		·21	·02	·01					·02	·01	·26	10
11	·02		·26	·08	·10		·06					·25	11
12	·38		·01	·02		·09				·03	·11	·01	12
13	·03	·08	·09	·22						·11		·05	13
14	·48	·15		·81	·15				·03	·04		·30	14
15	·09	·09		·10						·16		·30	15
16	·09	·91									·27		16
17	·02	·49									·55	·01	17
18	·08	·13	·67				·07	·07	·04		·33		18
19	·48	·46	·41			·04	·64	·32	·52		·13	·05	19
20	·52	·10	·05			·15		·14	·10		·08	·08	20
21	·02	·80	·01				·35	·02	·07		·01	·11	21
22		·05					·03		·22		·04	·06	22
23			·01					·01		1·00	·06	·09	23
24				·01		·20		·10		·93	·07	·55	24
25	·12	·01		·04		·02		·68		·01	·16	·09	25
26	·25		·15	·09			·01	·13	·14		·06	·46	26
27	·14		·08	·27				·97				·03	27
28	·02		·41	·02				·06			·40	·63	28
29			·03	·12				·12		·17	·01	·04	29
30		X	·04	·01		·05		·32	·03	·02	·20	·56	30
31	·01	X		X		X	·04		X		X	·49	31
Total	6·06	4·79	5·19	2·20	·58	·66	1·48	2·94	2·35	2·82	2·94	6·56	YEAR'S TOTAL 38·57
Rain Days.	26	14	23	17	7	8	9	12	13	12	21	28	190

W, 6,500, VII. 18. w w d

285 1584

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Tiverton, St. Peter Street
in the County of S. Devonshire
by Miss M. E. Gill

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·08	·19		·36	·24	·10	·03	·10	·84	1
2	·34			·21			·17	·22	·04	·08	·01	·04	2
3	·08			·03			·03	·01	·02	·61		·21	3
4	·01		·02		·01		·03	·65		·19		·01	4
5			·16	·11	·10		·25	·22		·34			5
6			·24	·03	·15		·08			·31	·01		6
7				·27	·01		·54				·01		7
8	·07	·04	·02	·39	·05		·38	·01	·02	·01		·15	8
9	1·13	·12	·05	·06		·29	·21						9
10	·93	·14	·12	·01			·50					·01	10
11	·29		·14	·53	·32		·13					·04	11
12	·25	·05	·08	·55			·08			·01	·09	·01	12
13	·35	·04	·61	·06							·01	·03	13
14	·08	·06	·50	·46			·05		·10	·22	·35	·02	14
15	·01	·13	·07	·23	·06	·08			·06	·79	·03		15
16		·02	·09	·03		·15	·22		·19	·15	·16		16
17	·04		·02	·21	·24				·96	·02	·01		17
18	·04	·01	·03	·03	·03	·08		·30	·04			·02	18
19	·09	·10		·41	·04	·28							19
20	·05	·01		·35	·15	·19	·02					·23	20
21				·07			·13			·07		·20	21
22				·05			·05			·01		·58	22
23			·03				·42	·08				·56	23
24	·01		·11	·01				·01			·11	·11	24
25	·04	·05	·12		·05		·72				·01	·01	25
26	·25		·28		·01	·07	·03				·33	·18	26
27	·36	·06	·17	·09	·07	·42	·12				·69	·40	27
28	·60	·02	·11	·08	·14	·03	·20				·01	·05	28
29	·15	·01	·53	·05	·09	·03					·30	·15	29
30	·20	✕	·01	·04	·11	·18	·05		·55	·07	·58	·27	30
31	·06	✕	·44	✕		✕	·06		✕	·66	✕	·20	31
TOTAL	5·47	·86	3·95	4·44	1·82	1·80	4.83	1·74	2.08	3·57	2·81	4·32	YEAR'S TOTAL 37·69
Days with ·01 in. or more	24	15	23	26	18	11	24	9	10	16	17	23	216
·04	21	10	17	20	14	9	20	6	8	11	9	16	161

(44283). Wt. 21958—218. 7500. 10/19. Gp.132. A.&E.W.

TIVERTON

BLUNDELL'S SCHOOL

DEVON

1911 -

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Blun

in the County of D

by Edward G

11

ondon

p 5 in.

bove Ground 6 ft. 3 in.

" Sea Level 265·2' ft.

7 am

n { Name Tiverton
Distance 3/4 mile Direction WSW

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the g year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–		·03	·065	·035						·04	·03	1
2	–		·025	·12	·35			·61		·13	·24	·115	2
3	–		·05		·26			·01	·03		·085	·08	3
4	–		·08	·01				·145		·06	·15	·425	4
5	·12		·185					·72		·025	·16	·055	5
6	·47		·15					·01		·06	·08	·58	6
7	·05			·015							·43		7
8	·03		·09								·09	·95	8
9	·025										·405	·55	9
10	·11		·48		·16							·365	10
11	·44		·02		·02						·49	·075	11
12	–		·85						·09		·18	·30	12
13	–								·33	·01	·105	·40	13
14	–	·015								·06		1·14	14
15	–	·02	·03		~~·05~~	·05					·26	·045	15
16	·01	~~0~~			~~·35~~	·35					·26	·41	16
17	–	·04	·105	·02	~~·19~~	·19					·105	·57	17
18	–	·27	·05	·30	~~·30~~	·30				·11	·115	·29	18
19	–	·085		·055	~~·42~~	·42			·56	·15	·215	·94	19
20	·04	·065	·085	·11					·20	·30		·67	20
21	–	·14	·015		~~·02~~	·02			·27	·44		·17	21
22	·08	·045		·07	~~·015~~	·015			·145	·60		·53	22
23	·03	·10			~~·055~~	·055			·12	·125	·025	·13	23
24	·02	·36			~~·25~~	·25		·16		·405		·22	24
25	–	·11		·09	~~·03~~	·03			·035	·15		·21	25
26	–	·16		·40	·07	~~·07~~		·025	~~·085~~	·205	·045	·33	26
27	–	·34	·045	·06	·20	~~·20~~		·19	·085	·465		·22	27
28	–	·25		·54				·04			·29		28
29	–			·47	~~·36~~	·36 ~~·145~~	·145		·24	·365	·015		29
30	–				~~·02~~	~~·095~~ ·02	·095			·09	·07	·025	30
31	–									·11		–	31
Total	1·425	2·00	2·29	2·325	1·095	2·06	·240	1·91	2·105	3·86	3·855	9·825	TOTAL for year
No. of Rain Days.	12	14	16	14	7	12	2	9	11	19	22	27	32·99

W. 8,000, X. '11.

165

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Blundells School

in the County of Devon S.6

by Edward G. Peirce B.A. Cantab.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 6 ft. 3 in.
" " " Sea Level 265·2' ft.

Time of Observation 9 am

Nearest Railway Station
Name Tiverton
Distance 3/4 mile Direction WSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		·03	·065	·035						·04	·03	1
2	—		·025	·12	·35			·61		·13	·24	·115	2
3	—		·05		·26			·01	·03		·085	·08	3
4	—		·08	·01				·145		·06	·15	·425	4
5	·12		·185					·72		·025	·16	·055	5
6	·47		·15					·01		·06	·08	·58	6
7	·05			·015							·43		7
8	·03		·09								·09	·95	8
9	·025										·405	·55	9
10	·11		·48		·16							·365	10
11	·44		·02		·02						·49	·075	11
12	—		·85						·09		·18	·30	12
13	—								·33	·01	·105	·40	13
14	—	·015								·06		1·14	14
15	—	·02	·03		~~·05~~	·05					·26	·045	15
16	·01	~~0~~			~~·35~~	·35					·26	·41	16
17	—	·04	·105	·02	~~·19~~	·19					·105	·57	17
18	—	·27	·05	·30	~~·30~~	·30				·11	·115	·29	18
19	—	·085		·055	~~·42~~	·42			·56	·15	·215	·94	19
20	·04	·065	·085	·11					·20	·30		·67	20
21	—	·14	·015		~~·02~~	·02			·27	·44		·17	21
22	·08	·045		·07	~~·015~~	·015			·145	·60		·53	22
23	·03	·10			~~·055~~	·055			·12	·125	·025	·13	23
24	·02	·36			~~·25~~	·25		·16		·405		·22	24
25	—	·11		·09	~~·03~~	·03			·035	·15		·21	25
26	—	·16		·40	·07	~~·07~~		·025	~~·085~~	·205	·045	·33	26
27	—	·34	·045	·06	·20	~~·20~~		·19	·085	·465		·22	27
28	—	·25		·54				·04			·29		28
29	—			·47	~~·36~~	~~·145~~ ·36	·145		·24	·365	·015		29
30	—				~~·02~~	~~·095~~ ·02	·095			·09	·07	·025	30
31	—									·11		—	31
Total	1·425	2·00	2·29	2·325	1·095	2·06	·240	1·91	2·105	3·86	3·855	9·825	TOTAL for year
No. of Rain Days.	12	14	16	14	7	12	2	9	11	19	22	27	32·99

W. 8,000, X. '11.

165

Smake

REC

+

Kept at Tiver

in the County of De

by Maj: Glu

3°29'35

30 a.m.

Tiverton

5 in.

bove Ground 1 ft. 6 in.

Sea Level 226 ft.

FORM A.
BRITISH RAINFALL.

12 JAN 1915

TIVER~~TON~~.

HARTNOLLS

DEVON.

191~~4~~ - 1915

1918 - 1920

IMPORTANT NO … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … ement of rain, the selection and placin … British Rainfall Organization are given … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.05	.16	.	.15	.23	.28	.	.	.16	.10	1
2	.	.	.	.14	.03	.	.28	.	.	.	.31	.53	2
3	.04	.	.50	.44	.45	.	.	.19	.	.	.	.13	3
4	.22	.	.18	.33	.14	.	.35	.16	.	.	.39	.56	4
5	.	.	.23	.39	.05	.	.01	.	.	.	.11	.12	5
6	.	.07	.06	.21	.06	.	.19	.05	.	.	.01	.27	6
7	.23	.33	.22	.30	.16	.19	.28	.29	.05	.	.	.19	7
8	.19	.	1.30	.01	.24	.45	.	.10	.	.	.	.	8
9	.02	.	.20	.13	.12	.51	.	.12	.65	.	.	.	9
10	.08	.23	.	.26	.04	.09	.	.	.47	.	.02	.03	10
11	.	.12	.80	.	.11	.21	.	.	.01	.	.10	.60	11
12	.	.36	.09	.	.	.	.	.	.36	.	.11	.41	12
13	.	.31	.34	.	.	.	.03	.	.43	.29	.41	.20	13
14	.	.08	.48	.	.	.19	.	.40	.05	.12	.36	.02	14
15	.	.02	.29	.	.	.	.	1.14	.11	.02	.29	.09	15
16	.	.	.04	.	.	.	.03	.	.22	.	.	.01	16
17	.	.35	.47	.	.	.	.03	.	.	.	.	.74	17
18	.	.13	.10	.	.	.	.10	.	.07	.	.	.33	18
19	.	.12	.58	.	.	.	1.81	.	.07	.	.14	.11	19
20	.	.35	.17	.	.	.15	.	.	.	.	.	.26	20
21	.	.53	.	.	.	.02	.	.	.	.28	.	.07	21
22	.	.05	.05	.	.18	.24	.	.01	.	.58	.	.	22
23	.	.	.11	.	.	.02	.07	.	.	.23	.	.	23
24	.	.05	.	.	.	.		.07	.	.01	.	.	24
25	.23	.	.45	.	.06	.	.18	.61	-	.48	.02	.28	25
26	.09	.02	.06	.	.	.	.04	.	.	.05	.24	.52	26
27	.04	.	.	.	.	.	.	.	.	.19	.18	.26	27
28	.04	.09	.17	.	.08	.	.	.	.	.23	.11	1.03	28
29	.14	.	.13	.	.11	.	.	.	.	.18	.35	.06	29
30	.02	X	.03	.	.02	.09	.	.	.	.14	.29	.66	30
31	.	X	.	X	.	X	.53	.	X	.83	X	.75	31
Total	1.34	3.21	7.10	2.37	1.85	2.61	4.16	3.42	2.49	3.63	3.63	8.63	YEAR'S TOTAL 44.44
Rain Days.	12	14	25	10	15	12	15	12	11	14	18	26	187

W. 8,000. X. 14.

Smake

REC +

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Tiverton
in the County of Devon 56
by Maj: General F. A. Bowles

Lat. 50°35'20 Long. 3°29'35
Time of Observation 9.30 a.m.
Nearest Railway Station Tiverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.05	.16	.	.15	.23	.28	.	.	.16	.10	1
2	.	.	.	.14	.03	.	.28	.	.	.	.31	.53	2
3	.04	.	.50	.44	.45	.	.	.19	.	.	.	.13	3
4	.22	.	.18	.33	.14	.	.35	.16	.	.	.39	.56	4
5	.	.	.23	.39	.05	.	.01	.	.	.	.11	.12	5
6	.	.07	.06	.21	.06	.	.19	.05	.	.	.01	.27	6
7	.23	.33	.22	.30	.16	.19	.28	.29	.05	.	.	.19	7
8	.19	.	1.30	.01	.24	.75	.	.10	.	.	.	.	8
9	.02	.	.20	.13	.12	.51	.	.12	.65	.	.	.	9
10	.08	.23	.	.26	.04	.09	.	.	.47	.	.02	.03	10
11	.	.12	.80	.	.11	.21	.	.	.01	.	.10	.60	11
12	.	.36	.09	.	.	.	.	.	.36	.	.11	.71	12
13	.	.31	.34	.	.	.	.03	.	.43	.29	.41	.20	13
14	.	.08	.48	.	.	.19	.	.40	.05	.12	.36	.02	14
15	.	.02	.29	.	.	.	.	1.14	.11	.02	.29	.09	15
16	.	.	.04	.	.	.	.03	.	.22	.	.	.01	16
17	.	.35	.47	.	.	.	.03	.	.	.	.	.74	17
18	.	.13	.10	.	.	.	.10	.	.07	.	.	.33	18
19	.	.12	.58	.	.	.	1.81	.	.07	.	.17	.11	19
20	.	.35	.17	.	.	.15	.	.	.	.	.	.26	20
21	.	.53	.	.	.	.02	.	.	.	.28	.	.07	21
22	.	.05	.05	.	.18	.24	.	.01	.	.58	.	.	22
23	.	.	.11	.	.	.02	.07	.	.	.23	.	.	23
24	.	.05	.	.	.	.		.07	.	.01	.	.	24
25	.23	.	.45	.	.06	.	.18	.61	.	.48	.02	.28	25
26	.09	.02	.06	.	.	.	.04	.	.	.05	.24	.52	26
27	.04	.	.	.	.	.	.	.	.	.19	.18	.26	27
28	.04	.09	.17	.	.08	.	.	.	.	.23	.11	1.03	28
29	.14	.	.13	.	.11	.	.	.	.	.18	.35	.06	29
30	.02	X	.03		.02	.09	.	.	.	.14	.29	.66	30
31	.	X	.	X	.	X	.53	.	X	.83	X	.75	31
Total	1.34	3.21	7.10	2.37	1.85	2.61	4.16	3.42	2.49	3.63	3.63	8.63	YEAR'S TOTAL 44.44
Rain Days.	12	17	25	10	15	12	15	12	11	14	18	26	187

W. 8,000. X. 14.

Exd Lat

1905

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hartnolls, Tiverton.

in the County of Devon.

S6

by Maj. General F. A. Bowles. C.B.

Lat. 50° 55' 20" Long. 3° 29' 35"

Time of Observation 9.30 am.

Nearest Railway Station Tiverton.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.31	.20	.	.	.	.	.	.26	.07	.51	.03	.37	1
2	.12	.29	.22	.04	.	.10	.	.57	.	.08	.	.40	2
3	.	.08	.11	.23	.24	.	.06	.	.	.	.	.58	3
4	.16	.20	.	.	.05	.	.26	.	.	.	.	.24	4
5	.12	.65	.	.08	.	.	.	.18	.	.	.	.55	5
6	.85	.06	.	.29	.	.	.30	.04	.	.	.	.22	6
7	.39	.35	.	.09	.49	.	.12	.	.	.	.03	.34	7
8	.30	.28	.	.02	.	.	.	.12	.	.	.06	.10	8
9	.01	.04	.	.25	.	.	.	.08	.	.	.54	.86	9
10	.41	.38	.04	.05	.	.	.	.28	.	.15	.03	.	10
11	.21	.21	.	.	.	.	.12	.19	.	.08	1.10	.06	11
12	.25	.68	.	.07	.52	.	.	.33	.	.26	.27	.	12
13	.	.74	.	.	.49	.	.	.11	.09	.	.12	.05	13
14	.11	.	.	.	.	.	.08	.20	.19	.09	.	1.02	14
15	.20	.	.	.	.32	.	.29	.02	.03	.03	.25	.09	15
16	.01	.83	.	.	.15	.	.91	.	.	.	.	.	16
17	.	.19	.	.	.06	.	.	.	.	.	.	.	17
18	.	.17	.	.	.	.	.	.	.	.	.	.	18
19	.	.03	.	.	.17	.	.21	.	.	.	.	.	19
20	.52	.02	.	.06	.	.10	.	.	.	.38	.	.15	20
21	.25	.06	.	.	.	.	.15	.	.	.15	.	.10	21
22	.08	.04	.47	.11	.	.11	.04	.	.05	.07	.	.22	22
23	.	.06	.07	.	.	.	.15	.	.	.90	.	.70	23
24	.	.	.	.	.	.	.11	.	.08	.35	.	.53	24
25	.02	.	.	.06	.	.40	.42	.	.	.	.	.30	25
26	.03	.08	.	.	.	.28	.	.	.02	.	.	.59	26
27	.	.05	.	.	.	.32	.08	.	.	.52	.	.02	27
28	.	.16	.	.	.	.05	.	.	.38	.30	.	.02	28
29	.		.	.	.	.11	.02	.	.	.	.16	.23	29
30	.20		.	.	.	.02	.	.	.02	.78	.34	.42	30
31	.		.		.		.11	.08		.70		.18	31
Total	4.55	5.85	.91	1.35	2.49	1.49	3.43	2.46	.93	5.35	2.93	8.35	YEAR'S TOTAL 40.09
Rain Days.	20	24	5	12	9	9	17	13	9	16	11	25	170

W.7,000, XI. 13

Exd 118

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL. 31·1·19

Kept at Hartnolls. Tiverton

in the County of S Devon.

by Maj. Genl. F. A. Bowles.

Lat. 50° 55' 20 Long. 3° 29' 35"

Time of Observation 9. 30. am.

Nearest Railway Station Tiverton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.17	.	.155	.025	.	.	1.20	.02	.035	.96	.005	1
2	.	.02	.	.	.	.	.	.08	.	.005	.055	.22	2
3	.	.08	.	.15	.04	.	.	.	.02	.035	.145	.01	3
4	.	.10	.	.	.	.	.	.14	.20	.02	.35	.225	4
5	.	.	.15	.065	.015	.	.	.52	.40	.13	.015	.045	5
6	.26	.14	.01	.30	.	.	.	.	.01	.09	.	.11	6
7	.	.17	.01	.	.20	.005	.	.	.635	.10	.355	.11	7
8	.05 *	.11	.	.005	.	.020	.02	.	.16	.38	.	.015	8
9	.18	.17	.	.115	.	.16	.35	.	.44	.06	.	.47	9
10	.18	.	.	.37	.	.02	.28	.	.45	.045	.02	.60	10
11	.	.025	.14	.	.	.	.49	.	.18	.05	.055	.31	11
12	.035	.13	.095	.	.255	.	.13	.	.14	.005	.	.05	12
13	.46 *	.	.	.	.135	.	.09	.	.70	.165	.	.265	13
14	.20	.	.	.	.015	.01	.105	.	.19	.025	.	.115	14
15	1.85	.02	.	.03	.04	.03	.53	.	.015	.04	.	.37	15
16	.86 *	.	.	.62 *	.	.065	.055	.02	.21	.015	.	.145	16
17	.36	.	.01	.065	.	.	.36	.03	.055	.	.	.265	17
18	1.16	.	.15	.	.	1.01	.09	.	1.22	.18	.	.355	18
19	.13 ‡	.	.15	.	.	.	.035	.055	.17	.01	.	.22	19
20	.18 ‡	.045	.	.09	.	.055	.245	.	.215	.015	.	.	20
21	.10	.16	.01	.	.	.035	.15	.	.585	.03	.	.44	21
22	.	.045	.	.	.14	.	.84	.	.375	.015	.	.255	22
23	.115	.01	.	.	.14	.	.115	.	.115	.	.215	.235	23
24	.	.	.	.	.	.	.01	.13	.185	.	.25	.06	24
25	.	.18	.	.	.22	.	.20	.68	.005	.	.025	.	25
26	.	.	.	.	.	.	.27	.015	.05	.01	.08	.40	26
27	.005	.07	.035	.	.	.	.	.15	.485	.005	.265	.04	27
28	.	.17	.13	.	.	.	.	.	.03	.	.06	.20	28
29	.	.17	.10	.	.	.	.	.	1.13	.	.01	.01	29
30	.	X	.34	.	.	.	.	.045	.07	.025	.175	.055	30
31	.	X	.33	X	.	X	.	.055	X	.05	X	.035	31
Total	6.125	1.985	1.66	1.965	1.225	1.41	4.365	3.12	8.46	1.54	3.035	5.635	YEAR'S TOTAL 40.525
Rain Days.	16	19	14	~~11~~ 10	11	10	19	13	~~29~~ 28	2~~1~~4	16	~~29~~ 28	208

W. 8,000, IX. 17. * Snow. ‡ gale.

Fred. a. Bowles

~~XT~~ RW

167

7 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hartnolls, Tiverton,
in the County of Devon
by Maj. Genl. F. A. Bowles

Lat. 50° 55′ 20″ Long. 3° 29′ 35″
Time of Observation 9.30. am
Nearest Railway Station Tiverton G. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
" " " " Sea Level 226. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.80	—	.10	.10	.15	—	.19	—	.08	.22	—	.88	1
2	.08	—	.045	.015	.065	—	—	—	.07	.105	.035	.08	2
3	.28	—	.405	—	.035	—	—	—	.11	—	.105	.34	3
4	.48	.575	.555	—	—	.08	.035	.03	.50	—	.015	.03	4
5	.08	.375	1.03	—	—	—	—	—	.28	—	.01	.40	5
6	.765	.465	.16	—	—	—	—	—	.005	—	—	.25	6
7	.365	—	.265	.14	—	—	—	—	—	—	—	.11	7
8	.24	—	.23	.005	⊙ —	.04	—	—	—	—	—	—	8
9	.18	—	.04	.17	.155	—	—	—	.005	—	.26	.01	9
10	.08	—	.24	.01	—	—	—	—	—	.03	—	.20	10
11	.02	—	.24	.09	.14	—	.06	—	—	.005	—	.215	11
12	.34	—	.05	.015	—	.14	—	—	—	.085	.16	.01	12
13	.04	.09	.07	.265	—	—	—	—	—	.09	—	.09	13
14	.58	.135	—	.87	⊙ .185	—	—	—	.005	.06	—	.28	14
15	.18	.075	—	.095	—	—	—	—	—	.195	—	.26	15
16	.15	.895	—	—	—	—	—	—	—	—	.30	.01	16
17	.015	.365	—	—	—	—	—	.03	—	—	.68	—	17
18	.17	.11	.72	—	—	—	.055	.14	.03	—	.34	.01	18
19	.42	.485	.42	—	—	.05	.50	.33	.61	—	.17	.035	19
20	.43	.13	.075	—	—	.12	—	.085	.09	—	.12	.09	20
21	.02	.725	✻ .005	—	—	—	.40	.025	.075	.01	.01	.115	21
22	—	.055	—	—	—	—	.03	—	.19	—	.06	.075	22
23	—	—	.01	—	—	—	—	.01	—	1.01	.07	.105	23
24	—	—	—	—	—	.14	—	.105	.01	.95	.06	.66	24
25	.13	—	—	.075	—	—	—	.73	—	—	.13	.13	25
26	.27	—	.13	.16	—	—	.01	.085	.12	.01	.05	.515	26
27	.27	—	.105	✻ .18	—	—	—	.970	—	—	—	.045	27
28	—	—	.38	.015	—	—	—	.03	—	—	.42	.60	28
29	.03	✕	✻ .015	.14	—	—	—	.14	—	.26	—	.055	29
30	—	✕	✻ .02	.08	—	.075	—	.20	.025	.015	.21	.65	30
31	—	✕	✻ .015	✕	—	✕	.055	—	✕	—	✕	.40	31
Total	6.415	4.48	5.325	2.425	.73	.645	1.335	2.91	2.205	3.045	3.205	6.65	Year's Total 39.37
Days with ·01 in. or more	25	13	24	17	6	7	9	14	16	14	19	29	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. ✻ Snow. ⊙ Thunder.

OVER

1585

5 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hartnolls, Tiverton
in the County of Devon
by Maj Genl. J. A. Bowles.

Lat. 50° 55' 20" N. Long. 3° 29' 35" W.
Time of Observation 9 30 am
Nearest Railway Station Tiverton G.W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.06	.19	—	.39	.39	.13	.02	.08	.75	1
2	.33	—	—	.27	—	—	.24	.19	.04	.085	—	.055	2
3	.085	.01	—	.035	.015	—	.035	.01	.02	.57	—	.27	3
4	—	—	.02	.02	—	—	.045	.67	—	.19	—	—	4
5	—	.015	.16	.055	.13	—	.28	.08	—	.335	—	—	5
6	—	.01	.28	.08	.165	—	.07	—	—	.34	—	—	6
7	.01	—	.015	.245	—	—	.91	—	—	—	.015	.01	7
8	.105	.055	—	.34	.06	—	.47	.02	—	—	—	.17	8
9	1.18	.15	.055	.055	—	.26	.24	—	—	.01	.01	—	9
10	1.15	.20	.12	—	—	.37	.40	—	—	—	—	—	10
11	.21	—	.14	.465	.235	.28	.15	—	—	—	—	.04	11
12	.24	.16	.085	.61	—	.07	.115	—	—	—	.115	—	12
13	.34	.07	.55	.11	—	—	—	—	—	—	—	.04	13
14	.105	.06	.55	.52	—	—	.06	—	.155	.15	.41	—	14
15	.01	.16	.11	.35	.06	.13	—	—	.05	.79	.035	—	15
16	—	.01	.12	.03	—	.15	.19	—	.235	.15	.07	—	16
17	.05	—	.015	.2	.29	.01	—	—	1.03	.015	—	—	17
18	.10	—	.04	.035	.04	.09	—	.34	.04	—	—	.02	18
19	.13	.10	—	.36	.07	.29	—	—	.04	—	—	—	19
20	.05	—	—	.5	.11	.135	.015	.015	—	—	—	.25	20
21	—	—	—	.07	—	—	.10	—	.015	.06	—	.15	21
22	.02	—	—	.05	—	—	.05	—	—	—	—	.565	22
23	—	—	.025	—	—	—	.45	.08	—	—	—	.52	23
24	.03	—	.13	—	—	—	—	—	—	—	.12	.13	24
25	.05	.085	.12	—	.05	—	.77	—	—	—	—	.01	25
26	.24	—	.36	—	—	.11	.025	—	—	—	.32	.18	26
27	.32	.07	.165	.105	.05	.41	.13	—	—	—	.80	.35	27
28	.58	.02	.11	.14	.10	.025	.14	—	—	—	.01	.13	28
29	.15	.015	.515	.045	.10	.06	—	—	—	—	.265	.18	29
30	.26		—	.09	.10	.185	.07	—	.55	.05	.51	.33	30
31	.09		.385		—		.14	—		—		.20	31
TOTAL	5.875	1.19	4.07	4.84	1.765	2.575	5.485	1.795	2.305	2.765	2.76	4.35	YEAR'S TOTAL 39.775
Days with ·01 in. or more	25	16	22	25	16	15	24	9	11	13	13	20	209
Days with ·04 in. or more	21	10	18	21	15	13	21	6	9	10	9	17	170

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON

~~[illegible]~~ TORQUAY

COCKINGTON COURT

1911 – 1913

FORM A2.
BRITISH RAINFALL.
31 JAN 1912

RE 19 11.

Kept at Cockington

in the County of Dev

by Roger Cha

top: in.

above Ground ft. in.

„ Sea Level ft.

9 a.m

ion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	2	-	-	-	-	-	-	3	2	1	1
2	-	-	-	2	45	-	-	24	-	16	16	60	2
3	-	-	1	-	26	-	-	-	6	-	33	19	3
4	-	-	3	-	-	-	-	-	-	-	40	53	4
5	20	-	10	-	-	-	-	8	-	11	13	~~123~~	5
6	35	-	35	-	-	-	-	3	-	16	14	123	6
7	4	-	-	Sleet & hail 9	-	-	-	-	-	-	52	3	7
8	1	-	7	-	-	-	-	-	-		10	69	8
9	-	-	-	-	-	-	-	-	-	-	31	105	9
10	5	5	54	-	-	-	-	-	5	-	3	36	10
11	24	-	-	-	-	-	-	-	-	-	103	8	11
12	-	-	47	-	-	-	-	-	23	-	-	15	12
13	-	-	-	-	-	-	-	-	16	2	6	60	13
14	-	4	-	-	-	-	-	-	-	22	-	76	14
15	-	4	-	-	-	-	-	-	-	-	46	6	15
16	-	-	-	-	-	45	-	-	-	-	63	80	16
17	-	-	50	-	-	17	-	-	-	-	36	86	17
18	-	28	25	32	-	19	-	-	-	15	16	70	18
19	-	-	11	5	-	73	-	-	44	26	3	63	19
20	4	5	20	7	-	-	-	-	8	68	-	81	20
21	3	34	1	2	-	7	-	-	16	60	-	4	21
22	23	7	3	5	-	13	-	-	57	13	3	62	22
23	-	24	3	-	-	4	-	-	4	22	12	61	23
24	-	18	-	-	-	37	-	25	-	-41	-	45	24
25	-	6	-	6	-	1	-	-	13	15	-	10	25
26	-	10	-	43	-	-	-	12	-	70	-	28	26
27	-	72	5	4	-	-	-	8	25	42	4	25	27
28	-	12	-	36	-	-	-	6	-	-	3	-	28
29	-	X	-	11	3	33	38	-	10	34	-	-	29
30	-	X	-	-	-	-	-	-	2	34	11	-	30
31	-	X	-	X	-	X	6	-	X	-	X	-	31
Total	1·19	2·29	2·77	1·62	·74	2·49	·44	·86	2·29	5·10	5·20	12·49	TOTAL for year
No. of Rain Days.	9	13	16	12	3	10	2	7	13	18	22	26	37·48 on 151 days

W. 8,000, X. '11.

RE 911.

FORM A2.
BRITISH RAINFALL.
31 JAN 1912

Kept at Cockington Court - Torquay

in the County of Devon S. 5

by Roger C. Mallock

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	2	–	.	–	–	.	–	3	2	1	1
2	–	–	.	2	45	–	–	24	–	16	16	60	2
3	–	–	1	–	26	–	–	–	6	–	33	19	3
4	–	–	3	–	–	–	–	–	–	–	40	53~~44~~	4
5	20	–	10	–	–	–	–	8	–	11	13	~~123~~	5
6	35	–	35	–	–	–	–	3	–	16	14	123	6
7	4	–	–	Sleet & hail 9	–	–	–	–	–	–	52	3	7
8	1	–	7	–	–	–	–	–	–	–	10	69	8
9	–	–	–	–	–	–	–	.	–	–	31	105	9
10	5	5	54	–	.	–	–	.	5	.	3	36	10
11	24	–	.	–	–	–	–	.	–	–	103	8	11
12	–	–	47	–	–	–	–	.	23	–	–	15	12
13	–	–	–	–	–	.	–	.	16	2	6	60	13
14	–	4	–	–	–	.	–	–	.	22	–	76	14
15	–	4	–	–	–	.	–	.	.	.	46	6	15
16	–	–	–	–	–	45	–	.	.	.	63	80	16
17	–	–	50	–	–	17	–	–	.	.	36	86	17
18	–	28	25	32	.	19	–	.	–	15	16	70	18
19	–	–	11	5	.	73	–	.	44	26	3	63	19
20	4	5	20	7	–	–	–	.	8	68	.	81	20
21	3	34	1	2	–	7	–	.	16	60	–	4	21
22	23	7	3	5	–	13	–	.	57	13	3	62	22
23	–	24	3	–	–	4	–	.	4	22	12	61	23
24	–	18	–	–	–	37	–	25	–	41	–	45	24
25	–	6	–	6	–	1	–	–	13	15	–	10	25
26	–	10	–	43	–	–	–	12	–	70	.	28	26
27	–	72	5	4	–	–	–	8	25	42	4	25	27
28	–	12	–	36	–	–	–	6	–	.	3	–	28
29	–	X	–	11	3	33	38	.	10	34	–	–	29
30	–	X	–	–	–	–	–	.	2	34	11	–	30
31	–	X	–	X	–	X	6	.	X	.	X	–	31
Total	1·19	2·29	2·77	1·62	·74	2·49	·44	·86	2·29	5·10	5·20	12·49	TOTAL for year
No. of Rain Days.	9	13	16	12	3	10	2	7	13	18	22	26	37·48 on 151 days

W. 8,000, X. '11.

314

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

15 JAN 1913

Kept at Cockington Court: Torquay

in the County of Devon S.5

by Roger C. Mallock.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torre : Torquay

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	8	-	.	43	4	.	14	102	.	38	1
2	.	-	24	2	.	35	4	12	-	-	.	.	2
3	-	-	22	-	.	31	11	100	3	-	.	6	3
4	12	8	80	-	4	25	.	24	.	.	15	-	4
5	68	36	30	.	.	-	-	95	.	-	-	30	5
6	35	3	-	-	30	18	.	10	.	-	.	4	6
7	16	75	38	.	6	40	.	5	.	.	.	-	7
8	67	27	42	7	.	-	.	15	-	.	-	23	8
9	2	11	2	10	.	23	.	27	-	.	-	23	9
10	19	12	14	2	.	6	.	-	.	.	8	31	10
11	4	14	-	.	-	-	.	6	.	-	8	66	11
12	-	46	10	.	.	.	9	80	.	-	.	.	12
13	9	-	2	.	.	4	31	-	-	.	.	39	13
14	9	10	55	.	7	-	-	10	-	10	.	10	14
15	97	10	-	.	47	37	-	.	-	-	-	25	15
16	24	-	44	.	8	2	.	16	-	11	.	3	16
17	Snow 9	-	34	.	5	4	.	106	-	.	.	14	17
18	-	3	10	.	-	-	-	42	.	.	-	4	18
19	-	4	31	.	.	2	3	21	.	-	.	2	19
20	5	6	44	.	15	-	2	15	.	3	-	-	20
21	-	38	20	.	30	.	.	7	.	25	.	.	21
22	40	52	36	.	.	-	13	8	.	6	5	25	22
23	67	28	17	.	.	10	3	66	.	8	8	22	23
24	14	5	4	.	.	43	-	-	.	.	.	36	24
25	12	.	2	.	.	5	.	46	.	52	45	41	25
26	-	7	.	.	.	.	3	-	.	36	93	70	26
27	-	4	.	.	.	34	35	40	.	131	-	72	27
28	-	5	.	.	.	18	13	73	19	55	40	61	28
29	-	56	-	-	.	13	15	12	53	2	-	-	29
30	-		7	.	.	57	23	-	42	32	-	-	30
31	-		30		.		45	.		-		6	31
Total	5·09	4·60	6·06	·21	1·52	4·50	2·14	8·36	1·31	4·73	2·22	6·51	YEAR'S TOTAL 47·25
Rain Days.	18	22	24	4	9	20	15	23	5	13	8	23	184

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Cockington Court · Torquay

in the County of 5 Devon 5

by Roger C. Mallock

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torquay or Torre

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	7	26	6	-	.	-	-	8	-	46	-	1
2	33	18	3	16	32	-	-	-	3	10	23	4	2
3	73	.	15	8	23	.	7	-	10	14	-	-	3
4	112	.	20	6	6	-	-	-	11	35	8	20	4
5	11	6	-	.	17	2	-	-	101	23	33	27	5
6	12	15	7	.	11	-	-	-	-	34	13	-	6
7	-	70	4	.	91	13	-	-	-	37	28	-	7
8	-	51	-	.	20	10	24	-	-	11	2	3	8
9	5	6	-	.	20	.	3	21	-	2	47	-	9
10	73	-	-	.	7	2	3	4	-	11	3	-	10
11	44	.	-	.	62	-	.	-	-	15	95	3	11
12	5	-	-	.	7	-	-	-	5	-	24	-	12
13	-	-	22	10	-	23	-	-	7	-	12	-	13
14	57	.	24	3	34	-	-	-	4	-	5	-	14
15	25	.	50	94	-	-	-	-	20	-	-	-	15
16	105	.	55	2	.	-	-	-	70	-	3	-	16
17	5	-	8	12	-	-	-	-	-	-	10	-	17
18	3	.	42	15	-	-	-	-	-	-	17	-	18
19	75	.	3	-	.	15	.	.	34	4	-	-	19
20	.	.	27	28	.	-	.	-	-	15	65	-	20
21	.	.	42	3	.	-	-	-	-	6	40	-	21
22	44	.	51	-	-	-	.	16	3	-	-	34	22
23	4	.	3	-	.	6	-	2	-	-	7	92	23
24	7	73	-	6	.	-	.	-	-	-	4	-	24
25	-	.	-	53	.	5	.	-	5	12	-	2	25
26	-	.	.	165	.	-	.	14	-	2	.	35	26
27	51	.	20	36	.	-	-	5	-	44	-	-	27
28	30	.	4	26	.	-	-	2	-	26	-	Snow 12	28
29	23		57	26	.	-	-	-	-	20	-	-	29
30	82		-	3	.	-	5	34	-	70	-	-	30
31	13		25		13		-	32		11		-	31
Total	8·92	2·46	5·18	5·18	3·43	·76	·42	1·30	2·81	4·02	4·85	2·32	YEAR'S TOTAL 41·65
Rain Days.	23	8	21	19	13	~~22~~ 8	5	9	13	20	20	10	183

39·33
173

169

W. 7,500, XI. 12

8L

RI

TORQUAY

CARY GREEN

DEVON

1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

312

Kept at Torquay

in the County of South

by F. March

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ol ersal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placi tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Cam

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·03					·01	·02		1
2				·01	·32			·21		·14	·13	·40	2
3			·01		·18				·06		·23	·17	3
4			·02								·28	·36	4
5	·15		·08					·04		·04	·14		5
6	·21		·29							·16	·17	1·35	6
7	·04			·02							·51	·01	7
8	·01		·04								·07	·60	8
9	·01										·35	·91	9
10	·03	·04	·41								·01	·27	10
11	·15		·01						·01		·76	·01	11
12			·36						·23		·03	·10	12
13			·01						·19			·39	13
14		·04	·01							·16	·03	·73	14
15		·02	·01			·03					·29	·04	15
16			·01			·41					·60	·73	16
17			·41	·01		·12					·26	·62	17
18		·22	·17	·22		·16				·10	·14	·61	18
19		·03	·07	·01		·48			·40	·16	·01	·50	19
20	·02	·01	·25	·03					·06	·50		·66	20
21	·02	·22	·01			·01			·08	·62		·01	21
22	·13	·04	·05	·02		·05			·42	·17	·02	·61	22
23		·02	·02			·02			·02	·31	·10	·50	23
24	·01	·14				·33		·05		·32		·30	24
25		·04		·03		·01			·10	·12		·11	25
26		·06		·32				·05		·50		·21	26
27		·39	·04	·02				·06	·18	·40	·02	·14	27
28		·20		·38				·07			·03		28
29				·02	·02	·26	·35		·06	·24			29
30							·02			·25	·04	·02	30
31			·01				·04						31
Total	·78	1·47	2·29	1·10	·55	1·88	·41	·48	1·81	4·20	4·24	10·36	TOTAL for year 29·67
No. of Rain Days	11	14	21	13	4	11	3	6	12	17	23	26	161

Jan. 1, following.

9,000, IX. '10.

8L

FORM A2.
BRITISH RAINFALL.
26 JAN 1912
312

REGISTER OF RAINFALL IN 191

Kept at Torquay
in the County of South Devon 5
by F. March

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·03					·01	·02		1
2				·01	·32			·21		·14	·13	·40	2
3			·01		·18				·06		·23	·17	3
4			·02								·28	·36	4
5	·15		·08					·04		·04	·14		5
6	·21		·29							·16	·17	1·35	6
7	·04			·02							·51	·01	7
8	·01		·04								·07	·60	8
9	·01										·35	·91	9
10	·03	·04	·41								·01	·27	10
11	·15		·01						·01		·76	·01	11
12			·36						·23		·03	·10	12
13			·01						·19			·39	13
14		·04	·01							·16	·03	·73	14
15		·02	·01			·03					·29	·04	15
16			·01			·41					·60	·73	16
17			·41	·01		·12					·26	·62	17
18		·22	·17	·22		·16				·10	·14	·61	18
19		·03	·07	·01		·48			·40	·16	·01	·50	19
20	·02	·01	·25	·03					·06	·50		·66	20
21	·02	·22	·01			·01			·08	·62		·01	21
22	·13	·04	·05	·02		·05			·42	·17	·02	·61	22
23		·02	·02			·02			·02	·31	·10	·50	23
24	·01	·14				·33		·05		·32		·30	24
25		·04		·03		·01			·10	·12		·11	25
26		·06		·32				·05		·50		·21	26
27		·39	·04	·02				·06	·18	·40	·02	·14	27
28		·20		·38				·07			·03		28
29				·02	·02	·26	·35		·06	·24			29
30							·02			·25	·04	·02	30
31			·01				·04						31
Total	·78	1·47	2·29	1·10	·55	1·88	·41	·48	1·81	4·20	4·24	10·36	TOTAL for year 29·57
No. of Rain Days	11	14	21	13	4	11	3	6	12	17	23	26	161

9,000, IX. '10.

82 ✓

Ex. J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Torquay Cary Green

in the County of S. Devonshire S.5

by F. March

RAIN GAUGE { Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
" " " Sea Level ___ ft.

Time of Observation

Nearest Railway Station { Name
Distance ___ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08			·38			·08	·94		·32	1
2			·18			·21	·01	·06		·02	01	·01	2
3			·18			·33	·09	·72				·01	3
4	·13	·06	·65		·02	·19		·22			·13		4
5	·52	·33	·30					·73				·25	5
6	·30	·01			·25	·15		·07				·02	6
7	·10	·83	·35		·05	·34		·02				·26	7
8	·50	·09	·25	·08			·02						8
9	·05	·06		·07		·12	·01	15				·23	9
10	·16	·06	·16					·15			·05	·30	10
11	·02	·10					·01	03			·07	·44	11
12		·30	·05				·07	·68					12
13	·05					·02	·34			·05		·16	13
14	·05	·05	·41		·10			11				·04	14
15	·76	·07	·01		·32	·29		·01				·21	15
16	·19		·30		·03	·01		·06		·05			16
17	·02		·25		·01	·02		74			·01	·10	17
18		·01	·07					·23			·02	·01	18
19		·05	·26				·01	·07			·01	·01	19
20	·02	·02	·43		14		·01	24		·24			20
21		·24	·16		·21		·01	·03		·07			21
22	·41	·35	·18			·02	·09	·04		·04	·03	·14	22
23	·62	·21	·16			·11	·04	·46		·10	·05	·18	23
24	·12	·06	·01			·27		·04				·22	24
25	·11					·13		·34		·26	·34	·42	25
26		·03					·02	01		·20	·64	·67	26
27		·01				·26	·38	·46		1·44		·53	27
28		·10				·07	·08	·45		·45	·33	·63	28
29		·36				·10	·14	·04	18	·43	·06	·01	29
30			·06			·32	·10		·44	·31			30
31			·27				·34		43			·03	31
Total	4·13	3·40	4·77	·15	1·13	3·34	1·77	6·16	1·13	4·60	1·75	5·20	TOTAL for year 37·53
No. of Rain Days.	18	22	22	2	9	19	18	26	4	14	13	24	191

W. 8,000, X. '11.

DL ✓ 321

REGISTER OF RAINFALL IN 1913

~~#311~~ 5

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Torquay

in the County of S. Devon

by F. March

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.11	.17	.03	.01				.05	.07	.32		1
2	.31	.20		.10	.23		.05		.01	.10	.17		2
3	.60		.07	.03	.16				.06	.38		.11	3
4	1.00		.09	.04	.05	.02			.20	.49	.03	.13	4
5	.14	.03			.13	.04	.01		.77	.31	.38	.23	5
6	.04	.09	.05		.04	.04				.37	.17	.02	6
7		.55	.01		.67	.07	.16			.12	.27		7
8	.03	.38			.16		.02			.01	.02		8
9	.01	.02			.04	.01	.03	.14			.26		9
10	.73				.04			.01		.11	.05		10
11	.46			.01	.69	.01				.13	.80	.01	11
12	.06				.03	.09			.01		.21		12
13	.09		.12	.05				.03	.04		.08		13
14	.36		.14	.01	.32						.04		14
15	.24		.48	.67					.26		.01		15
16	.60		.49	.01					.75				16
17	.11		.01	.07							.03		17
18	.02		.32	.08		.01					.10		18
19	.48					.13			.26	.02			19
20	.14		.20	.22						.05	.26		20
21			.32	.01	.01					.04	.30		21
22	.21		.32			.05		.04	.03			.28	22
23	.01		.01			.01					.03	.96	23
24	.02	.06		.03		.03					.01		24
25				.39					.01	.10			25
26				1.39				.14		.01		.25	26
27	.40		.17	.43				.03		.28			27
28	.18		.03	.23						.30		.08	28
29	.25		.61	.25						.19			29
30	.60				.01		.03	.80	.05	.52			30
31	.12		.13					.34		.08			31
													YEAR'S TOTAL
Total	7.22	1.44	3.74	4.05	2.59	.51	.30	1.53	2.50	3.68	3.54	2.07	33.17
Rain Days.	27	8	19	19	15	12	6	8	13	20	20	9	176

W. 7,500, XI. 12

DL

304

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Torquay

in the County of S. Devonshire S5

by F. March

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01			·04	·03	·35			·55	·13	1
2			·02	·04	·01		·20				·38	·53	2
3			·06	·10	·56							·03	3
4	·03			·44	·08		·38	·12	·04		·36	·60	4
5	·13		·08	·12	·10				·06				5
6		·05	·03	·10	·06			·03				·81	6
7	·02	1·08	·23	·09	·02	·01	·19	·07	·19			·41	7
8	·07		·72	·08		·09		·03	·03			·15	8
9	·01	·02	·30	·12	·09	·32		·22	1·26				9
10	·06	·48	·05	·10		·04			·35	—		·12	10
11		·15	·32			·12						·99	11
12		·20	·08						·12	·03		·62	12
13		·58	·36				03		·06	·23	·20	·19	13
14		·40	·33			·08		1·08		·03	·45	·13	14
15	·01		·09				·01	·10	·05	·02	·39	·05	15
16									·25		—		16
17		·40	·25									·68	17
18		·07	·12				·04		·12			·14	18
19		·01	1·11				1·59				·03	·08	19
20		39	·09			·04					·03	·15	20
21		·38								·44		·03	21
22		·06			·19	·04		·02		·09			22
23		10	·29		·01					·31			23
24		·04			·04		·01	·03			·03		24
25	·11		·19				·03	·33		·36	·04	·58	25
26		·03					·01	·01		·06	·26	·72	26
27							·01				·13	·35	27
28	·01	03	·24		·10					·11	·20	·80	28
29	·25		·16		·12	—	·08			·04	·71	·02	29
30			·08	·01	—					·23	·65	·91	30
31	·10						·36			·70		·29	31
Total	·80	4·47	5·21	1·20	1·38	·78	2·97	2·39	2·53	2·65	4·41	9·51	YEAR'S TOTAL 3830
Rain Days.	11	18	23	10	12	9	14	12	11	13	15	25	173

W.7,000, XI. 13

1843
~~301~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Torquay Ex'd
in the County of S. Devonshire 55
by F. March

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·15				·03		·63	·21	·41	·04	·10	1
2	·30	·18	·06	·01				·30	·04	·02		·75	2
3	·01	·13	·09	·02	·76					·06		·78	3
4		·07			·02			·01				·11	4
5	·02	·93		·15				·36				·52	5
6	·92	·09		·41			·38	·01				·22	6
7	·38	·35		·08			·13			·09	·01	·46	7
8	·07	·51					·03	·06		·01	·11	·39	8
9		·13		·01							·19	·79	9
10	·13	·43	·02	·03						·13	·03	·11	10
11	·12	·75	·28				·01	·07		·10	·95	·02	11
12	·02	·42		·04	·52			·07		·04	·29		12
13		·65			1·36		·01	·22	·02		·06	·01	13
14	·08						·13	·06	·03	·01		·91	14
15	·14				·33		·15			·05		·04	15
16	·01	1·70			·26		·81	·01				·24	16
17	·01	·43			·04								17
18		·22											18
19	·01				·29		·04						19
20	·04			·16		·12				·15		·06	20
21	·18	·04			·02	·01	·35		·01	·07		·01	21
22	·05	·03	·31	·03	·01	·03	·41			·03		·40	22
23		·01	·15			·05	·03		·13	1·36		·80	23
24			·04	·03		·01	·09		·08	·08		·46	24
25			·01	·02		·71	·01					·30	25
26	·02	·24				·07	·20		·02			1·03	26
27	·03	·01		·01		·09	·01			·45		·01	27
28		·03		·01		·20			·32	·05	·01	·06	28
29						·64	·30		·04		·22	·09	29
30	·29					·11	·02			·72	·80	·39	30
31	·02						·15	·05		1·25		·26	31
													YEAR'S TOTAL
Total	3·16	7·50	·96	1·01	3·61	2·07	3·26	1·85	·90	5·08	2·71	9·32	41·43
Rain Days.	22	22	8	14	10	12	19	12	10	19	11	27	186

W. 8,000. X. 14.

8h

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Torquay

in the County of S. Devonshire

by F. March

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·01	·01		·21	·04			·15	·21	·11		1
2	·39	·10	·01		·01				·12	·22	·51		2
3		1·39			·38	·02			·04	·54	·24		3
4	·21	·06			·08	·10	·02			·08	·76		4
5		·11	·03			·04	·01			·11	·04		5
6	·02	·26	·01		·16	·04	·52			·06	1·07		6
7	·01	·14	·26		·04	·06				·01	·54	·06	7
8		·35	·38		·25	·10					·05	·14	8
9		·12			·01	·15				·02	·11	·11	9
10		·43	·01	·01	·02		·10			·01	·01	·03	10
11		·01		·02	·01	·02							11
12	·03	·07	·20	·01	·15		·02	·16		·03			12
13		·26	·12	·02				·15				·04	13
14		·58	·15		·07			·22		·06			14
15	·02	·18	·15	·08				·04		·02		·41	15
16	·15	·07		·06			·02	·17		·07		·03	16
17	·18	·03		·03					·12	·46	·93		17
18	·09	·05	·40						·07	·02		·10	18
19	·22	·09	·25	·02							·08	·10	19
20	·08	1·13	·19	·11							·08	1·50	20
21	·02	·07	·13		·04							·19	21
22						·07		·08		·38	·01	·67	22
23	·01	·01		·02		·09		·08		·02	·25	·05	23
24		·17		·09	·19			·08		·69	·06	·42	24
25		·37	·21			·01		·47		·02	·12		25
26	·01	·11	·07		·02	·30		·13	1·96	·81	·01	·10	26
27			1·27			·35		·16	·13	·20			27
28		·11				·02		·15	·53	·59		·44	28
29		·14	·02			·33		3·88	·07	·08		·44	29
30						·02		·01	·08	·91			30
31								·04		·53			31
Total	1·60	6·42	3·87	·47	1·64	1·76	·69	5·82	3·27	6·15	4·98	4·83	YEAR'S TOTAL 41·50
Rain Days.	15	27	19	11	15	17	6	15	10	25	18	17	195

W. 8,000. X. 15.

81 1723

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Torquay
in the County of S. Devonshire
by F. March

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·32		·20		·33			·02	·02	1
2				·10						·01			2
3	·03			·02			·19	·01		·26	·57		3
4	·03	·02	·48						·03	·44		·01	4
5	·06		·28	·10		·68				·06	·08		5
6			·05			·02				·07	·06	·02	6
7	·26	—					·04	·19		·09	·02		7
8	·04		·49	·06			·11	·44	·02	·25	·05	·25	8
9			·12	·05	·03					·09	·06		9
10	·15		·33	·27				·28		·01		·02	10
11	·01		·99	·18			·06	·01	·02	·26	·16		11
12	·13		·01		·27					·18	·02		12
13			·16	·17		·01		·24	·02	·07			13
14				·15			·11	·06					14
15	·25	·01					·16	·13		·28		·46	15
16		·13		·04				·03	·01	·37		·13	16
17		·07		·02	·07	·02	·20	·09	·64	·08			17
18	—	·06			·27	·13	·24	·02	·72	·01			18
19		·38				·07		·54	·11				19
20	·04	·04			·51	·06		·01				·09	20
21			·07			·01		·02		·02	·01		21
22	·02		·03		·05	·06		·16		·04			22
23		·04			·19	·01		·41		·14			23
24						·04	·46	·01		·06	·01		24
25		·01	·02				·01	·50	·04	·02	·03		25
26			·01		·22	·07		·33	·04	·06			26
27						·56	·02	·76		·01			27
28		·01	·07		·02	·31		·33					28
29			·05		·03	·19	·01	·01		·61		·17	29
30		X	·32				·27	·20		·04	·01		30
31		X	·02	X	·05	X			X	·23	X	·02	31
Total	1·02	·77	3·50	1·48	1·71	2·44	1·88	5.11 ~~5·06~~	1·65	3.76 ~~3·67~~	1·10	1·19	YEAR'S TOTAL 25·47 25·61
Rain Days.	11	10	17	12	11	16	13	24	10	26	13	10	173

W. 8,000, VIII. 16

8h

65
~~236~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30·1·19

Kept at Torquay
in the County of S. Devonshire
by F. March

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.21		.12	.01			.62			.70	.01	1
2		.13		.02				.01	.03		.02	.32	2
3		.14	.02	.41	.07			.03	.02	.01	.19		3
4	—	.01		.01				.18	.61		.76	.12	4
5	.01		.04	.04	.50			.34	.33	.24	.01	.02	5
6	.15	.20	.02	.06				.02		.10		.06	6
7		.09		.01	.05	.01		.02	.31	.04	.35	.15	7
8	.01	.14				.02			.04	.20		.02	8
9	.07	.01		.01		.08	.37		.43	.01		.33	9
10	.02			.41			.44		.05	.11		.24	10
11	.01		.16	.02	.02		.61		.10	.04	.09	.02	11
12		.08	.09		.25		.23		.04	.02	.02		12
13					.06		.25		.27	.05		.14	13
14	.23				.04	.02	.06		.19	.03		.10	14
15	.71			.03	.08	.05	.46		.05	.03		.17	15
16	.67		.02	.13		.14	.02		.06			.03	16
17	.20		.01	.15		.01	.31		.01			.25	17
18	.69		.05			.58	.19	.01	.48	.21		.25	18
19	.15		.09	.01		.02	.04		.07	.02		.12	19
20	.03	.08		.12			.11	.01	.22	.13			20
21	.04	.03		.01			.09		.61	.15		.41	21
22	.01				.15		.84	.01	.18	.05	.01	.14	22
23	.13	.01			.05		.15	.02	.03		.03	.17	23
24		.14					.07	.12	.01		.08	.32	24
25				.03			.06	.71		.04	.22		25
26	.01				.01		.17	.02	.05	.01	.02	.07	26
27		.01	.14					.10	.05	.03	.04	.01	27
28		.13	.15	.01					.15	.03		.01	28
29			.14						1.31			.01	29
30		X	.30						.01	.06	.06	.06	30
31		X	.27	X		X			X	.02	X	.03	31
Total	3.16	1.41	1.50	1.60	1.29	.93	4.47	2.22	5.71	1.63	2.60	3.58	YEAR'S TOTAL 30.10
Rain Days.	18 ~~19~~	15	14	18	12	9	18	15	27	23	15	27	211

W. 8,000, IX. 17.

1623

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Torquay

in the County of S. Devonshire

by F. March

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28		·09		·03		·17		·02	·08		·70	1
2	·22						·13		·10	·03		·01	2
3	·46		·43		—				·22	—		·01	3
4	·71	·70	·52			·04		·07	·36		·09	·01	4
5	·02	·19	·30						·50		·02	·03	5
6	·38	·87	·07	·02							·01	·32	6
7	·26	—	·35	·06			·02		·01			·03	7
8	·39		·18		·01	·04					·48		8
9	·22		·02	·09	·04						·58		9
10	·10		·41									·24	10
11	·15	—	·27	·09	·26		·06		—	·04	·09	·31	11
12	·16			·01	—					·02	·14	·01	12
13	·09	·11	·15	·52						·05	·01	·09	13
14	·50	·24		·53	·30				·05	·01		·24	14
15	·26	·16		·04						·01		·23	15
16	·04	1·10		—						—	·04	·01	16
17		·66						·01			·15		17
18	·01	·45	·46				·41	·01	·01		·13		18
19	·59	·35	·11			·28	·61	·16	·11		·11	·02	19
20	·30	·01	·09			·27		·26	·04		·13	·02	20
21	·06	·96							·05	·02		·07	21
22		·02	·02				·03		·11			·01	22
23			·07					·08	·01	·29	·07	·06	23
24				·01		·26		·27		·24	·07	·31	24
25	·08	·04		·03		·06		·22				·06	25
26	·11		·06	·14				·03			·02	·39	26
27	·27		·01	·14			·02	1·65				·03	27
28	·01	·02	·20	·06			·04	10			·46	·48	28
29				·02	—	—		·09		·02		·08	29
30		X		·02		·02		·03	·02		·65	·51	30
31		X	·06	X		X			X		X	·81	31
Total	5·67	5·88	3·87	1·78	·64	·97	1·49	2·98	1·61	·81	3·25	5·09	YEAR'S TOTAL 34·04
Rain Days.	24	15	20	15	5	7	9	13	14	11	18	27	178

W. 6,500, VII. 18. W W C

1539

Form A. 2 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Torquay

in the County of Devon

by P. C. Steventon for the Medical Officer of Health.

Lat. 50° 29′ N Long. 3° 52′ W

Time of Observation 9 h GMT.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.2	0.2	0.3	2.6	11.9	-	12.1	-	3.1	3.6	0.6	26.3	1
2	8.2	-	-	4.9	0.2	-	0.3	0.8	1.2	1.4	-	2.8	2
3	0.4	1.3	-	4.3	1.5	-	0.9	-	-	12.9	-	4.3	3
4	-	-	0.2	0.1	-	-	1.5	13.4	-	5.5	-	-	4
5	-	0.2	2.3	3.2	0.5	-	5.8	11.6	-	0.9	-	-	5
6	-	-	5.7	0.1	3.7	-	3.9	-	-	0.8	-	-	6
7	0.8	-	0.1	1.9	1.0	-	10.2	-	0.4	-	-	0.5	7
8	1.7	0.7	-	5.2	0.5	-	4.0	0.3	-	0.2	-	12.3	8
9	17.7	0.7	0.1	0.2	0.1	3.2	1.3	-	-	-	-	-	9
10	33.7	2.1	0.8	0.2	-	6.1	7.1	-	-	-	0.1	-	10
11	11.2	0.1	3.7	14.1	5.9	1.5	3.5	-	-	-	-	-	11
12	5.0	2.8	4.1	2.0	0.1	2.6	0.7	-	-	-	3.5	4.9	12
13	3.6	0.3	13.4	1.4	-	-	-	-	-	0.1	-	7.4	13
14	1.3	1.2	11.1	21.2	-	-	0.3	-	3.6	5.2	9.3	0.7	14
15	0.2	1.4	1.1	8.4	1.1	-	-	-	0.7	15.3	0.7	-	15
16	-	0.7	0.1	0.4	-	1.0	3.2	-	3.8	1.0	-	-	16
17	-	0.1	-	1.9	6.5	-	0.6	-	8.3	-	-	-	17
18	2.7	0.3	-	3.8	2.3	5.9	2.4	8.1	1.2	-	-	-	18
19	0.3	-	-	6.6	0.1	8.4	0.1	-	0.8	0.1	-	-	19
20	-	1.4	-	5.1	2.0	4.9	-	-	-	0.2	-	11.7	20
21	-	-	-	0.8	-	-	1.4	-	0.1	2.6	-	1.1	21
22	0.9	-	-	1.5	-	-	0.1	-	-	-	-	8.6	22
23	0.2	-	-	-	-	-	4.3	1.2	-	-	-	16.6	23
24	-	0.1	4.5	-	-	-	0.4	0.3	-	-	3.2	5.9	24
25	-	0.4	3.0	-	0.2	-	14.0	-	-	-	0.2	0.6	25
26	7.1	-	7.7	-	-	-	1.7	-	-	-	3.4	2.6	26
27	21.8	1.8	3.2	0.8	0.2	1.8	2.8	-	-	-	8.6	9.8	27
28	15.8	0.3	3.2	3.1	-	0.3	0.4	-	-	-	0.1	2.8	28
29	15.7	-	18.3	0.5	-	0.1	-	-	-	-	7.1	11.3	29
30	4.3		-	0.1	-	3.0	1.0	-	18.9	0.4	8.1	16.3	30
31	2.1		5.9		-		0.1	-		9.3		6.2	31
Total	157.9	16.1	88.8	94.4	37.8	38.8	84.1	35.7	42.1	59.5	44.9	152.7	Year's Total 852.8
Days with 0·2 mm. or more	22	16	17	23	14	11	24	7	10	14	10	20	188
	12	7	14	17	9	10	17	4	7	9	7	17	134

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from 3202.

~~TORQUAY~~

LEICESTER LODGE

DEVON

– 1920

FORM A. 1. METEOR… ORGANIZATION.

…920.

Kept at Leicester…

in the County of…

by Henry Brown…

…ong…

…9 a.m.

…ion None

…f Rain Gauge 5 in.

…e above Ground 1 ft. in.

„ Sea Level 125 ft.

IMPORTANT N… …sult entered to the previous day.

If an Observer prefers… requested to add the reading at 9 a.m. … …r it at the end of this paragraph. Full i… …ing of rain gauges, and particulars as to … *…Rainfall Observers,"* sent post-free on app… …ation, 62, Camden Square, London, N.W. … …s form.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	—	—	·10	·52	—	·48	—	·16	·15	·03	·97	1
2	·36	—	—	·20	—	—	·01	·05	·05	·04	—	·12	2
3	·02	·07	—	·19	·03	—	·05	—	—	·48	—	·15	3
4	—	—	—	—	—	—	·08	·51	—	·23	—	—	4
5	—	—	·10	·17	·03	—	·24	·46	—	·05	—	—	5
6	—	—	·27	·01	·14	—	·10	—	—	·05	—	—	6
7	·03	—	—	·09	·04	—	·45	—	·06	—	—	·01	7
8	·06	·03	·01	·26	·03	—	·14	—	—	·01	—	·54	8
9	·64	·02	—	·01	—	·14	·03	—	—	—	—	—	9
10	1·05	·07	·03	—	—	·26	·36	—	—	—	—	—	10
11	·50	—	·17	·61	·28	·06	·16	—	—	—	—	—	11
12	·20	·13	·17	·12	—	·11	·03	—	—	—	·17	·10	12
13	·16	·01	·55	·10	—	—	—	—	—	—	—	·30	13
14	·05	·04	·49	·05	—	—	·01	—	·13	·10	·36	·04	14
15	—	·07	·04	·37	·05	—	—	—	·04	·78	·05	—	15
16	—	·04	—	·02	—	·04	·12	—	·15	·05	—	—	16
17	—	—	—	·08	·30	·02	·03	—	·26	—	—	—	17
18	·12	·02	—	·17	·13	·24	·08	·28	·05	—	—	—	18
19	·02	·01	—	·33	—	·35	·01	—	·03	·01	—	—	19
20	—	·06	—	·16	·10	·20	—	—	—	·02	—	·40	20
21	—	—	—	·04	—	—	·07	—	—	·11	—	·07	21
22	·04	—	—	·07	—	—	·02	—	—	—	—	·36	22
23	·07	—	—	—	—	—	·21	·05	—	—	—	·65	23
24	—	~~20~~	—	—	—	—	·04	—	—	—	·13	·25	24
25	·07	·01	·21	—	—	—	·58	—	—	—	·02	·04	25
26	·26	~~20~~	·14	—	·02	—	·68	—	—	—	·66	·24	26
27	·95	·07	·28	·03	—	·09	·13	—	—	—	·36	·37	27
28	·70	·02	·17	·06	—	·01	·02	—	—	—	—	·13	28
29	·62	·01	·12	·02	—	—	—	—	—	—	·25	·45	29
30	·17	╳	·74	—	—	·15	·04	—	·75	·01	·37	·67	30
31	·08	╳	·26	╳	—	╳	—	—	╳	·34	╳	·18	31
TOTAL	~~6·15~~ 6·35	·68	3·75	4·06	1·75	1·67	3·65	1·35	1·68	2·51	1·90	6·12	YEAR'S TOTAL 35·47 ~~34·97~~
Days with ·01 in. or more	22	16	16	23	12	12	26	5	10	15	10	20	187
Days with ·04 in. or more	19	8	14	18	8	10	18	5	9	11	8	19	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leicester Lodge Torquay

in the County of Devon

by Henry Brown

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torre

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	—	—	·10	·52	—	·48	—	·16	·15	·03	·97	1
2	·36	—	—	·20	—	—	·01	·05	·05	·04	—	·12	2
3	·02	·07	—	·19	·03	—	·05	—	—	·48	—	·15	3
4	—	—	—	—	—	—	·08	·51	—	·23	—	—	4
5	—	—	·10	·17	·03	—	·24	·46	—	·05	—	—	5
6	—	—	·27	·01	·14	—	·18	—	—	·05	—	—	6
7	·03	—	—	·09	·04	—	·45	—	·06	—	—	·01	7
8	·06	·03	·01	·26	·03	—	·14	—	—	·01	—	·54	8
9	·64	·02	—	·01	—	·14	·03	—	—	—	—	—	9
10	1·05	·07	·03	—	—	·26	·36	—	—	—	—	—	10
11	·50	—	·17	·61	·28	·06	·16	—	—	—	—	—	11
12	·20	·13	·17	·12	—	·11	·03	—	—	—	·17	·18	12
13	·16	·01	·55	·10	—	—	—	—	—	—	—	·30	13
14	·05	·04	·49	·85	—	—	·01	—	·13	·18	·36	·04	14
15	—	·07	·04	·37	·05	—	—	—	·04	·78	·05	—	15
16	—	·04	—	·02	—	·04	·12	—	·15	·05	—	—	16
17	—	—	—	·08	·30	·02	·03	—	·26	—	—	—	17
18	·12	·02	—	·17	·13	·24	·08	·28	·05	—	—	—	18
19	·02	·01	—	·33	—	·35	·01	—	·03	·01	—	—	19
20	—	·06	—	·16	·10	·20	—	—	—	·02	—	·40	20
21	—	—	—	·04	—	—	·07	—	—	·11	—	·07	21
22	·04	—	—	·07	—	—	·02	—	—	—	—	·36	22
23	·07	—	—	—	—	—	·21	·05	—	—	—	·65	23
24	—	~~·24~~	—	—	—	—	·04	—	—	—	·13	·25	24
25	·07	·04	·21	—	—	—	·58	—	—	—	·02	·04	25
26	·26	~~·20~~	·14	—	·02	—	·68	—	—	—	·66	·24	26
27	·95	·07	·28	·03	—	·09	·13	—	—	—	·36	·37	27
28	·70	·02	·17	·06	—	·01	·02	—	—	—	—	·13	28
29	·62	·01	·12	·02	—	—	—	—	—	—	·25	·45	29
30	·17	✕	·74	—	—	·15	·04	—	·75	·01	·37	·67	30
31	·08	✕	·26	✕	—	✕	—	—	✕	·34	✕	·18	31
TOTAL	~~6·15~~ 6·35	·68	3·75	4·06	1·75	1·67	3·65	1·35	1·68	2·51	1·90	6·12	YEAR'S TOTAL 35·47 ~~34·97~~
Days with ·01 in. or more	22	16	16	23	12	12	26	5	10	15	10	20	187
Days with ·04 in. or more	19	8	14	18	8	10	18	5	9	11	8	19	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON

TORQUAY W/W.

1920

TORQUAY WATE ~~NE~~ GAUGE.

REGISTE 20

18 JAN 1921

Latitude........ ....

5"

Time of Observation.

round 1 F.

Longitude......................

„ Sea Level 1120

Date.	Jan. in	Feb. in	March. in	April. in	May. in	June. in	July. in	August. in	Sept. in	Oct. in	Nov. in	Dec. in
1				·11	·84	·	69	·09	·	·05	·	·77
2				·30	·02	·	12	·21	·05	·64	-	·39
3				·14	·01	·	·05	·	·04	1·61	·	·60
4				·01	·	·	·02	·71	·01	·51	-	·
5				·	·10	·	·13	·18	·	·47	·	·
6				·15	·32	·	·40	·	-	·	-	·
7				·19	·07	·	·47	·02	-	·	-	·
8				·30	·08	-	·20	·	·	·	·	·14
9				·05	·	·17	·56	·	·	·	·	·
10				·09	·	58	·08	-	·	·	-	··
11				1·08	·27	·05	·19	-	·	·	·	·
12				·53	·03	·10	·10	-	-	·	30	42
13				·10	·	·	·09	·	·	·34	·	·16
14				1·10	·	·	·	-	·26	·58	1·05	·03
15				1·18	·03	:	·	-	·	·90	·12	·
16				·13	·	·05	·38	·	·36	·15	·14	·
17				·07	·48	·80	·	·	·73	-	·	
18				·14	·13	·29	·03	·21	·02	·	-	·
19				·70	·27	·19	·02	-	·	-	·	·
20				·52	·08	·07	·	·	·05	·22	·	·66
21				·05	·	·	·01	·	·	·10	·	·42
22				·05	·	01	·20	·	-	·	·	·24
23				·	:	-	·61	·06	-	·	·	·85
24				·01	·	·	·01	·	-	·	·43	·39
25				·	·	·	1·05	·	-	·	·	·18
26				·	·	·02	·21	·	-	·	43	·16
27				·27	·	·35	·11	·	-	·	·66	·78
28				·09	·04	·21	·01	·	-	·	·09	·15
29				·02	·10	·15	·01	·			·40	·90
30				·05	·05	·47	·19	·	1·10	·04	·26	1·02
31				×	·	×	·	·	×	·69	×	·35
Totals				7·43	2·92	3·51	5·94	1·48	2·62	6·30	3·88	8·61
·01 or More				26	17	15	26	7	9	13	10	19
·04 or More.				23	13	13	19	6	7	13	10	18

HEATREE.

TORQUAY WATERWORKS. ~~BLACKINGSTONE~~ GAUGE.

18 JAN 1921

REGISTER OF RAINFALL in 1920

Latitude....... ....

Diameter of Gauge..........5"................

Time of Observation.....9 AM.............

Height of Gauge above ground....1 Ft.............

Longitude.........................

" " " " Sea Level..1120......

Date.	Jan. in	Feb. in	March. in	April. in	May. in	June. in	July. in	August. in	Sept. in	Oct. in	Nov. in	Dec. in
1				·11	·84	·	69	·09	·	·05	·	·44
2				·30	·02	·	12	·21	·05	·64	·	·39
3				·14	·01	·	·05	·	·04	1·61	·	·60
4				·01	·	·	·02	·41	·01	·51	-	·
5				·	·10	·	·13	·18	·	·44	·	·
6				·15	·32	·	·40	·	-	·	·	·
7				·19	·07	·	·44	·02	·	·	-	·
8				·30	·08	·	·20	·	·	·	·	·14
9				·05	·	·17	·56	·	·	·	·	·
10				·09	·	58	·08	-	·	·	-	· ·
11				1·08	·24	·05	·19	-	·	·	·	·
12				·53	·03	·10	·10	-	-	·	30	42
13				·10	·	·	·09	-	·	·34	·	·16
14				1·10	·	·	·	-	·26	·58	1·05	·03
15				1·18	·03	·	·	-	·	·90	·12	·
16				·13	·	·05	·38	·	·36	·15	·14	·
17				·07	·48	·80	·	·	·73	-	·	·
18				·14	·13	·29	·03	·21	·02	·	-	·
19				·70	·27	·19	·02	-	·	-	·	·
20				·52	·08	·07	·	·	·05	·22	·	·66
21				·05	·	·	·01	·	·	·10	·	·42
22				·05	·	01	·20	·	-	·	·	·24
23				·	·	-	·61	·06	-	·	·	·85
24				·01	·	·	·01	·	-	·	·43	·39
25				·	·	·	1·05	·	-	·	·	·18
26				·	·	·02	·21	·	-	·	43	·16
27				·27	·	·35	·11	·	-	-	·66	·78
28				·09	·04	·21	·01	·	-	·	·09	·15
29				·02	·10	·15	·01	·			·40	·90
30				·05	·05	·47	·19	·	1·10	·04	·26	1·02
31				×	·	×	·	·	×	·69	×	·35
Totals				7·43	2·92	3·51	5·94	1·48	2·62	6·30	3·88	8·61
·01 or More				26	17	15	26	7	9	13	10	19
·04 or More.				23	13	13	19	6	7	13	10	18

Esc Jl

TORQUAY WATERWORKS. ~~BLACKINGSTONE GAUGE.~~ STINHALL

REGISTER OF RAINFALL in 1920.

18 JAN 1921

Latitude........ ....

Time of Observation............................

Longitude......................

Diameter of Gauge......5"..................

Height of Gauge above ground...1 FT.............

" " " " Sea Level. ~~844~~.......

Date.	Jan. in	Feb. in	March. in	April. in	May. in	June. in	July. in	August. in	Sept. in	Oct. in	Nov. in	Dec. in
1				·04	·59	·	·48	↑	·07	·13	·	63
2				·26	·03	·	·17		·	·06	·	·35
3				·15	·	·	·15	·98	·	2·20	·	47
4				·	·	·	·		·	·53	·	·
5				·09	·12	·	·07	↓	-	·43	·	·
6				·06	·32	·	·24	·	·	·15	-	·
7				·13	·03	·	·36	·		-	·	·01
8				·17	·06	·	·35	·	·	·15	·	·07
9				·	·	·16	·37	·	·	·	·	·
10				·	·	·44	·25	·	·	·	·	·
11				·94	·26	·08	·10	·	·	·	·	·
12				·40	·02	·13	·02	-	·	·	·19	·
13				·14	·	·01	·	·	·	·27	·	·
14				·90	·	·	·05	·	·16	·32	·70	·
15				1·44	·02	·		·	·	1·32	·14	·
16				·13	·	·01	·25	·	·32	·23	·28	·
17				·07	·38	2·31	·	·	·	·	·	·
18				·10	·24	·19	·	·22	·83	·	·	·
19				·60	·43	·15	·		·04	-	·	·48
20				·61	·07	·02	·	·	·	·09	·	·62
21				·04	·	·	·05	-	·	·09	·	·36
22				·		·	·15	-	·	-	·	·30
23				·		·	·62	·08	·	·	·	·52
24				·		·	·	-	·	·	·44	·17
25				·		·	1·00	·	·	·	·	·17
26				·		·	·24	-	·	-	·41	·14
27				·30		·24	·05	·	·	·	·55	·54
28				·08		·17	·	·	·	·	·10	·08
29				·10	·03	·02	·	·	·	·	·20	·95
30				·	·05	·24	·10	·	·83	·48	·46	·86
31				X	·	X	·40	·	X	·23	X	·33
Totals				6·75	2·65	4·17	5·50	1·28	2·25	6·68	3·47	7·05
·01 or more.				21	15	14	21		6	15	10	18
·04 or more.				21	10	10	20		6	15	10	17

end pr auth

REGIS

DEVON.

TORQUAY

"STOODLEY KNOWLL GDNS

1914 – ~~1916~~ 1919

FORM A. BRITISH RAINFALL.

2 JAN 1915

4

Kept at Stoodley

9 a.m.

in the County of South

in.

by Col C R B

above Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.– measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	/	/	/	/	/	·05	·04	·40	/	/	·50	·15	1
2	/	/	·04	·06	/	/	/	/	/	/	·44	·46	2
3	/	/	·04	·08	·56	/	·26	·13	/	/	·32	·03	3
4	·01	/	·05	·42	·07	/	/	/	·05	/	·01	·60	4
5	·12	/	·06	·11	·11	/	·37	·05	·08	/	/	/	5
6	/	·05	/	·12	·10	·06	/	·07	/	/	/	·71	6
7	/	1·00	·19	·07	·02	·11	·20	·05	·24	/	/	·40	7
8	·08	/	·50	·07	·11	·26	/	·21	·07	/	/	·124	8
9	·01	·04	·21	·09	·10	/	/	/	125	/	/	/	9
10	·08	·45	·06	·12	/	·05	/	/	·40	/	/	·07	10
11	/	·13	·28	/	/	·11	/	/	/	/	/	·80	11
12	/	·19	·08	/	/	/	/	/	·15	·06	/	·54	12
13	/	·54	·35	/	/	·09	/	·114	·08	·25	·23	·23	13
14	/	·35	·32	/	/	/	/	·12	/	·03	·39	·18	14
15	/	/	·09	/	/	/	/	/	/	·05	·34	·04	15
16	/	·37	/	/	/	/	/	/	·30	/	/	·02	16
17	/	·04	·23	/	/	/	/	/	/	/	/	·66	17
18	/	·02	·13	/	/	/	(1·52)	/	·14	/	/	·11	18
19	/	·33	·75	/	/	/	/	/	/	/	·03	·07	19
20	/	·41	·12	/	/	·04	/	/	·01	/	·02	·21	20
21	/	·04	·01	/	/	/	/	/	/	·39	/	·06	21
22	/	/	/	/	·20	·05	/	·04	/	·09	/	/	22
23	/	·09	·24	/	~~·20~~ nill /	/	✓	/	/	·36	/	/	23
24	/	·02	/	/	·07	/	/	·34	/	·02	·05	/	24
25	·11	/	·17	/	/	/	·03	·01	/	·36	·03	·51	25
26	·01	·02	/	/	/	/	/	/	/	·07	·25	·64	26
27	·~~24~~	/	/	/	/	/	/	/	/	·06	·18	·33	27
28	·01	·04	·23	/	·07	/	·04	/	/	/	·17	·71	28
29	·21	/	·16	/	·15	/	/	/	/	·04	·62	·02	29
30	·01	╳	·09	/	/	/	·08	/	/	·21	·71	·80	30
31	·10	╳	/	╳	/	╳	·40	/	╳	·65	╳	·16	31
Total	·75	~~·23~~ 2·93	~~4·40~~	~~1·14~~	1·56	~~·82~~	~~2·94~~	~~2·56~~	~~2·77~~	~~1·93~~	~~3·66~~	8·65	YEAR'S TOTAL 36·65
Rain Days.	75	4·23	440	114	156	82	294	256	277	2·64	4·29	8·65	
W. 8,000. X. 14.	11	18	23	9	11	9	9	11	11	14	16	26	168

cnd for auth

REGIS 14

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Stoodley Knowle Gds TORQUAY
in the County of South Devon
by Col C R Burn M P

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	/	/	/	/	/	·05	·04	·40	/	/	·50	·15	1
2	/	/	·04	·06	/	/	/	/	/	/	·44	·46	2
3	/	/	·04	·08	·56	/	·26	·13	/	/	·32	·03	3
4	·01	/	·05	·42	·07	/	/	/	·05	/	·01	·60	4
5	·12	/	·06	·11	·11	/	·37	·05	·08	/	/	/	5
6	/	·05	/	·12	·10	·06	/	·07	/	/	/	·71	6
7	/	1·00	·19	·07	·02	·11	20	·05	·24	/	/	·40	7
8	·08	/	·50	·07	·11	·26	/	·21	·07	/	/	·14	8
9	·01	·04	·21	·09	·10	/	/	/	125	/	/	/	9
10	·08	·45	·06	·12	/	·05	/	/	·40	/	/	·07	10
11	/	·13	·28	/	/	·11	/	/	/	/	/	·80	11
12	/	·19	·08	/	/	/	/	/	·15	·06	/	·54	12
13	/	·54	·35	/	/	·09	/	·114	·08	·25	·23	·23	13
14	/	·35	·32	/	/	/	/	·12	/	·03	·39	·18	14
15	/	/	·09	/	/	/	/	/	/	·05	·34	·04	15
16	/	·37	/	/	/	/	/	/	·30	/	/	·02	16
17	/	·04	·23	/	/	/	/	/	/	/	/	·66	17
18	/	·02	·13	/	/	/	{1 52}	/	·14	/	/	·11	18
19	/	·33	·75	/	/	/	/	/	/	/	·03	·07	19
20	/	·41	·12	/	/	·04	/	/	·01	/	·02	·21	20
21	/	·04	·01	/	/	/	/	/	/	·39	/	·06	21
22	/	/	/	/	·20	·05	/	·04	/	·09	/	/	22
23	/	·09	·24	/	nill /	/	/	/	/	·36	/	/	23
24	/	·02	/	/	·07	/	/	·34	/	·02	·05	/	24
25	·11	/	·17	/	/	/	·03	·01	/	·36	·03	·51	25
26	·01	·02	/	/	/	/	/	/	/	·07	·25	·64	26
27	/	/	/	/	/	/	/	/	/	·06	·18	·33	27
28	·01	·04	·23	/	·07	/	·04	/	/	/	·17	·71	28
29	·21	/	·16	/	·15	/	/	/	/	·04	·62	·02	29
30	·01	X	·09	/	/	/	·08	/	/	·21	·71	·80	30
31	·10	X	/	X	/	X	·40	/	X	·65	X	·16	31
Total	·75	~~4·23~~ 299	~~4·40~~	~~1·14~~	~~1·56~~	·82	~~2·94~~	~~2·56~~	~~2·77~~	~~1·93~~	~~3·66~~	8·65	YEAR'S TOTAL 36·65
Rain Days.	75	4·23	4·40	1·14	1·56	82	2·94	2·56	2·77	2·64	4·29	8·65	
W. 8,000. X. 14.	11	18	23	9	11	9	9	11	11	14	16	26	168

written 16.III.16

cord for auth 15.III.16

~~IV~~. Crt.

1845

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stoodley Knowle Gds Torquay

in the County of Devon South 55

by Col C R Burn M P

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·16	/	/	/	/	/	·61	·17	·40	·05	·28	1
2	·27	·16	·05	/	/	·03	/	·29	·23	·06	/	·68	2
3	·21	·12	·08	·01	·71	/	/	/	/	·05	/	·64	3
4	·02	·02	/	/	·04	/	/	/	/	/	/	·24	4
5	·03	·70	/	·09	/	✓	/	·37	/	/	✓	·47	5
6	·88	·12	/	·39	/	/	·48	·02	/	✓	/	·20	6
7	·30	·34	/	·07	/	/	·15	/	/	·02	/	·55	7
8	·06	·35	/	/	/	/	·04	·06	/	·07	·12	·26	8
9	✓	·11	/	·04	/	/	/	/	/	/	·18	·82	9
10	·10	·33	·02	/	/	/	/	/	/	/	·03	·10	10
11	·9	·42	·26	/	/	/	/	·03	/	11	·93	·02	11
12	·02	·33	/	·04	·52	/	/	·06	/	·03	·38	/	12
13	/	/	/	/	1·28	/	/	·11	·03	·04	/	/	13
14	·07	/	/	/	/	/	·16	/	/	/	·06	·84	14
15	·10	1·27	/	/	·32	/	·12	·03	/	·01	/	·03	15
16	/	·50	/	/	·22	/	·82	/	/	·07	/	·21	16
17	·02	·20	/	/	·07	/	/	·02	/	/	/	✓	17
18	✓	·05	/	/	/	/	/	/	/	·01	/	✓	18
19	·01	·02	/	/	·30	/	·04	/	/	/	/	✓	19
20	·04	/	/	/	/	/	/	/	/	·24	/	·05	20
21	·26	·05	/	·14	/	·12	·27	/	/	·03	/	/	21
22	/	·03	·32	·03	/	·04	·53	/	/	·84	/	·34	22
23	✓	·02	·16	/	/	·05	·08	/	·11	1·39	/	·79	23
24	/	/	·03	·02	/	/	·18	/	·07	·08	/	·37	24
25	·01	/	/	·02	/	·83	/	/	/	✓	/	·33	25
26	·05	·18	/	/	/	·11	·17	/	·02	/	/	·96	26
27	/	·02	/	/	/	·08	/	/	/	·43	/	·02	27
28	/	·03	/	·05	/	·25	·17	/	·37	·06		·06	28
29	/		/	/	/	·67	·06	/	·05	·13	·30	·06	29
30	·23	X	/	/	/	·22	/	/	/	·70	·62	·32	30
31	·03	X	/	X	/	X	·14	·04	X	1·13	X	·22	31
Total	2·96	5·59 3	·92	·90	3·46	2·40	3·41	1·64	1·05	5·12 5·12	2·67	8·86 8·86	YEAR'S TOTAL 38·92
Rain Days.	21	23	7	11	8	10	15	11	8	21	9	25	169

W. 8,000. X. 14.

~~H~~ [illegible] [illegible]

1808

FORM A. BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Stoodley Knowle Gds

in the County of Devonshire

by Col C R Burn M P

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Torquay

Diameter of Funnel of Rain Gauge 6·5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	✓	✓	✓	·21	·07	✓	✓	·18	24	·09	✓	1
2	·35	·02	✓	✓	✓	✓	✓	✓	10	·29	·44	✓	2
3	·19	1·35	✓	✓	34	✓	✓	✓	02	54	24	✓	3
4	✓	·10	✓	✓	·10	✓	✓	✓	✓	11	61	✓	4
5	✓	·10	✓	✓	✓	✓	✓	✓	✓	15	·04	✓	5
6	✓	·29	·05	✓	14	14	·51	✓	✓	✓	·93	✓	6
7	✓	·13	·16	✓	✓	08	✓	✓	✓	08	60	·05	7
8	✓	·39	·35	✓	✓	09	✓	✓	✓	04	·07	·14	8
9	✓	·15	·05	✓	27	✓	✓	✓	✓	02	·10	✓	9
10	✓	·42	✓	✓	✓	23	·10	✓	✓	·12	·03	·07	10
11	✓	✓	✓	05	04	04	✓	✓	✓	✓	✓	✓	11
12	✓	·07	·22	✓	✓	✓	✓	22	✓	✓	✓	✓	12
13	✓	·36	·11	✓	·19	✓	✓	15	✓	✓	✓	·04	13
14	✓	·47	·17	✓	04	✓	✓	·07	✓	03	✓	✓	14
15	·04	·19	·16	04	✓	✓	✓	16	✓	·04	✓	25	15
16	·13	·05	✓	09	✓	✓	✓	·28	✓	06	✓	·04	16
17	·16	03	✓	✓	✓	✓	✓	✓	·12	·42	81	·42	17
18	·08	✓	·40	✓	✓	✓	✓	✓	✓	·02	✓	·04	18
19	·16	·10	·25	✓	✓	✓	✓	✓	✓	✓	·07	·22	19
20	·11	1·07	·12	15	✓	✓	✓	✓	✓	✓	·10	1·40	20
21	·07	09	·20	✓	✓	✓	✓	✓	✓	✓	✓	19	21
22	✓	✓	✓	✓	✓	05	✓	~~21~~ ✓	✓	29	✓	63	22
23	✓	✓	✓	✓	29	·12	✓	21	✓	·02	·01	20	23
24	✓	11	✓	09	✓	✓	✓	07	✓	66	·25	24	24
25	✓	38	·21	✓	✓	✓	✓	61	✓	·02	·05	✓	25
26	·07	·09	·08	✓	✓	10	✓	19	1·83	·78	✓	09	26
27	✓	✓	1·20	✓	✓	62	✓	15	·32	·02	✓	✓	27
28	✓	·10	✓	✓	✓	✓	✓	19	·71	·47	✓	·40	28
29	✓	·17	✓	✓	✓	·38	✓	3·88	·07	·13	✓	43	29
30	✓	X	✓	✓	✓		✓	·05	·01	80	✓	✓	30
31	✓	X	✓	X	✓	X		04	X	58	X	✓	31
Total	1·37	6·43 6·23	3·43 3·73	·42	1·62	1·92	·61	6·27	2·36 3·36	5·93	4·44	4·79	YEAR'S TOTAL 40·69
Rain Days.	11	23	15	5	9	11	2	14	9	24	16	17	~~159~~ 156

W. 8,000. X. 15.

1727

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Stoodley Knowle Torquay

in the County of Devon

by Col C R Burn ADC MP

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Torquay

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·24	·	·21	·	·34	·	·	·01	·	1
2	·	·	·	·10	·	·	·	·	01	01	·	·	2
3	·	·	·	·	·	·	·20	·	·	·	60	·	3
4	·05	·	·41	·	·	·	·05	·	04	·27	·	·	4
5	05	·	·20	04	·	·49	·	·	·	·43	09	·	5
6	·	·	·08	·	·	·04	·	·	·	05	05	03	6
7	·26	·	·	·	·	·	16	23	·	08	04	·	7
8	·07	·	·35	12	·	·	06	50	04	·13	05	31	8
9	·	·	·18	·	04	·	·	·	·	27	09	·	9
10	15	·	27	·28	·	·	·	·26	·	10	·	·	10
11	02	·	119	·14	·	·	·	03	·	·26	17	·	11
12	·15	·	·01	·	·	·	·	02	·	21	·	·	12
13	·	·	·	·12	·	·	·	25	·	·	·	·	13
14	·	·	16	·13	·	·	·	·04	·	·	02	·	14
15	·13	·	·	·	·	·	·	·10	·	34	·	47	15
16	·	·	·	09	·	·	24	·02	·	·40	·	12	16
17	·	·	·	05	·	·	·	·08	69	·02	·	·	17
18	·	·	·	·	·38	13	24	06	74	·	·	·	18
19	·	·51	·05	·	·	·09	24	·31	17	·	·	·	19
20	·	·03	·	·	·56	05	·	·	·	·	·	07	20
21	·07	·	·01	·	·	08	·	05	·	03	01	·	21
22	·01	·	·	·	06	07	·	·14	·	06	·	·	22
23	·	·04	·	·	19	·	·	·41	·	10	·	·	23
24	·	·	·	·	·	·	39	01	·	08	·	·	24
25	·	·	·02	·	·	·	·02	28	05	·	07	·	25
26	·	·	·	·	27	08	·	67	05	·	·	·	26
27	·	·	·	·	02	57	·	·76	·	·	·	·	27
28	·	02	·06	·	·	·19	·	27	·	·	·	03	28
29	·		·04	·	·	·29	·	01	·	64	01	09	29
30	·	X	36	·	·	·	·28	22	·	03	·	·	30
31	·	X	·	X	05	X	·	·	X	27	X	02	31
Total	·96 97	60	3·39 339	131	1·53 153	229	188	5·06 506	179	378	1·21 112	1·14 118	Year's Total 24·98 24·98
Rain Days.	10	4	15	10	8	12	10	23	8	20	12	8	140

157

W. 8,000, IX. 17.

16

67

FORM A.
BRITISH RAINFALL
3.1.19

REGISTER OF RAINFALL IN 1918

Kept at Stoodley Knowle Gds

in the County of S Devon

by Col. G. R. Burn M.T.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Torquay
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·20		·10				·66			·75		1
2		13		·02					05	02	19	36	2
3		11		·30	09			·05	01		79		3
4				02				·13	(63)			14	4
5			06		·50			·42	32	15	01	03	5
6	·19	18		·10				·01	28	25			6
7		11		·01	06			·04		02	38	06	7
8	·03	13						~~05~~	05	25		15	8
9	·04			·01			~~2~~37		36	01		36	9
10	·03			33			66		08	17	01	25	10
11			20	05			·60		10	03	06	·01	11
12		11	13		23		·28		07		07		12
13	·02	02			05		·26		18	07		14	13
14	·21				04		·07		31	01		12	14
15	·78				08		·43		05	04		19	15
16	·59			16			·08		08			01	16
17	·30			14			33					25	17
18	·70		06				12		48	06		23	18
19				02		·78	13	·01	07			11	19
20				13			·09		21	11			20
21	·07	13					·16		53	33		40	21
22						01	·74		17	05		15	22
23					·10		·34	·03	02			19	23
24	·05	14			·01		·07		01		·13	34	24
25							·05	·85		06	23		25
26		01			01		·15	·01	07	04	02	07	26
27	·01	02	10					·12	06	03	05		27
28		11	26									01	28
29			13						1·55			01	29
30		X	39						01	05	09		30
31		X	36	X		X			X		X		31
Total	3·02	1·40 ~~1·30~~	1·69	1·39 ~~1·29~~	1·17	·79	4·88	2·33	5·75	1·75	2·72	3·58	YEAR'S TOTAL 30·47
Rain Days.	13	13	9	13	10	2	18	11	25	19	13	20	168

Stoodley Knowle Gds
Torquay
Devon

7 4 19.

Dr
Mr Carl Salter

Sir many thanks for your note regarding the Rainfall I must ask you to except the other records as correct I find. it very difficult to make clear some of the figures. As I must say I did not do all the recording last year. I was hospital orderly here and driver for the Ambulance for this hospital which meant I was not in the Garden when I should have liked to have been in fact I was very often and weeks at a stretch with only very broken nights rest and I hatched 400 chicken in incubators so I ask for your consideration for mistakes but thank Goodness we are back to normal again less half the labour employed as the place is for sale Many thanks for news of Dr & Mrs Mill I think that Photo in the Monthly very good of him it is exactly as I have seen him at [illegible] I am sorry to have to give all this trouble will you send me one of the pocket Books for recording I will pay costs by return not to charge the

Col. Burn As I think it will be better for daily records and save the risk of keeping the yearly repor clean.
I am glad to say all are well here now I should have written by return but I have had such a heavy Cold and not fit for anything. I dont think I shall remain at Strodly if it changes hands it is such a hard Garden and such a dry Garden I hope someday to be a small holder ~~the~~ did you here I have a daughter 9 months old doing A 1

Kindest Regards to yourself
also to Mrs Lester
Yours truly
R Greenfield

PS I was very sorry to here of your sad loss of your brother of course I knew him quite well
R G

end quantity
Mar 31 est

1635

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stoodley Knowle Gds
in the County of Devon
by Col. C. R. Burn M.P. A.D.C.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Torquay
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32		09		04		20		02	09	–	·77	1
2	23						13		05	02		01	2
3	42		45						20		01	02	3
4	40	75	48			09			38		09	01	4
5	·02	22	41						56		03	04	5
6	32	92									01	06	6
7	24		10	08			01		02			28	7
8	43		49			05					38		8
9	18		01	13	04						55		9
10	·08		47							03		19	10
11	18		31	12	30					04	11	42	11
12	10		01							02	09	01	12
13	9	11	15	50						04		09	13
14	57	14		46			05		07	02		25	14
15	23	32		·07	40					01		25	15
16	08	1·02						17			05		16
17	'	66						14			13		17
18	02	35	45					21			12		18
19	63	46	17		~~20~~	20		33	08		12	02	19
20	·25	·01	13		~~40~~	40			05		14		20
21	07	95							06	02		08	21
22		·01	·04						13			01	22
23			·03					10	01	32	07	05	23
24						26		36		15	07	28	24
25	08	04		12		06		23				03	25
26	13		·05					03	02		02	45	26
27	24		·04	32				1·45				03	27
28		03	19	03				12			50	45	28
29				02				14		03		08	29
30		✕		02				04			63	64	30
31		✕	~~07~~ (05)	✕		✕			✕		✕	70	31
TOTAL	~~5·32~~ 5·31	5·99	~~3·38~~ (4·12)	1·87	78	1·06	·39	3·32	1·65	79	~~3·22~~ 3·12	~~4·52~~ 5·22	YEAR'S TOTAL 33·62 ~~32·29~~
Days with ·01 in. or more	23	15	20	11	4	6	4	12	13	12	18	25	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

163

DEVON.

TORQUAY

"ROBY HALL"

1911 – 1917

1911

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Roby Hall

in the County of Dev

by Sir John Soward

of top 5 in.

top above Ground 1 ft. in.

,, ,, Sea Level 500 ft.

on about 8-9 a.m.

tation { Name Torre
Distance 2 1/3 miles Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				01						02	03	02	1
2		.01		02	44			25		13	20	47	2
3					20	.02			03		23	12	3
4			03					01			26	52	4
5	.25		07					06		06	18		5
6	20		36					02		29	09	1.04	6
7	03			04							56	02	7
8			06								07	58	8
9						04					40	85	9
10	03	.05	50		01						01	30	10
11	19		02								1.02	03	11
12	01		44						03		.06	15	12
13									32		.01	48	13
14		.05	01							15		72	14
15		.02	02			.03					33	07	15
16			04			46					66	73	16
17			51	02		20					30	66	17
18		25	26	28		21				14	16	60	18
19		02		03		49			36	18	06	50	19
20	03	02		05					16	50		78	20
21	03	19	02	01		03			05	73		02	21
22	24	05	03	03		11			61	32	02	74	22
23		22	04			06			04	31	13	44	23
24		15				42		06		39		37	24
25		10		04		03			10	13		06	25
26		15		35				09		49		24	26
27		41	04	04				06	20	61	04	15	27
28		27	02	37	02			06			03		28
29				08		26	.65		11	27			29
30			01							25	.10	.01	30
31			01				04			02			31
Total	1.01 ✓	1.96 ✓	2.49 ✓	1.37 ✓	.67 ✓	2.36 ✓	.69 ✓	.61 ✓	2.01 ✓	4.99 ✓	4.95 ✓	10.67 ✓	TOTAL for year 33.78. ✓
No. of Rain Days.	9	15	19	14	4	13	2	8	11	18	23	27	163 ✓

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Roby Hall Torquay

in the County of Devon S.5

by Sir John Edwards-Moss Bart.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.

Time of Observation about 8-9 a.m.

Nearest Railway Station
Name Torre
Distance 2 1/3 miles Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				01						02	03	02	1
2		.01		02	44			25		13	20	47	2
3					20	.02			03		23	12	3
4			03					01			26	52	4
5	.25		07					06		06	18		5
6	20		36					02		29	09	1.04	6
7	03			04							56	02	7
8			06								07	58	8
9						04					40	85	9
10	03	.05	50		01						01	30	10
11	19		02								1.02	03	11
12	01		44						03		.06	15	12
13									32		.01	48	13
14		.05	01							15		72	14
15		.02	02			.03					33	07	15
16			04			46					66	73	16
17			51	02		20					30	66	17
18		25	26	28		21				14	16	60	18
19		02		03		49			36	18	06	50	19
20	03	02		05					16	50		78	20
21	03	19	02	01		03			05	73		02	21
22	24	05	03	03		11			61	32	02	74	22
23		22	04			06			04	31	13	44	23
24		15				42		06		39		37	24
25		10		04		03			10	13		06	25
26		15		35				09		49		24	26
27		41	04	04				06	20	61	04	15	27
28		27	02	37	02			06			03		28
29				08		26	.65		11	27			29
30			01							25	.10	.01	30
31			01				04			02			31
Total	1.01	1.96	2.49	1.37	.67	2.36	.69	.61	2.01	4.99	4.95	10.67	TOTAL for year 33.78.
No. of Rain Days.	9	15	19	14	4	13	2	8	11	18	23	27	163

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Roby Hall, Torquay
in the County of Devon S. 5
by Sir John Edwards-Moss Bart.

Lat. .... Long. ....
Nearest Railway Station Torre
Time of Observation 8 am
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level 500 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			12			42			09	1.06		31	1
2			23	.02		28	.01	01		03	02	01	2
3			27			25	12	1.02	01			03	3
4	.17	04	89		.02	45		12			16		4
5	59	40	22					58			01	28	5
6	35	03			26	18		05				03	6
7	16	86	32		10	44		03				30	7
8	65	10	32	05		01		05				02	8
9	04	07	02	07		11	07	16			02	24	9
10	18	10	23			06	02	19			08	37	10
11	01	08						05			10	51	11
12	01	53	08				07	69			01	01	12
13	14					03	52			07		16	13
14	10	02	52		12			10		01		08	14
15	83	17	02		37	36						.21	15
16	21	01	45		20	03		07		06		03	16
17	02		24		04	04		98			01	10	17
18	02	03	12					16		01	01	03	18
19	01	04	30			03	03	26			02	03	19
20	03	08	44		13		03	11		25	01		20
21	[illegible]	50	19		30			12		05	01		21
22	51	14	19				11	06		06	04	.18	22
23	66	34	23			04	06	40		08	09	22	23
24	10	04	03			42		03		05		24	24
25	21		01			02		32		32	33	46	25
26		05					05	05		38	67	63	26
27		03				36	38	43		1.59	01	53	27
28		12				08	19	62	39	53	44	60	28
29		51				16	16	14	52	40	05	02	29
30			06			.20	12		42	25			30
31			27				61			02		04	31
Total	5.00	4.29	5.77	.14	1.54	3.97	2.55	6.80	1.43	5.22	2.09	5.62	TOTAL for year 44.42
No. of Rain Days	21	23	24	3	9	21	16	26	5	18	19	27	212

1,000, IX. '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

88

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

322

Kept at Roby Hall, Torquay

in the County of S. Devonshire

by Sir J. Edwards-Moss, Bt.

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·26	·25	·05	·01				·07	·09	·29	·01	1
2	·32	·13	·01	·15	·37		·07		·03	·08	·15		2
3	·45		·09	·05	·25				·18	·23		·30	3
4	1·41		·12	·09	·07	·05	·03		·07	·35	·06	·13	4
5	·16	·03			·21	·01	·01		1·01	·37	·29	·27	5
6	·08	·13	·06		·05	·05			·02	·56	·07	·04	6
7	·01	·56	·03		·80	·06	·23			·12	·24	·01	7
8	·05	·42			·20		·04			·01	·02		8
9	·02	·02			·11	·02	·09	·19			·36		9
10	·95	·01		·01	·15			·02		·16	·06	·01	10
11	·32	·01		·04	·70				·01	·05	·83	·02	11
12	·07				·10	·07			·04	·01	·25	·03	12
13	·11		·10	·02	·02			·06	·08		·08		13
14	·46		·19	·06	·34		·01		·03		·05		14
15	·22		·49	·74					·33		·03		15
16	·45		·50	·04			·01		·27				16
17	·02		·02	·04					·01		·06		17
18	·03		·34	·09		·01					·11		18
19	·72		·02			·10			·37	·04			19
20	·19		·22	·33						·15	·52		20
21	·04		·20	·01	·03					·05	·19		21
22	·23		·59			·06		·07	·03	·12		·43	22
23	·02		·01			·02			·01	·01	·05	·84	23
24	·02			·06		·04					·02		24
25				·44					·04	·11			25
26		·07		1·28				·12	·01	·02		·31	26
27	·54		·20	·36				·02		·37		·03	27
28	·34		·06	·26					·01	·37	·01	·11	28
29	·23		·60	·29	·01					·26			29
30	·59			·01	·03		·02	·14		·70			30
31	·08		·19		·04			·34		·10			31
Total	8·13	1·64	4·29	4·42	3·49	·49	·51	·96	2·62	4·33	3·74	2·54	YEAR'S TOTAL 37·16
Rain Days.	28	10	21	21	18	11	9	8	19	23	21	14	203

W. 7,500, XI. ·12

Dl [illegible] 8.14.15

REGISTER OF RAINFALL IN 1914

305

28 JAN 1915

FORM A.
BRITISH RAINFALL.

Kept at Roby Hall

in the County of S. Devonshire S5

by Sir J. Edwards-Moss

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02		·05	·05	·36			·50	·15	1
2			·02	·05	·03		·25	·03			·44	·45	2
3	·01		·05	·10	·73			·01			·01	·09	3
4	·15		·03	·42	·18		·46	·25			·39	·48	4
5	·07		·07	·14	·30				·08			·02	5
6		·14	·02	·22	·13			·03				·68	6
7	·03	1·02	·19	·15	·03	·04	·03	·05	·18			·54	7
8	·07		·64	·09	·01	·16	·19	·10	·14			·12	8
9	·03	·05	·45	·18	·05	·53		·35	1·10				9
10	·05	·45	·13	·16	·10	·06			·50			·11	10
11		·15	·36			·10					·02	1·07	11
12		·20	·09						·10	·06		·61	12
13		·68	·42				·09		·09	·25	·27	·22	13
14		·44	·38			·29		1·18		·04	·47	·19	14
15	·01		·13				·03	·16	·08	·09	·35	·07	15
16	·03		·03						·33			·01	16
17		·36	·20									·91	17
18		·07	·18				·04		·17			·14	18
19		·03	·70				1·85		·04		·03	·05	19
20		·45	·17			·07					·03	·19	20
21		·54				·05				·38		·07	21
22		·08	·01		·18	·05		·02		·17			22
23		·09	·35		·02					·40			23
24		·06	·03		·06			·04		·03	·04	·02	24
25	·14	·02	·32				·02	·45		·41	·05	·46	25
26	·03	·04					·01			·04	·29	·75	26
27	·02	·02									·34	·41	27
28	·01	·06	·35		·07					·03	·16	·71	28
29	·21		·35		·14		·05			·04	·94	·03	29
30	·02		·11	} ·02 }						·29	·65	·83	30
31	·15						·55			·90		·23	31
Total	1·03	4·95	5·80	1·55	2·03	1·40	3·62	3·03	2·81	3·13	4·98	9·61	YEAR'S TOTAL 43·94
Rain Days.	16	20	27	11	14	10	13	13	11	14	17	28	194

W.7,000, XI. 13

1844

FORM A.
BRITISH RAINFALL.

8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Roby Hall, Torquay

in the County of Devon S5

by Sir John Edwards-Moss Bart.

Lat. .... Long. ....

Time of Observation previous years

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" same " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40	21						60	22	39	06	07	1
2	29	20	07	01		09		30	03	18	01	76	2
3	01	11	09	01						05		71	3
4	03	08			72			01				19	4
5	02	85		15	03			36				59	5
6	89	15		43			39	02				27	6
7	37	38		12	01		24			10	01	44	7
8	09	49					07	09		04	05	55	8
9	03	10		02							22	76	9
10	09	38	04	04						11	06	09	10
11	08	34	23	02						06	1.04	03	11
12	03	50	~~23~~	04	53			25		03	38		12
13		63			1.20		01	01	02		08	03	13
14	08						25	18	02	11		97	14
15	11				35		12			05	01	11	15
16	01	1.49			21		1.06					22	16
17		74			15							01	17
18	03	25								01			18
19	02	01			43		09					01	19
20	07			19		12				22		04	20
21	26	04			02	01	20		02	06		01	21
22	04		35	08		05	61					49	22
23		07	19			07	09		13	1.43		40	23
24			07	04		04	05		08	11		60	24
25	05		03	05		90	14					37	25
26		21				10	23		11			1.15	26
27	04	08				15	01			52		02	27
28		05		04		23			35		02	09	28
29						67	06		03	06	25	14	29
30	17	X				06	03			83	92	44	30
31	04	X		X		X	18	12	X	1.30	X	31	31
Total	3.25	7.36	1.07	1.24	3.65	2.49	3.83	1.~~92~~94	1.01	5.66	3.11	9.87	YEAR'S TOTAL 44.48
Rain Days.	24	22	8	14	10	12	18	~~9~~ 10	10	19	13	29	189

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Roby Hall, Torquay
in the County of S. Devonshire
by J. Edwards-Moss

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·03	·02		·28	·03	·03		·15	·36	·23		1
2	·37	·09	·02		·03				·11	·28	·51		2
3		1·22			·25				·02	·58	·24		3
4	·27	·12			·27	·16	·02			·04	·66		4
5		·11	·05			·12				·16	·05		5
6	·02	·22	·01		·19	·01	·82			·08	·95		6
7	·03	·18	·22		·03	·05					·72	·08	7
8		·41	·15		·32	·03				·01	·09	·18	8
9		·13	·01		·01	·09				·07	·11	·15	9
10		·44			·02		·01			·09	·01	·03	10
11			·07	·03		·03					·01		11
12	·03	·05	·20	·02	·20		·04	·16		·02			12
13		·27	·17	·04	·01			·34		·01	·01	·03	13
14		·65	·23		·07			·27		·09			14
15	·01	·29	·16	·09				·08		·02		·13	15
16	·18	·07		·11			·03	·40		·09		·13	16
17	·23	·04		·01					·12	·24	·80		17
18	·10	·06	·22						·17	·02		·13	18
19	·26	·13	·51	·01							·10	·12	19
20	·12	1·11	·26								·04	1·16	20
21	·02		·13		·06							·28	21
22			·01			·12		·10		·48	·02	·67	22
23	·04	·02		·01		·14		·14		·08	·23	·08	23
24				·13	·26			·12		·74	·08	·41	24
25		·95	·14			·01		·40	·01	·01	·14	·01	25
26	·01	·11	·06		·06	·18		·30	1·73	·86		·06	26
27		·10	1·21			·45		·33	·40	·13			27
28		·19						·08	1·33	·58	·01	·39	28
29		·18	·01			·43		3·39	·10	·10		·40	29
30		X	·01					·01	·01	·75			30
31		X		X		X		·03	X	·42	X		31
Total	1·91	7·17	3·87	·45	2·06	1·85	·95	6·15	4·15	6·31	5·01	4·44	YEAR'S TOTAL 44·32
Rain Days.	15	25	22	9	15	14	6	15	11	26	20	18	196

W. 8,000. X. 15.

DL

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at *Roby Hall, Torquay*

in the County of *S. Devonshire*

by *J. E. Moss*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	–									1
2													2
3	·03												3
4	·04	·03	·46										4
5	·04		·25										5
6	·01		·17										6
7	·35												7
8	·07												8
9			·52										9
10	·20		·40										10
11	·03		1·12										11
12	·14		·02										12
13	·08		·26										13
14													14
15	·20												15
16		·12											16
17		·10											17
18		·10											18
19		·40	·05										19
20		·02											20
21	·02		·02										21
22			·04										22
23		·04											23
24		·01											24
25			·02										25
26													26
27		·01											27
28		·05	·06										28
29			·15										29
30		X	·18										30
31		X	·02	X		X			X		X		31
Total	1·21	·88 ·87	3·76										YEAR'S TOTAL
Rain Days.	12	10	17										

W. 8,000, VIII. 16

Co/py/6
ent. D. 10.XI.16

Exed 7 1.1

REGISTE

DEVON

TORQUAY

"KILMORIE"

1913-1916

FORM A.
BRITISH RAINFALL.

11 1916

Kept at Kilmorie. Torquay

in the County of South Devon

by Sir Thomas

uge 8 in.

round 4 ft. 0 in.

ea Level ft.

IMPORTANT NOTE.—Rai result entered to the previous day. If an Observer p al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.06	—	.04	—	—	—	—	.06	.03	.33	—	1
2	.07	.10	.18	.08	.33	—	.05	—	—	.20	.07	—	2
3	.35	—	.05	.02	.06	—	—	—	—	1.22	—	.07	3
4	.98	.03	—	.02	.05	.02	—	—	.34	.45	—	.05	4
5	.05	—	.03	—	.18	.01	.02	—	.72	.28	.02	.13	5
6	.03	.02	.10	—	.04	.05	—	—	—	.23	.33	—	6
7	—	.40	—	—	.55	.04	.13	—	—	.05	.18	—	7
8	—	.02	.01	—	.12	—	.02	—	—	.01	—	—	8
9	.02	.20	—	—	.03	.01	.17	.15	—	—	.16	—	9
10	.60	—	—	—	.05	—	—	.05	—	.16	.06	—	10
11	.55	—	—	.04	.68	.03	—	—	—	.07	.35	.02	11
12	.15	—	—		.02	—	—	—	.06	—	.17	.02	12
13	.13	—	.06		—	—	—	.04	.06	—	.08	—	13
14	.22	—	.07	.05	.34	—	—	—	.02	—	.02	—	14
15	.35	—	.30	.50	—	—	—	—	.30	—	—	.24	15
16	.60	—	.25	—	—	—	—	—	.52	—	—	.62	16
17	.10	—	—	.05	—	—	—	—	.02	—	.04	—	17
18	.05	—	.20	.05	—	.01	—	.02	—	—	.10	—	18
19	.34	—	.02	—	—	.14	—	—	.34	—	—	.12	19
20	.12	—	.11	.22	—	—	—	—	—	.10	.36	—	20
21	—	—	.07	.02	.04	—	—	—	—	—	.12	—	21
22	.14	—	.23	—	—	.04	—	.05	.02	—	—	—	22
23	.02	—	.01	—	—	—	—	—	—	—	.02	—	23
24	.03	.03	—	.04	.01	.03	—	—	—	—	—	—	24
25	—	—	—	.52	—	—	—	—	.02	—	—	—	25
26	—	—	—	2.20	.15	—	—	.18	.05	—	—	—	26
27	.30	—	.06	.40	—	—	—	.01	—		—	—	27
28	.20	—	.06	.24	—	—	—	—	—	.10	—	—	28
29	.18	—	.34	.26	—	—	—	—	—	.04	—	.01	29
30	.30		—	.01	.03	—	.02	.68	.08	.34	—	—	30
31	.05		.07		.01		—	.01		.04		—	31
Total	5.93	0.86	2.22	4.76	2.69	.38	.41	1.19	2.61	3.32	2.41	1.28	YEAR'S TOTAL 28.06?
Rain Days.	25	8	19	18	17	10	6	9	14	15	16	9	166

Copy

ent P. 10.XV

REGISTE

FORM A.
BRITISH RAINFALL.

11 1916

Kept at Kilmorie. Torquay.

in the County of South Devon

by Sir Thomas Bazley Bt

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.06	—	.04	—	—	—	—	.06	.03	.33	—	1
2	.07	.10	.18	.08	.33	—	.05	—	—	.20	.07	—	2
3	.35	—	.05	.02	.06	—	—	—	—	1.22	—	.07	3
4	.98	.03	—	.02	.05	.02	—	—	.34	.45	—	.05	4
5	.05	—	.03	—	.18	.01	.02	—	.72	.28	.02	.13	5
6	.03	.02	.10	—	.04	.05	—	—	—	.23	.33	—	6
7	—	.40	—	—	.55	.04	.13	—	—	.05	.18	—	7
8	—	.02	.01	—	.12	—	.02	—	—	.01	—	—	8
9	.02	.20	—	—	.03	.01	.17	.15	—	—	.16	—	9
10	.60	—	—	—	.05	—	—	.05	—	.16	.06	—	10
11	.55	—	—	.04	.68	.03	—	—	—	.07	.35	.02	11
12	.15	—	—		.02	—	—	—	.06	—	.17	.02	12
13	.13	—	.06		—	—	—	.04	.06	—	.08	—	13
14	.22	—	.07	.05	.34	—	—	—	.02	—	.02	—	14
15	.35	—	.30	.50	—	—	—	—	.30	—	—	.24	15
16	.60	—	25	—	—	—	—	—	.52	—	—	.62	16
17	.10	—	—	.05	—	—	—	—	.02	—	.04	—	17
18	.05	—	20	.05	—	.01	—	.02	—	—	.10	—	18
19	.34	—	.02	—	—	.14	—	—	.34	—	—	.12	19
20	.12	—	.11	22	—	—	—	—	—	.10	.36	—	20
21	—	—	.07	.02	.04	—	—	—	—	—	.12	—	21
22	.14	—	23	—	—	.04	—	.05	.02	—	—	—	22
23	.02	—	.01	—	—	—	—	—	—	—	.02	—	23
24	.03	.03	—	.04	.01	.03	—	—	—	—	—	—	24
25	—	—	—	52	—	—	—	—	.02	—	—	—	25
26	—	—	—	2.20	.15	—	—	.18	.05	—	—	—	26
27	.30	—	.06	.40	—	—	—	.01	—	—	—	—	27
28	.20	—	.06	.24	—	—	—	—	—	.10	—	—	28
29	.18	—	.34	26	—	—	—	—	—	.04	—	.01	29
30	.30	✗	—	.01	.03	—	.02	.68	.08	.34	—	—	30
31	.05	✗	.07	✗	.01	✗	—	.01	✗	.04	✗	—	31
Total	5.93	0.86	2.22	4.76	2.69	.38	.41	1.19	2.61	3.32	2.41	1.28	YEAR'S TOTAL 28.06?
Rain Days.	2.5	8	19	18	17	10	6	9	14	15	16	9	16.6

W. 8,000. X. 15.

Copy. end. 10. xi. 16

cond fr auth to: 17.111.16 ~~W.F.W.~~

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

11 FEB 1916

Kept at Kilmarie Torquay R

in the County of South Devonshire

by Sir Thomas Bazley Bt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	.06	.03	.43	–	–	.50	.15	1
2	–	–	.02	.03	.01	–	.28	.02	–	–	.43	.60	2
3	–	–	.06	.09	.62	–	–	.01	–	–	–	.04	3
4	–	–	–	.53	.10	–	.37	.12	–	–	.30	.64	4
5	.08	–	.08	.10	.10	–	–	–	.09	–	.02	–	5
6	–	.05	.04	.10	.09	–	.03	.02	–	–	–	.82	6
7	.04	1.39	.20	.11	.02	.03	.20	.07	.27	–	–	.36	7
8	.04	–	.66	.13	–	.14	–	.04	.04	–	–	.23	8
9	–	.03	.31	.10	.11	.30	–	.17	1.46	–	–	–	9
10	.02	?	.06	.11	–	.09	–	–	.40	–	–	.20	10
11	–	.72	.27	–	–	.15	–	–	–	–	–	1.16	11
12	.01	.10 .24	.06	–	–	–	–	–	.18	.05	–	.64	12
13	–	.60	.35	–	–	–	.03	–	.18	.25	.20	.29	13
14	–	.38	.30	–	–	.08	–	1.40	–	.06	.44	.27	14
15	.20	–	.10	–	–	.02	.03	.20	–	.03	.29	.05	15
16	.42	–	.02	–	–	–	–	–	.02	–	–	–	16
17	–	.34	.22	–	–	–	–	–	.30	–	–	.98	17
18	–	.03	.12	–	–	–	.06	–	.14	–	–	.12	18
19	.12	.02	.96	–	–	–	1.65	–	–	–	.05	.09	19
20	–	.38	.10	–	–	.04	–	–	–	–	–	.26	20
21	–	.27	–	–	–	–	–	–	–	.32	–	.03	21
22	–	.02	–	–	.27	.06	–	.02	–	.08	–	.01	22
23	–	.08	.30	–	–	–	–	–	–	.40	–	–	23
24	–	.02	–	–	.16	–	.03	.08	–	–	.07	–	24
25	.06	–	.18	–	–	–	.02	.44	–	.50	.04	.77	25
26	–	.02	.01	–	–	–	–	–	–	.10	.22	.93	26
27	–	–	–	–	–	–	–	–	–	–	.32	.50	27
28	.02	.04	.25	–	.08	–	–	–	–	.07	.02	.14	28
29	.20	–	.19	–	.15	–	.08	–	–	.05	.70	.03	29
30	–	✕	.09	.04	–	–	–	–	–	.28	.86	.01 ?	30
31	.12	✕	–	✕	–	✕	.41	–	✕	.78	✕	.25	31
Total	1.13	4.73 ✓	4.85	1.34	1.71	0.97	3.22	3.02	3.08	~~2.03~~	4.46	~~9.67~~	YEAR'S TOTAL 41.05
Rain Days.							3·22			2·97		9·57	41·05

W. 8,000. X. 15.

from originals NB. Pastorelli & Raphin confirm fact that records taken in inches, not m.m. 17.III.16 CS

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

1916

Kept at Kilmorie Torquay R [illegible]

in the County of S. Devonshire

by Sir Thomas Bayley Bart

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·19	–	–	–	–	–	·56	·20	·10	·06	·22	1
2	·30	·20	·05	·01	–	·03	–	·29	·21	·01	–	·64	2
3	·01	·15	·09	·02	·78	–	–	·02	–	·03	–	·54	3
4	–	·13	·30	–	·03	–	–	–	–	·01	–	·20	4
5	·05	·87	–	·15	·01	–	–	·36	–	–	–	·27	5
6	1·00	·07	–	·55	–	·01	·49	–	–	–	–	·18	6
7	·41	·37	–	·09	–	–	·19	–	·01	·07	·01	·38	7
8	·09	·62	–	–	–	–	·06	·06	–	·01	·12	·22	8
9	–	·09	–	·01	–	–	–	–	–	·02	·23	·84	9
10	·14	·28	–	·04	–	–	–	·02	–	·15	·03	·07	10
11	·12	·37	–	·01	–	–	–	·04	–	·03	1·00	·01	11
12	·03	·44	–	·03	·50	–	–	·09	–	·03	·44	–	12
13	–	·71	–	–	1·47	–	–	·15	·01	·01	·05	–	13
14	·08	–	–	–	–	–	·20	·13	·01	·01	·01	·15	14
15	·16	–	–	–	·34	–	·11	–	–	·08	–	·07	15
16	–	1·90	–	–	·26	–	·89	–	·01	–	–	·24	16
17	·02	·78	–	–	·08	–	–	·02	·02	·01	·01	–	17
18	–	·24	–	–	–	–	–	–	–	·01	–	–	18
19	·01	·02	–	–	·28	–	·04	–	–	–	–	–	19
20	·07	·01	–	·13	–	·15	–	–	–	·26	–	·04	20
21	·31	·10	–	–	·01	–	·31	–	–	·12	–	·04	21
22	·05	–	·30	·03	–	·03	·52	–	–	·04	–	·52	22
23	–	–	·15	–	–	·08	·04	–	·04	1·40	–	·92	23
24	–	–	·03	·03	–	–	·18	–	·06	·08	–	·52	24
25	–	–	–	·03	–	·93	–	–	–	–	–	·32	25
26	–	·24	–	–	–	·08	·25	–	·01	–	–	1·14	26
27	·07	·01	–	·01	–	·11	–	–	–	·56	–	–	27
28	–	·01	–	–	–	·30	–	–	·06	·06	–	·07	28
29	–		–	–	–	·77	·27	–	–	·11	·08	·02	29
30	·30		–	–	–	·16	·06	–	–	·65	·50	·45	30
31	·03		·01		–		·15	·04		1·30		·28	31
Total	3·56	7·80	·93	1·14	3·76	2·65	3·76	1·78	·64	5·16	2·54	8·35	YEAR'S TOTAL 42·07
Rain Days.	20	22	7	14	10	11	15	12	11	25	12	25	184

W. 8,000. X. 14.

and for IVA

Exe Dl

FORM A. BRITISH RAINFALL.

8. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kilmorie, Torquay

in the County of Devon. (automatically)

by T. S. Bazley and Martin Rayner

Lat. 50. 28" Long. 13 min: 59 sec.

Time of Observation 9. A.M.

Nearest Railway Station Torquay

Diameter of Funnel of Rain Gauge 8 in. square

Height of top of Gauge above Ground 4. ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	Nil	·17	Nil	Nil	Nil	·02	Nil	·02	Nil	·64	Nil	1
2	·16	·02	·01	Nil	·23	·04	Nil	Nil	·17	·17	·03	Nil	2
3	·36	·12	Nil	Nil	Nil	Nil	Nil	Nil	·12	·31	·31	Nil	3
4	·20	1·90	Nil	Nil	·51	·02	Nil	Nil	·02	·53	·12	Nil	4
5	Nil	·09	Nil	Nil	Nil	·14	Nil	Nil	Nil	·05	·69	Nil	5
6	·01	·11	Nil	Nil	Nil	·06	Nil	Nil	Nil	·13	·05	Nil	6
7	Nil	·11	Nil	Nil	·16	·06	·41	Nil	Nil	·06	1·09	Nil	7
8	Nil	·13	·45	Nil	·06	·08	Nil	Nil	Nil	Nil	·63	Nil	8
9	Nil	·40	·39	Nil	·18	·11	Nil	Nil	Nil	Nil	·05	·07	9
10	Nil	·17	Nil	Nil	·01	·03	Nil	Nil	Nil	·01	·11	·14	10
11	Nil	·45	Nil	Nil	·03	Nil	·14	Nil	Nil	·02	Nil	·01	11
12	Nil	Nil	·01	·02	·06	·03	Nil	Nil	Nil	Nil	Nil	·01	12
13	·01	·09	·24	Nil	·13	Nil	·02	·20	Nil	·04	·01	Nil	13
14	Nil	·26	·11	·03	Nil	Nil	Nil	·08	Nil	Nil	·01	·04	14
15	Nil	·60	·19	Nil	·06	Nil	Nil	·30	Nil	·07	Nil	Nil	15
16	·01	·21	·16	·09	Nil	Nil	Nil	·07	Nil	Nil	Nil	·42	16
17	·18	·05	Nil	·10	Nil	Nil	Nil	·18	Nil	·14	Nil	·01	17
18	·17	·03	Nil	·01	Nil	Nil	Nil	Nil	·14	·39	1·16	Nil	18
19	·09	·02	·46	Nil	Nil	Nil	Nil	Nil	·14	·02	Nil	·08	19
20	·20	·09	·26	·01	Nil	Nil	Nil	Nil	Nil	Nil	·05	·10	20
21	·15	1·24	·15	·15	Nil	Nil	Nil	Nil	Nil	Nil	·09	1·58	21
22	·02	·05	·12	Nil	·06	Nil	Nil	Nil	Nil	Nil	Nil	·10	22
23	Nil	Nil	Nil	Nil	Nil	·08	Nil	·11	Nil	·37	·01	·63	23
24	Nil	Nil	Nil	Nil	Nil	·09	Nil	·11	Nil	·04	·31	·05	24
25	Nil	·06	Nil	·11	·26	Nil	Nil	·08	Nil	·63	·03	·43	25
26	Nil	·54	·23	Nil	Nil	·01	Nil	·37	Nil	·01	Nil	Nil	26
27	·01	·15	·03	Nil	·04	·45	Nil	·13	1·64	·60	Nil	·12	27
28	Nil	Nil	1·29	Nil	Nil	·21	Nil	·19	·02	·31	Nil	Nil	28
29	Nil	·08	Nil	Nil	Nil	Nil	Nil	·19	·09	·40	Nil	·38	29
30	Nil	✕	·02	Nil	Nil	·47	Nil	4·25	·07	·15	Nil	Nil	30
31	Nil	✕	Nil	✕	Nil	✕	Nil	Nil	✕	·78	✕	Nil	31
Total	– ~~1·89~~	·17 ~~6·97~~	– ~~4·29~~	– ·52	– 1·79	·02 ~~1·88~~	– ~~·59~~	·02 ~~6·26~~	– ~~2·63~~	·64 ~~5·23~~	– ~~5·39~~	(–) 4·17	YEAR'S TOTAL ~~41·61~~
Rain Days.	1·57 ~~17~~ 13	7·14 ~~24~~ 25	4·12 ~~17~~ 16	8	13	1·90 ~~15~~ 16	·57 ~~4~~ 3	6·28 ~~13~~ 14	2·61 ~~10~~ 9	5·87 ~~22~~ 23	4·75 ~~18~~ 17	4·17 16	41·29 ~~174~~ 173

W. 8,000, VIII. 16

TORQUAY

BARTON RD

DEVON

1911 - 1912

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGI

Kept at "Rooklands" Torre

in the County of Devon

by W. M. J. Mellor

owdoe

in.

nd ft.

Level 130 ft.

Torre

ce 200 yds Direction South

IMPORTANT NOTE.—I result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "Ru ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.01	.01	.04	—	—	—	—	.01	—	—	1
2	—	—	—	.03	.33	—	—	.16	—	.12	.16	.42	2
3	—	—	.02	—	.19	—	—	—	.03	—	.18	.16	3
4	—	—	.03	—	—	—	—	—	—	—	.22	.40	4
5	.16	—	.10	—	—	—	—	.04	—	.09	.13	—	5
6	.25	—	.36	—	—	—	—	—	—	.10	.11	1.06	6
7	.04	—	—	.08	—	—	—	—	—	—	.43	—	7
8	.01	—	.07	—	—	—	—	—	—	—	.07	.50	8
9	—	—	—	—	—	.02	—	—	—	—	.32	.72	9
10	.03	.05	.47	—	—	—	—	—	—	—	.01	.30	10
11	.16	—	.01	—	—	—	—	—	.01	—	82 .83	.01	11
12	—	—	.45	—	—	—	—	—	.16	—	.03	.10	12
13	—	—	.01	—	—	—	—	—	.17	—	—	.50	13
14	—	.05	.02	—	—	—	—	—	—	.16	.01	.63	14
15	—	.02	.01	—	—	.03	—	—	—	—	.30	.06	15
16	—	—	.01	—	—	.36	—	—	—	—	.64	.67	16
17	—	—	.42	.01	—	.12	—	—	—	—	.30	.58	17
18	—	.20	.21	.26	—	.15	—	—	—	.20	.13	.57	18
19	—	.03	.10	.05	—	.56	—	—	.33	.11	.02	.39	19
20	.03	.01	.26	.05	—	—	—	—	.16	.23	—	.67	20
21	.03	.20	.02	—	—	.02	—	—	.11	.74	—	.02	21
22	.18	.04	.06	.03	—	.11	—	—	.40	.12	.02	.44	22
23	—	.18	.04	—	—	.02	—	—	.02	.24	.18	.42	23
24	—	.15	—	—	—	.39	—	.06	—	.37	—	.30	24
25	—	.07	—	.04	—	—	—	—	.09	.10	—	.09	25
26	—	.10	—	.39	—	—	—	.05	—	.41	—	.16	26
27	—	.45	.06	.02	—	—	—	.06	.23	.57	.03	.13	27
28	—	.21	.01	.36	—	—	—	.05	—	—	.03	—	28
29	—		—	.09	.01	.25	.38	—	.06	.24	—	—	29
30	—		—	—	—	—	.01	—	—	.20	.06	—	30
31	—		.01		—		.04	—		—		—	31
Total	.89	1.76	2.76	1.42	.57	2.03	.43	.42	1.77	4.01	4.10 ✓	9.30	TOTAL for year 29.46
No. of Rain Days	9	14	23	13	4	11	3	~~4~~ 6	12	17	22	24	~~156~~ 158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at "Rooklands" Torre Torquay

in the County of Devon

by W. M. F. Mellor

Rain Gauge: Pattern Copper Snowdon
Diameter of top 5 in.
Height of top above Ground ft.
" " " Sea Level 130 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Torre
Distance 200 yds Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.01	.01	.04	—	—	—	—	.01	—	—	1
2	—	—	—	.03	.33	—	—	.16	—	.12	.16	.42	2
3	—	—	.02	—	.19	—	—	—	.03	—	.18	.16	3
4	—	—	.03	—	—	—	—	—	—	—	.22	.40	4
5	.16	—	.10	—	—	—	—	.04	—	.09	.13	—	5
6	.25	—	.36	—	—	—	—	—	—	.10	.11	1.06	6
7	.04	—	—	.08	—	—	—	—	—	—	.43	—	7
8	.01	—	.07	—	—	—	—	—	—	—	.07	.50	8
9	—	—	—	—	—	.02	—	—	—	—	.32	.72	9
10	.03	.05	.47	—	—	—	—	—	—	—	.01	.30	10
11	.16	—	.01	—	—	—	—	—	.01	—	.82 .83	.01	11
12	—	—	.45	—	—	—	—	—	.16	—	.03	.10	12
13	—	—	.01	—	—	—	—	—	.17	—	—	.50	13
14	—	.05	.02	—	—	—	—	—	—	.16	.01	.63	14
15	—	.02	.01	—	—	.03	—	—	—	—	.30	.06	15
16	—	—	.01	—	—	.36	—	—	—	—	.64	.67	16
17	—	—	.42	.01	—	.12	—	—	—	—	.30	.58	17
18	—	.20	.21	.26	—	.15	—	—	—	.20	.13	.57	18
19	—	.03	.10	.05	—	.56	—	—	.33	.11	.02	.39	19
20	.03	.01	.26	.05	—	—	—	—	.16	.23	—	.67	20
21	.03	.20	.02	—	—	.02	—	—	.11	.74	—	.02	21
22	.18	.04	.06	.03	—	.11	—	—	.40	.12	.02	.44	22
23	—	.18	.04	—	—	.02	—	—	.02	.24	.08	.42	23
24	—	.15	—	—	—	.39	—	.06	—	.37	—	.30	24
25	—	.07	—	.04	—	—	—	—	.09	.10	—	.09	25
26	—	.10	—	.39	—	—	—	.05	—	.41	—	.16	26
27	—	.45	.06	.02	—	—	—	.06	.23	.57	.03	.13	27
28	—	.21	.01	.36	—	—	—	.05	—	—	.03	—	28
29	—		—	.09	.01	.25	.38	—	.06	.24	—	—	29
30	—		—	—	—	—	.01	—	—	.20	.06	—	30
31	—		.01		—		.04	—		—		—	31
Total	.89	1.76	2.76	1.42	.57	2.03	.43	.42	1.77	4.01	4.10 ✓	9.30	TOTAL for year 29.46 ✓
No. of Rain Days	9	14	23	13	4	11	3	~~4~~ 6	12	17	22	24	156 158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rooklands Torquay
in the County of Devon S5
by W. M. J. Mellor

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 130 ft.
Time of Observation 9 a.m.
Nearest Railway Station Name Torre
Distance 200 yd Direction S. S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	—	—	.39	—	—	.09	.93	—	.28	1
2	—	—	.19	—	—	.25	.02	.02	—	.01	.02	—	2
3	—	—	.18	—	—	.26	.11	.84	—	—	~~.16~~	.03	3
4	.10	.08	.64	—	.02	.31	—	.20	—	—	.16	—	4
5	.53	.35	.27	—	—	—	—	.75	—	—	—	.26	5
6	.31	.03	—	—	.25	.16	—	.07	—	—	—	.02	6
7	.05	.60	.34	—	.06	.33	—	.03	—	—	—	.23	7
8	.38	.06	.31	.08	—	—	—	—	—	—	—	—	8
9	.05	.08	.02	.01	—	.09	.04	.15	—	—	.07	.22	9
10	.15	.07	.12	.01	—	.02	.01	.34	—	—	.05	.30	10
11	.04	.08	—	—	—	—	—	.05	—	—	—	.51	11
12	—	.34	.07	—	—	.01	.06	.71	—	—	—	—	12
13	.08	—	—	—	—	.03	.35	—	—	.07	—	.16	13
14	.07	.05	.42	—	.10	—	—	.12	—	—	—	.06	14
15	.57	.06	.01	—	.40	.32	—	—	—	—	—	.19	15
16	.17	—	.26	—	.03	.01	—	.09	—	.06	—	.01	16
17	.05	—	.23	—	.02	.03	—	.95	—	—	.02	.10	17
18	.01	.02	.09	—	—	—	—	.22	—	—	.02	.01	18
19	—	.03	.27	—	—	.02	.02	.16	—	—	—	.02	19
20	.04	.05	.27	—	.14	—	.02	.11	—	.25	—	.00	20
21	—	.23	.12	—	.26	—	—	.04	—	.05	—	~~.18~~	21
22	.49	.42	.17	—	—	—	.14	.05	—	.04	.03	.18	22
23	.67	.27	.11	—	—	.07	.03	.47	—	.08	.07	.18	23
24	.10	.05	.01	—	—	.36	—	.03	—	—	—	.23	24
25	.12	—	—	—	—	.02	—	.32	—	.39	.32	.37	25
26	—	.03	—	—	—	—	.03	.05	—	.28	.67	.53	26
27	—	.02	—	—	—	.29	.38	.41	—	1.44	—	.23	27
28	—	.11	—	—	—	.17	.11	.55	.23	.43	.35	.49	28
29	—	.34	—	—	—	.10	.13	.09	.61	.36	.07	.01	29
30	—		.05	—	—	.48	.22	—	.40	.25	—	—	30
31	—		.30		—		.34	—		—		.04	31
Total	3.98	3.37	4.53	.16	1.28	3.72	2.01	6.80	1.33	4.64	1.85	4.74	TOTAL for year 38.41
No. of Rain Days.	19	22	23	3	9	21	16	25	4	14	12	24	192

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

DEVON

TORRINGTON

"LITTLE SILVER"

1911 - 1913

Kept at Little Silver

in the County of Devon

by L. L. Lloyd

5 in.

Ground 1 ft. – in.

Sea Level 395 ft.

m.

Name Torrington

Distance 2 1/4 mls. Direction W.

IMPORTANT NOTE.—Ra ... at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·22	·09	·44		1.10			.02		1
2					·24			.35		.60	.29	.32	2
3			·15		·44				.02				3
4			·30		.03			.22			1·02	.59	4
5	·34			Snow .03				.24		.11		.11	5
6	·26		.12	Snow .01				.03			.36	.83	6
7	·04										.46	.01	7
8	·06		.14								.22	.80	8
9	·10		.01								.56	.21	9
10	·06	·06	.50		·20						.10	.52	10
11	·40				.22				.01		.58	.22	11
12			.59						.31		.23	.34	12
13			.02		·04				.32	.01		.35	13
14		·04	.05							.12	.09		14
15	·05	·03	.08			·06					.39		15
16	·02		.01			.25					.21	·86	16
17	·01	.04		·03		.24	.02				.26		17
18		·45	·04	·24		·42				.15	.55	.34	18
19				·13		·41			.34	.21	.20	.65	19
20	·02	·08	.03	·24		.02			.32	.45		.22	20
21	·04	·34				.11		.26	.23	.21		.19	21
22		.12		·13		·34			.21	.68		.43	22
23		.26	.03			.01		.01	.26	.32	.04		23
24	·02	.25				.40		.28		.48			24
25	·03	·19		·32		.08			.09	.21		1·06	25
26				·41	·04		·30	.24		.43			26
27		·44				.01		.55	.21	.40		.28	27
28		.21		·65				.10			.42	.01	28
29			.01	·31		·13	.33	.03	.29	.30	.01		29
30						.02			.03	.34	.09	.04	30
31										.16			31
Total	1·54	2·90	2·09	2·42	1·39	3·90	·65	3.44	2.64	5.21	6.13	8.44	TOTAL for year ✓ 41.08
No. of Rain Days.	15	15	18	14	9	15	4	12	13	14	21	29	182 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGIS

Kept at Little Silver, Torrington

in the County of Devon N.3

by L. L. Lloyd

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 395 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Torrington
Distance 2¼ mls. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·22	·09	·44		1·10			·02		1
2					·24	—		·35		·60	·29	·32	2
3			·15		·44				·02				3
4		—	·30		·03			·22			1·02	·59	4
5	·34			Snow ·03				·24		·11		·11	5
6	·26		·12	Snow ·01				·03			·36	·83	6
7	·04										·46	·01	7
8	·06		·14								·22	·80	8
9	·10		·01								·56	·21	9
10	·06	·06	·50		·20		—				·10	·52	10
11	·40	—			·22				·01		·58	·22	11
12			·59						·31		·23	·34	12
13			·02		·04				·32	·01		·35	13
14		·04	·05							·12	·09		14
15	·05	·03	·08			·06					·39		15
16	·02		·01			·25					·21	·86	16
17	·01	·04		·03		·24	·02				·26		17
18		·45	·04	·24		·42				·15	·55	·34	18
19				·13		·41			·34	·21	·20	·65	19
20	·02	·08	·03	·24		·02			·32	·45		·22	20
21	·04	·34				·11		·26	·23	·21		·19	21
22		·12		·13		·34			·21	·68		·43	22
23		·26	·03			·01		·01	·26	·32	·04		23
24	·02	·25				·40		·28		·48			24
25	·03	·19		·32		·08			·09	·21		1·06	25
26				·41	·04		·30	·24		·43			26
27		·44				·01		·55	·21	·40		·28	27
28		·21		·65				·10			·42	·01	28
29			·01	·31		·13	·33	·03	·29	·30	·01		29
30						·02			·03	·34	·09	·04	30
31										·16			31
Total	1·54	2·90	2·09	2·42	1·39	3·90	·65	3·44	2·64	5·21	6·13	8·44	TOTAL for year 41·08 ✓
No. of Rain Days.	15	15	18	14	9	15	4	12	13	14	21	29	182 ✓

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Little Silver, Torrington

in the County of Devon N.3

by L. L. Lloyd

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 395 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Torrington
Distance 2 1/4 mls. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19		·05	·32		·03	·14	1·42		·35	1
2			·65	·04		1·45	·05						2
3	·04			·03		·12	·06	1·13	·12			·03	3
4	·42	·09	1·05	·02	·18	·39		·04	·03		·25	·05	4
5	·48		·24					·53			·03		5
6	·65	·15	·06		·25		·20	·53			·03	·03	6
7	·09	·44	·14		·14	·46		·40			·03	·09	7
8	·56		·04	·06		·22	·01						8
9	·01	·26	·08	·08		·03	·12	·13	·02			·50	9
10	·34	·06				·18	·20		·02		·24	·09	10
11							·04				·39	·64	11
12	·06	·03	·14		·09		·15	·21			·13	·04	12
13	·32	·01	·02			·03	·10	·16		·15		·34	13
14		·04	·44		·29			·33		·03		·68	14
15	·11	·02	·10		·09	1·12		·05			·03		15
16	·15	·02	·42		·23	·10		·20		·16		·14	16
17			·21		·09	·23		·55				·30	17
18		·08	·24					·44		·14	·10	·10	18
19	·02	·25	·09			·05	·02	·61		·05	·04	·04	19
20	·06	·04	·28					·24		·85	·13	·01	20
21		·13	·44		·44			·28		·14			21
22	·28	·25	·25		·04		·02	·35		·12	~~·80~~	·06	22
23	·14	·34	·29		·01	·28	·03	·45		·30		·35	23
24	·03	·05	·06			·21	·06	·02					24
25	·06					·54		·23		·40	·80	1·25	25
26		·14					·08	·06		1·21	·64		26
27		·01	·02			·62	·59	·04			·08	·82	27
28		·09	·02			·40	·81	·65	·28	·21	·48	·90	28
29		·10				·16	·49	·25	·41	·22			29
30			·02			·50	·25		·03	·40		·02	30
31			·43				·23	·06		·05		·26	31
Total	4·18	2·69	6·04	·23	1·96	4·41	3·51	8·33	1·05	5·91	3·43	4·18	TOTAL for year 51·95
No. of Rain Days.	20	24	24	6	12	20	20	26	8	14	15	28	223

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Little Silver, Torrington

in the County of N Devon 3

by L. L. Lloyd

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Torrington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·52	·19	·11	·14				·03		·43	·14	1
2	·09			·11	·20	·12				·10		·03	2
3	·10	·01	·08		·44				·03	·15	·01	·34	3
4	1·22		·04			·15	·02		·14	·26	·08	·34	4
5		·02	·01		·25	·86			·04		·29	x	5
6	·06	·10	·21		·03		·14			·21	·53	1·16	6
7	·04	·62	·08		·49	·10				·52	·25	x	7
8	·02				·15		·02	·11		·01	·33	·15	8
9	·02	·24	·08		·13	·24	·15	·60	·04				9
10	·55		·01		x	·06				·69	·83		10
11	·44 [illegible]		·03	·14	·25	·19			·04	·10		·10	11
12					x	·05			·09		·84	·05	12
13	·03					·01	·03	·20			·18		13
14	·13		·36	·08				·01		·12	·13	·04	14
15	·13		1·41	1·38					·02		·32		15
16	·15						·02		·06				16
17	·22		·05	·22			·04				·14		17
18	·80		·26	·21	·04						·13		18
19			·21	·12		·08	·13		·34	·43	·01		19
20	·28		·23						·13	·29	·80		20
21				·34	·14		·12	·10					21
22	·55		1·00		·03	·20	·01	·31	·11			·31	22
23	·03					·01		·24	·04		·20	·42	23
24	·08	·13		·12		·01					·11		24
25	·01								·10	·04	·11	x	25
26		·02		1·39		·01			·02		·02	x	26
27	·24		·14					·03		·62		·82	27
28	·11		·04	·14	·14					·32		x	28
29	·02		·24	·55	·03			·03		·15			29
30	·69			·40	·02					·45	·16		30
31	·25		·69				·01	·41		·03			31
Total	6·65	1·69	5·45	5·34	2·54	2·09	·69	2·04	1·32	4·49	5·93	4·26	YEAR'S TOTAL 42·55
Rain Days.	2~~0~~8	9	25	16	18	16	11	12	15	18	26	18	21~~3~~

212

W.7,000, XI. 13

Dh

DEVON

TOTNES

BERRY POMEROY VIC:

1911 – 1914

~~mm. stats after correspondence~~ 29.V.12

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST

Kept at Berry Pomer ……… in.

in the County of S. Devo ……… round 2 ft. 0 in.

ea Level 130 ft.

by H. Cooper

ame

istance ……… Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.07			.03		.02	.07	.01	1
2				.10	.45			.24		.40	.16	.49	2
3					.22				.10		.23	.20	3
4			.05					.03			.30	.56	4
5	.29		.14					.07		.13	.12		5
6	.40		.31					.03		.04	.18	1.10	6
7	.03			.09							.48	.02	7
8	.02		.09								.12	.62	8
9						.03					.22	.80	9
10	.09	.05	.62								.02	.20	10
11	.29	—									(1.07)	.04	11
12			.53						.29			.58	12
13									.19			.69	13
14		.03								.09	.21	.09	14
15						.03					.20		15
16		.06	.04			.37					.72	.65	16
17			.75			.21					.48	.69	17
18		.34	.48	.29		.48					.22	.55	18
19		.06	.18	.03		.23			.52	.19	.05	.60	19
20	.02	.04	.18	.12						.22		.92	20
21		(.50)		.13		.10			.18	.91		.08	21
22	.10	.21	.07			.13			.31	.36	.04	.58	22
23		.07	.10	.03					.04	.19	.17	.54	23
24		.26				.40		.14	.14	.41		.49	24
25				.14				.04		.43		.12	25
26		.18		.42				.12		.25		.32	26
27		.75		.15				.08	.22	.55	.03	.21	27
28		.23		.43				.03		.43	.06		28
29				.09		.38	.83		.16	.40			29
30										.26	.15		30
31			.05				.07			.05			31
Total	1.24 1.24	(2.78) 2.98	3.59	2.02	.74	2.36	.90	.81	2.15	5.33	(5.30)	11.15	TOTAL for year (38.37) ~~36.89~~
No. of Rain Days	8	13 12	14	12	3	10	2	10	10	18	22	25	147 ~~146~~

9,000, IX. '10.

(38.37)

ms. Vals after correspondence 29.V.12

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST

Kept at Berry Pomeroy

in the County of S. Devon 4

by H. Cooper

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 2 ft. 0 in.
" " " Sea Level 130 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07			·03		·02	·07	·01	1
2				·10	·45			·24		·40	·16	·49	2
3					·22				·10		·23	·20	3
4			·05					·03			·30	·56	4
5	·29		·14					·07		·13	·12		5
6	·40		·31					·03		·04	·18	1·10	6
7	·03			·09							·48	·02	7
8	·02		·09								·12	·62	8
9						·03					·22	·80	9
10	·09	·05	·62								·02	·20	10
11	·29										(1·07)	·04	11
12			·53						·29			·58	12
13									·19			·69	13
14		·03								·09	·21	·09	14
15						·03					·20		15
16		·06	·04			·37					·72	·65	16
17			·75			·21					·48	·69	17
18		·34	·48	·29		·48					·22	·55	18
19		·06	·18	·03		·23			·52	·19	·05	·60	19
20	·02	·04	·18	·12						·22		·92	20
21		(·50)		·13		·10			·18	·91		·08	21
22	·10	·21	·07			·13			·31	·36	·04	·58	22
23		·07	·10	·03					·04	·19	·17	·54	23
24		·26				·40		·14	·14	·41		·49	24
25				·14				·04		·43		·12	25
26		·18		·42				·12		·25		·32	26
27		·75		·15				·08	·22	·55	·03	·21	27
28		·23		·43				·03		·43	·06		28
29				·09		·38	·83		·16	·40			29
30										·26	·15		30
31			·05				·07			·05			31
Total	1·24 1·25	(2·78 2·98)	3·59	2·02	·74	2·36	·90	·81	2·15	5·33	(5·30)	11·15	TOTAL for year (38·37) ~~26·87~~
No. of Rain Days	8	13 ~~12~~	14	12	3	10	2	10	10	18	22	25	147 ~~146~~

9,000, IX. '10.

(38·37)

BERRY POMEROY VICARAGE,
TOTNES.

ans. 20. v. 12.

Dear Sir/ In the absence of my Husband I return the cards you so kindly sent, & beg you will do exactly as you think best, in the matter of the same record, but as I never missed taking the rain personally one single day in 1911. I am pretty certain there is no mistake, but still I agree it will be more uniform to make the change.

Yrs very truly

C. L. Cooper

May 18.

corr for [illegible] by mon totals } 21.11.13

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Berry Pomeroy Vicarage

in the County of South Devon S. 4

by Rev H Cooper

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.55			.12	1.18		.36	1
2			.22	.04		.68		.04		.05	.05		2
3			.28			.29	.08	1.18					3
4	.18		.50		.10	.22		.11					4
5	.73	.48	.23					.70			.15	.35	5
6	.58	.03	.09		.38	.17		.09				.09	6
7	.20	.98	.38		.11	.96		.17				.53	7
8	.60	.18	.35				.04					.42	8
9	.05	.10	.16			.18	.06	.04				(.30)	9
10	.22	.07	.11			.15	.03	.25			.16	.86	10
11	.05	.39	.22				.02	.06			.18	.03	11
12			.18				.09	.72				.38	12
13	.12		.65				.25					.09	13
14		.08	.22					.07				.03	14
15	1.06	.10	.02		.44	.32						.31	15
16	.25		.47		.18			.27		.25		.03	16
17			.10		.04			1.07				.12	17
18			.32					.17				.06	18
19		.05	.10				.02	.17				.12	19
20	.05		.48		.19		.06	.16		.32			20
21		.55	.15		.29			.08		.06			21
22	.48	.33	.26				.19	.18		.14	.07	.33	22
23	.61	.26	.18					.85			.12	.25	23
24	.20	.05	.03			.48		.04		.42	.12	.38	24
25								.35			.50	.47	25
26		.07								.25	.62	.52	26
27		.07				.35	.38	.09		1.61		.75	27
28						.14	.10	.78	.46	.52	.44	.61	28
29		.64						.20	.52	.43		.04	29
30			.10			.13	.34		.43	.29			30
31			.22				.48					.11	31
Total	5.38	4.43	6.08	.04	1.73	4.62	2.14	7.84	1.53	5.52 5.52	2.41	7.54	TOTAL for year 49.26
No. of Rain Days.	15	17	26	1	8	13	14	24 ~~23~~	4	12	10	25	169

W. 8,000, X. '11.

Wr 23·3·14

cnd for auth 4 pp WD. 20.III.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

317

27 JAN 1914

Kept at Berry Pomeroy #D11

in the County of S Devon 4

by Rev. H. Cooper

Lat.………… Long.…………
Time of Observation…………
Nearest Railway Station…………
Diameter of Rain Gauge…………in.
Height of top of Gauge above Ground…………ft.…………in.
" " " " Sea Level…………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·19	·32	·10	·10				·28	·11	·14		1
2	·32	·23		·12	·39				·07	·14	·49	·02	2
3	·78		·20	·10	·14		·11			·12	·33	·03	3
4	1·20		·22	·14		·05			·14	·14		·27	4
5	·08	·05			·21	·09			·37	·27	·09	·32	5
6	·20	·18	·07		·10	·19			·82	·29	·38	·34	6
7		·65	·09		·95	·11				·79	·15	·01	7
8	·07	·49			·31	·04	·12			·17	·30		8
9	·10	·07			·11	·02	·05	·04		·03	·01	·02	9
10	1·01				·06		·09	·24			·47	·02	10
11	·45				·70			·07		·09	·02		11
12					·18					·02	1·02	·08	12
13	·25		·31	·05					·09		·19		13
14	·49		·22	·03	·10			·04	·04		·22	·01	14
15	·36		·53	·97	·26				·06		·04		15
16	·08		·65						·18		·01		16
17	·24		·04	·12				·06	·58				17
18	·03		·44	·15							·11		18
19	·85										·16		19
20	·19		·24	·31					·40	·03	·04		20
21	·02		·56	·04		·04				·12	·53		21
22	·25		·53		·04	·11		·04		·12	·64		22
23	·02		·07			·04		·09	·04			·33	23
24	·05	·15		·03		·05		·04			·08	·94	24
25				·90					·06		·05	·05	25
26				1·05				·04		·09			26
27	·41		·29	·48		·02		·14		·02		·33	27
28	·23		·09	·28	·05			·08		·33			28
29	·21		·87	·24					·01	·24		·08	29
30	·90			·08						·19			30
31	·15		·20		–	–	·22	~~·47~~		·24			31
	8·94		5·94			·76	–	·28	~~·41~~	·14	–	–	YEAR'S TOTAL
Total	8·94	2·01	5·94	5·19	3·70	·86	·59	~~1·35~~ 1·63	~~3·14~~ 2·97	~~3·55~~ 3·58	~~5·47~~ 5·33	2·85	43·49
Rain Days.	26	8	19	18	15	11	5	~~12~~ 13	~~14~~ x	20 x	~~22~~ 21	15	185

W. 7,500, XI. ·12

DL — cwd for auth Nov W.D. Jan 1 est.

301

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Berry Pomeroy

in the County of S. Devonshire S4

by Rev H. Cooper

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. est (.25)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.18		.12	.01		.11	.44			1.34	.76	1
2			.05		.02		.22	.02			.87	.15	2
3			.01			.08			.05		.30	.16	3
4			.06		.04		.46	.57	.02			.03	4
5	.14		.15		.78						1.08	.68	5
6	.07		.05	.21	.16			.07	.17			.03	6
7		.05	.21	.49			.27	.21				.96	7
8	.08	1.12	.06	.25	.12			.13	1.00			.68	8
9	.16	.01	.44	.10	.07	.01		.33				.18	9
10	.10	.03	1.10	.12		.21							10
11	.12	.60	.39	.12		.63			.19			.17	11
12		.17		.21	.03	.08			.19		.04	1.14	12
13		.19	.70	.14		.13	.09			.12	.03	.68	13
14		1.03	.14					.60	.15	.22	.30	.22	14
15		.57	.43				.03	.13	.38	.04	.58	.18	15
16			.58			.15				.06	.56	.20	16
17	.06		.23										17
18		.69	.29				.06					1.12	18
19		.10					1.84		.20				19
20		.04	.12			= .04					.09	.22	20
21		.48	1.07									.27	21
22		.48	.03			.01		.07		.48	.04		22
23		.08								.18			23
24		.12	.04	.01	.17					.43			24
25		.02	.45				.02				.03		25
26	.16	.04			.04		.04	.54		.46	.12	.74	26
27	.05	.01	.27							.06	.37	.68	27
28		.02	.10								.16	.48	28
29	.03						.06			.34	.28	.67	29
30	.54		.31	.01	.13	.03				.03	.77		30
31	.03	— .05	.27	.01	—		.43		—	.38 1.34	.76	.08	31
Total	.18 ~~1.54~~ 1.72	.05 ~~6.03~~ 5.90	.12 ~~7.55~~ 7.62	.02 ~~1.78~~ 1.69	— ~~1.57~~ 1.54	1.37	3.63	3.11 ~~3.24~~	2.35	4.14 ~~2.80~~	6.38 ~~6.96~~ 6.38	(.25) ~~11.08~~ 10.87	YEAR'S TOTAL 50.32
Rain Days.	~~12~~ 13	21	~~26~~ 25	~~11~~ 12	~~11~~ 9	10	12	11	9	12 13	17	23	175

W.7,000, XI, 13

DEVAIN:

TOTNES

"NORTH GATE HOUSE"

1911 –1912

RE 1911

FORM A2.
BRITISH RAINFALL.
5 JAN 12

Standard Snowdon

Kept at North Gat

top 8 in.

above Ground 1 ft. — in.

in the County of Devo

„ Sea Level ft.

9 Am

by H. F. Lovejo

tion { Name Totnes
Distance 300 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	.15	—	—	.09	—	.01	.06	—	1
2	—	—	—	.18	57	—	—	.23	—	.28	.16	.64	2
3	—	—	.02	—	38	—	—	—	.06	—	39	21	3
4	—	—	.06	—	~~37~~	—	—	.07	—	.01	54	69	4
5	029	—	.14	—	—	—	—	.16	—	.12	.11	.01	5
6	0.50	—	31	—	—	—	—	.01	—	.08	16	1.24	6
7	0.04	—	—	.07	—	—	—	—	—	—	57	—	7
8	0.02	—	11	—	—	—	—	—	—	—	17	.68	8
9	0.01	—	—	—	—	11	—	—	—	—	20	.88	9
10	0.11	.06	86	—	—	—	—	—	—	—	—	39	10
11	0.42	—	—	—	—	—	—	—	—	—	1.00	.05	11
12	—	—	.61	—	—	—	—	—	.13	—	.11	19	12
13	—	—	—	—	—	—	—	—	.35	—	03	.62	13
14	—	.05	01	—	—	—	—	—	—	12	—	.75	14
15	—	.04	.02	—	—	.02	—	—	—	01	55	.11	15
16	—	.04	—	—	—	36	—	—	—	—	70	84	16
17	—	.02	.85	.01	—	.19	—	—	—	.02	50	.85	17
18	~~20~~	.43	.50	.28	—	.25	—	—	—	.14	21	66	18
19	—	.02	.15	.03	—	.30	—	—	.65	.28	06	71	19
20	0.04	.05	.16	24	—	—	—	—	—	72	—	75	20
21	0.02	.72	—	01	—	15	—	—	.16	47	—	.09	21
22	0.15	.12	.04	.24	—	.16	—	—	.32	30	—	62	22
23	—	28	.07	—	—	.06	—	—	.05	.34	18	71	23
24	0.02	.27	—	—	—	42	—	.14	—	45	—	.54	24
25	—	.10	—	24	—	—	—	.04	.15	21	—	.10	25
26	—	.15	—	.51	—	—	—	20	.01	.64	—	.41	26
27	—	1.02	.01	.21	—	—	—	.09	19	.48	03	.18	27
28	—	35	—	.52	—	—	—	05	—	—	06	—	28
29	—	{	—	.13	.01	47	0.88	—	.20	39	—	—	29
30	—	{	—	—	—	01	—	—	—	50	22	01	30
31	—		.01	—	—	—	0.12	—	—	09	—	—	31 ✓
Total	1.62	3.72	3.93	2.67	1.11	2.50	1.00	1.08	2.27	5.66	6.01	12.93	TOTAL for year 4450
No. of Rain Days	11	16	17	13	4	12	2	10	11	21	21	26	164 ✓

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
5 - JAN 12

REGISTER OF RAINFALL IN 1911

Kept at North Gate House Totnes
in the County of Devon S.4
by H. F. Lovejoy.

RAIN GAUGE
Pattern Standard Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.
Time of Observation 9 Am
Nearest Railway Station
Name Totnes
Distance 300 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	15	—	—	.09	—	.01	.06	—	1
2	—	—	—	.18	57	—	—	23	—	.28	.16	.64	2
3	—	—	.02	—	38	—	—	—	.06	—	.39	21	3
4	—	—	.06	—	~~28~~	—	—	.07	—	.01	54	69	4
5	0.29	—	.14	—	—	—	—	.16	—	.12	.11	.01	5
6	0.50	—	31	—	—	—	—	.01	—	.08	.16	1.24	6
7	0.04	—	—	.07	—	—	—	—	—	—	57	—	7
8	0.02	—	11	—	—	—	—	—	—	—	17	.68	8
9	0.01	—	—	—	—	11	—	—	—	—	20	.88	9
10	0.11	.06	86	—	—	—	—	—	—	—	—	39	10
11	0.42	—	—	—	—	—	—	—	—	—	1.00	05	11
12	—	—	61	—	—	—	—	—	.13	—	.11	19	12
13	—	—	—	—	—	—	—	—	.35	—	.03	.62	13
14	—	.05	01	—	—	—	—	—	—	12	—	.75	14
15	—	.04	.02	—	—	.02	—	—	—	01	55	.11	15
16	—	.04	—	—	—	36	—	—	—	—	70	84	16
17	—	.02	.85	.01	—	.19	—	—	—	.02	50	85	17
18	~~20~~	.43	.50	28	—	.25	—	—	—	.14	21	.66	18
19	—	.02	.15	.03	—	.30	—	—	.65	.28	06	71	19
20	0.04	.05	.16	.24	—	—	—	—	—	72	—	75	20
21	0.02	.72	—	.01	—	.15	—	—	.16	47	—	.09	21
22	0.15	.12	.04	.24	—	.16	—	—	.32	30	—	62	22
23	—	.28	.07	—	—	.06	—	—	.05	.34	18	71	23
24	0.02	.27	—	—	—	.42	—	.14	—	45	—	.57	24
25	—	.10	—	.24	—	—	—	.04	.15	.21	—	.10	25
26	—	.15	—	.51	—	—	—	20	.01	.64	—	.41	26
27	—	1.02	.01	.21	—	—	—	.09	19	.48	03	.18	27
28	—	35	—	.52	—	—	—	.05	—	—	06	—	28
29	—		—	.13	.01	47	0.88	—	.20	39	—	—	29
30	—		—	—	—	01	—	—	—	50	22	01	30
31	—		.01	—	—	—	0.12	—	—	09	—	—	31
Total	1.62	3.72	3.93	2.67	1.11	2.50	1.00	1.08	2.27	5.66	6.01	12.93	TOTAL for year 4450
No. of Rain Days	11	16	17	13	4	12	2	10	11	21	21	26	164

9,000, IX. '10.

Cor. by mm stats 11.13

Dec 27/28 22-II-13 H.

FORM A2.

BRITISH RAINFALL 4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at North Gate House Totnes

in the County of Devon S. 4

by H. F. Lovejoy.

Rain Gauge: Pattern	Standard Snowdon
Diameter of top	8 in.
Height of top above Ground	1 ft. — in.
„ „ „ Sea Level	ft.
Time of Observation	9 Am
Nearest Railway Station: Name	Totnes
Distance	300
Direction	N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.11	—	—	.52	—	—	0.11	0.34	—	.48	1
2	—	—	.30	—	—	.65	.03	.10	—	.03	.04	.02	2
3	—	—	.25	—	—	.35	.05	1.09	.07	—	—	.13	3
4	.25	—	.84	—	0.08	.39	—	.14	.02	—	.13	—	4
5	77	44	.34	—	—	—	—	.74	—	—	—	28	5
6	.64	R+S .11	—	—	.48	14	—	.10	—	—	—	8	6
7	.12	.87	.30	—	.20	.68	—	.06	—	—	.05	52	7
8	74	.23	.62	—	—	.08	.05	—	—	—	—	3	8
9	.02	.09	.11	0.10	—	.09	.10	.22	—	—	—	53	9
10	20	.07	.08	—	—	.22	.03	.21	—	—	.12	37	10
11	04	.15	.08	—	—	—	—	.06	—	—	.11	.87	11
12	.01	.48	.22	—	0.01	—	19	.64	—	—	.4	.2	12
13	.17	—	.02	—	—	—	.27	—	—	.16	—	61	13
14	.11	.07	.72	—	0.005	—	—	.04	—	.08	—	19	14
15	.91	17	.02	—	.30	.31	—	—	—	—	—	43	15
16	.29	—	.75	—	.16	—	—	.40	—	23	.02	3	16
17	—	.01	.35	—	.06	.04	—	1.30	—	—	.04	12	17
18	—	.02	.15	—	—	—	—	.11	—	.02	—	7	18
19	—	09	35	—	—	.08	.05	10	—	—	—	3	19
20	.02	13	.55	—	.20	—	.01	.11	—	.28	02	[illegible]	20
21	—	50	.24	—	.30	—	.09	.10	—	.12	—	—	21
22	36	66	.18	—	0.01	.02	.08	.23	—	.4	06	32	22
23	.58	36	.28	—	—	.14	—	.94	—	.8	.14	34	23
24	.06	.07	.10	—	—	.48	—	.12	—	—	—	35	24
25	18	02	.04	—	—	.07	.01	.22	—	.31	.64	46	25
26	—	11	—	—	—	—	.02	.02	—	.34	.94	60	26
27	—	11	—	—	—	.42	.39	.10	—	1.44	—	(x90)	27
28	—	22	—	—	—	26	.16	.74	24	.55	.50	(100)	28
29	—	50	—	—	—	—	.22	23	.23	.54	—	5	29
30	—	—	.11	—	—	.07	.19	—	.10	.31	—	—	30
31	—	—	.22			—	.68	04	—	.4		.21	31
Total	5.47	5.48	7.33	0.10	1.84	5.01	2.62	8.16	0.77	4.91	2.85	9.04 (9.04)	TOTAL Year (53.58)
No. of Rain Days.	18	23	26	1	11	19	18	26	6	18	14	27	

17

206

W. 8,000, X. '11.

DEVON. TOTNES

BERRY POMEROY

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC… 1911

Kept at Berry Pom…

in the County of De…

by Charles…

…op 5 in.

…above Ground 1 ft. in.

„ Sea Level 185 ft.

…Railway Station { Name Totnes
Distance 2 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							~~3~~	3		2	4	2	1
2				8	65		~~[illegible]~~	21		31	13	53	2
3					33				7	7	35	18	3
4			3				~~3~~	2			45	58	4
5	.10		5				~~2~~	8		4	11		5
6	62		40							13	14	126	6
7	2			8							57		7
8	[illegible]		9								10	67	8
9	2					3					21	82	9
10	5		70									51	10
11	36										88	3	11
12			55						7		13	12	12
13									39		2	62	13
14		7								8		71	14
15		4				1					44	7	15
16		2	3			36					73	79	16
17			56			22				2	51	82	17
18		38	69	29		27				15	22	85	18
19		4	13	4		45			47	23	8	62	19
20		2	19	8					10	28		89	20
21	3	63		16		5			15	101		9	21
22	8	1	5	17		12			32	27		68	22
23		41	8						3	36	19	57	23
24		25				40	~~[illegible]~~	15		44		60	24
25		9		15				1	14	4		14	25
26		8		48				10		46		33	26
27		66	2	13				8	21	64		21	27
28		45		46				5			8		28
29				10		37	79		15	41			29
30									4	37	12		30
31			5				8			5			31
Total	128	315	362	222	98	228	87	73	214	532	550	1271	TOTAL for year 40·80
No. of Rain Days.	8	14	15	12	2	10	2	9	12	20	20	25	149

W. 8,000, X. '11.

RE 911

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at Berry Pomeroy - Totnes

in the County of Devon S. 4

by Charles Barran

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 185 ft.

Time of Observation

Nearest Railway Station
Name Totnes
Distance 2 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							~~3~~	3		2	4	2	1
2				8	65		~~21~~	21		31	13	53	2
3					33				7	7	35	18	3
4			3				~~3~~	2			45	58	4
5	.10		5				~~2~~	8		4	11		5
6	62 ~~[illegible]~~		40							13	14	126	6
7	2			8							57		7
8	[illegible]		9								10	67	8
9	2 [illegible]					3					21	82	9
10	5		70									51	10
11	36										88	3	11
12			55						7		13	12	12
13									39		2	62	13
14		7								8		71	14
15		4				1					44	7	15
16		2	3			36					73	79	16
17			56			22				2	51	82	17
18		38	69	29		27				15	22	85	18
19		4	13	4		45			47	23	8	62	19
20		2	19	8					10	28		89	20
21	3	63		16		5			15	101		9	21
22	8	1	5	17		12			32	27		68	22
23		41	8						3	36	19	57	23
24		25				40	~~75~~	15		44		60	24
25		9		15				1	14	4		14	25
26		8		48				10		46		33	26
27		66	2	13				8	21	64		21	27
28		45		46				5			8		28
29				10		37	79		15	41			29
30									4	37	12		30
31			5				8			5			31
Total	128	315	362	222	98	228	87	73	214	532	550	1271	TOTAL for year 40·80
No. of Rain Days.	8	14	15	12	2	10	2	9	12	20	20	25	149

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
15 JAN 1913

Kept at Berry Pomeroy - Totnes
in the County of Devon. S. 4
by Charles Barran

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station 2 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			17			48	1		11	108		40	1
2			23			73	4	2		7	3		2
3			19			26	5	109	3			6	3
4	20	4	87		8	22		11			13	~~7~~	4
5	58	38	25					70				22	5
6	78	8	8		20	2		9				14	6
7	2	74	21		30	103						44	7
8	83	35	56			2	4					6	8
9	3	7	20	10		3	7	22				38	9
10	7	10	8			28	3	22			18	37	10
11	13	11	7					5			15	66	11
12		48	14				10	70			3	3	12
13	12		2				23			7		46	13
14	7		64		4			7		9		15	14
15	81	14	2		41	31						38	15
16	38		52		18			24		13		2	16
17			30			3		115			1	12	17
18		2	20					6				4	18
19		5	33			5	5	27				2	19
20	6	8	49		17		2	15		27			20
21		24	21		28		6	7		7			21
22	44	76	13		1		10	15		5	3	30	22
23	60	28	31			8		88		7	14	24	23
24	7	4	5			25		5				27	24
25	15		2			21		32		20	54	46	25
26		8								45	81	55	26
27		10				30	35	7		171		84	27
28		14				10	8	74	42	45	44	59	28
29		43				5	16	21	49	46		2	29
30			4			14	12			29			30
31			26				56	1	39			8	31
Total	534	471	659	10	167	459	207	764	144	546	249	730	YEAR'S TOTAL 4940
Rain Days.	17	21	27	1	9	19	17	24	5	15	11	26	192

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
26 JAN 1914

REGISTER OF RAINFALL IN 1913

Exd DJ

Kept at Berry Pomeroy - Totnes

in the County of S Devon 4

by Charles Barran

Lat. Long.

Time of Observation

Nearest Railway Station Totnes

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~7~~	20	28	6	5				7	14	48	2	1
2	27 ~~52~~	21	1	15	28	~~12~~	10			9	29	1	2
3	54 ~~8~~	1	19	7	27				5	2		27	3
4	130		23	13	3	4			27	35	8	29	4
5	15	4			17	7			99	16	36	30	5
6	20	16	8		9	16			6	72	13	3	6
7		66	7		75	6				22	27		7
8	4	45			36	5	4			2	1	1	8
9	8	12			21	1	7	25			43	2	9
10	72			1	11	5		6		8	2		10
11	66				52	1				3	99	7	11
12					27				7		20	1	12
13	20		29	3	1			2	3		12		13
14	42		27	2	25				8		4		14
15	34		59	96					5				15
16	53		71	15				5	71		2		16
17	16		4	11							9		17
18	2		42	17							16		18
19	87		2						37	1	~~44~~		19
20	17		26	25		5				12	~~6~~ 44		20
21			22	3	5					8	67		21
22	25		89			1		11	3			15	22
23	1		5			5					6	105	23
24	4	13		5		4		4			5	6	24
25				40					4	9			25
26				133				14	1	2		31	26
27	25		22	48				7		33			27
28	30		8	27						24		10	28
29	18		84	22						15			29
30	86			5	2		22	38	7	70			30
31	11		17					28		14			31
Total	8·67	1·98	5·93	494	344	60	43	140	290	371	491	270	YEAR'S TOTAL 41·61
Rain Days.	25	9	21	20	16	12	4	10	15	20	20	15	187

W. 7,500, XI. 12

Esc Mg

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
22 JAN 1915

Kept at Berry Pomeroy - Totnes

in the County of Devon S4

by Charles Barran.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Totnes

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			2	3		7	11	44			114	15	1
2			5	2	4		20	5			29	53	2
3			16	13	71						107	1	3
4	3		5	42	14		44	56	4			67	4
5	17		19	23	5				2			5	5
6		4	7	5	7			8				99	6
7	2	105	35	14	6		27	6	13			60	7
8	16	2	101	6	1	20		26	1			21	8
9	7	2	55	22	1	61		31	98				9
10	12	53	5	14	4	9			71			10	10
11		20	66			12					3	101	11
12		23	13						20	10	2	69	12
13		97	32				7		16	13	29	21	13
14		62	67			16		58		7	58	15	14
15	2		22				6	13	8	8	60	19	15
16	3								42				16
17		72	29						2			105	17
18		5	11				6		20			29	18
19		8	79				183		1		10	6	19
20		42	33			4					4	30	20
21		47								40			21
22		13	3		15	2		6		27			22
23		10	43		1					40			23
24		4						3		2	2		24
25	13		28		3			47		44	8	52	25
26	4	4	7				8	6		5	33	87	26
27		1									20	48	27
28	2	6	31		8					31	32	67	28
29	53		18		11		5			2	65	3	29
30	3	×	11	3		3				35	98	108	30
31	16	×		×		×	43		×	102	×	26	31
Total	155	565	743	147	151	134	360	309	298	366	674	1117	YEAR'S TOTAL 50-39
Rain Days.	14	20	26	11	14	9	11	13	13	14	17	25	187

W. 8,000. X. 14.

✓

1823

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 FEB 1916

Kept at Berry Pomeroy

in the County of Devon

by Charles Barran

Lat.
Long.
Time of Observation
Nearest Railway Station Totnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	51	24						31	40	26	6	50	1
2	43	25	21	6		4		42	1	9		61	2
3	2	17	21	3	35			8		7		49	3
4		11			5							58	4
5	7	81		8				30				66	5
6	104	30		68			41					16	6
7	67	44		6			9			20	3	42	7
8	7	36					7	8			7	20	8
9		14		2			4				43	113	9
10	28	37	2	3			~~10~~			13	5	13	10
11	14	36	48				2			31	105	2	11
12	2	56		5	50			13		7	30	~~138~~	12
13		82			160			2			9	~~3~~	13
14	17						14	14	11	7		138	14
15	18				35		15			2	2	3	15
16		155			19		132					13	16
17	2	96			8							6	17
18		30											18
19					36		6						19
20	17			16		18				5		6	20
21	11	3			7		28			23			21
22			34	1	1		79					46	22
23	8		13			7	9		17	129		116	23
24				2		4	40		6	14		70	24
25	13			7		45	~~20~~					61	25
26		41				14	26		18			123	26
27	10	5				10	2			66			27
28		4				13			25	7		8	28
29						41	43		6	4	30	5	29
30	29	✕				34	5			95	66	45	30
31	2	✕		✕		✕	16	7	✕	136	✕	33	31
Total	452	827	139	127	356	190	478	155	124	601	312	1163	YEAR'S TOTAL 4924
Rain Days.	20	20	6	12	10	10	18	9	8	18	11	25	167

W. 8,000. X. 15.

1780

FORM A.
BRITISH RAINFALL.

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Berry Pomeroy Totnes

in the County of Devon

by Charles Barran

Lat. Long.

Time of Observation

Nearest Railway Station Totnes

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15	3			12	7	7		14	20	42		1
2	64	11	8		4				12	19	8		2
3	2	137			19				4	71	60		3
4	25	16			30	35			2	15	78		4
5	3	22	2		6	7				16	12		5
6	2	30			21	12	77			15	104		6
7	5	9	36		5	15				6	74	12	7
8		31	66		22	29					6	20	8
9		10	3		2	10				3	14	10	9
10		50		4	4					3	2	16	10
11		2		3							~~20~~		11
12	3	12	13	5	15		7	10		5	~~70~~		12
13		38	15	5	1		3	20		2	~~16~~	1	13
14		71	26		2			34		9			14
15		37	27	3				10				25	15
16	20	8		17				38				50	16
17	27	6		2					5	55	130		17
18	10	18	39						7			12	18
19	30	21	15								5	3	19
20	18	124	18	8							3	142	20
21	3	22	12		2							54	21
22			2		3	17		1		32		69	22
23	2					14		19		21	53	3	23
24		27		39	28			10		71	12	41	24
25		63	22		3			43		1	11	4	25
26	3	27	4		1	28		14	73	111		14	26
27			150			61		27	67	24			27
28		13	2					7	59	71		64	28
29		13	2			57		320	14	16		47	29
30		╳								80			30
31		╳		╳		╳		10	╳	39	╳		31
Total	232	821	462	86	180	292	94	563	257	705	614	587	YEAR'S TOTAL 4893
Rain Days.	16	26	19	9	18	12	4	14	10	23	16	18	185

W. 8,000, VIII. 16

1702

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Berry Pomeroy
in the County of Devon
by Charles Barran.

Lat. Long.
Time of Observation
Nearest Railway Station Totnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 185 ft.

29 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				15		31		18	2		1		1
2				8		3				1			2
3	6			5			3			.40	97		3
4		6	75				2			57			4
5	4		25	16		72			3	9	15		5
6			20			5			5	8	12	7	6
7	38					3	28	8		23	5	8	7
8	6		34	9			11	37	2	46	15	30	8
9			12	7	3		7			12	16		9
10	12		27	30				46		3	1	5	10
11	2		156	19				5	1	50	18		11
12	11			2	34					54			12
13			17	13		3		7	5	9			13
14				15			3	29					14
15	60						23	6		48		26	15
16		17		5						75		46	16
17		1		1	2		31	12	90	10			17
18		11			67		48		59	2			18
19		41	3			23		10	29				19
20		6			68	5							20
21			2					5		7	2		21
22								41		11			22
23		9			18			49		11			23
24						6	29	3		8			24
25								24	9	2	3		25
26					22			33	12	8	5		26
27						77		112					27
28		1	16		3	8		47				6	28
29			8		14	47		2		88	1	10	29
30		X	33				7	32		4			30
31		X		X	6	X		2	X	21	X		31
Total	139	92	428	145	237	283	192	528	217	607	191	138	YEAR'S TOTAL 3197
Rain Days.	8	8	13	13	10	12	11	21	11	25	13	8	153

W. 8,000, IX. 17.

25

Exed G.E.

46

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

13.1.19

Kept at Berry Pomeroy

in the County of S Devon

by Charles ~~Barran~~ Barran

Lat. Long.

Time of Observation

Nearest Railway Station Totnes

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5	30			5			53		5	121		1
2				15				1		2	4	82	2
3		40	3	39	7				5	5	6	7	3
4		2		12				7	10		148	33	4
5			9		48			28	66	45	1	4	5
6	24	60	9	20				26	1	8		13	6
7		14			3			3	27	19	55	23	7
8		23							28	21		3	8
9	7					7	34		67	16	2	51	9
10				42			32		8	20	1	36	10
11		1	17	8			44		13	5	3	3	11
12		15	20		28		25		11	4	6	6	12
13					11		20		32	7		29	13
14	32				6	3	10		78	8		29	14
15	98				7	7	53		11	13		28	15
16	58			16		19	3		24			5	16
17	52		3	13		4	41		1			47	17
18	111		1			90	20		44	16		38	18
19	10		17	2			19		5	1		16	19
20	12	21		15			10		35	11			20
21	7	8					1		67	25		41	21
22	1	1			11		65		28	5		29	22
23	28				9		62	4	6		6	12	23
24		17					7		5		13	19	24
25					2		16	~~70~~	~~0~~		21	7	25
26							21	70	22	4	3	25	26
27	1	4	5					19	5		12	2	27
28		10	42	1							1	7	28
29			15						1.32	6	3	3	29
30		X	45						6	11	5	13	30
31		X	25	X		X			X		X		31
Total	4.46 ✓	2.46 ✓	2.11 ✓	1.83 ✓	1.37 ✓	1.30 ✓	4.85 ✓	2.11 ✓	7.37 ✓	2.57 ✓	4.11 ✓	6.11 ✓	YEAR'S TOTAL 40.65 ✓
Rain Days.	14 ✓	14 ✓	13 ✓	11 ✓	11 ✓	6 ✓	18 ✓	9 ✓	26 ✓	22 ✓	18 ✓	28 ✓	190 ✓

W, 6,500, VII. 18. w w c

Ex. H Ob 1606

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Berry Pomeroy N- Totnes

in the County of Devon

by Charles Barrance

Lat. Long.

Time of Observation

Nearest Railway Station Totnes

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	68		25		11		8		3	11		111	1
2	32				5				14	12		2	2
3	43		38		3				10			7	3
4	87	55	57					6	62		10		4
5	8	28	50						50		9	7	5
6	71	126	16								1	35	6
7	32		53	10			6					5	7
8	55		17		2						23		8
9	31			4	2						80		9
10	16		85		5					1		45	10
11	15		47	22	43		4				1	25	11
12	39		1	2	3		3			5	2	3	12
13	16	11	17	53						1		18	13
14	103	16		72	43				4			19	14
15	38	8		5						4		32	15
16	10	132			1						8		16
17	2	57				1					41	2	17
18	1	25	53		2		14	20			23	2	18
19	70	59	12			7	51	38	7		32	2	19
20	65	5				49		38	8		11	4	20
21	12	111					2		3	1	4	12	21
22		3	4				1	3	19			6	22
23			13					8	2	28	11	7	23
24						25		2		38	6	37	24
25	7	7				5		52			7	14	25
26	5		3	4				2	9	2	5	76	26
27	28		2	38			54	116				3	27
28			41	2				73			53	65	28
29								13		8		16	29
30		×						5			73	91	30
31		×		×		×			×		×	78	31
TOTAL	854	643	536	212	120	87	143	376	191	111	400	724	YEAR'S TOTAL 4397 ✓
Days with ·01 in. or more	24	14	18	10	11	5	9	13	12	11	19	27	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1521

28 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Berry Pomeroy, Totnes
in the County of Devon
by Charles Barran

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Totnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55			11	66		56		4	31	3	121	1
2	36			11	1		5	13	2	8		19	2
3	30	12		29			10			70		22	3
4			2				2	79		50			4
5		2	9	4			12	33					5
6			30		32		19			15			6
7	13			20			44						7
8	10	3		33	3		12			1		28	8
9	100	6		2		9	4						9
10	189	30	6			33	46						10
11	82		17	66	30	6	25						11
12	42	20	10	35		5	8				16	21	12
13	19	7	55	4						1	6	12	13
14	13		59	79			3	~~15~~	15	9	33		14
15	4	10	3	47	4			~~1~~	6	76	14		15
16		2	3	2		8	20		22	15			16
17	5		1	4	40		2		48				17
18	18			4	20	22	6	29	6				18
19				41		23			4	3			19
20		8		37	15	27				3		72	20
21				10			3			12		8	21
22	6			6			2					39	22
23	1						27	4				78	23
24	1		37								22	40	24
25			13				81					6	25
26	33		30				5				17	15	26
27	94	7	17	5		17	2				29	42	27
28	56	1	9			2	15					17	28
29	86	1	93								41	74	29
30	24	×	10			32	8		80		41	76	30
31	15	×	37	×		×			×	47	×	42	31
TOTAL	932	109	441	450	211	184	417	158	187	341	222	732	YEAR'S TOTAL 4384
Days with ·01 in. or more	23	13	19	20	9	11	24	5	9	14	10	18	175
Days with ·04 in. or more	21	8	15	18	7	10	18	5	8	10	9	18	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓ cod for ail – for W

TOTNES

STAVERTON

DEVON

1912 – 1920

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

nous

Kept at S7

in the County of

by J-A-

in.

round ft. 11 in.

a Level 50 ft.

ame Staverton

istance 150 yds Direction SSW

IMPORTANT … he result entered to the previous day. If … sal rule, he is earnestly requested to add th… r in the space provided for it at the end … ent of rain, the selection and … ish Rainfall Organization are gi… pplication to Dr. H. R. Mill, 62…

Jan. 1, following.
(·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·45	·20	–	–	·05	·64	·01	·33	·03	n m	1
2	–	–	·03	–	–	·46	·01	n m	·08	·89	nil	44	2
3	–	–	·28	–	–	·66	n m	02	n m	01	02	n m	3
4	–	–	·27	–	–	·29	n m	1·19	03	–	–	10	4
5	0·16	–	·78	–	–	·58	·08	·15	–	–	11	–	5
6	0·90	0·45	·31	–	–	–	·01	·67	–	–	–	27	6
7	0·80	–	–	–	·34	·19	–	·05	–	–	–	02	7
8	0·18	·83	38	–	·19	·39	–	·04	–	–	–	·30	8
9	0·78	·20	48	–	–	–	·08	–	–	–	–	01	9
10	·10	·10	12	–	–	·08	·11	·21	–	–	–	·45	10
11	·18	·08	–	–	–	–	n m	·17	–	–	·20	·25	11
12	·02	·11	10	·10	–	·04	·16	·05	–	–	·31	·54	12
13	–	·50	22	–	–	–	– ~~·8~~	·75	–	–	·03	·02	13
14	·20	–	–	–	–	–	·28	n m	–	·17	n m	·42	14
15	·08	·10	·67	–	·07	–	–	·02	–	–	–	·09	15
16	·80	·19	·04	–	·31	·29	–	–	–	–	–	·24	16
17	·28	–	·63	–	·17	–	–	·45	–	·21	·01	·04	17
18	–	–	·23	–	·06	·03	–	1·28	–	–	–	·17	18
19	–	–	·18	–	–	–	–	0·12	–	n m	·01	·05	19
20	–	·10	·40	–	–	·08	n m	0·12	–	·01	nil	n m	20
21	·54	·16	·50	–	·16	·04	–	·07	–	·33	·01	–	21
22	–	·30	·30	–	·36	–	·07	·10	–	·11	–	–	22
23	·46	·63	·23	–	–	n m	·09	·21	–	·05	05	·22	23
24	49	·37	·27	–	–	·12	·01	·82	–	·07	09	·33	24
25	·16	·06	·04	–	–	·42	n m	·02	–	·04	n m	20	25
26	·17	–	·02	–	–	·05	·01	·40	–	·28	·40	0·40	26
27	–	·10	–	–	–	–	·06	·02	–	·44	·63	·59	27
28	–	·07	–	–	–	·37	·38	·05	–	1·76	n m	·85	28
29	–	·18	[illegible]	–	–	·23	·11	·80	0·33	·48	·50	·67	29
30	–		–	–	–	·01	·17	·33	·52	·50	n m	·07	30
31	–		·10	–	–		·19	n m		·36		–	31
Total	– ~~6·30~~ 6·30	·45 ~~4·53~~ 4·98	·20 ~~7·03~~ 6·78	– ~~0·30~~ ·10	– ~~1·66~~ 1·66	·05 ~~4·33~~ 4·38	·64 ~~1·82~~ 2·41	·01 ~~8·75~~ 8·12	·33 ~~0·97~~ 1·29	·03 ~~6·04~~ 5·74	– ~~2·90~~ 2·37	(·10) ~~6·74~~ 6·84	TOTAL for year 50·97 ~~50·37~~
No. of Rain Days.	17	~~18~~ 19	24	~~2~~ 1	8	~~18~~ 19	17	~~25~~ 26	5	17	~~11~~ 13	~~24~~ 25	~~189~~ 191

W. 8,000, X. '11.

P.T.O.

cod for an
– for W

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Rl

Kept at STAVERTON

in the County of Devon S4

by J. A. Devenish

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 50 ft.

Time of Observation 9 am

Nearest Railway Station
Name Staverton
Distance 150 yds Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·45	·20	–	–	·05	·64	·01	·33	·03	n m	1
2	–	–	·03	–	–	·46	·01	n m	·08	·89	nil	44	2
3	–	–	·28	–	–	·66	n m	02	n m	01	02	n m	3
4	–	–	·27	–	–	·29	n m	1·19	03	–	–	10	4
5	0·16	–	·78	–	–	·58	·08	·15	–	–	11	–	5
6	0·90	0·45	·31	–	–	–	·01	·67	–	–	–	27	6
7	0·80	–	–	–	·34	·19	–	·05	–	–	–	02	7
8	0·18	·83	38	–	·19	·39	–	·04	–	–	–	·30	8
9	0·78	·20	48	–	–	–	·08	–	–	–	–	01	9
10	·10	·10	12	–	–	·08	·11	·21	–	–	–	·45	10
11	·18	·08	–	–	–	–	nm	·17	–	–	·20	·25	11
12	·02	·11	10	·10	–	·04	·16	·05	–	–	·31	·54	12
13	–	·50	22	–	–	–	–	·75	–	–	·03	·02	13
14	·20	–	–	–	–	–	·28	n m	–	·17	n m	·42	14
15	·08	·10	·67	–	·07	–	–	·02	–	–	–	·09	15
16	·80	·19	·04	–	·31	·29	–	–	–	–	–	·24	16
17	·28	–	·63	–	·17	–	–	·45	–	·21	·01	·04	17
18	–	–	·23	–	·06	·03	–	1·28	–	–	–	·17	18
19	–	–	·18	–	–	–	–	0·12	–	n m	·01	·05	19
20	–	·10	·40	–	–	·08	n m	0·12	–	·01	nil	n m	20
21	·54	·16	·50	–	·16	·04	–	·07	–	·33	·01	–	21
22	–	·30	·30	–	·36	–	·07	·10	–	·11	–	–	22
23	·46	·63	·23	–	–	n m	·09	·21	–	·05	05	·22	23
24	49	·37	·27	–	–	·12	·01	·82	–	·07	09	·33	24
25	·16	·06	·04	–	–	·42	n m	·02	–	·04	n m	20	25
26	·17	–	·02	–	–	·05	·01	·40	–	·28	·40	0·40	26
27	–	·10	–	–	–	–	·06	·02	–	·44	·63	·59	27
28	–	·07	–	–	–	·37	·38	·05	–	1·76	n m	·85	28
29	–	·18	[illegible]	–	–	·23	·11	·80	0·33	·48	·50	·67	29
30	–		–	–	–	·01	·17	·33	·52	·50	n m	·07	30
31	–		·10	–	–		·19	n m		·36		–	31
Total	~~6·30~~ 6·30	·45 ~~4·53~~ 4·98	·20 ~~7·03~~ 6·78	~~0·30~~ ·10	~~1·66~~ 1·66	·05 ~~4·33~~ 4·38	·64 ~~1·82~~ 2·41	·01 ~~8·75~~ 8·12	·33 ~~0·97~~ 1·29	·03 ~~6·04~~ 5·74	~~2·40~~ 2·37	(·10) ~~6·74~~ 6·84	Total for year 50·97 ~~50·37~~
No. of Rain Days.	17	~~18~~ 19	24	~~2~~ 1	8	~~18~~ 19	17	25 26	5	17	~~14~~ 13	~~24~~ 25	~~189~~ 191

W. 8,000, X. '11.

P.T.O.

cord for auilts 20. III. 14 WD

FORM A. BRITISH RAINFALL 17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at STAVERTON

in the County of S DEVON

by Mr J. A. Devenish

Lat. 50° 28½′ Long. 3° 42′
Time of Observation 9 AM
Nearest Railway Station STAVERTON G W R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·20	·14		·12	·03	01			·26		·06	·01	1
2		·20	·29	·06	·03					·11	·37	·04	2
3	0·25	·23	·03	·18	·45		·03		·03	·28	·27	·10	3
4	0·50		·15	·08	·18				·29		·09	·31	4
5	1·12		·15	·08	·04				·33	·15	·33	·40	5
6	0·17	·02	·01		·19	·13			·63	·76	·10	·15	6
7	0·09	·16	·08		·74	·22			·01	·66	·26		7
8	0·02	·55	·06		·88	·10	·27			·41	·03	·01	8
9	0·05	·48			·21		·05			·03	·36	·01	9
10	0·19	·05			·06		·10	·15			·14	·01	10
11	0·81			·02	·10	05		·05		·10	1·17		11
12	0·54				·53				·50	·10	·31	·06	12
13	0·09				·12	·02					·15		13
14	0·15	·02	·25	03	·01			·04			·07		14
15	0·37		·23		·27						·02		15
16	0·49		·58	1·30					·53				16
17	0·56		·60	·02				·75			·11		17
18	0·14		·03	·13									18
19	0·05		·45	·15							·13		19
20	0·68		·03			·03			·43	·04	·01		20
21	0·25		·23	·33						·08	·63		21
22	0·02		·30	·15						·03	·27		22
23	0·25		·63			·06		·15	·04	·02		·31	23
24	0·01		·05									·87	24
25	0·02	·15		·05		·04					·14		25
26		·02		·48						·10		·02	26
27				1·15						·02		·35	27
28	0·60		·22	0·24				·12		·41		·12	28
29	0·27		·10	·35				·07		·38			29
30	0·16		·73	·34			0·15			·23			30
31	0·81		·03		·02			·50		·53			31
	·14	–	·12	·03	·01	–	–	·26	–	·06	·01	(–)	YEAR'S TOTAL
Total	~~8·86~~	~~2·02~~	~~5·23~~	~~5·22~~	~~3·26~~	~~0·66~~	~~0·60~~	~~1·83~~	~~3·05~~	~~3·84~~	~~5·02~~	~~2·77~~	~~42·40~~
Rain Days.	28	10	23	19	16	8	5	9	9	19	21	14	182
	8·80	1·88	5·35	5·17	3·24	·65	·60	2·09	2·79	3·90	4·97	2·76	42·20

W. 7,500, XI. 12

Cwd for auth. for WD 8.III.15 W. M9.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL 8 JAN 1915

Kept at Staverton

in the County of Devon S4

by J. A. Devenish

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Staverton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ....ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·43

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·14	0·05	0·23				0·53	0·02		0·80	0·73	1
2			0·02	0·09		0·06	0·08	0·40			0·75	0·20	2
3			0·10	0·45			0·13				0·17	0·39	3
4			0·10	0·26	0·86							0·31	4
5	0·04		0·10	0·16	0·23		0·50	0·29			0·54	0·34	5
6	0·15		0·23	0·17	0·10			0·16				0·43	6
7		0·09	0·06	0·06	0·11			0·21			0·01	0·52	7
8	0·05	0·83	0·08		0·10	0·03	0·25	0·22	0·15			0·59	8
9	0·12		1·11			0·39						0·09	9
10	0·05	0·04	0·36	0·20		0·39		0·38	0·78				10
11	0·10	0·51	0·05	0·17	0·03	0·10			0·39			0·24	11
12		0·19	0·71			0·08			0·02		0·02	0·79	12
13		0·19	0·12				0·10		0·20	0·13	0·05	0·65	13
14		0·73	0·32						0·22	0·13	0·33	0·18	14
15		0·47	0·63			0·07		0·66		0·02	0·68	0·29	15
16	0·03		0·23					0·34	0·02	0·02	0·38		16
17			0·02						0·49			~~1·07~~	17
18		0·58	0·33									1·07	18
19		0·12	0·10				0·08		0·18			0·19	19
20		0·05	0·90				1·70				0·11	0·05	20
21		0·33	0·05			0·06						0·19	21
22		0·51	am							0·33			22
23		0·09	0·05			0·04		0·08		0·31			23
24		0·05	0·46		0·14					0·63	0·02		24
25		0·12	0·23								0·08		25
26	0·13				0·03			0·49		0·50		0·84	26
27	0·06	0·04					0·06			0·05	0·32	0·55	27
28		0·05									0·71	0·46	28
29	0·03	X			0·06					0·14	0·01	0·68	29
30	0·56	X	0·75		0·06	0·01				0·03	0·89		30
31	0·01	X		X		X			X	0·24	X	0·90	31
	·14	·05	·23	–	–	–	·53	·02	–	·80	·73	·43	YEAR'S TOTAL
Total	~~1·33~~	~~5·13~~	~~7·16~~	~~1·79~~	1·72	1·23	~~2·90~~	~~3·76~~	~~2·47~~	~~2·53~~	~~5·87~~	~~10·78~~	~~45·57~~
	1·47	5·04	7·34	1·56			3·43	3·25	2·45	3·33	5·80	10·38	47·00
Rain Days.	~~12~~ 13	19	25	~~9~~ 8	10	10	~~8~~ 9	11	~~10~~ 9	~~12~~ 13	17	23	167

The amounts registered have been written against the day of registration. I do not think that the instruction at the head of this register has been issued previously.

W. 8,000. X. 14.

WLMc

1825

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
19. JAN 1916

Kept at STAVERTON
in the County of Devon 54
by J. A. Devenish

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Staverton GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·27	0·31						0·50		0 32	0·04		1
2	0·45	0·17	0·23	0·05		0·06		0·31	0·04	0·03		0·40	2
3	0·03	0·26	0·21	0·03	0·24			0·01			0·01	0·61	3
4	0·03	0·11			0·04						0·05	0·59	4
5	0·05	0·97		0·18				0·30			0·30	0·38	5
6	1·15	0·13		0·50			0·55					0·65	6
7	0·52	0·45		0·13			0·07			0·17		0·20	7
8	0·12	0·28		0·03			0·02	0·07		0·22		0·41	8
9		0·16					0·11	0·06				0·32	9
10	0·50	0·39		0·01				0·12				1·05	10
11	0·16	0·18	0·36					0·05			1·25	0·08	11
12	0·03	0·50			0·53					0·02	0·50	0·01	12
13		0·89			1·63				0·02		0·08	0·03	13
14	0·14						0·19		0·08	0·14		1·43	14
15	0·19				0·39		0·27			0·05	0·01	0·17	15
16		1·71			0·20		1·18					0·14	16
17		0·48			0·02						0·01	0·01	17
18		0·38											18
19					0·35		0·04	0·12					19
20	0·21	0·05		0·12		0·14				0·06		0·02	20
21	0·14	0·04		0·02	0·08		0·58			0·15			21
22	0·12		0·60				0·36					1·02	22
23			0·04			0·25	0·03		0·15	1·38		0·61	23
24						0·03	0·01		0·16	0·11		0·75	24
25	0·10					0·36	0·26			0·01		0·53	25
26		0·47		0·02		0·14	0·13		0·04			1·04	26
27		0·02				0·09	0·01			0·72			27
28		0·06				0·19			0·21			0·15	28
29						0·45	0·31		0·06	0·06	0·36	0·12	29
30	0·19	×				0·08	0·05	0·10		0·70	1·30	0·16	30
31	0·03	×		×		×	0·16	0·44	×	1·05	×	0·06	31
Total	4·43	8·01 8·01	1·44	1·09	3·48	1·79	4·32	2·08	0·76	5·19	3·91	10·94	YEAR'S TOTAL 47·45
Rain Days.	19	21	5	10	9	10	18	11	8	16	11	26	164

W. 8,000. X. 15.

1781

W FW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
3 JAN 1917

Kept at STAVERTON
in the County of DEVON
by J. A. Dewenish

Lat. about 50°28' Long. 3°45' W
Time of Observation 9 am
Nearest Railway Station Staverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0 40		0·04		0·11	0·11			0·10	0·26	0·14		1
2	0 51	0·12	0·08				0 01		0·05	0·17	0·46		2
3	0·04	1·09			0·41	0·05				0·70	0·20		3
4	0·25	0·13			0·06	0 41				0 18	0·95		4
5		0·30	0·03	0 01	0·06	0·15				0·20	0·14		5
6	0·06	0·26			0·15	0·05	0·86			0·16	1·20		6
7	0·05	0.22	0·22		0·05	0·05				0·05	0·60	0·12	7
8		0·37	0·60		0·24	0·30					0 05		8
9	[illegible]	1·08				0·12	0·03			0 0 3	0·14		9
10		0·47		0·04	0·05					0 07	0·01		10
11		0·09		0·07	0·05						0·01		11
12	0·03	0·45	0·08		0·10		0·10	0·05					12
13		0·51	0·15	0·06	0·01		0·02	0·32				0·05	13
14		0·70	0·19					0·18		0·22			14
15		0 33	0·24	0·07	0 01			0·06		0·02			15
16	0·35	0·15		0·05				0·31		0·20		0·50	16
17	0·28	0·12		0·02					0·05	0·37	1·23		17
18	0·06	0·15	0·45	0·01					0·10	0·05		0·16	18
19	0·40	0·23	0·11	0·03							0·06	0·12	19
20	0·15	0·88	0·18	0·07								1·42	20
21	0·05	0·10	0·10		0 0 6							(0·59)	21
22						0·17		0·06		0·26	0·03	0·64	22
23	0·05			0·06		0·16		0·11		0 3 0	0 56	0·06	23
24		0·02		0·36	0 2 8	0·01		0·11		0·62	0·06	0·36	24
25		0·36	0·15			0·02		0·25		0·01	0·19		25
26	0.02	0·35	0·04		0·01	0 26		0·13	0·84	1·13		0·10	26
27	0·01		1·27			0·18		0·55	0·18	0·25			27
28		0·06				0·05		0·13	(0·51)	0·55		0·62	28
29		0·15	0 05			0·61		2·36	0·08	0·11		0 36	29
30		X				0·05		0·01		0·61			30
31		X		X		X		0·10	X	0 45	X		31
Total	2·71	8·69	3·98	0·85	1·65	2·75	1·02	4·73	1·91	6·97	6·03	5·10	YEAR'S TOTAL 46·39
Rain Days.	16	25	17	12	15	17	5	15	8	24	17	13	184

W. 8,000, VIII. 16

1703

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Staverton

in the County of Devon

by J. A. Devenish

Lat. approximately 50° 24′ Long. 3°. 45′ W.

Time of Observation 9 am

Nearest Railway Station Staverton G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		frost		(snow) 0·19		0·31		0·19	0 03				1
2				0·14 (snow)		0·02							2
3	0·04						0·06			0·43	0·68		3
4		(snow) 0·05	0 52	0·02			0 02			0·45	0·16		4
5	0·05		0 27	0·12		0 55			0 06	0·08			5
6			0 15			0·08		0·13	0 20	0·25	0·15		6
7	0·42	snow and thawed					0·21	0 41		0·10	0·10	0·10	7
8	0·08		0 55	(snow) 0·07			0·15		0 01	0·50	0·12	0·25	8
9			(snow) 0·17	(snow) 0·07	0·02		0·05			0·20	0·23		9
10	0·19		0 28	0·32				0·33					10
11			1·17	0·17		0·01		0·03		0·50	0·20		11
12	0·15				0·42			0·05		0·46		0·03	12
13	0·03		0 24	0·09			0·03	0·05	0·08	0·12			13
14				0·09				0·36					14
15	0·62 (melted snow)							0·06		0·56		0·50	15
16		0·12		0·05						0·48		0·24	16
17		0·06			0·18		0.33	0·08	0·84	0·10			17
18		0·03			0·53	0·13	0·35		0·54				18
19		0 50				0·09			0·20			0·05	19
20	snow lying on the ground		0·03		0·60	0·05	haymaking weather and potato disease						20
21								0·02		0·05			21
22		0·08			0·03			0·46		0·10			22
23		0·10			0·13			0·43		0·13			23
24							0·45	0·10		0·23	0·04		24
25								0·32	0·10	0·03			25
26					0·23	0·10		0·15	0·14	0·12	0·04		26
27			0·17			0·70		1·16					27
28			0·05		0·01	0·35		0·58				0·05	28
29			0 25			0·20	0·05			0·76		0·05	29
30		✗			0·11			0·30		0·08	0·04	0·01	30
31		✗	0·02	✗		✗			✗	0·24	✗		31
Total	1·56 1·58	0·94	3·87	1·33	2·26	2·59	1·70	5·21	2·20	5·97	1·76	1·28	YEAR'S TOTAL 30·69
Rain Days.	8	7	13	11	10	12	10	19	10	22	10	9	141

W. 8,000, IX. 17.

47

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Staverton

in the County of S Devon

by J. A. Devenish

Lat. ~~3° 41' W~~ 50° 28' N Long. ~~50° 28'~~ 3° 41' W

Time of Observation 9 a.m.

Nearest Railway Station Staverton

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.		Date.
								~~049~~		~~0·01~~	~~1·06~~	~~0·01~~		
1		0·30		0·12				049		0·01	1·06	0·01	·01	1
2		0·25		0·10				0 01	0 03		0·17	0·73	·73	2
3		0·15		0·61	0·04			0 15	0 60		1·11	0·10	·10	3
4								0 46	0 37	0·05		0·33	·33	4
5		0·02	0·17	0·10	0·56			0·12	0 42	0·40		0·05	·05	5
6	0 20	0·48	0·04	0·13				0·01		0·21		0·10	·10	6
7		0·18								0·07	0·47	0·38	38	7
8		0·14								0·31		0·10	·10	8
9	0·10						0 25		0 73	0·05		0·52	·52	9
10				0·40			0 45		0 18	0·21		0·31	·31	10
11			0·12				0 52		0 03	0·04	0·04	0·08	·08	11
12		0·17	0·24		0·18		0 41		0 15	0·02	0·04	0·01	·01	12
13	[illegible]				0·06		0 23		0 60	0·12	0·07	0·31	·31	13
14	0·35				0·10	0·10	0·03		0 41	0·03		0·16	·16	14
15	0·78				0·05		0·55			0·05		0·27		15
16	0·78			0·15			0·01		0·11			0·02		16
17	0 32			0·11			0·38		0·13			0·42		17
18	1·00		0·08			0·90	0·18		0·48	0·10		0 39		18
19	0 20		0 20				0·10		0·10	0·02		0·19		19
20	0·08	0·26		0·12			0·05		0 30	0·20				20
21	0·10	0·06					0·16		0 40	0·03		0 40		21
22	0·10				0·12		0·50		0 23	0·02	0·05	0 35		22
23	0·19	0·02			0·10		0·58		0·05		0·02	0 18		23
24		0·14		0·06			0·05	0·13	0·04		0·17	0 16		24
25							0·10	0(65)			0·22			25
26	0·06						0·15	0·04	0·18	0·02		0 30		26
27	0·01		0·31					0·12	0·07	0·04		0 02		27
28		0·16	0·11	0·02					0·15		0·02	0 05		28
29			0·22						1·52	0·10		0 05		29
30			0·33						0·01	0·04	0·05	0 09		30
31			0·16									0·04		31
Total	4·17	2·33	1·98	1·92	1·21	1·00	4·70	2·18	7·29	2·14	3·49	6·12	YEAR'S TOTAL 38·53	
Rain Days.	14	13	11	11	8	2	18	10	24	22	13	29	175	

2·33

W. 6,500, VII. 18. w w c

1607

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Staverton

in the County of Devon

by J. A. Dewick Wr

Lat. ~~3° 41' W~~ 50° 28' N Long. ~~50° 28' N~~ 3° 41' W

Time of Observation 9 a.m.

Nearest Railway Station Staverton GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0 57		0·19		0·09		0·08		0·03	0·12		1·17	1
2	0 23								0·14			0·04	2
3	0 38		0·50					0·12	0·21			0·09	3
4	0 80		0·50						0·60		0·10		4
5	0 02	0 48	0·47						0·35		0·10	0·18	5
6	0 53	0 20		0·04							0·05	0·30	6
7	0 33	1·05	0·20	0·05			(·05)					0·07	7
8	0 31		0·39								0·34		8
9	0 13		0·17								0·40	0·03	9
10	0 10		0·05	0·02							0·02	0·45	10
11	0 14		0·70	0·15			0·07					0·41	11
12	0 34		0·32	0·03			0·02			0·05		0·05	12
13	0 24		0·02	0·58						0·01		0·20	13
14	0 34	0·40	0·20	0·50	1·20				0·10	0·04		0·21	14
15	0 33	0·13		0·03						0·06	0·15	0·17	15
16	0·04	1·23											16
17	0·02	0·56									0·45	0·04	17
18	0·09	0·32	0·44				0·27	0·32			0·40		18
19	0·71	0·44	0·05			0·20	0·60	0·47	0·05		0·27	0·02	19
20	0 61	0·04	0·03			0·38	0·05	0·28	0·06		0·14	0·08	20
21	0·12	0·86							0·04			0·14	21
22		0·02	0·02						0·35		0·13	0·05	22
23			0·06					0·08		0·36	0·20	0·05	23
24						0·21		0 05		0·78	0·06	0·42	24
25		0·03				0·02		0·39				0·15	25
26	0·06		0·06					0·05	0·10	0·02		0·77	26
27	0·09			0·35			0·30	1·58					27
28	0·25		0·38	0·11			1·00	0·17				0·70	28
29	0·05							0·05		0·10	0·47	0·14	29
30		✕	0·02					0·06	0·10		0·67	0·97	30
31		✕		✕		✕			✕		✕	0·61	31
TOTAL	6·83	5·76	4·77	1·86	1·29	0·81	2·44	3·62	~~1·83~~ 2·13	1·54	3·95	7·51	YEAR'S TOTAL ~~42·16~~ 42·51
Days with ·01 in. or more	25	13	20	10	2	4	9	12	12	9	16	26	~~160~~ 158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Staverton

in the County of Devon

by J. A. Devenish

Lat. 50° 28′ Long. 3° 41

Time of Observation 9 a m

Nearest Railway Station Staverton G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 50 ft.

JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·25		0·02	0·08	0·72		0·69		0·01	0·10	0·02	0·98	1
2	0·37			0·07	0·01		0·04			0·06		0·26	2
3	0·52	0·08		0·25	0·05		0·09	0·94		0·96		0·23	3
4					0·27			0·47		0·49			4
5			0·15				0·13			0·11			5
6			0·35	0·01			0·09			0·10			6
7	0·10	0·01		0·18			0·52	0·01				0·02	7
8	0·15	0·02		0·36			0·10					0·23	8
9	1·50	0·13		0·01		0·08	0·20						9
10	1·90	0·24	0·12			0·23	0·37						10
11	0·79		0·22	0·67	0·27	0·05	0·30						11
12	0·45	0·30	0·20	0·41		0·03	0·10				0·37		12
13	0·15	0·01	0·54	0·01		0·03				0·06	0·77	0·10	13
14	0·15	0·02	0·63	0·84			0·03			0·41	0·08		14
15		0·11	0·07	0·47	0·04				0·18	0·84	0·02		15
16	0·02	0·02	0·04	0·01		0·04	0·22		0·34	0·05			16
17			0·01	0·07	0·50		0·02	0·23	0·78				17
18					0·04	0·33	0·15		0·10				18
19	0·22			0·53		0·26							19
20		0·10		0·34	0·18	0·21	0·02			0·20		0·96	20
21				0·14			0·15					0·08	21
22	0·08			0·05			0·14					0·50	22
23												0·98	23
24	0·04	0·03	0·35				0·85	0·02			0·20	0·45	24
25	0·02		0·17				0·06					0·10	25
26	0·32		0·35				0·04				0·22	0·10	26
27	0·89	0·11	0·16	0·02		0·18	0·10				0·31	0·37	27
28	0·65		0·10	0·06		0·06						0·16	28
29	0·83		0·80				0·07				0·46	0·76	29
30	0·30			0·02		0·55			0·86		0·45	0·90	30
31	0·18		0·25							0·45		0·37	31
Total	9·88	1·18	4·53	4·60	2·08	2·05	4·48	1·67	2·27	3·83	2·90	7·55	Year's Total 47·02 ~~46·82~~
Days with ·01 in. or more	22	13	18	21	9	12	23	5	6	12	10	18	169
Days with ·04 in. or more	20	7	16	15	8	10	20	3	5	12	8	17	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

141

DEVON.

UFFCULME.

"BULLMOOR"

1911 - 1914

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REC 911

Kept at Bullmoor

in the County of De

by Miss M. E.

op 5 in.

above Ground 1 ft. 1½ in.

„ Sea Level 280 ft.

9. A. M

Name Uffculme
Distance 1 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·02	·06	—	—	·01	—	·01	·01	·01	1
2	—	—	·03	·03	·36	—	—	·41	—	·24	·27	·18	2
3	—	·02	·03	·02	·27	—	—	·07	·03	—	·11	·07	3
4	—	·01	·09	·01	—	—	—	·03	—	·13	·10	·65	4
5	·19	—	·15	—	—	—	—	1·13	—	·04	·09	·04	5
6	·40	—	·24	—	—	—	—	·04	—	·02	·07	·77	6
7	·03	—	·01	—	—	—	—	—	—	—	·42	·02	7
8	·03	—	·21	·02	—	—	—	—	—	—	·03	·67	8
9	·07	—	·01	—	—	—	—	—	—	—	·37	·61	9
10	·09	·02	·45	—	·28	—	—	—	—	—	·02	·35	10
11	·43	—	·01	—	—	—	—	—	—	—	·54	·08	11
12	·01	—	·96	—	—	—	—	—	—	—	·23	·48	12
13	—	—	—	—	—	—	—	—	·22	—	·05	·67	13
14	—	·03	—	—	—	—	—	—	—	·01	—	1·18	14
15	·01	·02	—	—	—	·05	—	—	—	—	·31	·03	15
16	·01	·02	·03	—	—	·18	—	—	—	—	·43	·39	16
17	—	·03	·21	·03	—	·18	—	—	—	—	·21	·87	17
18	—	·25	·06	·38	—	·19	—	—	—	·11	·12	·53	18
19	—	·05	—	·03	—	·10	—	—	·40	·15	·08	·52	19
20	·05	·05	·18	·12	—	—	—	·01	·12	·18	·01	·65	20
21	—	·21	—	·01	—	·01	—	—	·25	1·01	—	·17	21
22	·05	·08	—	·07	—	·02	—	—	·15	·50	—	·37	22
23	·01	·13	—	·01	—	·67	—	—	·12	·25	·02	·15	23
24	·02	·35	—	—	—	·28	—	·16	—	·56	—	·23	24
25	—	·12	—	·12	—	·04	—	·15	·06	·16	—	·11	25
26	—	·15	—	·43	—	—	—	·02	—	·09	·09	·33	26
27	—	·43	·09	·04	·18	·03	—	·13	·09	·58	·03	·15	27
28	—	·31	·01	·52	—	—	—	·15	—	—	·07	·01	28
29	—		—	·42	—	·32	·20	·02	·18	·36	·01	—	29
30	—		—	—	·02	·03	·04	—	—	·12	·14	·04	30
31	—		—		—		·02	—		·13		·01	31
Total	1·34	2·28	2·80	2·28	1·17	2·10	·26	2·33	1·62	4·65	3·83	10·34	TOTAL for year 35·00
No. of Rain Days	14	18	18	17	6	13	3	13	10	19	25	30	186

9,000, IX. '10.

RE 9*11*

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at *Bullmoor, Uffculme*
in the County of *Devon* S.6
by *Miss M. E. Gowring*

Rain Gauge:
Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft. *1½* in.
" " " Sea Level *280* ft.

Time of Observation *9. A.M*

Nearest Railway Station:
Name *Uffculme*
Distance *1 mile* Direction *N. E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·02	·06	—	—	·01	—	·01	·01	·01	1
2	—	—	·03	·03	·36	—	—	·41	—	·24	·27	·18	2
3	—	·02	·03	·02	·27	—	—	·07	·03	—	·11	·07	3
4	—	·01	·09	·01	—	—	—	·03	—	·13	·10	·65	4
5	·19	—	·15	—	—	—	—	1·13	—	·04	·09	·04	5
6	·40	—	·24	—	—	—	—	·04	—	·02	·07	·77	6
7	·03	—	·01	—	—	—	—	—	—	—	·42	·02	7
8	·03	—	·21	·02	—	—	—	—	—	—	·03	·67	8
9	·07	—	·01	—	—	—	—	—	—	—	·37	·61	9
10	·09	·02	·45	—	·28	—	—	—	—	—	·02	·35	10
11	·43	—	·01	—	—	—	—	—	—	—	·54	·08	11
12	·01	—	·96	—	—	—	—	—	—	—	·23	·48	12
13	—	—	—	—	—	—	—	—	·22	—	·05	·67	13
14	—	·03	—	—	—	—	—	—	—	·01	—	1·18	14
15	·01	·02	—	—	—	·05	—	—	—	—	·31	·03	15
16	·01	·02	·03	—	—	·18	—	—	—	—	·43	·39	16
17	—	·03	·21	·03	—	·18	—	—	—	—	·21	·87	17
18	—	·25	·06	·38	—	·19	—	—	—	·11	·12	·53	18
19	—	·05	—	·03	—	·10	—	—	·40	·15	·08	·52	19
20	·05	·05	·18	·12	—	—	—	·01	·12	·18	·01	·65	20
21	—	·21	—	·01	—	·01	—	—	·25	1·01	—	·17	21
22	·05	·08	—	·07	—	·02	—	—	·15	·50	—	·37	22
23	·01	·13	—	·01	—	·67	—	—	·12	·26	·02	·15	23
24	·02	·35	—	—	—	·28	—	·16	—	·56	—	·23	24
25	—	·12	—	·12	—	·04	—	·15	·06	·16	—	·11	25
26	—	·15	—	·43	—	—	—	·02	—	·09	·09	·33	26
27	—	·43	·09	·04	·18	·03	—	·13	·09	·58	·03	·15	27
28	—	·31	·01	·52	—	—	—	·15	—	—	·07	·01	28
29	—		—	·42	—	·32	·20	·02	·18	·36	·01	—	29
30	—		—	—	·02	·03	·04	—	—	·12	·14	·04	30
31	—		—		—		·02	—		·13		·01	31
Total	1·34	2·28	2·80	2·28	1·17	2·10	·26	2·33	1·62	4·65	3·83	10·34	TOTAL for year 35·00
No. of Rain Days	14	18	18	17	6	13	3	13	10	19	25	30	186

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at Bullmoor, Uffculme
in the County of Devon S 6
by M. E. Gowring

Lat. 50·54 Long. 3·20
Time of Observation 9 A.M.
Nearest Railway Station Uffculme G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·31	—	·02	·47	·03	—	·07	1·03	—	·37	1
2	—	—	·20	·02	·02	·32	·06	·13	—	·02	·02	·01	2
3	—	—	·15	—	·01	·25	·31	·90	·05	—	·01	·01	3
4	·21	·02	1·50	—	—	·36	—	·03	—	—	·24	—	4
5	·71	·14	·18	—	·02	—	—	·52	—	—	—	·17	5
6	·86	·18	·07	—	·21	·06	·20	·38	—	—	—	·03	6
7	·05	·75	·26	·02	·16	·88	—	·14	—	—	·02	·26	7
8	·55	·17	·27	·02	—	·05	·10	·03	·02	—	—	·02	8
9	·04	·03	·01	·13	—	·12	—	·02	—	—	—	·47	9
10	·18	·26	·09	—	—	·03	—	·07	·03	·02	·08	·24	10
11	·07	·08	·10	—	—	—	—	·02	—	—	·05	·46	11
12	·04	·61	·20	·01	·02	·01	·08	·12	—	—	—	·05	12
13	·06	—	·01	—	—	—	·03	—	—	·02	—	·15	13
14	·13	·03	1·05	—	·15	—	—	·04	—	·01	—	·03	14
15	·42	·04	·03	—	·38	·62	—	—	—	—	—	·38	15
16	·65	·01	·32	—	·01	·02	—	·16	—	·05	·11	·07	16
17	·21	·01	·09	—	·02	·11	—	1·00	—	—	—	·06	17
18	·03	·02	·19	—	—	—	—	·25	—	·01	·08	·05	18
19	·01	·13	·22	—	—	·07	·12	·66	—	·06	·01	·02	19
20	·07	·05	·41	—	·11	—	·08	·11	—	·47	·02	—	20
21	·01	·28	·67	—	·42	—	·01	·12	—	·15	—	—	21
22	·23	·28	·25	—	·24	—	·14	·22	—	·14	·01	·10	22
23	·40	·66	·41	—	·01	·07	·05	·86	—	·06	·10	·23	23
24	·07	·02	·07	—	—	·29	—	·03	—	·08	—	·22	24
25	·15	·01	—	—	—	·05	·02	·43	—	·14	·25	·57	25
26	—	·02	—	—	—	—	—	·02	—	·42	·52	·28	26
27	—	—	—	—	—	·61	·55	—	—	1·23	—	·37	27
28	—	·12	—	—	—	·04	·05	·41	·41	·39	·34	·63	28
29	—	·20	·03	—	—	·24	·15	·23	·60	·65	·01	·03	29
30	—		·06	—	—	·16	·25	—	·14	·39	—	·01	30
31	—		·35		—		·24	·01		·06		·04	31
Total	5·15	4·12	7·50	·20	1·80	4·83	2·47	6·91	1·32	5·40	1·87	5·33	YEAR'S TOTAL 4696
Rain Days.	22	24	27	5	15	21	18	26	7	20	16	28	229

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bullmoor, Uffculme
in the County of Devon 6
by Miss M. E. Gowring

Lat. 50·54 Long. 3·20
Time of Observation 9 A.M.
Nearest Railway Station Uffculme
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ½ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·25	·24	·04	·44	—	—	—	·16	·12	·16	·02	1
2	·16	·09	·01	·18	·25	—	·03	—	·01	·13	·26	·01	2
3	·23	—	·16	·13	·10	—	—	—	·02	—	—	·35	3
4	1·44	—	·02	—	·19	·01	—	—	·20	·19	·03	·16	4
5	·04	·03	—	—	·23	·13	·03	—	·36	—	·09	·30	5
6	·07	·06	·17	—	·01	·10	·16	—	—	·67	·11	·25	6
7	·04	·34	·02	—	·90	·06	·03	—	—	·67	·31	·01	7
8	·02	·04	—	—	·38	·02	·03	·01	—	·03	·01	·01	8
9	—	·07	—	·02	·16	·13	·06	·21	·02	·01	·45	·02	9
10	·55	·01	·01	—	·20	·02	—	—	—	·47	·17	—	10
11	·70	·01	·01	·12	·21	·04	—	—	—	·05	·97	·01	11
12	·01	·02	—	—	·10	·04	—	—	·02	·01	·34	—	12
13	·20	·01	·02	—	—	—	·01	·18	·33	·01	·10	—	13
14	·34	·01	·16	·04	·03	—	—	—	—	·01	·12	—	14
15	·29	—	·41	·90	—	—	—	—	·02	·01	·04	—	15
16	·21	—	·52	·04	—	·02	·01	·03	·15	·01	·01	—	16
17	·03	—	·03	·09	—	—	·01	—	—	—	·02	—	17
18	·20	—	·26	·13	—	·03	—	—	·01	—	·07	—	18
19	·53	—	·15	—	·04	·25	·01	—	·50	·05	—	—	19
20	·35	—	·12	·28	—	—	—	—	—	·16	·13	—	20
21	·01	—	·38	·02	·08	—	·02	—	—	·01	·46	—	21
22	·77	—	·73	·24	·01	·10	—	·01	·10	·04	—	·13	22
23	·01	—	·04	—	—	—	—	·05	—	·02	·12	·78	23
24	·02	·07	·01	·04	—	—	—	—	—	—	·04	—	24
25	—	·02	—	·30	—	—	—	—	·05	·01	·01	·03	25
26	—	—	—	1·41	—	—	—	·18	—	·02	·01	·18	26
27	·04	—	·30	·34	—	—	—	·02	—	·69	·01	·03	27
28	·11	—	·14	·27	—	—	—	—	—	·62	—	·06	28
29	·10		·68	·34	·02	—	—	—	·01	·35	—	—	29
30	·47		—	—	·02	—	—	—	—	·76	·01	—	30
31	·24		·12		·23		·02	·78		·01		—	31
Total	7·18	1·03	4·71	4·93	3·60	·95	·42	1·47	1·96	5·13	4·05	2·35	YEAR'S TOTAL 37·78
Rain Days.	27	14	24	19	19	13	12	9	15	26	25	16	219

W.7,000, XI. 13

cnd/p auth 10.iii.15 W

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bullmoor, Uffculme
in the County of Devon S6
by Miss M. E. Gowring

Lat. 50·54 Long. 3·20
Time of Observation 9 A.M
Nearest Railway Station Uffculme
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·07	·08	—	·07	·34	·36	—	—	·31	·06	1
2	—	—	·02	·07	·03	—	·38	—	—	—	·44	·40	2
3	·01	·01	·24	·22	·43	—	—	·38	—	—	·01	·04	3
4	·13	—	·08	·30	·14	—	·39	·39	—	—	·46	·52	4
5	·13	—	·13	·43	·05	—	—	—	—	·01	·01	·07	5
6	·01	·07	·01	·20	·07	—	·37	·02	—	—	·05	·25	6
7	—	·84	·18	·12	·10	·17	·28	·14	·03	—	·01	·14	7
8	·08	·02	1·13	·04	·19	·49	—	·10	—	—	—	·01	8
9	·01	·03	·41	·29	·04	·55	—	·11	·59	—	—	·01	9
10	·03	·25	·01	·17	·08	·07	—	—	·26	—	—	·04	10
11	—	·12	·74	—	·15	·19	·28	—	—	—	·03	·72	11
12	—	·33	·09	·01	—	—	—	—	·25	·02	·02	·46	12
13	—	·26	·32	—	—	—	·05	—	·29	·43	·43	·17	13
14	—	·08	·46	—	—	·25	—	·81	·01	·34	·33	·07	14
15	·01	—	·21	—	—	—	·06	·79	·11	·03	·30	·05	15
16	—	—	·04	—	—	—	—	—	·26	·01	—	·01	16
17	—	·61	·37	—	—	—	·05	—	—	—	—	·76	17
18	—	·09	·03	—	—	—	·06	—	·01	·02	—	·35	18
19	—	·05	·60	—	—	—	1·81	—	·03	·01	·12	·28	19
20	—	·32	·10	—	—	·37	—	—	—	—	—	·25	20
21	—	·82	·02	—	—	—	—	—	—	·30	—	·09	21
22	—	·04	·02	—	·29	·20	—	—	—	·54	—	—	22
23	—	·03	·29	—	·01	·01	·02	—	—	·24	—	—	23
24	·01	·07	·04	—	·07	—	·04	·07	—	·04	·13	·03	24
25	·09	·01	·43	—	·01	—	·06	·64	·01	·50	·01	·46	25
26	·07	—	·09	—	—	—	·02	·08	—	·07	·15	·71	26
27	·02	·01	·01	—	—	—	—	—	—	·08	·14	·19	27
28	·01	·09	·32	—	·07	—	—	—	—	·19	·19	·85	28
29	·16		·06	—	·09	—	·01	—	—	·21	·28	·07	29
30	·01	×	·08	—	—	·01	—	—	—	·27	·35	1·22	30
31	·02	×	—	×	·02	×	·40	—	×	·99	×	·52	31
Total	·81	4·15	6·69 6·60	1·93	1·84	2·38	4·62	3·89	1·85	4·30	3·77	8·90 8·80	YEAR'S TOTAL 45·93 44·94
Rain Days.	17	21	30	11	17	11	17	12	11	19	20	29	215

W. 8,000. X. 14.

cord for arith 15.111.16 ~~W~~ Lat

1907

FORM A. BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bullmoor, Uffculme
in the County of Devon
by Mrs M. E. Gowring

56

Lat. 50·54 Long. 3·20
Time of Observation 9 A.M
Nearest Railway Station Uffculme G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·52	·20	·01	·01	·01	—	—	·56	·11	·50	·07	·34	1
2	·20	·44	·29	·02	—	·07	—	·56	—	·03	·01	·37	2
3	·01	·12	·09	·10	·11	—	·07	—	—	—	—	·61	3
4	·21	·15	—	—	·02	—	·34	—	—	—	·01	·28	4
5	·03	·66	·01	·04	—	—	—	·10	—	—	—	·54	5
6	·90	·10	—	·36	—	—	·53	·01	—	—	·01	·18	6
7	·30	·34	—	·06	—	—	·28	·01	—	—	·03	·22	7
8	·23	·33	—	·02	—	—	·01	·10	—	—	·04	·06	8
9	·03	·02	—	·14	—	—	—	—	·01	—	·52	·89	9
10	·37	·43	·03	·03	—	—	—	·29	·01	·76	·05	·03	10
11	·18	·65	·02	—	·01	—	·08	·33	·01	·02	1·06	·06	11
12	·23	·80	—	·04	·53	—	—	·84	—	·07	·22	—	12
13	·02	·45	—	—	·50	—	—	·07	·09	—	·14	·04	13
14	·06	—	—	—	—	—	·03	·11	·11	·04	·02	1·15	14
15	·28	·03	·01	—	·26	—	·27	·01	·01	·02	·19	·18	15
16	·01	·90	—	—	·16	—	·79	—	·02	·01	—	·05	16
17	—	·27	—	—	·03	—	—	·02	·01	·01	—	·01	17
18	—	·27	—	—	—	—	—	—	·01	·01	·03	—	18
19	·01	·02	—	—	·15	—	·14	·01	—	—	—	·01	19
20	·30	—	—	·10	—	·11	—	—	—	·20	—	·08	20
21	·20	·07	—	—	—	·01	·05	—	·01	·12	·01	·05	21
22	·10	·03	·39	·17	—	·10	·51	—	·02	·02	—	·19	22
23	·01	·02	·10	—	—	·08	·22	—	·06	1·13	—	·57	23
24	—	—	—	·02	—	—	·29	—	·09	·40	—	·52	24
25	·03	—	·01	·05	—	·50	·42	—	—	—	·02	·37	25
26	·02	·08	—	—	—	—	·02	—	—	—	—	·71	26
27	—	·04	—	—	—	·37	·13	—	·02	·52	·01	—	27
28	—	·10	—	—	—	·11	—	·01	·37	·11	·01	·01	28
29	—		—	—	—	·22	·01	—	·01	—	·15	·13	29
30	·12		—	—	—	·02	·02	—	·01	1·04	·21	·43	30
31	·02		—		—		·07	·04		·88		·22	31
Total	4·39	6·52	·96	1·16	1·78	1·59	4·28	3·07	·98	5·29	2·81	8·30	YEAR'S TOTAL 41·03 41·13
Rain Days.	25	24	10	14	10	10	20	16	18	19	20	28	214

W. 8,000. X. 15.

1862

FORM A.
BRITISH RAINFALL
3 Jan

REGISTER OF RAINFALL IN 1916

Kept at Bullmoor, Uffculme
in the County of Devon
by Miss M. E. Gowring

Lat. 50·54 Long. 3·20
Time of Observation 9 A.M
Nearest Railway Station Uffculme G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	—	·03	·01	·48	·03	·25	—	·07	·42	·14	—	1
2	·28	·10	·03	·01	·03	·02	·01	—	·05	·34	·34	—	2
3	—	1·38	·01	—	·28	·02	·03	—	·02	·42	·40	—	3
4	·13	·15	·01	—	·25	·57	·31	—	·01	·12	1·10	—	4
5	·07	·01	·14	—	·24	·12	—	—	—	·02	·32	—	5
6	·03	·23	·02	—	·11	·08	·50	—	—	·05	·44	·01	6
7	·09	·16	·42	·01	·05	·15	·01	—	·01	·04	·91	·20	7
8	—	·28	·12	—	·27	·01	—	—	·01	—	·22	·11	8
9	—	·02	·03	—	·11	·04	·03	—	—	·18	·14	·27	9
10	·01	·52	·02	·03	·04	·02	·02	—	—	·03	·01	·07	10
11	—	—	·02	·21	·01	—	—	—	·01	—	—	·01	11
12	·12	·06	·14	·04	·24	—	·12	·20	—	·03	—	—	12
13	—	·43	·03	·04	—	—	·02	·28	·01	·01	·01	—	13
14	·02	·49	·02	—	·12	—	—	·03	—	·04	—	—	14
15	·01	·13	·08	·13	—	—	—	·11	—	·03	—	—	15
16	·13	·16	·02	·22	·01	—	·07	1·83	—	·09	—	—	16
17	·09	·26	—	·04	—	—	—	—	·38	·42	·97	—	17
18	·04	·23	·21	·04	—	—	—	—	·19	·03	·01	·10	18
19	·12	·03	·31	·04	—	—	—	—	·02	·01	·09	·01	19
20	·17	·52	·25	·01	—	—	—	—	—	—	·08	1·13	20
21	·04	·10	·21	·01	·13	·01	—	—	—	—	—	·40	21
22	·02	—	·01	·01	—	·07	—	·03	—	·40	·03	·60	22
23	·02	·15	·01	·10	—	·12	—	·16	—	·19	·13	·14	23
24	—	·43	—	·04	·45	—	—	·05	—	·92	·02	·22	24
25	—	·78	·13	—	·01	·02	—	·56	·02	·03	·24	·05	25
26	·01	·32	·10	—	·01	·56	—	·17	·72	1·00	·02	—	26
27	·02	·02	1·31	—	—	·30	—	·05	·28	·41	—	—	27
28	·01	·21	—	—	—	—	—	·11	·12	·56	·01	·55	28
29	—	·49	·03	—	—	·44	—	2·07	·16	·33	—	·33	29
30	—	×	·01	—	—	·01	—	·01	—	·20	·01	·01	30
31	—	×	·01	×	—	×	—	·05	×	·20	×	·06	31
Total	1·64 ✓	766 ✓	3·73 ✓	·99 ✓	2·84 ✓	2·59 ✓	1·37 ✓	5·71 ✓	2·08 ✓	6·52 ✓	5·64 ✓	4·27 ✓	YEAR'S TOTAL 45·04 ✓
Rain Days.	21 ✓	26 ✓	28 ✓	17 ✓	18 ✓	18 ✓	11 ✓	15 ✓	16 ✓	27 ✓	22 ✓	18 ✓	237 ✓

W. 8,000, VIII. 16

2nd pos

1784

FORM A1.
BRITISH RAINFALL.

25 NOV 1917

REGISTER OF RAINFALL IN 1917

Kept at Bullmoor

in the County of Uffculme Devon

by Miss M. E. Gowring

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 280 ft.

Time of Observation 9 A.M

Nearest Railway Station
Name Uffculme
Distance 1m Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·22	·27	—	·21	—	·59	·08	·01	·03		1
2	·02	—	·02	·10	—	·04	·01	·01	—	·01	·01		2
3	·04	—	—	·08	—	—	·65	·02	—	·22	·75		3
4	—	·16	·45	·01	—	—	·02	—	·01	·28	—		4
5	·09	—	·49	·30	—	·28	—	·01	·09	·17			5
6	·01	—	·12	—	—	·02	—	—	—	·03			6
7	·42	—	—	—	—	·02	·08	·20	·01	·32			7
8	·05	—	·14	·10	—	·05	·38	·25	·02	·71			8
9	—	—	·03	·02	·02	—	·06	·01	·01	·40			9
10	·25	—	·23	·15	—	—	—	·17	·02	·01			10
11	·03	—	1·01	·18	—	—	—	·17	·03	·24			11
12	·10	—	—	—	·60	—	—	—	—	·42			12
13	·02	—	·15	·01	—	·01	—	·16	·12	·07			13
14	—	—	·03	·04	—	—	·03	·38	·03	·01			14
15	—	—	—	·06	—	—	·20	·12	—	·19			15
16	·01	·08	—	·08	—	·02	·10	·04	—	·27			16
17	—	·01	—	·05	—	—	·35	·06	·39	·07			17
18	—	·03	—	·01	·01	·02	·29	·01	·79	·02			18
19	—	·48	·06	—	—	·24	—	·01	·06	—			19
20	—	·39	·03	—	·34	·02	—	·19	·04	—			20
21	—	—	·12	—	—	·19	·01	—	—	·03			21
22	·01	—	·02	—	·02	·02	—	·37	—	·06			22
23	—	·15	·01	—	·22	·01	—	·36	—	·14			23
24	—	·01	—	—	—	·45	·16	·08	—	·18			24
25	—	·09	·06	—	—	—	·01	·07	·04	·05			25
26	—	—	—	—	·35	·01	—	1·01	·23	·06			26
27	—	—	—	—	·40	·21	—	·88	·01	·06			27
28	—	·10	·13	—	·20	1·95	—	·40	—	·02			28
29	—		·14	—	—	·46	·01	—	·01	·57			29
30	—		·11	—	—	—	·17	·17	—	·15			30
31	—		·10		·02		—	·02		·18			31
Total	1·09	1·50	3·67	1·46	2·18	4·23	2·53	4·76	1·99	4·95			TOTAL for year
No. of Rain Days	13	10	21	15	10	19	16	26	18	29			

·80

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Co. R

REGIST

DEVON

UGBOROUGH

~~IVYBRIDGE~~ VENN

1912

FORM A2.
BRITISH RAINFALL.

18 JAN 1913

Association

Kept at Venn Ugborough

in the County of Devon

by Captain the Honble

in.

round 1 ft. 8 in.

ea Level 500 ft.

ame Wrangaton G.W.R.

istance ¾ m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·12	-	-	·43	·02	-	-	·74	-	·38	1
2	-	-	·33	·16	-	1·13	·06	·07	·20	-	·04	·05	2
3	·03	-	·41	-	-	·34	·04	1·80	-	-	-	·25	3
4	·47	-	·43	-	·10	·43	-	·15	-	-	·48	-	4
5	·59	·46	·43	-	·03	·64	·12	·84	-	-	-	·30	5
6	·66	·04	-	-	·64	·20	-	·38	-	-	-	·13	6
7	·14	·80	·26	-	·32	·64	-	·20	-	-	·08	·41	7
8	·89	·15	·48	-	-	·11	·07	·04	-	-	-	·86	8
9	·06	·10	·12	·15	-	·05	·18	·25	-	-	-	·29	9
10	·38	·06	·09	-	-	·04	·13	·19	-	-	·36	-	10
11	·03	·11	·56	-	-	-	·03	·12	-	-	·46	·91	11
12	·36	·53	·37	-	-	-	·16	·81	-	-	·02	-	12
13	·13	-	·09	-	-	-	·23	-	-	·14	-	·55	13
14	·74	·10	·90	-	·03	-	-	·09	-	·05	-	·19	14
15	·25	·28	·07	-	·31	·56	-	-	-	-	-	·69	15
16	-	-	·60	-	·09	-	-	·82	-	·37	-	·04	16
17	-	~~·06~~	·19	-	·03	·35	-	1·74	-	-	·05	·18	17
18	-	·06 ~~13~~	·14	-	-	-	-	·11	-	·33	·03	·09	18
19	·03	13 ~~18~~	·41	-	-	·24	·04	·19	-	·03	·04	-	19
20	·05	18 ~~73~~	·62	-	·17	-	-	·23	-	·42	·29	-	20
21	-	73 ~~66~~	·28	-	·28	-	-	·10	-	·54	-	-	21
22	·36	·66 ~~45~~	·36	-	-	-	·10	·53	-	11	·06	·30	22
23	·61	·45 ~~11~~	·44	-	-	·11	-	1·72	-	07	·29	·44	23
24	·29	·11 ~~02~~	·12	-	-	·49	-	-	-	28	-	·40	24
25	·02	·02 ~~10~~	·01	-	-	·10	·04	·18	-	30	67	·44	25
26	-	·10 ~~04~~	-	-	-	-	-	·22	-	1·92	74	·42	26
27	-	·04 ~~17~~	·03	-	-	·70	·48	·14	-	53	01	1·12	27
28	-	·17 ~~36~~	·02	-	-	·11	·26	·92	·52	66	1·04	·57	28
29	-	·36	·02	-	-	-	·25	·16	·60	42	-	05	29
30	-		·12	-	-	-	·27	-	·38	02	-	-	30
31	-		·24		-		·69	·16		-		·54	31
Total	6·39	5·64	8·26	·31	2·00 2·90	6·12	3·12	12·21	1·70	6·93	4·63	9·60	TOTAL for year [illegible]
No. of Rain Days.	19	22	29	2	10	18	18	26	4	17	16	24	205

W. 8,000, X. '11.

66·96

Co. R

FORM A2.
BRITISH RAINFALL.

1? JAN 1913

REGIST

Kept at Venn Ugborough Ivybridge

in the County of Devon S.3

by Captain the Honble C. Colborne

Pattern [illegible]

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 500 ft.

Time of Observation 9 am

Nearest Railway Station Name Wrangaton G.W.R.
Distance 3/4 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'12	-	-	'43	'02	–	-	'74	-	'38	1
2	-	-	'33	'16	-	1·13	'06	'07	'20	–	'04	'05	2
3	'03	-	'41	-	-	'39	'04	1·80	-	–	–	'25	3
4	'47	-	'43	-	'10	'43	–	'15	-	–	'48	–	4
5	'59	'46	'43	-	'03	'64	'12	'89	-	–	–	'30	5
6	'66	'04	–	-	'64	'20	–	'38	-	–	–	'13	6
7	'14	'80	'26	-	'32	'64	–	'20	–	–	'05	'41	7
8	'89	'15	'48	-	-	'11	'07	'04	–	–	–	'86	8
9	'06	'10	'12	'15	-	'05	'18	'25	-	–	–	'29	9
10	'38	'06	'09	-	-	'04	'13	'19	-	–	'36	–	10
11	'03	'11	'56	-	-	–	'03	'12	-	–	'46	'91	11
12	'36	'53	'37	-	-	-	'16	'81	-	–	'02	–	12
13	'13	-	'09	-	-	-	'23	–	-	'14	–	'55	13
14	'74	'10	'90	-	'03	–	–	'09	-	'05	-	'19	14
15	'25	'28	'07	-	'31	'56	-	-	-	–	–	'69	15
16	-	–	'60	-	'09	-	–	'82	-	'37	-	'04	16
17	-	~~'06~~	'19	-	'03	'35	–	1·74	-	–	'05	'18	17
18	-	'06 ~~13~~	'14	-	-	–	–	'11	-	'33	'03	'09	18
19	'03	'13 ~~18~~	'41	-	-	'24	'04	'19	-	'03	'04	–	19
20	'05	'18 ~~73~~	'62	-	'17	–	–	'23	-	'42	'29	–	20
21	–	'73 ~~66~~	'28	-	'28	–	–	'10	-	'54	–	–	21
22	'36	'66 ~~45~~	'36	-	-	–	'10	'53	-	11	'06	'30	22
23	'61	'45 ~~11~~	'44	-	-	'11	–	1·72	-	07	'29	'44	23
24	'29	'11 ~~02~~	'12	–	-	'49	–	–	-	28	–	'40	24
25	'02	'02 ~~10~~	'01	-	-	'10	'04	'18	-	30	67	'44	25
26	-	'10 ~~09~~	–	-	-	–	–	'22	-	1·42	74	'42	26
27	-	'09 ~~17~~	'03	-	-	'70	'48	'14	-	53	01	1·12	27
28	-	'17 ~~36~~	'02	–	-	'11	'26	'92	'52	66	1·04	'57	28
29	-	'36	'02	-	-	–	'25	'16	'60	42	–	05	29
30	-		'12	-	-	–	'27	-	'38	02	-	–	30
31	-		'24		-		'69	'16		–		'54	31
Total	6·39	5·64	8·26	'31	2·00 2·90	6·12	3·12	12·21	1·70	6·93	4·63	9·60	TOTAL for year 66·96
No. of Rain Days.	19	22	29	2	10	18	18	26	4	17	16	24	205

W. 8,000, X. '11.

66·96

DEVON.

UPTON PYNE.

1911 –1917

1915 A/B

RI 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Upton

in the County of D

by Rev A.

…f top 5 in.
…op above Ground 1 ft. in.
„ Sea Level 214 ft.
…n 9 a.m.
…tation { Name Rev. A Hillyard
Distance 1½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			2	12	4			2				2	1
2					21			40		8	21	11	2
3			1	1	8			3	3		2	8	3
4			7					2		3	11	47	4
5	·4		15					79		5	41	4	5
6	27		25								9	82	6
7	4			2							33		7
8			17								6	99	8
9	3										45	71	9
10	5	·3	·15		17						2	19	10
11	21				4						54	15	11
12			68						10		15	20	12
13									21		5	49	13
14		·9	3							10	5	89	14
15		·2	3			2					16	7	15
16						36					28	37	16
17		·3	18	3		21					8	93	17
18		·18	9	31		26				18	15	57	18
19		·3	2	7		45		2	26	27	32	62	19
20	5	·4	21	5		18			4	32		1·09	20
21	2	·7	5					10	5	42		10	21
22	17	·5		9					26	19		40	22
23	2	·8	5	4		14			5	23	5	7	23
24		·10				27		18		41		18	24
25		·4		5		9			4	12		27	25
26		·10		21				2		43		17	26
27		17	7	3	3			23	11	65	3	22	27
28		17		57				9			8		28
29				50		25	27		13	23			29
30					2	3	5		2	10	9	5	30
31										10		2	31
Total	·90	1·20	2·23	2·10	·59	2·26 2·26	·32	1·90	1·30	3·91	3·73	10·29	TOTAL for year 30·73 30·73
No. of Rain Days.	10	·15	17	14	7	11	2	11	12	17	22	28	166 166

W. 8,000, X. '11.

RI [redacted] 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Upton Pyne

in the County of Devon   S. 6

by Rev. A. Hillyard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 214 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Rev. A Hillyard
Distance 1½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			2	12	4			2				2	1
2					21			40		8	21	11	2
3			1	1	8			3	3		2	8	3
4			7					2		3	11	47	4
5	4		15					79		5	41	4	5
6	27		25								9	82	6
7	4			2							33		7
8			17								6	99	8
9	3										45	71	9
10	5	3	·15		17						2	19	10
11	21				4						54	15	11
12			68						10		15	20	12
13									21		5	49	13
14		·9	3							10	5	89	14
15		·2	3			2					16	7	15
16						36					28	37	16
17		·3	18	3		21					8	93	17
18		·18	9	31		26				18	15	57	18
19		·3	2	7		45		2	26	27	32	62	19
20	5	·4	21	5		18			4	32		1·09	20
21	2	·7	5					10	5	42		10	21
22	17	·5		9					26	19		40	22
23	2	·8	5	4		14			5	23	5	7	23
24		·10				27		18		41		18	24
25		·4		5		9			4	12		27	25
26		·10		21				2		43		17	26
27		17	7	3	3			23	11	65	3	22	27
28		17		57				9			8		28
29				50		25	27	[illegible]	13	23			29
30					2	3	5	[illegible]	2	10	9	5	30
31										10		2	31
Total	·90	1·20	2·23	2·10	·59	2·26 2·26	·32	1·90	1·30	3·91	3·73	10·29	Total for year 30·73 30·73
No. of Rain Days.	10	·15	17	14	7	11	2	11 ~~[illegible]~~	12	17	22	28	166 166

W. 8,000, X. '11.

Ex. D.L.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 10 JAN 1913

Kept at Upton Pyne Parsonage

in the County of Devon S. 6

by Rev. A. Hillyard

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 214 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Exeter
Distance 3 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			28			60	8	2	8	70		40	1
2			15	9	2	48	3			1	1		2
3			15	2	2	15	15	1·12	2			4	3
4	21		1·00			10		6			29	15	4
5	29	20	29		2	20		48			1	3	5
6	53	14			44	65	73	46				2	6
7	9	85	30	2	14	88		7				25	7
8	38	17	35			20						2	8
9	2	5	13	7		67	4	2				40	9
10	22	7	52	3		5		23			14	18	10
11	3					70					14	28	11
12		33	9		3		6	21				4	12
13	30	2	2				3	7				3	13
14	8	3	55		16	3		15					14
15	65	3	5		35	56		4				14	15
16	37		9		5	2		3		7	6	7	16
17	7		15		2	15		51				4	17
18		2	23					28		4	2	3	18
19	4	13	44			2	4	54		2		3	19
20	8	6	36		15	1	4	11		35	9		20
21		10	33		46		4	17		16			21
22		7	17		10		2	12		19			22
23	64	34	7			2	12	47		2	6	10	23
24	6	4	2			25	4	11			1	28	24
25	15					16	2	54		21	16	47	25
26								15		21	43	28	26
27						30	53	11		1·05	3	15	27
28		8				4	4	36	20	23	32	45	28
29		22				14	5	24	78	89		9	29
30			4				21		15	48			30
31			24				19	[illegible]		2		4	31
Total	4·21	2·95	6·02	·23	1·96	6·38	2·46	6·67	1·23	4·65	1·77	4·01	TOTAL for year 42·54
No. of Rain Days.	18	19	24	5	13	23	19	26	5	16	14	25	207

W. 8,000, X. '11.

Ex 7.6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Upton Pyne
in the County of S Devon 6
by Rev. A. Hillyard

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Exeter G. W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		17	7	3	3				10	3	8	3	1
2	10	6		9	26		3			94	9		2
3	24		3		50					10		18	3
4	85	1			16	4	1		20	37	20	26	4
5	7	6			12	14	2		39		21	56	5
6	6	8	12		2	9	6			84	6	15	6
7	6	26			85	4	23			51	14		7
8	6	3	4		29		10			2			8
9	4				4	2	2	7			55	3	9
10	66				6					20	5		10
11	71			12	58	12				5	72		11
12	6				4	4					45	6	12
13	29			2	2			7	14		9		13
14	52		13	3	6				2		11		14
15	14		42	25					12		2	2	15
16	14		34	3					19				16
17	5		7	1									17
18	12		16	6	5						5		18
19	79		13		3	5	6		30	8			19
20	19		9	17						3	11		20
21	2		35	2	6						28		21
22	45		67	43		8			12	2		20	22
23						2		3			13	56	23
24		9		4		3		3					24
25		1		47					6	6	2		25
26				1·09				5				18	26
27	20		27	19				3		45		3	27
28	17		14	24	2					46			28
29	11		49	27	2					34			29
30	23			3	1			3	11	55	3		30
31	25		17		6		5	1·05					31
Total	6·58	·77	3·69	3·59	3·28	·67	·58	1·36	1·75	5·05	3·39	2·26	YEAR'S TOTAL 32·97
Rain Days.	26	9	17	19	21	11	9	8	11	17	19	12	179

W.7,000, XI. 13

[illegible] for auth 9. III. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Upton Pyne

in the County of Devon

S 6

by Rev. A. Hillyard

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Exeter

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ______ in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			16	12		10	9	23			28	5	1
2			3	6	3	1	33				20	45	2
3	28	2	19	21	29		2	23			1	29	3
4	15		3	17	6		37	16			46	45	4
5	11		10	29				3	5		2	2	5
6		4	10	13	4		11	11			14	33	6
7	5	82		4	13		21	5	15			16	7
8			72	8	16	54			2		1		8
9		3	35	19	4	46		10	1·00				9
10	5	40	7	19	6	6			54			7	10
11		14	21		3	13					8	68	11
12		32	13						13	4	5	30	12
13		10	37				3		22	29	21	21	13
14		13	30			13		42		7	20	6	14
15			13				6	1·03	5	1	18	24	15
16			4						3			2	16
17		15	32					3				25	17
18		11	5			13	1		11	1		29	18
19		9	52				1·77		7		8	4	19
20		40	25			20		8				25	20
21		70				1				27		4	21
22		14	5		22	2				15			22
23		11	19				7			13			23
24			3		17		5	10		3	9		24
25		5	37		1		14	11		37		14	25
26	20	3	10				7	5		3	7	75	26
27	4						2			10	12	22	27
28		4	25		8					39	17	74	28
29	3		9		14					11	39	3	29
30		X	5							21	22	1·15	30
31	2	X		X		X	27		X	1·09	X	49	31
Total	·93 ·93	3·82	5·20 5·20	1·48	1·46	1·79	3·62	2·73	2·37	3·30	2·98	7·72	YEAR'S TOTAL 37·40
Rain Days.	9	19	27	10	14	11	16	14	11	16	19	26	192

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN

Kept at Upton Pyne
in the County of Devon
by Rev. A. Hillyard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Exeter G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	16		5		42	7	5		5	25	8		1
2	8	7	5		3				2	20	47		2
3		1·12			42	3	27			40	34		3
4		12		3	8	13	9			11	1·14		4
5	13				12	11					24		5
6	2	11	9		7	10	43			7	77		6
7	12	32	24		17	8	17			4	71	15	7
8		25	19		16	9				11	17	11	8
9					7	9	4				6	20	9
10	2	59		11			5		3			18	10
11		2		3									11
12	7	5	48	9	11		3	5					12
13		18	14	2			1	47					13
14		55	21					3		5			14
15		10	17	12	3			1		8			15
16	7	5		11			11	99		14			16
17	4	17		2					28	31	1·33		17
18	3	28	41	9					25	4			18
19	10	27	15	5							19	14	19
20	8	91	31								1	1·29	20
21		22	21		13	6							21
22						6		4		46		33	22
23		7		16	1	16		20		22	5	13	23
24		29	5		28			5		63		31	24
25		20	18			4		46	3	7	27		25
26	5	19	6		11	17		51	1·04	1·04			26
27	1		1·41			21		37	85	36			27
28		13						11	21	50		16	28
29		40	3			26		1·60	8	12		23	29
30		X								31			30
31		X		X		X		2	X	29	X	8	31
Total	·98	6·66	4·43	·83	2·21	1·66	1·25	4·91	2·84	5·80	5·83	3·31	YEAR'S TOTAL 40·71
Rain Days.	14	24	18	11	15	15	10	14	10	22	14	12	179

W. 8,000, VIII. 16

5 maps

REGISTER OF RAINFALL IN 1917

1773

FORM A.
BRITISH RAINFALL

26 JAN 1918

Kept at Upton Pyne Parsonage

in the County of Devon

by Rev. A. Hellyard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Exeter

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3		11	22		28		47	3		4		1
2	2		8	14		4							2
3	3			9			88	7		20	82		3
4			93						2	28			4
5	10		39	25		59		4	8	32	4		5
6			26			3		79			16		6
7	60		30				13	23		35	4	5	7
8	14		15	17			79	29		29	7	26	8
9			30	8	2		4	3		45	23		9
10	18			18				18	4	20	4		10
11	4		1·37	18				21	8	19	17		11
12	10		1		45				9	27		2	12
13	1		21	1				67		18			13
14				7			3	23	5		1		14
15							11	7		10		32	15
16		16					7	4		23			16
17		2		14			31	4	31	6			17
18		9		1	17	13	23		58	5			18
19		44	4			20			7		2		19
20		7	10		52	2		16	12		1		20
21			–			7		2					21
22			7			1		48		11			22
23		24			22			17		24	1		23
24						9	33	6		20	3		24
25		5	7					13	2	12	7		25
26					27	6		22	7	6	3		26
27					6	30		84		4	1		27
28		16	10		13	1·61		20				23	28
29			6			16		11		52		10	29
30		X	10				3	8		8			30
31		X	4	X	5	X			X	33	X		31
Total	1·25	1·23	4·69	1·54	1·89	3·59	2·95	5·83	1·56	4·87	1·80	·98	YEAR'S TOTAL 32·18
Rain Days.	10	8	19	12	9	14	11	25	13	23	17	6	167

W. 8,000, IX. 17.

S. made

REGISTE

DEVON.

VENN

1913

FORM A.
BRITISH RAINFALL.
8- JAN 1914

Kept at Venn

in the County of S Devon

by Col Hon V. C

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Ra he result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·24	·37	·15	·11	–	–	–	·02	·23	·66	·12	1
2	·27	·20	–	·07	·32	–	–	–	–	·06	·30	·08	2
3	·80	·03	·20	–	·2	–	–	–	1·55	·14	–	·30	3
4	1·76	–	·27	·24	–	·07	–	–	·14	·12	·19	·40	4
5	·21	·08	–	–	·30	·35	–	–	·78	·24	·52	·48	5
6	·17	·12	·06	–	·17	·38	–	–	–	·45	·26	·05	6
7	–	·58	·25	–	·88	·26	·14	–	–	·47	·42	·08	7
8	·10	·42	–	–	·23	–	·09	·12	–	·04	·06	·17	8
9	·21	·08	·04	–	·07	·04	–	·08	–	–	·60	·05	9
10	1·02	–	·02	–	·03	·06	–	–	–	·23	·14	–	10
11	·79	–	–	·06	·74	·24	–	–	–	·07	·87	·12	11
12	·02	–	–	–	·03	·03	–	–	·13	–	·44	·04	12
13	·15	–	·30	·09	–	–	–	·07	·24	–	·26	–	13
14	·37	–	·29	–	·21	–	–	–	·02	–	·07	·07	14
15	·28	–	·73	1·22	–	–	–	–	·03	–	·08	·03	15
16	·26	–	·82	·10	–	–	·03	·56	·76	–	·04	–	16
17	·21	–	·06	·04	–	–	–	–	–	–	·23	–	17
18	·08	–	·44	·37	·08	–	–	–	–	·08	·16	–	18
19	·61	–	·11	–	–	·04	·04	–	·65	·14	–	–	19
20	·35	–	·28	·45	–	–	–	–	–	·03	·98	–	20
21	–	–	·49	·14	·03	–	–	–	–	–	·32	–	21
22	·38	–	·41	–	·06	·19	·03	·08	–	–	–	·23	22
23	·04	–	–	–	–	–	–	–	–	·04	·03	·61	23
24	·10	·22	–	·16	–	·04	–	–	–	–	·11	–	24
25	–	–	–	·57	–	–	–	–	·07	·11	·09	·07	25
26	–	–	–	1·29	–	·05	–	·09	–	·03	–	·49	26
27	·71	–	·30	·31	–	–	–	·14	–	·26	–	–	27
28	·30	–	·14	·40	·02	–	–	–	·27	·22	·02	·29	28
29	·16		1·11	·47	–	–	·29	·03	–	·13	·06	–	29
30	1·12		–	·02	·03	–	·18	·12	–	·69	–	–	30
31	·21		·11		·02		–	·29		·10		–	31
Total	10·68	2·07 2·07	6·80	6·15	3·54	1·75	·80	1·58	4·66	3·88	6·91	3·68	YEAR'S TOTAL 52·60 52·50
Rain Days.	26	9	21.	18.	18.	12	7	10	12	21.	24.	18	196

W.7,000, XI. 13

REGISTE

FORM A.
BRITISH RAINFALL.
8- JAN 1914

Kept at Venn
in the County of S Devon 3
by Col Hon V. Colborne

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·24	·37	·15	·11	—	—	—	·02	·23	·66	·12	1
2	·27	·20	—	·07	·32	—	—	—	—	·06	·30	·08	2
3	·80	·03	·20	—	·21	—	—	—	1·55	·14	—	·30	3
4	1·76	—	·27	·24	—	·07	—	—	·14	·12	·19	·40	4
5	·21	·08	—	—	·30	·35	—	—	·78	·24	·52	·48	5
6	·17	·12	·06	—	·17	·38	—	—	—	·45	·26	·05	6
7	—	·58	·25	—	·88	·26	·14	—	—	·47	·42	·08	7
8	·10	·42	—	—	·23	—	·09	·12	—	·04	·06	·17	8
9	·21	·08	·04	—	·07	·04	—	·08	—	—	·60	·05	9
10	1·02	—	·02	—	·03	·06	—	—	—	·23	·14	—	10
11	·79	—	—	·06	·74	·24	—	—	—	·07	·87	·12	11
12	·02	—	—	—	·03	·03	—	—	·13	—	·44	·04	12
13	·15	—	·30	·09	—	—	—	·07	·24	—	·26	—	13
14	·37	—	·29	—	·21	—	—	—	·02	—	·07	·07	14
15	·28	—	·73	1·22	—	—	—	—	·03	—	·08	·03	15
16	·26	—	·82	·10	—	—	·03	·56	·76	—	·04	—	16
17	·21	—	·06	·04	—	—	—	—	—	—	·23	—	17
18	·08	—	·44	·37	·08	—	—	—	—	·08	·16	—	18
19	·61	—	·11	—	—	·04	·04	—	·65	·14	—	—	19
20	·35	—	·28	·45	—	—	—	—	—	·03	·98	—	20
21	—	—	·49	·14	·03	—	—	—	—	—	·32	—	21
22	·38	—	·41	—	·06	·19	·03	·08	—	—	—	·23	22
23	·04	—	—	—	—	—	—	—	—	·04	·03	·61	23
24	·10	·22	—	·16	—	·04	—	—	—	—	·11	—	24
25	—	—	—	·57	—	—	—	—	·07	·11	·09	·07	25
26	—	—	—	1·29	—	·05	—	·09	—	·03	—	·49	26
27	·71	—	·30	·31	—	—	—	·14	—	·26	—	—	27
28	·30	—	·14	·40	·02	—	—	—	·27	·22	·02	·29	28
29	·16		1·11	·47	—	—	·29	·03	—	·13	·06	—	29
30	1·12		—	·02	·03	—	·18	·12	—	·69	—	—	30
31	·21		·11		·02		—	·29		·10		—	31
Total	10·68	2·07 2·07	6·80	6·15	3·54	1·75	·80	1·58	4·66	3·88	6·91	3·68	YEAR'S TOTAL 52·60 52·50
Rain Days.	26	9	21.	18.	18.	12	7	10	12	21.	24.	18	196

W.7,000, XI. 13

DEVON.

WARKLEIGH REC.

1911–1920

FORM A2.
BRITISH RAINFALL
15 JAN 1912

REGIST

Kept at Warkleigh

in the County of Devon

by Rev. J. H. Thomp

li + Zam

in.

ound 1 ft. . in.

a Level 439 ft.

m

me Portsmouth Arms SWR

Distance 3½ m, Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	.	.02	.38	.06	.	.	.23	.	.	.03	.	1
2	.	.	.01	.01	.22	.	.	.19	.	.22	.39	.10	2
3	.	.	.06	.	.43	.	.	.	.02	.	.17	.10	3
4	.	.	.05	.01	.04	.	.	.13	.	.	.51	.63	4
5	.32	.	.16	.02	.01	.	.	.21	.	.06	.15	.11	5
6	.19	.	.09	.	.	.	.	.02	.	.	.31	.57	6
7	.11	.	.	.	.	.	.	.	.	.	.66	.03	7
8	.12	.	.14	.	.	.	.	.	.	.	.16	.73	8
9	.12	.	.	.	.	.	.	.	.	.	.94	.21	9
10	.03	.05	.42	.	.15	.	.	.	.	.	.03	.40	10
11	.45	.	.01	.	.	.	.	.	.01	.	.64	.17	11
12	.	.	.52	.	.	.	.	.	.23	.	.23	.33	12
13	.	.	.02	.	.	.	.	.	.45	.	.04	.10	13
14	.	.04	.01	.	.	.	.	.	.	.03	.06	.36	14
15	.02	.02	.	.	.	.06	.	.	.	.	.26	.14	15
16	.01	.02	.	.	.	.18	.	.	.	.	.23	.17	16
17	.	.03	.03	.03	.	.18	.	.	.	.	.20	.29	17
18	.	.37	.	.17	.	.50	.	.	.	.06	.11	.20	18
19	.	.03	.	.16	.	.43	.	.	.24	.17	.32	.80	19
20	.01	.09	.02	.07	.	.02	.	.01	.43	.42	.	.19	20
21	.01	.20	.	.	.	.05	.	.07	.16	.26	.	.21	21
22	.04	.07	.01	.05	.	.43	.	.	.29	.43	.	.52	22
23	.02	.23	.	.01	.	.12	.	.04	.25	.34	.	.17	23
24	.01	.22	.	.	.	.52	.	.18	.01	.52	.	.31	24
25	.	.06	.	.19	.	.08	.	.	.06	.12	.	.12	25
26	.	.10	.	.28	.28	.	.17	.11	.	.52	.	.29	26
27	.	.46	.	.01	.	.01	.	.39	.20	.41	.	.45	27
28	.	.23	.	.72	.02	.01	.	.12	.	.	.25	.02	28
29	.		.	.61	.	.66	.25	.	.34	.30	.01	.	29
30	.		.	.	.	.05	.01	.	.04	.29	.07	.03	30
31	.		.		.		.03	.		.09		.03	31
Total	1.62	2.22	1.57	2.74	1.21	3.30	.46	1.70	2.75	4.24	5.77	7.78	TOTAL for year 35.36
No. of Rain Days.	15	16	15	15	8	15	4	12	14	16	22	29	181

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
15 JAN 1912

REGIST

Kept at Warkleigh Rectory

in the County of Devon N.2

by Rev. J. H. Thompson

Rain Gauge
Pattern Negretti + Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. . in.
" " " Sea Level 439 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Portsmouth Arms SWR
Distance 3½ m., Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.	.02	.38	.06	.	.	.23	.	.	.03	.	1
2	.	.	.01	.01	.22	.	.	.19	.	.22	.39	.10	2
3	.	.	.06	.	.43	.	.	.	.02	.	.17	.10	3
4	.	.	.05	.01	.04	.	.	.13	.	.	.51	.63	4
5	.32	.	.16	.02	.01	.	.	.21	.	.06	.15	.11	5
6	.19	.	.09	.	.	.	.	.02	.	.	.31	.57	6
7	.11	.	.	.	.	.	.	.	.	.	.66	.03	7
8	.12	.	.14	.	.	.	.	.	.	.	.16	.73	8
9	.12	.	.	.	.	.	.	.	.	.	.94	.21	9
10	.03	.05	.42	.	.15	.	.	.	.	.	.03	.40	10
11	.45	.	.01	.	.	.	.	.	.01	.	.64	.17	11
12	.	.	.52	.	.	.	.	.	.23	.	.23	.33	12
13	.	.	.02	.	.	.	.	.	.45	.	.04	.10	13
14	.	.04	.01	.	.	.	.	.	.	.03	.06	.36	14
15	.02	.02	.	.	.	.06	.	.	.	.	.26	.14	15
16	.01	.02	.	.	.	.18	.	.	.	.	.23	.17	16
17	.	.03	.03	.03	.	.18	.	.	.	.	.20	.29	17
18	.	.37	.	.17	.	.50	.	.	.	.06	.11	.20	18
19	.	.03	.	.16	.	.43	.	.	.24	.17	.32	.60	19
20	.01	.09	.02	.07	.	.02	.	.01	.43	.42	.	.19	20
21	.01	.20	.	.	.	.05	.	.07	.18	.26	.	.21	21
22	.04	.07	.01	.05	.	.43	.	.	.29	.43	.	.52	22
23	.02	.23	.	.01	.	.12	.	.04	.25	.34	.	.17	23
24	.01	.22	.	.	.	.52	.	.18	.01	.52	.	.31	24
25	.	.06	.	.19	.	.08	.	.	.06	.12	.	.12	25
26	.	.10	.	.28	.28	.	.17	.11	.	.52	.	.29	26
27	.	.46	.	.01	.	.01	.	.39	.20	.41	.	.45	27
28	.	.23	.	.72	.02	.01	.	.12	.	.	.25	.02	28
29	.		.	.61	.	.66	.25	.	.34	.30	.01	.	29
30	.		.	.	.	.05	.01	.	.04	.29	.07	.03	30
31	.		.		.		.03	.		.09		.03	31
Total	1.62	2.22	1.57	2.74	1.21	3.30	.46	1.70	2.75	4.24	5.77	7.78	TOTAL for year 35.36
No. of Rain Days.	15	16	15	15	8	15	4	12	14	16	22	29	181

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 APR 1913

Kept at Warkleigh Rectory
in the County of Devon N.2
by Rev. J. H. Thompson

Lat. 50° 59' 20" Long. 3° 55' 7"
Time of Observation 9 a.m.
Nearest Railway Station Portsmouth Arms, S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.19	.	.09	.34	.08	.08	.17	1.14	.01	.24	1
2	.	.	.21	.06	.	1.05	.03	.07	.	.07	.05	.03	2
3	.08	.	.31	.02	.	.11	.06	.98	.11	.	.	.02	3
4	.38	.	1.12	.	.03	.30	.	.02	.	.	.38	.03	4
5	.79	.07	.25	.01	.08	.01	.01	.43	.	.	.02	.02	5
6	.62	.17	.04	.	.33	.	.	1.20	.	.	.03	.04	6
7	.04	.33	.16	.	.16	.56	.	.13	.	.	.03	.04	7
8	.42	.09	.05	.06	.02	.59	.12	.03	.03	.	.	.	8
9	.01	.30	.08	.18	.	.13	.10	.	.	.	.01	.29	9
10	.39	.03	.02	.	.	.18	.04	.15	.03	.	.19	.10	10
11	.01	.05	.01	.	.	.	.06	.	.	.	.37	.48	11
12	.01	.13	.21	.	.10	.01	.15	.03	.	.	.01	.11	12
13	.22	.	.03	.	.	.08	.50	.08	.	.03	.	.23	13
14	.08	.04	.40	.	.18	.01	.01	.30	.	.05	.	.05	14
15	.10	.03	.06	.	.14	1.25	.	.03	.	.	.	.59	15
16	.17	.	.25	.	.06	.12	.	.17	.	.11	.03	.18	16
17	.03	.	.22	.	.02	.27	.	.50	.	.	.	.19	17
18	.01	.02	.40	.	.	.	.	.56	.	.15	.07	.11	18
19	.	.22	.08	.	.01	.02	.03	.41	.	.	.07	.03	19
20	.05	.06	.36	.	.20	.	.	.48	.	.81	.08	.05	20
21	.01	.09	.58	.	.48	.	.	.21	.	.19	.01	.	21
22	.32	.16	.23	.	.01	.	.04	.38	.	.19	.03	.03	22
23	.18	.46	.26	.	.01	.05	.02	1.03	.	.34	.10	.31	23
24	.02	.05	.04	.	.	.32	.	.03	.	.11	.	.10	24
25	.02	.	.01	.	.	.82	.01	.38	.	.14	.47	.65	25
26	.	.11	.	.	.	.01	.04	.32	.	.33	.53	.29	26
27	.	.	.01	.	.	.55	.54	.01	.	.90	.49	.63	27
28	.	.11	.02	.	.	.33	.31	.60	.13	.28	.	.47	28
29	.	.05	.01	.	.	.12	.35	.02	.40	.36	.	.10	29
30	.		.01	.	.	.12	.32	.	.05	.40	.	.03	30
31	.		.34		.		.30	.02		.03		.08	31
Total	3.96	2.57	5.96	.33	1.92	7.35	3.12	8.65	.92	5.63	2.98	5.52	YEAR'S TOTAL 48.91
Rain Days.	22	20	30	5	16	24	21	28	7	18	20	29	240

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

4 APR 1914

Kept at Warkleigh Rectory

in the County of Devon N2.

by Rev. J. H. Thompson

Lat. 50° 59′ 20″ Long. 3° 55′ 7″

Time of Observation 9 a.m.

Nearest Railway Station Portsmouth Arms

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.30	.24	.18	.14	.	.	.	.01	.	.19	.32	1
2	.04	.25	.01	.09	.20	.	.	.	.01	.04	.07	.03	2
3	.10	.01	.05	.01	.50	.	.	.	.	.01	.	.22	3
4	.90	.	.04	.	.09	.08	.	.	.20	.15	.03	.23	4
5	.13	.03	.01	.	.16	.61	.07	.	.05	.01	.25	.66	5
6	.	.07	.17	.	.02	.28	.	.	.	.30	.12	.58	6
7	.02	.37	.07	.	.59	.11	.	.	.	.35	.24	.03	7
8	.01	.11	.	.	.15	.03	.08	.02	.	.02	.	.03	8
9	.	.05	.01	.02	.21	.29	.	.28	.02	.	.38	.07	9
10	.85	.	.01	.01	.03	.05	.	.12	.	.32	.10	.01	10
11	.62	.	.	.24	.26	.25	.02	.05	.07	.22	.84	.10	11
12	.08	.	.	.07	.04	.02	.	.	.05	.	1.02	.02	12
13	.04	.	.18	.	.	.01	.02	.18	.25	.	.14	.	13
14	.07	.	.18	.	.	.	.05	.	.04	.10	.18	.01	14
15	.12	.	.48	1.20	.	.	.	.	.	.	.16	.05	15
16	.15	.	.80	.09	.	.	.02	.28	.09	.	.08	.	16
17	.17	.	.10	.07	.	.	.04	.	.	.	.08	.	17
18	.22	.	.23	.09	.02	.04	.07	.	.	.	.11	.	18
19	.57	.	.13	.	.10	.01	.28	.	.30	.10	.	.	19
20	.35	.	.17	.18	.01	.	.	.	.06	.14	.46	.	20
21	.01	.	.05	.46	.12	.06	.06	.03	.	.01	.32	.	21
22	.73	.	1.02	.01	.03	.19	.	.25	.10	.	.01	.18	22
23	.03	.	.02	.	.03	.	.	.28	.04	.	.14	.69	23
24	.06	.06	.	.16	.	.	.	.08	.	.	.06	.01	24
25	.	.03	.	.41	.	.	.	.	.09	.01	.11	.06	25
26	.	.	.	.45	.	.01	.	.03	.01	.	.01	.47	26
27	.28	.	.19	.31	.	.	.	.	.	.40	.03	.10	27
28	.08	.	.01	.19	.04	.	.	.	.	.36	.02	.18	28
29	.04		.23	.28	.02	.	.	.	.	.17	.03	.	29
30	.35		.	.45	.04	.	.	.	.	.58	.03	.	30
31	.24		.42		.05		.02	.68		.01		.	31
Total	6.29	1.28	4.82	4.97	2.85	2.04	.73	2.28	1.39	3.30	5.21	4.05	YEAR'S TOTAL 39.21
Rain Days.	27	10	24	21	22	15	11	12	16	19	27	21	225

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

Kept at Warkleigh Rectory

in the County of Devon N. 2

by Rev. J. H. Thompson

Lat. 50°59'20" Long. 3°55'7"

Time of Observation 9 a.m.

Nearest Railway Station Portsmouth Arms 5 m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . in.

" " " " Sea Level 439 ft.

FORM A.
BRITISH RAINFALL.
22 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.01	.11	.10	.	.22	.80	.57	.	.	.12	.10	1
2	.03	.	.05	.05	.03	.01	.17	.12	.	.	.04	.43	2
3	.06	.	.27	.18	.42	.	.	.04	.	.02	.03	.10	3
4	.33	.	.12	.27	.06	.	.38	.65	.	.	.33	.85	4
5	.15	-	.35	.34	.02	.	.11	.03	.	.	.	.19	5
6	.	.04	.19	.16	.07	.06	.13	.07	.	.	.09	.34	6
7	.01	.29	.22	.15	.20	.07	.38	.16	.10	.	.01	.07	7
8	.13	.	.96	.01	.23	.31	.	.03	.01	.	.	.03	8
9	.13	.02	.25	.15	.16	.61	.	.08	.42	.	.	.	9
10	.09	.27	.11	.53	.15	.03	.	.	.27	.	.01	.03	10
11	.	.24	.38	.01	.12	.12	.	.	.02	.	.08	.40	11
12	.	.38	.09	.	.	.	.	.	.28	.14	.16	.17	12
13	.	.38	.26	.	.	.	.07	.	.52	.17	.48	.11	13
14	.	.26	.46	.	.	.05	.02	.40	.05	.02	.31	.03	14
15	.	.07	.19	.	.	.	.03	.65	.08	.01	.27	.26	15
16	.	.	.02	.	.	.	.06	.01	.28	.	.	.03	16
17	.	.29	.32	.	.	.	.02	.	.03	.	.	.49	17
18	.	.19	.22	.	.	.	.	.	.17	.	.	.54	18
19	.	.11	.37	.	.	.	.95	.	.03	.	.12	.18	19
20	.	.22	.28	.	.	.11	.01	.	.	.	.	.14	20
21	.	.27	.02	.	.	.02	.05	.07	.	.16	.	.07	21
22	.	.03	.04	.01	.06	.46	.	.01	.	.96	.	.01	22
23	.	.14	.10	.	.03	.02	.12	.02	.	.14	.	.	23
24	.	.01	.03	.	.	.02	.08	.15	.	.01	.18	.12	24
25	.29	.02	.36	.	.02	.	.31	.83	.	.45	.01	.32	25
26	.15	.02	.07	.	.01	.	.30	.05	.	.06	.30	.12	26
27	.18	.02	.	.	.	.	.02	.	.	.41	.38	.19	27
28	.03	.17	.15	.	.10	.	.11	.	.	.71	.15	.74	28
29	.27	X	.12	.	.16	.	.	.	.	.14	.35	.07	29
30	.02	X	.11	.	.01	.	.	.	.	.08	.55	.43	30
31	.	X	.	X	.09	X	.47	.	X	.72	X	.22	31
Total	1.87	3.45	6.22	1.96	1.94	2.11	4.59	3.94	2.26	4.20	3.97	6.78	YEAR'S TOTAL 43.29
Rain Days.	14	22	29	12	18	14	21	18	13	16	20	29	226

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
11 MAY 1916

Kept at Warkleigh Rectory
in the County of Devon
by (Rev) J. H. Thompson

Lat. 50°59'20" Long. 3°57'7"
Time of Observation 9 a.m
Nearest Railway Station Portsmouth Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.22	.01	.	.11	.	.01	.50	.14	.38	.	.35	1
2	.20	.29	.15	.07	.	.03	.	.35	.14	.03	.	.60	2
3	.02	.10	.09	.16	.11	.	.06	.	.	.	.	.50	3
4	.02	.72	.01	.	.02	.	.	.	.	.	.	.80	4
5	.13	.31	.	.12	.	.	.	.17	.	.	.	.51	5
6	.35	.07	.	.21	.	.	.22	.04	.	.	.	.37	6
7	.41	.46	.	.06	.15	.	.23	.02	.	.26	.05	.44	7
8	.45	.35	.	.	.	.	.	.13	.	.	.17	.08	8
9	.08	.35	.	.34	.	.	.	.02	.	.	.38	.78	9
10	.33	.35	.14	.06	.	.	.	.40	.	.16	.09	.04	10
11	.07	.06	.03	.	.	.	.11	.01	.	.03	.83	.10	11
12	.27	.30	.	.04	.43	.	.	.47	.	.11	.43	.08	12
13	.10	.55	.	.	.48	.	.10	.03	.10	.02	.11	.07	13
14	.06	.02	.	.	.	.	.33	.23	.10	.05	.	.62	14
15	.20	.	.	.	.32	.	.16	.02	.07	.11	.29	.08	15
16	.04	.57	.	.01	.22	.	1.08	.	.	.	.	.	16
17	.02	.15	.	.	.02	.	.01	.	.	.	.	.	17
18	.	.17	.03	.	.	.	.02	.	.	.	.	.	18
19	.02	.02	.	.04	.15	.	.20	.	.	.	.	.	19
20	.60	.01	.	.22	.	.08	.01	.	.	.11	.	.06	20
21	.24	.27	.	.	.06	.03	.07	.	.	.14	.	.58	21
22	.08	.08	.12	.09	.	.12	.23	.	.02	.14	.	.41	22
23	.02	.03	.04	.	.	.04	.20	.	.02	.70	.	.63	23
24	.	.	.02	.02	.	.	.54	.	.02	.18	.	.52	24
25	.	.	.02	.	.	.21	.24	.	.	.05	.08	.15	25
26	.	.09	.	.	.	.09	.02	.	.09	.	.	.49	26
27	.	.07	.	.	.	.48	.02	.	.04	.49	.	.06	27
28	.	.12	.	.	.	.03	.01	.	.30	.31	.	.	28
29	.	×	.	.	.	.47	.	.	.13	.	.12	.06	29
30	.24	×	.	.	.	.05	.01	.	.10	.36	.25	.20	30
31	.09	×	.	×	.	×	.06	.14	×	.27	×	.22	31
Total	4.22	5.73	.66	1.44	2.07	1.63	3.94	2.53	1.27	3.90	2.80	8.80	YEAR'S TOTAL 38.99
Rain Days.	24	25	11	13	11	11	23	14	13	19	11	26	201

W. 8,000. X. 15.

1402

FORM A.
BRITISH RAINFALL.

6 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Warkleigh Rectory
in the County of Devon
by Rev. J. H. Thompson

Lat. 50° 59′ 20″ Long. 3° 55′ 7″
Time of Observation 9 a.m
Nearest Railway Station Portsmouth Arms 3½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.	.24	.	.28	.20	.29	.	.02	.03	.05	.	1
2	.50	.05	.37	.	.04	.01	.	.	.18	.41	.07	.	2
3	.01	.88	.	.02	.21	.07	.44	.	.11	.04	.11	.	3
4	.41	.10	.	.01	.11	.39	.38	.	.16	.12	.32	.	4
5	.03	.06	.03	.	.06	.11	.	.	.01	.07	.47	.	5
6	.06	.19	.	.	.09	.09	.40	.	.	.11	.50	.04	6
7	.08	.15	.18	.	.28	.08	.	.	.	.02	.39	.17	7
8	.01	.35	.03	.02	.15	.03	.	.	.	.	.46	.09	8
9	.	.06	.05	.	.09	.	.10	.	.	.11	.06	.22	9
10	.	.87	.	.10	.	.	.01	.	.	.02	.03	.01	10
11	.	.01	.	.12	.02	.	.	.	.03	.	.02	.	11
12	.08	.07	.23	.08	.19	.	.08	.04	.	.14	.01	.	12
13	.	.37	.03	.01	.01	.	.04	.25	.05	.02	.	.	13
14	.07	.43	.16	.02	.12	.	.	.01	.	.12	.01	.	14
15	.03	.20	.03	.19	.	.	.	.58	.	.03	.	.	15
16	.03	.07	.	.23	.	.	.27	.37	.	.18	.	.	16
17	.13	.37	.	.01	.	.	.	.	.86	.36	.72	.	17
18	.05	.48	.17	.05	.	.	.	.	.17	.06	.01	.10	18
19	.16	.13	.04	.17	.	.	.	.02	.	.	.50	.	19
20	.03	.74	.26	.	.	.	.	.	.	.	.10	(.40) .40	20
21	.12	.08	.20	.	.02	.01	.	.	.	.	.11	.05	21
22	.	.	.01	.	.03	.11	.	.03	.	.28	.05	.57	22
23	.05	.16	.02	.	.	.15	.	.37	.	.16	.11	.30	23
24	.	.10	.23	.03	.27	.06	.	.05	.	.40	.01	.20	24
25	.	.20	.27	.	.03	.	.	.37	.	.06	.21	.08	25
26	.02	.12	.11	.	.02	.18	.	.01	.51	.51	.03	.01	26
27	.	.	.84	.	.11	.01	.	.16	.44	.73	.	.	27
28	.	.09	.05	.	.	.	.	.08	.07	.50	.	.43	28
29	.	.18	.01	.	.	.38	.	1.21	.09	.47	.	.37	29
30	.		.	.	.	.01	.	.	.	.23	-	.03	30
31	.		.		.			.12		.11		.10	31
Total	1.93	6.46	3.56	1.06	2.13	1.69	2.01	3.67	2.70	5.28	4.35	3.23	YEAR'S TOTAL 38.27
Rain Days.	19	26	22	14	19	16	9	15	13	26	23	17	219

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Warkleigh Rectory
in the County of Devon
by Rev. J. H. Thompson

Lat. 50° 59′ 20″ Long. 3° 55′ 7″
Time of Observation 9 a.m.
Nearest Railway Station Portsmouth Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.	.17	.22	.	.20	.	.26	.12	.	.07	.01	1
2	.02	.	.	.18	.	.07	.	.01	.01	.02	.03	.	2
3	.08	.07	.	.07	.	.	.87	.	.	.55	.60	.08	3
4	.–	.	.25	.	.	.	.09	.	.04	.67	.	.	4
5	.19 .19	.	.36	.19	.	.46	.	.	.02	.41	.16	.	5
6	.07	.	.35	.02	.	.05	.	.11	.	.10	.28	.	6
7	.38	.	.01	.04	.	.	.09	.08	.	.55	.08	.10	7
8	.06	.	.16	.10	.	.05	.43	.57	.04	.90	.50	.35	8
9	.–	.	.10	.08	.10	.	.02	.26	.	.64	.26	.	9
10	.16	.	.25	.29	.01	.	.	.10	.	.11	.03	.	10
11	.04	.	.34	.36	.	.	.	.88	.	.27	.28	.	11
12	.16	.	.02	.06	.25	.06	.	.36	.	.80	.02	.–	12
13	.03	.	.30	.08	.02	.	.	.51	.54	.17	.01	.05 .05	13
14	.	.	.	.05	.	.	.	.29	.11	.07	.01	.03 .03	14
15	.	.	.	.02	.	.	.	.01	.01	.15	.	.19 .19	.19 15
16	.	.08	.	.06	.	.40	.04	.01	.	.17	.05	.41	16
17	.	.04	.07	.45	.	.01	.43	.08	.24	.22	.	.	17
18	.	.07	.	.03	.04	.05	.36	.	.78	.03	.02	.	18
19	.	.42	.12	.	.	.15	.01	.01	.01	.	.05	.	19
20	.	.30	.	.	.37	.15	.	.02	.01	.	.20	.	20
21	.	.01	.15	.	.	.	.	.11	.	.03	.17	.	21
22	.	.	.	.	.	.	.	.37	.	.20	.01	.	22
23	.	.28	.	.	.11	.01	.01	.32	.	.19	.05	.01	23
24	.	.01	.	.	.08	.11	.15	.29	.	.47	.16	.02	24
25	.	.09	.08	.	.	.	.01	.16	.03	.21	.06	.	25
26	.	.	.	.	.43	.22	.	.63 .63	.21	.05	.16	.	26
27	.	.	.	.	.01	.14	.	.92	.01	.31	.01	.	27
28	.	.34	.05	.	.05	2.92	.	.36	.02	.06	.03	.	28
29	.	✕	.11	.	.	.21	.	.02	.04	.25	.05	.	29
30	.	✕	.11	.	.	.01	.02	.16	.	.06	.05	.	30
31	.	✕	.06	✕	.20	✕	.	.12	✕	.56	✕	.	31
Total	1.22	1.71	3.06	2.30	1.67	5.27	2.53	7.02	2.24	8.22	3.40	1.25	YEAR'S TOTAL 39.89
Rain Days.	11	11	19	17	12	18	13	27	17	28	27	10	210

W. 8,000, IX. 17.

.29

Exd 970

14

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30 5 19

Kept at Warkleigh Rectory
in the County of N Devon
by Rev. J. H. Thompson

Lat. 50° 59' 20" Long. 3° 55' 7'
Time of Observation 9 a.m.
Nearest Railway Station Portsmouth Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground Just enough to prevent its being [illegible] by spring tides. ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.13	.01	.13	.02	.	.	1.33	.03	.01	.47	.	1
2	.	.10	.	.03	.	.	.	1.98	.04	.01	.03	.23	2
3	.	.14	.	.03	.04	.	.	.	.11	.05	.15	.03	3
4	.	.18	.	.	.	.	.	.08	.04	.03	.67	.42	4
5	.	.01	.07	.10	.06	.	.	.33	.68	.28	.08	.23	5
6	.15	.45	.01	.33	.	.01	.	.01	.06	.20	.	.14	6
7	.02	.23	.	.01	.07	.05	.	.02	.28	.20	.32	.03	7
8	.10	.01	.	.	.	.	.06	.	.24	.31	.02	.03	8
9	.07	.06	.	.05	.	.25	.17	.02	.64	.08	.	.28	9
10	.07	.01	.	.28	.	.	.94	.	.36	.14	.05	.53	10
11	.05	.	.11	.	.	.	.19	.	.25	.02	.15	.30	11
12	.02	.05	.06	.	.18	.01	.16	.	.12	.	.	.04	12
13	.23	.06	.	.	.03	.	.02	.	.45	.08	.	.45	13
14	.10	.	.	.	.05	.09	.28	.02	.56	.11	.	.45	14
15	1.82	.	.	.	.	.05	.53	[illegible]	.03	.26	.09	.23	15
16	.57	.	.	.47	.	.06	.13	.08	.27	.23	.	.55	16
17	.57	.	.	.06	.	.	.10	.03	.03	.	.	.33	17
18	.80	.	.11	.	.	.56	.29	.03	.33	.21	.	.42	18
19	.10	.05	.18	.05	.	.	.12	.04	.01	.01	.	.42	19
20	.09	.17	.	.47	.	.03	.36	.	.26	.	.	.	20
21	.06	.02	.	.02	.06	.17	.03	.	.70	.02	.	.31	21
22	.01	.	.	.	.15	.	.31	.	.25	.04	.	.27	22
23	.06	.01	.	.	.07	.	.16	.	.06	.		.33	23
24	.02	.18	.	.	.	.07	.27	.42	.46	.	.38	.06	24
25	.	.	.	.	.27	.	.40	.52	.01	.03	.19	.02	25
26	.01	.16	.	.	.	.	.40	.01	.16	.02	.12	.27	26
27	.01	.15	.07	.	.	.01	.01	.15	.35	.	.37	.05	27
28	.	.16	.21	.	.	.	.	.01	.04	.01	.46	.18	28
29	.	X	.27	.	.	.	.	.	1.07	.	.	.27	29
30	.	X	.31	.01	.	.	.	.09	.01	.01	.16	.22	30
31	.	X	.34	X	.	X	.	.09	X	.	X	.08	31
Total	4.93	2.33	1.75	2.04	1.00	1.36	4.93	5.26	7.99	2.36	3.71	7.19	YEAR'S TOTAL 44.76
Rain Days.	21	20	12	14	11	12	20	19	30	23	16	29	227

W. 6,500, VII. 18. W W O

1706

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Warkleigh Rectory

in the County of Devon

by Rev. J. H. Thompson

Lat. 50°59′20″ Long. 3°55′7″

Time of Observation 9 a.m.

Nearest Railway Station Portsmouth Arms

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.	.08	.18	.35	.	.35	.01	.10	.30	.	1.10	1
2	.19	.	.05	.	.05	.	.	.	.16	.10	.	.15	2
3	.01	.	.18	.	.08	.	.	.	.03	.01	.02	.49	3
4	.01	.37	.35	.	.01	.07	.02	.08	.35	.	.	.02	4
5	.12	.48	.50	.	.03	.	.	.	.03	.	.	.28	5
6	.33	.21	.18	.	.01	.	.	.	.	.	.	.23	6
7	.28	.	.39	.08	.02	.	.	.	.01	.	.	.01	7
8	.28	.	.23	.03	.	.10	.	.	.	.	.	.02	8
9	.28	.	.03	.32	.01	.	.	.	.	.	.90	.04	9
10	.06	.	.65	.02	.03	.08	.	.	.	.10	.01	.07	10
11	.13	.	.21	.10	.14	.05	.	.	.	.	.02	.23	11
12	.35	.03	.	.	.	.38	.	.	.	.13	.07	.	12
13	.13	.03	.06	.42	.	.	.10	.	.01	.09	.	.07	13
14	.34	.08	.	.50	.23	.	.07	.	.02	.08	.	.14	14
15	.29	.03	.	.04	.	.	.	.	.	.14	.	.72	15
16	.21	.74	.	.	.	.	.	.	.	.01	.42	.01	16
17	.	.24	.	.	.06	.12	.	.	.	.	.62	.	17
18	.	.04	.95	.	.	.	.05	.41	.06	.	.39	.01	18
19	.28	.28	.22	.	.	.12	.21	.63	.52	.	.26	.	19
20	.25	.08	.19	.	.	.12	.02	.07	.40	.	.17	.22	20
21	.07	.74	.01	.	.01	.02	.36	.01	.06	.	.02	.15	21
22	.	.08	.	.	.	.02	.04	.	.22	.	.08	.02	22
23	.	.	.	.	.	.	.	.01	.01	.36	.11	.11	23
24	.	.	.	.	.	.21	.	.04	.01	.56	.11	.55	24
25	.20	.	.	.03	.	.07	.	.46	.01	.	.33	.07	25
26	.23	.	.12	.18	.	.02	.	.08	.20	.08	.17	.39	26
27	.35	.	.01	.22	.	.03	.	.53	.01	.	.	.02	27
28	.	.	.47	.13	.	.	.	.01	.	.02	.17	.54	28
29	.		.	.21	.	.	.	.05	.	.07	.10	.45	29
30	.		.10	.27	.	.10	.	.25	.07	.	.40	.22	30
31	.		.10		.		.13	.01		.		.05	31
TOTAL	4.87	3.43	5.08	2.73	1.03	1.51	1.35	2.65	2.28	2.05	4.37	6.38	YEAR'S TOTAL 37.73
Days with ·01 in. or more	22	14	21	15	13	18	10	15	19	14	19	28	205

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1619

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1920

Kept at Warkleigh Rectory
in the County of Devon
by Rev. J. H. Thompson

Lat. 50° 59′ 20″ Long. 3° 55′ 7′
Time of Observation 9 a.m.
Nearest Railway Station Portsmouth Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.03	.04	.21	.	.48	.03	.20	.34	.05	.50	1
2	.07	.	.	.40	.02	.	.16	.53	.25	.10	.	.15	2
3	.18	.09	.	.04	.01	.	.27	.01	.10	.73	.	.28	3
4	.	.	.03	.05	.	.	.	.50	.03	.32	.	.01	4
5	.	.	.20	.14	.14	.	.36	.08	.01	.15	.	.	5
6	.	.	.18	.04	.21	.	.07	.	.01	.19	.02	.	6
7	.01	.	.17	.20	.01	.	.20	.	.02	.01	.07	.	7
.06 8	.26	.06	.	.42	.09	.	.51	.03	.	.01	.	.	8
.50 9	~~.62~~ (.50)	.15	.04	.14	.	.20	.28	.	.03	.	.02	.	9
.04 10	.04	.31	.04	.28	.	.15	.15	.	.	.	.	.	10
11	.32	.	.08	.35	.26	.01	.05	.	.	.	.	.	11
12	.35	.11	.08	.10	.01	.09	.05	.02	.01	.02	.18	.	12
13	.36	.09	.45	.10	.	.	.	.	.	.15	.01	.	13
14	.01	.03	.46	.62	.	.04	.04	.	.28	.45	.58	.	14
15	.02	.15	.01	.41	.07	.54	.	.	.08	.55	.24	.	15
16	.02	.	.02	.10	.03	.02	.03	.01	.24	.(37)	.23	.	16
17	.25	.	.	.	.34	.03	.	.01	.87	.20	.	.	17
18	.10	.	.01	.	.03	.12	.	.28	.06	.	.	.	18
19	.08	.15	.	.41	.02	.21	.	.01	.01	.	.	.	19
20	.	.03	.	.43	.	.18	.03	.	.	.	.	.20	20
21	.03	.	.	.06	.	.	.05	.	.	.11	.	.18	21
22	.	.	.	.06	.	.03	.05	.03	.	.	.	.27	22
23	.	.	(.01)	.	.	.	.67	.13	.	.	.	.58	23
24	.05	.03	.28	.02	.	.	.	.	.	.	.07	.30	24
25	.03	.12	.10	.	.	.06	.75	.	.01	.	.	.	25
26	.37	.	.29	.	.	.10	.05	.	.	.	.14	.	26
27	.25	.15	.10	.21	.08	.53	.11	.	.	.	.29	.26	27
28	.55	.01	.42	.20	.	.08	.05	.	.	.	.	.02	28
29	.29	.	50	.12	.18	.11	.04	.	.	.	.28	.43	29
30	.41	×	.01	.06	.02	.10	.10	.	.70	.16	.30	.24	30
31	.19	×	.26	×	.	×	.03	.	×	.47	×	.18	31
Total	5.84	1.48	3.77	5.00	1.73	2.60	4.58	1.67	2.91	4.31	2.48	3.59	YEAR'S TOTAL 39.96
Rain Days	24	14	23	25	17	18	24	13	17	17	14	14	220
	18	10	16	24	9	14	21	5	9	14	11	12	163

W, 6,500. VII. 18. W W C

DEVON.

WESTWARD HO,
"BELLEVUE"
1911-1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTE

Kept at Bellevue W

in the County of Devon

by A. Boyd

n.

d 1 ft. in.

evel 200 ft.

n. Bideford

ce 2½ Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01	·35	·09			·54		·02	·09	·02	1
2					·14			·21		·40	·33	·16	2
3			·04		·41	·02		·15	·03		·16	·15	3
4			·17					·14			·33	·60	4
5	·25		·25					·12		·06	·24	·08	5
6	·17		·02					·02			·20	·60	6
7	·06										·53	·01	7
8	·12		·08								·47	·77	8
9	·15		·06								·49	·20	9
10	·04	·01	·45		·17						·05	·35	10
11	·21								·06		·27	·28	11
12			·44						·40		·20	·16	12
13			·08						·30	·02	·03	·09	13
14		·06	·03		·10					·07	·06	·16	14
15	·07	·03	·05		·01	·04					·26	·09	15
16	·01	·01				·11					·14	·25	16
17		·05	·01	·01		·31	·01				·14	·43	17
18		·29	·04	·13		·11				·16	·22	·36	18
19		·01		·10		·40			·37	·08	·08	·64	19
20		·04	·11	·16				·01	·56	·45		·21	20
21	·02	·16				·01		·66	·21	·20		·04	21
22	·02	·07		·07		·16			·16	·16		·31	22
23		·09	·07			·06		·06	·15	·10	·16	·07	23
24		·18				·62		·13	·03	·21		·18	24
25		·05		·21		·04			·05	·09		·03	25
26	·02	·07		·22			·07	·06		·37	·02	·20	26
27		·42	·01					·40	·14	·23	'	·19	27
28			·02	·41				·16			·22	·02	28
29			·03	·12		·77	·15	·03	·26	·17	·01		29
30						·05	·04		·03	·29	·06	·06	30
31							·04			·18		·06	31
Total	1.22	1.54	1·97	1.78	·92	2·70	·31	2·69	2·75	3.26	4·76	6·77	TOTAL for 30.67
No. of Rain Days.	13	15	19	10	6	13	5	14	14	18	24	30	181

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTE

Kept at Bellevue WESTWARD HO.

in the County of Devon N.3

by A. Boyd

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9. a.m.

Nearest Railway Station { Name Bideford
Distance 2½ Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01	·35	·09			·54		·02	·09	·02	1
2					·14			·21		·40	·33	·16	2
3			·04		·41	·02		·15	·03		·16	·15	3
4			·17					·14			·33	·60	4
5	·25		·25					·12		·06	·24	·08	5
6	·17		·02					·02			·20	·60	6
7	·06										·53	·01	7
8	·12		·08								·47	·77	8
9	·15		·06								·49	·20	9
10	·04	·01	·45		·17						·05	·35	10
11	·21								·06		·27	·28	11
12			·44						·40		·20	·16	12
13			·08						·30	·02	·03	·09	13
14		·06	·03		·10					·07	·06	·16	14
15	·07	·03	·05		·01	·04					·26	·09	15
16	·01	·01				·11					·14	·25	16
17		·05	·01	·01		·31	·01				·14	·43	17
18		·29	·04	·13		·11				·16	·22	·36	18
19		·01		·10		·40			·37	·08	·08	·64	19
20		·04	·11	·16				·01	·56	·45		·21	20
21	·02	·16				·01		·66	·21	·20		·04	21
22	·02	·07		·07		·16			·16	·16		·31	22
23		·09	·07			·06		·06	·15	·10	·16	·07	23
24		·18				·62		·13	·03	·21		·18	24
25		·05		·21		·04			·05	·09		·03	25
26	·02	·07		·22			·07	·06		·37	·02	·20	26
27		·42	·01					·40	·14	·23		·19	27
28			·02	·41				·16			·22	·02	28
29			·03	·12		·77	·15	·03	·26	·17	·01		29
30						·05	·04		·03	·29	·06	·06	30
31							·04			·18		·06	31
Total	1.22	1·54	1·97	1.78	·92	2·70	·31	2·69	2·75	3.26	4·76	6·77	TOTAL for 30.67
No. of Rain Days.	13	15	19	10	6	13	5	14	14	18	24	30	181

W. 8,000, X. '11.

CV MK

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 JAN 1913

Kept at Bellevue
in the County of Devon N.3
by A. H. Boyd.

Lat. .... Long. ....
Nearest Railway Station Bideford
RAIN GAUGE. Time of Observation 9 am
Diameter 8 in.
Height of top above Ground 1 ft. .... in.
" " Sea Level 200 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	~~MAY.~~ Nov	JUNE.	JULY.	AUG.	SEPT.	OCT.	~~NOV.~~ May	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·34			·39		·09	·06	·99	·08	·30	1
2			·29	·06	·08	1·40	·01			·04			2
3	·06	·02	·39	·03		·06	·04	1·13	·08			·02	3
4	·31	~~·05~~	·94		·31	·04		·06			·03		4
5	·47	·05	·10	·02	·02		·04	·43			·03	·07	5
6	·53	·09			·02	·39		·53			·23	·04	6
7	·04	·26	·12	·02	·02	·24	·10	·30			·06	·08	7
8	·27	·07	·09	·04				·02					8
9	·01	·18	·24	·03	·02	·17	·08	1·07				·47	9
10	·30	·02	·09		·14	·12	·03	·03				·04	10
11		·02			·30		·02		·01		·01	·59	11
12	·03	·02	·09	·01	·06	·03	·17	·07			·20	·03	12
13	·15					·02	·19	·03		·06		20	13
14	·09	·02	·55			·02		·28			·16	·04	14
15	·08	·03	·05		·04	1·13		·03		·03	·10	·54	15
16	·15		·16		·04	·08		·06		07	·11	·12	16
17	·01		·14		·05	·19		·39			·02	·25	17
18		·04	·23			0		·27		·13		·05	18
19		·10	·18		·04	·03	·02	·49		·07		·04	19
20	·03	·03	·21		·03	·03		24		·40	·03		20
21		·05	·28					·18		·07	·38		21
22	·37	·18	·19		·03	·03	·03	·29		·10		·07	22
23	·10	·53	·15			·15		·74		·18	·02	·36	23
24	·04	·04	·02			·29	·17			·32		·13	24
25	·04				·48	·24		·17		·14		·63	25
26		·05	·02		·57		·04	·06		·25		·30	26
27		·02	·02		·02	·30	·40	·02		·67		·55	27
28		·08	·03		·44	·13	·16	·53	·21	·09		·48	28
29		·21	·01		·03	·13	·68	·11	·27	·23	·03	·09	29
30			·07	·02		·12	·18		·01	·50		·02	30
31			·37				·12	·02		·05		·04	31
Totals	3·08	2·11	5·37	·22	2·74	5·73	2·48	7·64	·64	4·39	1·49	5·55	4144
Total from Jan. 1		5·19	10·56	10·78	13·52	19·25	21·73	29·37	30·01	34·40	35·89	41·44	✓

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

19 22 27 8 Nov 20 24 18 27 6 19 May 15 26 231

[illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2. JAN 1914

Kept at Bellevue
in the County of N Devon 3
by Archd. Boyd.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Bideford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·05	·23	·18	·07	·15	·10			·02	·01	·18	·21	1
2	·03	·16	·02	·03	·17	·02				·59	·19	·02	2
3	·04		·02		·20					·01	·01	·25	3
4	·88		·02			·03	·04		·07	·19	·10	·18	4
5	·10	·03	·04		·22	·56	·03		·26		·52	~~·66~~ 66	5
6		·08	·13		·03	·09				·11	·30	·26	6
7	·05	·47	·05		·46	·10	·01			·40	·10	·03	7
8	·03	·20			·13		·02	·04				·02	8
9		·07	·04	·04	·11	·18	·02	·18	·03		·83	·05	9
10	·45		·04	·03	·08	·05		·08		·37	·15		10
11	·46	·01	·04		·10	·19	·05	·05	·04	·05	·56	·05	11
12	·35		·01	·08	·02	·02	·04		·09		·41		12
13	·03		·16				·02	·09	·50	·21	·13		13
14	·10		·16	·01				·07	·14		·10	·02	14
15	·10		·45	1·02							·15	·04	15
16	·17		·62	·08			·01	·02	·06		·02		16
17	·14		·04	·04			·04				·07		17
18	·15		·16	·08	·06	·04	·01		·01		·08		18
19	·39		·09		·11	·06	·05		·28	·42	·07		19
20	·17		·27	·07						·28	·30		20
21			·18	·34	·06		·09	·01	·06	·04	·27		21
22	·38		·77	·04	·02	·20		·31	·08			·07	22
23	·03		·04					·19	·02		·14	·64	23
24	·10	·66		(·10)				·05			·09	·02	24
25				·39					·07	·03	·11	·10	25
26		·03		·77		·03		·03	·03	·01	·02	·37	26
27	·21		·17	·16				·04		·31	·02	·07	27 296
28	·07		·09	·27						·18	·02	·14	28
29	·02		·16	·54	·30					·12	·02		29
30	·30				·02					·34	·02		30
31	·15		·76					·08		·02			31
Total	4·95	1·34	4·71	4·16	2·24	1·67	·43	1·24	1·76	3·64	4·62	3·20	EAR'S TOTAL 33·96
Rain Days.	26	10	26	18	17	14	13	14	16	19	28	19	220

W. 7,500, XI. ·12

see back

Loc. M.9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Bellevue

in the County of Devon N 3

by A. H. Boyd

Lat. 51. 1 1' Long. 4. 17 W
Time of Observation 9 am
Nearest Railway Station Bideford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·06	·10		·27	·04	·57			·18	·08	1
2	·02				·02		·42	·10			·02	·40	2
3	·05		·14	·21	·39			·15		·02	·02	·15	3
4	·32		·12	·24	·02		·57	·71			·27	·84	4
5	·13		·28	·32	·02		·06				·15	·11	5
6		·03	·10	·25	·06	·02	·32	·03			·06	·24	6
7	·05	·40	·18	·15	·12	·09	·54	·13	·22		·01	·15	7
8	·07		·89	·02	·06	·22	·04	·06				·09	8
9	·17	·04	·22	·08	·15	·67		·16	·71		·02	·04	9
10	·08	·23	·10	·38	·06	·03			·25		·06	·04	10
11		·10	·34		·05	·13					·16	·32	11
12		·52	·10						·24			·05	12
13		·40	·57				·06		·29	·11		·12	13
14		·58	·38			·01	·13	·55	·05	·02	·24	·04	14
15		·05	·13					·33	·12	·02	·56	·20	15
16							·02		·10			·02	16
17		·36	·17				·02		·03			·57	17
18		·15	·26				·06		·29			·37	18
19			·22				1·21		·05		·11	·18	19
20		·31	·13			·17						·10	20
21		·15				·03	·07			·14		·06	21
22		·07	·04	·03	·07	·19	·03	·03		·52			22
23		·05	·11			·03	·11	·01		·13	·03		23
24			·12			·03	·06	·06			·11		24
25	·25	·01	·12				·10	·45		·30	·03	·28	25
26	·09		·02				·06	·05		·14	·35	·40	26
27	·11	·02								·29	·33	·20	27
28	·03	·03	·12		·12					·20	·10	·82	28
29	·18		·40		·09					·16	·39	·06	29
30	·02		·15							·11	·62	·23	30
31	·09				·07		·37			·58		·25	31
Total	1.66	3.51	5.47	1.78	1·30	1.89	4.29	3.39	2.35	2.74	3.82	6.41	YEAR'S TOTAL 38.61
Rain Days.	15	19	26	10	14	13	20	15	11	14	21	28	206

W.7,000, XI. 13

Before 23/3/16

cndly obr 24.III.16 W- [illegible]

1981

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bellevue

in the County of Devon.

N3

by Archd Boyd.

Lat. 51. 1½ N Long. 4. 14½ W

Time of Observation 9. a.m.

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·11			·08			·36	·02	·25		·23	1
2	·22	·22	·08	·06		·02		·16	·07	·03		·54	2
3	·03	·12	·09	·16	·19		·01					·41	3
4	·03	·43	·01		·02		·50					·37	4
5	·11	·38	·01	·10	·02	·02		·17				·34	5
6	·47	·05	·02	·22			·31	·06				·21	6
7	·25	·05		·03	1·22		·18	·02		·24	·05	·33	7
8	·21	·46						·21		·03	·20	·08	8
9	·03	·37		·14		·06		·04			·45	·72	9
10	·26	·32	·17	·07				·02		·03	·05	·03	10
11	·09		·08		·02		·02	·02		·03	·73	·18	11
12	·11	·20		·04	·34					·03	·21	·15	12
13	·04	·30		·04	·54		·22	·02	·12	·02	·08	·06	13
14	·05		·01				·11	·11	·03		·01	·45	14
15	·08				·30		·14		·04	·04	·04	·19	15
16	·04	·81		·03	·08		1·26		·03			01	16
17	·05	20			·08				·01			01	17
18	·01	28			·03		·02						18
19	·03			·11	·15		·19						19
20	·47			·11	·10	·06	·02		·14	·14		·04	20
21	·32	·35		·06		·03	·14			·23		·20	21
22	·07	·06	·12			·03	·25			·21	·01	·32	22
23	·06	·04	·01				·08		·02	·70		·81	23
24			·02			·01	·52		·10	·52		·15	24
25	·01		·04			·26	·09			·02		·09	25
26		·16				·04	·18		·04			·41	26
27		·05				·55	·09		·03	·38		·04	27
28		·03				·02			·33	·20			28
29		X				·16		·02	·08	·02	·17	·03	29
30	·14	X		·01		·06			·08	·32	·35	·21	30
31	·01	X		X		X	·08	·23	X	·17	X	·23	31
Total	3.58	5.59	·66	1.18	3.17	1.32	4.41	1.44	1.14	3.61	2.35 2·35	6.83	YEAR'S TOTAL ~~35·28~~ 35.28
Rain Days.	26	21	12	14	14	13	20	13	15	20	12	28.	208

W. 8,000. X. 15.

See over

H. 7. W.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Bellevue. Westward Ho!
in the County of Devon
by A. Boyd

Lat. Long.
Time of Observation no change
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·01		·10	·14	·21		·02	·19	·02	·02	1
2	·35	·04	·41		·06		·03		·18	·68	·10		2
3		·94	·01		·19	·06	·36		·02	·30	·10	·02	3
4	·25	·16		·03	·37	·29			·10	·07	·20		4
5	·01	·08			·03	·09			·02	·06	·25		5
6	·06	·18			·07		·20			·18	·35		6
7	·06	·20	·14		·20					·02	·36	·15	7
8		·35	·04		·11	·02					·28	·14	8
9		·07			·05		·10			·05	·06	·38	9
10		·93		·12			·02		·06		·02	·01	10
11				·10	·03				·03		·04	·01	11
12	·05	·07	·08	·04	·20		·05	·03		·23	·03		12
13		·44	·03		·04			·08	·01	·03		·03	13
14	·07	·47	·02		·08			·49		·08	·01		14
15	·01	·19	·02	·20			·01	·41		·03			15
16	·01	·06		·19			·02	·22		·18			16
17	·14	·13		·01					·76	·10	·64		17
18	·02	·31	·18	·06				·02	·06	·02		·10	18
19	·08	·16	·01	·10				·06			·29	·07	19
20	·16	·43	·25								·19	·35	20
21	·03	·10	·15		·03	·02					·11	·24	21
22						·09		·06		·23	·04	·56	22
23	·01	·03	·03	·03		·47		·25		·11	·14	·24	23
24		·02	·28	·03	·14			·03		·40		·23	24
25		·14	·20		·03			·21	·02	·19	·39		25
26	·04		·03			·21			·36	·30	·02		26
27	·02	·02	·54	·01	·08	·02		·05	·52	·55		·02	27
28		(15)	·02					·02	·03	·48	·02	·36	28
29		·37				·33		·53	·07	·21		·31	29
30					—	·04				·35		·01	30
31								·05		·26		·04	31
Total	1·47	6·04	2·45	·92	1·81	1·78	·99	2·51	2·26	5·30	3·63	3·29	YEAR'S TOTAL 32·45
Rain Days.	18	25	19	12	17	12	9	15	15	25	22	20	209

W.7,000, XI. 13

See back.

1843

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bellevue

in the County of Devon

by A Boyd —

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·12	·16		·48		·13	·04		·05		1
2	·02		·04	·15		·10				·09	·17		2
3	·05	·09		·06			·73		·02	·57	·67		3
4	·15	04	·29	·11			·08			·24	·01		4
5			·13	·36		·22				·19	·08	·02	5
6	·07		·10	·02		·23				·10	·22	·08	6
7	·26						·14	·18		·40	·04		7
8	·04		·15	·08			·20	·44	·07	·51	·22	·28	8
9			·04	·03	·14	·14		·10		·61	·17		9
10	·15		·31	·37				·06		·02	·06		10
11	·03		·20	·24						·25	·32		11
12	·30			·13	·24			·09		·43		·02	12
13	·32		·27	·04	·02	·01		·18	·43	·28		·02	13
14				·05				·30	·11	·12	·01	·03	14
15				·03				·01		·21		·19	15
16		·04	·04	·03		·02				·04	·06	·15	16
17		·02		·28			·44	·15	·19	·16	·04		17
18	·01				·06		·43		1·15	·16	·02		18
19		·36	·06			·30		·02			·03		19
20		·16			·26	·73					·01	·07	20
21			·15					·16		·04	·04	·02	21
22					·03			·29		·19			22
23		·19			·11	·02		·25		·14	·07	·02	23
24						·06	·25	·16		·24	·18		24
25		·03	·02			·27	·02	·50		·14	·02		25
26					·48	·04		·10	·20	·05	·06		26
27						·19	·02	1·11		·22			27
28		·09	·03		·06	1·86		·06		·15	·01		28
29			·22			·04				·69	·03	·02	29
30		✕	·06					·22		·08	·03		30
31		✕	·08	✕	·38	✕	·30	·15	✕	·29	✕		31
Total	1·42	1·02	2·31	2·14	1·78	4·71	2·61	4·66	2·21	6·61	2·62	·92	YEAR'S TOTAL 33·01
Rain Days.	12	9	18	16	10	16	10	21	[illegible]	28	25	12	1·85

W. 8,000, VIII. 16

9 a.m. S.T. in summer

39

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 1. 19

Kept at Bellevue

in the County of N Devon

by A. Boyd

Lat. Long.

Time of Observation 9. am Summer Time

Nearest Railway Station as before

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·07	·05			1.05			·49		1
2		·10		·03				·24		·02	·04	·23	2
3		·09		·05	·06				·07	·12	·22	·02	3
4		·02						·04	·10	·10	·73	·47	4
5	·01	·03	·04	·14				·55	(71) ·91	·33	·14		5
6	·14	·45		·20	·15	·02			·04	·18	·02	·10	6
7	·03	·15		·03	·02	·05		·04	·40	·17	·29		7
8	·04	·06				·07	·10		·39	·12	·04	·02	8
9	·09	·03		·05			·09	·02	·34	·06	·03	·26	9
10	·13	·02		·25		·12	·70	·02	·31	·13	·05	·53	10
11	·09	·03	·07				·51		·15		·15	·13	11
12	·03	·06	·06		·14		·12		·08			·02	12
13	·50	·01			·03		·08		·48	·06		·35	13
14	·31				·05	·16	·22		·54	·09		·10	14
15	1.38						·44		·01	·24		·48	15
16	·47			·43			·06	·02	·13	·04		·16	16
17	·35			·04			·04	·05	·14	·02		·17	17
18	·90	·03	·07			·32	·07	·06	·77	·28		·18	18
19	·07	·07	·11	·09			·23	·04	·04	·03		·09	19
20	·19	·10		·13		·04	·20		·16				20
21	·05	·01		·02		·14	·03		·72	·04		·23	21
22					·14		·18		·11	·02		·23	22
23	·06	·03			·09	·05	·29		·04		·06	·26	23
24		·19				·03	·26		·29	~~·04~~	·27	·15	24
25				·04	·31		·43	·31		·04	·20		25
26		·14					·17	·04	·09	·02	·04	·24	26
27		·10	·10			·02		·10	·29		·34	·04	27
28		·14	·14						·13	·02	·20	·17	28
29			·09						1.19			·09	29
30		×	·39	·02				·04			·41	·16	30
31		×	·29	×		×			×	·04	×	·04	31
Total	4.84	1.93	1.36	1.59	1.04	1.02	4.22	2.62	7.72	2.17	3.72	4.92	YEAR'S TOTAL 37.15
Rain Days.	18	22	10	15	10	11	19	15	26	22	18	26	212

W. 8,000. X. 14.

W 9112 1731

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bellevue

in the County of Devon

by A. Boyd.

Lat. Long.

Time of Observation 9 am No change. Subject

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24		·06	·27	·10		·18		·06	·18		·76	1
2	·28			·01	·07		·08		·02	·03		·28	2
3	·09		·13		·08				·01		·04	·53	3
4	·05	·37	·20			·19		·08	·19			·02	4
5	·06	·45	·15		·03				·04			·22	5
6	·20	·15	·16						·01		·01	·38	6
7	·05		·14	·04	·02	·02						·10	7
8	·19		·26	·08		·05							8
9	·16		·04	·16	·05				·01		1·08		9
10	·13		·84	·01	·05	·03				·10	·05	·30	10
11	(·15)		·35	·08	·09	·02	·34			·05	·05	·01	11
12	·20	·03	·12			·34				·08	·10		12
13	·15	·03	·10	·29			·06		·07	·08		·08	13
14	·34	·07		·52	·36		·02		·04	·02		·20	14
15	·37	·03		·03					·01	·05		·69	15
16	·08	·78	·02			·01	·01				·24	·01	16
17		·26	·03		·06	·03	·01	·02			·38		17
18	·02	·07	·63	·01	·02		·06	·27			·30	·02	18
19	·19	·15	·10	·01		·07	·02	·42	·40		·21	·06	19
20	·13	·05				·08		·04	·25		·08	·20	20
21	·08	·60			·11		·19	·02	·05		·01	·05	21
22		·05					·07		·23		·04	·06	22
23								·01		·12	·05	·13	23
24	·03			·01		·33		·04	·04	·42	·22	·41	24
25						·05		·64	·02	·01	·20	·05	25
26	·17		·12	·14		·02		·05	·11	·12	·28	·26	26
27	·09			·26				·30				·05	27
28	·05		·18	·12		·05		·01		·03	·13	·41	28
29	·01		·01	·19				·17		·04	·70	·11	29
30		×	·03	·18		·10		·16				·42	30
31	·01	×	·15	×		×	·06		×		×	·40	31
TOTAL	3.52	3.09	3.82	2.41	1.04	1.39	1.10	2.23	1.56	1.33	4.17	6.21	YEAR'S 31.
Days with ·01 in. or more	26	14	21	18	12	15	12	14	17	14	19	27	20

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd of.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bellevue Westward Ho.
in the County of Devon. N
by A. Boyd.

Lat. .... Long. ....
Time of Observation 9 a.m. { GMT. save when summer time was in force.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 200 ft.

4 JAN 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·01	·03	·04	·19		·69	·22	·18	·44		·44	1
2	·11			·32	·05		·06	·22	·29	·20	·03	·09	2
3	·16	·10		·03	·01		·08		·04	·55		·15	3
4	·07		·02	·07				·36	·03	·52		·02	4
5			·06	·02	·18		·39	·08		·12			5
6			·27	·01	·23		·16			·31	·06		6
7	·02	·01	·05	·19	·03		·13			·02	·06	·01	7
8	·05	·08		·35	·15		·24	·10		·01		·01	8
9	·61	·18	·06	·09		·11	·15	·01	·05		·02		9
10	·82	·29	·03	·43		·19	·10				·03		10
11	·13		·11	·18	·13		·04						11
12	·29	·04	·08	·18	·03	·06	·06		·03	·05	·13		12
13	·08	·01	·33	·08				·08	·01	·56	·03		13
14	·02	·02	·32	·52		·22	·10		·20	·40	·44	·01	14
15	·01	·12	·04	·43	·11	·01	·06		·01	·42	·13		15
16		·01	·02		·03	·01		·04	·39	·97	·09		16
17	·03			·21	·15			·02	1·40	·03	·07		17
18	·26	·02	·02	·03	·04	·12		·30	·09	·01			18
19	·05	·14		·44	·02	·11			·01	·01		·01	19
20	·05	·03		·16		·15	·01			·07		·19	20
21	·01		·01	·05			·02			·11		·15	21
22	·02		·01	·01		·01	·07	·01				·43	22
23			·06				·75	·29				·44	23
24	·03	·04	·21				·02	·01			·06	·14	24
25	·06	·14	·24	·02		·03	·45		·01		·01	·01	25
26	·30	·01	·27	·01		·09	·04		·01	·01	·06	·02	26
27	·29	·13	·31	·14	·14	·49	·07				·65	·24	27
28	·03	·02	·32	·03	·03	·10	·02				·01	·04	28
29	·18	·01	·39	·04	·38	·05	·04				·11	·32	29
30	·13	X	·02	·01		·13	·15		·77	·12	·21	·41	30
31	·10	X	·34	X		X	·01		X	·51	X	·10	31
TOTAL	4·46	1·41	3·62	4·03	1·90	1·88	3·91	1·74	3·52	5.44	2·20	3·23	YEAR'S TOTAL 37·34
Days with ·01 in. or more	27	20	25	27	17	16	25	~~2~~13	16	21	18	20	245
Days with ·04 in. or more	18	10	17	18	11	12	20	9	9	15	12	13	163

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

JAN 1915

WESTWARD HOE

ROYAL NORTH DEVON GOLF CLUB

1914 — 1917.

REG

Kept at Royal N. D ... 4.16 W.

... a.m.

in the County of Dev ... Bideford

... 5 in.

by The Secreta ... ove Ground — ft. 18 in.

Sea Level 20 ft.

IMPORTANT NO ... d the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the re ... ear in the space provided for it at the end of t ... rement of rain, the selection and placi ... British Rainfall Organization are given ... n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.					Oct.	Nov.	Dec.	Date.
1		.06		·10		.27	.06 } ×				.75	.12	1
2							.36	× .68				.49	2
3			.14	·21	.39			.05				·14	3
4	×		.08	×	·01		×	.67			.28	·93	4
5	× .38		·27	× .57			× .56				.12	×	5
6	·09		.06	.35	.05		.29	·03			.07	× ·40	6
7		.02	×	.12	.09	·08	.53	.12	.12			.15	7
8	·03	.40	× 1.04		.06	·20	.02	×				.12	8
9	·03	·04	·14	·07		·66		× .17	.65		~~.04~~	·04	9
10	.16	·25	·11	.36	18	·01			.29		.01		10
11	·09	.08	·32		.04	·11					.05	·39	11
12		.50	·12								.14	×	12
13		.36	·57				.06		·47	·07	·17	× ·15	13
14		×	×				.08	1.02	.04			·08	14
15		× .62	× .48				·01		.12		.76	·11	15
16								.34	.10			·02	16
17		·28	·21						.05			·55	17
18		.15	.35						.24			.36	18
19			·18				1.15				·09	×	19
20		·30	.08			.14						× ·25	20
21		×					.07			.15		·07	21
22		× ·28	·03	.02	.07	·24		×		.64			22
23		·04	·10				·10	× .02		·12	·01		23
24			·16			·01	·11				.13		24
25			·12				×	.60		.31	.02	·27	25
26	·21						× .16	.02		.10	·26	×	26
27	·08	·01								.14	.31	× .68	27
28	·10	·01	×		.10					.27	× .59	·93	28
29			× .44		.06					.14	×	·08	29
30	·14		·15							.8	.64	·28	30
31					.06		.35					·32	31
Total	1.31	3.40	5.15	1.80	1.11	1.72	3.91	3.72	2.08	2.02	440 4.40	6.98	YEAR'S TOTAL 37.55
Rain Days.	(11) 10	(18)	(24)	~~8~~ (9)	11	9	(17)	(14) ~~12~~ 13	9	10	(18) 17	(27) 26	17~~2~~ 173

(177)

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~Smedley~~

REGISTER OF RAINFALL IN

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at Royal N. Devon Golf Club.

in the County of Devon.

by The Secretary

Lat. 51.1 N. Long. 4.16 W.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 18 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06		·10		·27	·06	x			·75	·12	1
2							·36	x ·68				·49	2
3			·14	·21	·39			·05				·14	3
4	x		·08	x	·01		x	·67			·28	·93	4
5	x ·38		·27	x ·57			x ·56				·12	x	5
6	·09		·06	·35	·05		·29	·03			·07	x ·40	6
7		·02	x	·12	·09	·08	·53	·12	·12			·15	7
8	·03	·40	x 1.04		·06	·20	·02	x				·12	8
9	·03	·04	·14	·07		·66		x ·17	·65		~~·04~~	·04	9
10	·16	·25	·11	·36	18	·01			·29		[illegible]		10
11	·09	·08	·32		·04	·11					·05	·39	11
12		·50	·12								·14	x	12
13		·36	·57				·06		·47	·07	·17	x ·15	13
14		x	x				·08	1.02	·04			·08	14
15		x ·62	x ·48				·01		·12		·71	·11	15
16								·34	·10			·02	16
17		·28	·21						·05			·55	17
18		·15	·35						·24			·36	18
19			·18				1.15				·09	x	19
20		·30	·08			·14						x ·25	20
21		x					·07			·15		·07	21
22		x ·28	·03	·02	·07	·24		x		·64			22
23		·04	·10				·10	x ·02		·12	·01		23
24			·16			·01	·11				·13		24
25			·12				x	·60		·31	·02	·27	25
26	·21						x ·16	·02		·10	·26	x	26
27	·08	·01								·14	·31	x ·68	27
28	·10	·01	x		·10					·27	x ·59	·93	28
29			x ·44		·06					·14	x	·08	29
30	·14		·15							·8	·64	·28	30
31					·06		·35					·32	31
Total	1.31	3.40	5.15	1.80	1·11	1.72	3.91	3.72	2.08	2.02	4.40 4.40	6.98	YEAR'S TOTAL 37.55
Rain Days.	(11) 10	(18)	(24)	~~8~~ (9)	11	9	(17)	(14) ~~12~~ 13	9	10	(18) 17	(27) 20	~~171~~ 173 (177)

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. '12

Price 2d.

1982

REGISTER OF RAINFALL IN 1915

BRITISH RAINFALL. FORM A.

Kept at Westward Ho! Est. left 2 days

in the County of Devon. N3

by Secretary Royal North Devon Golf Club

Lat. 51.1 N. Long. 4.16 W.

Time of Observation 9 a.m.

Nearest Railway Station Bideford

Diameter of Rain Gauge 5 in. in.

Height of top of Gauge above Ground ft. 18 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.11	.18		.08			.40	.10	.26		.22	1
2		.20	.13	.06		.02		.10	.02			.53	2
3	.25	.13	.08		.20							.39	3
4	.04	.44		.18			.68						4
5	.14	.46		.12				.17				.73	5
6	.48			.24			.35	.06				.24	6
7	.26	.85		.03	.96		.16			.24	.04	.30	7
8	.21	.44						.22			.24	.06	8
9		.37		.10				.04			.36	.80	9
10	.33	.33	.15			.02				.05	.03	.03	10
11	.12		.10	.06	.02					.03	.80		11
12	.12	.24		.04	.37					.02	.17	.21	12
13	.02	.33		.03	.55		.18	.08	.12			.04	13
14	.07	.					.14				.05	.47	14
15	.17						.18	.05	.05	.04		.22	15
16		.90			.40		1.30		.01				16
17	.10	.22			.05								17
18		.24											18
19	.05			.15	.17		.22						19
20	.54					.06				.14		.04	20
21	.27			.07	.11	.03	.11		.18	.27		.19	21
22	.07	.35	.14	.03		.02	.24			.22		.35	22
23		.07				.04	.07					.83	23
24	.05	.02							.11	1.64			24
25			.05			.25	.25			.02	.02		25
26		.18					.22		.06			.81	26
27						.47	.08			.42			27
28		.07							.33	.20			28
29						.12			.04	.03	.20		29
30						.05			.05		.35	.27	30
31	.15							.16		.49		.28	31
Total	3.80	5.95	·83	1.11	2.91	1.08	4.18	1.28	1.07	4.07	2.26	7.01	YEAR'S TOTAL 35.55
Rain Days.	20	19	7	12	10	10	14	9	11	15	10	20	~~157~~

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

[illegible]

1931

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Westward Ho!
in the County of Devon
by Secretary R. N. D. G. C.

Lat. 51.1 N. Long. 4.16 W
Time of Observation 9. a. m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 18 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50				·11	·12				·19	·02		1
2		·4	·41		·09		·19			·77	·13		2
3	·27	1·07			·18		·52	[illegible]	·21	·31	·11		3
4		·17			·34	·33			·07	·05			4
5					·04	·07				·06	·44		5
6	·05	·24					·19			·15	·45		6
7	·05	·28	·11		·24						·41	·17	7
8		·27	·05		·08	·02					·18	·12	8
9		·06			·05		·16			·06	·07		9
10		·99		·10					·05			·36	10
11				·12	·03				·02				11
12	·04		·07	·10	·20		·05			·23			12
13		·58	·02					·11					13
14	·04	·50	·03		·09			·77					14
15		·18						·11		·07			15
16	·02	·06	·02	·40			·02	·14		·18			16
17	·13	·14							·60	·10	·65		17
18	·04	·27						·02	·10			·13	18
19	·14		·17	·05							·25	·08	19
20	·06	·65	·25	·07							·22	·34	20
21	·04	·08	·18		·02	·02					·13	·27	21
22						·08		·06		·24		·62	22
23		·03	·02	~~·12~~		·50		·25		·11	·18		23
24			·32	·03	·10			·02		·38		·40	24
25		·22		·02	·02			·27		·19			25
26	·03		·25			·18			·36	·31	·25		26
27	·02	·03	·73			·00		·01	·64	·46			27
28		·18	·03		·12			·01	·03			·39	28
29		·41				·31		·47	·08	·59		·38	29
30		✕				·03				·36			30
31		✕		✕		✕		·03	✕	·24	✕	·07	31
Total	1.43	6.45	2.66	·89	~~[illegible]~~ 1.71	1.66	1.13	2.27	2.16	5.05	3.49	3.33	YEAR'S TOTAL 32.23 ✓
Rain Days.	14	21	15	8	15	10	6	13	10	20	14	12	158 ✓

W. 8,000. X. 14.

1844

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Royal North Devon Golf Club
in the County of Devon
by Secretary

Lat. 51.1 N. Long. 4.16 W.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 18 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.30		.51		.13			.04		1
2			.04	.13					.01	.06	.14		2
3	.03			.16		.10	.78			.65			3
4			.34				.07		.03	.23	.73		4
5	.13		.15	.36		.15				.20	.08		5
6			.11			.19					.26	.02	6
7	.33							.19		.39	.07	.10	7
8			.15	.07		.15	.29	.42		.58	.20		8
9			.02		.13			.10	.03	.63	.16	.32	9
10	.17			.34				.05		.03			10
11	.03		.50	.26						.24	.35		11
12	.21			.06				.07		.44			12
13			.19	.03	.17			.28	.37				13
14	.24							.32	.07	.45		.02	14
15				.09						.17			15
16		.13		.04						.04	.08	.44	16
17				.27			.44	.16	.18	.19			17
18			.03		.15		.40		1.10	.12	.03		18
19		.47	.08			.32		.04			.02		19
20		.18			.24	.76						.07	20
21			.15					.16		.03	.02	.02	21
22					.02			.31		.19			22
23		.18			.10			.22		.09	.04		23
24						.05	.20	.14		.23			24
25		.02				.38				.15	.15		25
26						.04		.62	.19	.07	.06		26
27					.42	.17		.98					27
28		.09			.04	1.88		.06		.46			28
29			.23			.04	.02			.70	.02		29
30		×	.08				.25	.21		.09	.01	.03	30
31		×		×	.46	×		.13	×	.31	×		31
Total	1.14	1.07	2.18	2.11	1.63	4.74	2.45	4.59	1.98	6.74	2.46	1.02	YEAR'S TOTAL 32.11
Rain Days.	9 7	7 6	17 14	14 12	11 9	15 13	10 8	22 19	9 8	26 25	22 18	11 8	147

9

W. 8,000. X. 14.

DEVON

WHITECHURCH.

"ASHBROOK"

1911-1920

RE 911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Ashbro
uth Plymouth
top 6 in.
above Ground 1 ft. in.
in the County of Devon
„ Sea Level 400 ft.
by Revd H. B.
9 a.m
tion Name Whitchurch
Distance 3/4 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.01	.07	.22					.02	.12	.02	1
2			.08	.19	.46			.87		.12	.19	.50	2
3			.05		.32			.12	.01	.01	.29	.11	3
4			.18					.89			.30	.60	4
5	.50		.22					.56		.03	.15	.05	5
6	.36		.13					.02		.02	.07	1.59	6
7	.08		.01	.01							.71	.05	7
8	.04		.29								.11	.87	8
9	.04		.01	.01							.30	1.08	9
10	.11	.05	.88		.04						.06	.31	10
11	.47		.01						.02		.91	.09	11
12			.70		.02				.35		.14	.54	12
13			.16						.20		.27	.45	13
14		.28	.04							.01	.26	.42	14
15		.07	.12								.67	.13	15
16		.02	.05			.44					.37	.74	16
17		.06	.25	.04		.28	.02				.16	.83	17
18		.26	.08	.25		.31				.04	.37	.65	18
19	.01	.03	.02	.22		.41			.73	.05	.32	1.05	19
20	.03	.06		.21		.08			.23	1.03		.80	20
21	.01	.44		.03		.13			.33	.41		.14	21
22	.05	.11	.02	.19		.36			.27	.23		.65	22
23	.01	.22				.16		.13	.07	.48		.62	23
24	.01	.22		.01		.56		.29		.29		.21	24
25	.01	.04		.23		.07			.20	.15		.10	25
26	.01	.13		.69	.04	.01		.40		.85		.32	26
27		.76		.03	.59	.04		.60	.12	.10	.02	.38	27
28		.21		.43				.01	.01		.29	.01	28
29			.02	.31		.50	.85		.10	.52		.10	29
30						.06	.21		.03	.38	.51		30
31			.07				.10			.03			31
Total	1.80	2.96	3.35	2.92	1.09	3.09	1.18	3.89	2.71	4.83	6.65	13.41	TOTAL for year 48.48
No. of Rain Days.	16	16	22	16	7	14	4	10	14	19	22	29	189

W. 8,000, X. '11.

√

RE[illegible] 912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Ashbrook - Whitchurch

in the County of Devon S. 2

by Revd H. B. Grylls

RAIN GAUGE
Pattern Heath Plymouth
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Whitchurch
Distance 3/4 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		.01	.07	.22					.02	.12	.02	1
2			.08	.19	.46			.87		.12	.19	.50	2
3			.05		.32			.12	.01	.01	.29	.11	3
4			.18					.89			.36	.60	4
5	.50		.22					.56		.03	.15	.05	5
6	.36		.13					.02		.02	.07	1.59	6
7	.08		.01	.01							.71	.05	7
8	.04		.29								.11	.87	8
9	.04		.01	.01							.30	1.08	9
10	.11	.05	.88		.04						.06	.31	10
11	.47		.01						.02		.91	.09	11
12			.70		.02				.35		.14	.54	12
13			.16						.20		.27	.45	13
14		.28	.04							.01	.26	.42	14
15		.07	.12								.67	.13	15
16		.02	.05			.44					.37	.74	16
17		.06	.25	.04		.28	.02				.16	.83	17
18		.26	.08	.25		.31				.04	.37	.65	18
19	.01	.03	.02	.22		.41			.73	.05	.32	1.05	19
20	.03	.06		.21		.06			.23	1.03		.80	20
21	.01	.44		.03		.13			.33	.41		.14	21
22	.05	.11	.02	.19		.06			.29	.23		.65	22
23	.01	.22				.16		.13	.09	.48		.62	23
24	.01	.22		.01		.56		.29		.29		.21	24
25	.01	.04		.23		.07			.20	.15		.10	25
26	.01	.13		.69	.04	.01		.40		85		.32	26
27		.76		.03	.59	.04		.60	.12	.16	.02	.38	27
28		.21		.43				.01	.01		.29	.01	28
29			.02	.31		.50	.85		.10	.52		.10	29
30						.06	.21		.03	.38	.51		30
31			.07				.10			.03			31
Total	1.80	2.96	3.35	2.92	1.69	3.09	1.18	3.89	2.71	4.83	6.65	13.41	TOTAL for year √
No. of Rain Days.	16	16	22	16	7	14	4	10	14	19	22	29	48.48 189√

W. 8,000, X. '11.

Exd 1930

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ashbrook, Whitchurch Tavistock S. 2
in the County of Devon
by Revd H. B. Goyle

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Whitchurch
Distance 3/4 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.20		.08	.44	.03	.15	.13	.53		.44	1
2			.37	.10		1.19	.02	.03		.08	.01	.02	2
3	.03		.43			.39	.06	.92	.10			.25	3
4	.26	Snow .01	.65	.01	.05	.51		.18			.46		4
5	.76	.13	.15	.01	.04	.26	.02	1.25			.03	.18	5
6	.45	.24	.08		.47	.02		.50			.03	.01	6
7	.10	.98	.36	.04	.15	.44		.29	.01		.07	.23	7
8	.61	.21	.44			.30	.06						8
9	.03	.20	.41	.09		.04	.09	.26			.01	.74	9
10	.48	.03	.13	.02			.25	.06			.26	.19	10
11	.01	.06	.01				.13	.06			.32	.84	11
12	.03	.39	.38	.01	.08	.01	.34	.24			.10	.01	12
13	.43	.03	.07		.17	.01	.16	.07	[illegible]	.17		.26	13
14	.31	.07	.62		[illegible]	.01	.01	.12	[illegible]	.02		.07	14
15	.98	.32	.13		.22	.71		.01			.01	.51	15
16	.26	.01	.78		.11	.06		.69		.20	.04	.13	16
17	.01	.01	.13		.05	.37		1.75			.07	.06	17
18	.01	.06	.24					.67		.07	.05	.04	18
19	.01	.12	Snow .41		.03	.04	.12	.34		.07	.05	.11	19
20	.02	.03	.84		.11			.39		.31	.02		20
21		.66	.60		.58		.16	.10		.55	.02		21
22	.11	.69	.43		.03	.02	.03	.27		.11	.16	.17	22
23	.01	.67	.22			.15	.04	1.18		.02		.47	23
24	.04	.10	.11			.58	.01				.39	.29	24
25	.05	.04	.01			.15	.12	.14		.28	.63	.63	25
26		.07	.01			.01	.12	.18		.54	.04	.50	26
27		.10	.01			1.37	.58	.13		2.10	.87	.82	27
28		.25				.23	.16	1.29	.58	.30		.51	28
29		.28	.03			.18	.18	.90	.74	.28		.11	29
30			.14		.01	.07	.40	.01	.15	.26		.01	30
31			.32				.40	.01		.03		.30	31
Total	5.01	5.76	8.71	.28	2.18	7.56	3.49	12.19	1.71	5.92	3.64	7.90	TOTAL for year 64.35
No. of Rain Days.	23	26	30	7	15	25	23	29	6	18	21	27	250

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at [illegible] Whitchurch

in the County of Devon

by Rev H. B. Grylls

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.27	.45	.15	.32				.02	.02	.63	.01	1
2	.09	.23	.07	.15	.30	.02				.79	.31	.08	2
3	.97	.01	.26	.05	.25				.50	.03	.01	.31	3
4	2.04	.01	.20			.13			.08	.18	.06	.48	4
5	.10	.03	.01		.27	.65	.04		1.00	.02	.53	.56	5
6	.42	.15	.18		.10	.23	.02		.01	.28	.66	.13	6
7	.09	.75	.07		1.41	.11				.48	.32	.01	7
8	.15	.34			.40	.02	.08	.28	.01	.08	.01	.10	8
9	.11	.09		.01	.07	.04	[illegible]	.18		.01	.66	.01	9
10	.87		.01		.03	.03		.03		.32	.31		10
11	.66		.04	.03	.67	.08		.01	.05	.08	.85	.06	11
12	.08				.04	.03			.19	.01	.28	.05	12
13	.02		.15	.01	.03		.04	.07	.21		.11	.01	13
14	.37		.25	.07	.03				.22		.11	.01	14
15	.25		.33	1.26					.01		.30	.03	15
16	.57		.55	.08			.01	.26	.23		104		16
17	.14		.06	.11			.01		.01		.08		17
18	.11		.63	.29	.12	.01					.20		18
19	.74		.09		.03	.03	.04		.56	.28	.01		19
20	.22			.45	.01				.03	.22	.79		20
21	.03		.43		.33		.01			.09	.39		21
22	.26		.33	.19	.01	.28		.09	.05	.01		.25	22
23	.03		.01		.01			.04			23	.78	23
24	.06	.30		.20		.05		.03			.01	.02	24
25	'	.02		.59				.03	.11	.02	.05	.08	25
26				1.09		.02			.01	.03		.35	26
27	.38		.24	.31	.31			.22		.73	.03	.04	27
28	.12		.08	.33	.08				.02	.24		.29	28
29	.10		.56	.37	.01		.01			.82	.02		29
30	.79		.29	.10	.13		.01			1.26	.02		30
31	.06				.06			.30		.07			31
Total	9.80	2.29 2.20	5.29	5.84	5.02	1.73	.27	1.54	3.32	6.07	7.02	3.66	TOTAL for year 57.76
No. of Rain Days.	29	10 11	23	20	24	15	10	12	19	23	27	21	234

Thunder & Hail 30 minutes

.90 4hrs

W. 8,000, X. '11.

[illegible] 8.111.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 191

Kept at Ashbrook Whitchurch (not Statford)
in the County of Devon S2
by Revd H. B. Gofyll

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Whitchurch Devon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.01	.15	.20		.13	24	.68			.78	.14	1
2	.02		.11	.10	.11	.02	.11	16			.07	.59	2
3	.03		.30	.16	.89			.58			.02	.03	3
4	.15		.03	.52	.18		1.07	.12	.02		.16	.77	4
5	.18		.26	.26	.10		.09	.01			.01	.05	5
6	.02	.09	.25	.14	.19		.63	.15			.10	.88	6
7	.09	1.12	.68	.17	.37	.11	.30	.35	.43			.18	7
8	.18	.01	.98	.14	.03	.15	.02	.18	.02		.01	.03	8
9	.07	06	.30	.26	.07	.58		.38	.36		.02	.01	9
10	.13	1.16	.20	.41	.17	.04		.01	.36		.03	.13	10
11		.21	.80	.02	.01	.17			.02		.05	.46	11
12		.58	.24						.32		.09	.23	12
13		.95	.54				.23		.35	.10	.40	.27	13
14		.61	.36			.36	.01	.35	.02	.02	.75	.26	14
15		.02	.36				.13			.02	.25	.80	15
16			.01				.03		.59		.01	.03	16
17		.72	.41				.03		.01			1.15	17
18		.10	.04			.68	.20		24			.32	18
19		.06	.82				1.50		.07		.10	.17	19
20		.43	.24			.35			.02		.03	.27	20
21		.58	.05				.03			.44			21
22		.02	.12	.02	.06	.10		.17		.48			22
23		.07	.41				.14	.02		.07			23
24		.01	.02				.05	.02		.04	.04		24
25	.13		.45		.12		.14	1.11		.63	.12	.91	25
26	.09	.02	.07		.01		.27	.04		.07	.45	.69	26
27	.14	.26	.01				.03			.07	.41	.52	27
28	.03	.11	.49		.10		.11			.41	.15	.90	28
29	.43		.37		.17		.08			.06	1.35	.04	29
30	.03		.23		.02		.01			.04	.60	1.42	30
31	.11		.01		.02		1.16			.87		.68	31
Total	1.84	7.19	9.31	2.40	2.62	2.69	6.61	4.83	2.83 2.83	3.32	6.00	11.93	YEAR'S TOTAL 60.87 61.07
Rain Days.	17	22	31	12	17	11	24	16	14	14	24	27	229

W.7,000, XI. 13

end month 14-III-16

1794

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashbrook, Whitchurch
in the County of Devon S2
by Revd H. B. Gyll

Lat. 50°-32 Long. 4°-6
Time of Observation 9 a.m
Nearest Railway Station Whitchurch
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.28	.57	.21		.05			.80	.25	.30	.02	.12	1
2	.50	.34	.24	.05		.15		.20	.11	.02		.41	2
3	.08	.36	.03	.14	.14		.03	.01				.52	3
4	.08	.98	.01		.02	.02		.01	.01			.46	4
5	.07	.91		.24		.01		.22				1.15	5
6	1.10	.18		.64			.81	.01				.27	6
7	.37	.66		.07			.49	.08		.28	.05	.40	7
8	.27	.62					.02	.01		.01	.12	.08	8
9	.04	.22		.20				.07			.56	1.12	9
10	.36	.53	.06	.08			.01	.17		.15	20	.16	10
11	.18	.04	.15		.04			.65		.02	1.33	.17	11
12	.16	.53		.07	.55			.16		.05	.43	.12	12
13	.06	1.21			.77			.09	.15	.02	.22	.07	13
14	.07	.02					.32	.11	.17	.07	.03	1.94	14
15	.17	.01			30		.25		.03	.02	.13	.16	15
16		2.07			.40		1.47			.02	.05	.15	16
17		.24										.01	17
18		.36					.05						18
19	.10	.04			.71		.21						19
20	.40	.02		.18	.04	.06				.24			20
21	.33	.41			.17	.03	.41			.05		21	21
22	.06	.11	.33	.09		.02	.40		.01	.02		.72	22
23	.04	14	.05			.04	.30		.12	.64		.54	23
24						.10	.08		.06	.31		.93	24
25				.03		.05	.35		.01	.01	.02	.67	25
26		.56				.66			.07			.89	26
27	.03	.05				.21	.47		.04	.81		.03	27
28		.08				.20		.05	.21	.08	.02	.06	28
29						.56		01	.24	.01	.28	.14	29
30	.34					.24	.05		.13	.86	.57	.45	30
31	.03						.22	.04		.39		.39	31
Total	5.82 5.12	11.26	1.08	1.79	3.19	2.35	5.84 5.94	2.69	1.61	4.38	4.03	12.34	YEAR'S TOTAL ~~55.48~~ 55.78
Rain Days.	23	26	8	12	11	14	18	17	15	22	15	28	209

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

17.

FORM A.
BRITISH RAINFALL.
27. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Ashbrook, Whitchurch

in the County of Devon

by Revd G. B. Grylls

Lat. 50.32 Long. 4.6

Time of Observation 9 a.m.

Nearest Railway Station Whitchurch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.39		.06		.06	.08	.13		.01	.24	.18		1
2	.62	.09	.13		.07				.23	.36	.57		2
3	.08	1.59			.30	.11	.03		.10	.81	.23		3
4	.29	.23		.04		.46	.19		.15	.33	1.03		4
5	.05	.22	.03			.16	.02			.22	.28		5
6	.07	.24	.02		.19	.14	.83			.60	1.21		6
7	.13	.27	.26		.21	.03	.06			.03	1.30		7
8	.02	.12	.25		.32	.23				.01	.11	.30	8
9	.02	.26	.02		.03	.03	.03			.11	.20		9
10	.01	.83		.08	.08	.02	.06			.08	.03		10
11		.02		.10	.09		.01		.06	.01			11
12	.08	.07	.02	.04	.01		.29	.13	.02	.18			12
13		.39	.05	.01			.05	.06	.03	.03		.13	13
14	.04	.61	.02				.01	.16		.21			14
15	.06	.35	.03	.19				.11		.06			15
16	.45	.18		.18			.02	.87		.19	.02		16
17	.40	.14		.03	.01			.05	.20	.60	.81		17
18	.02	.23	.16	.09				.02	.33	.15	.07	.12	18
19	.25	.13	.03	.14				.08	.03	.01	.51	.12	19
20	.10	.34	.20								.16	.74	20
21	.09	.02		.40	.05						.23	.07	21
22	.10	.01				.25		.05	.02	.60	.15	.44	22
23	.09	.01	.02	.07		.13		.32		.42	.45	.21	23
24		.07	.10	.54				.24		.63	.06	.25	24
25	.02	.53	.35			.08		.56		.03	.42		25
26	.03	.15	.12		.02	.10		1.34	.53	1.08	.12		26
27	.03		1.30			.14		.19	.17	.75		.03	27
28		.05	.03					.15	.52	.67	.02	.73	28
29	.03	.22	.08			.76		.76	.06	.32		.69	29
30		✕				.13		.01		.36			30
31		✕		✕		✕		.16	✕	.44	✕	.02	31
Total	3.47	7.37	3.28	1.91	1.44	2.85	1.73	5.26	246	953	816	3.85	YEAR'S TOTAL 51.31
Rain Days.	25	27	.21	13	13	16	13	18	15	29	22	13	225

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Ashbrook Whitchurch
in the County of Devon
by Revd G. B. Grylls

Lat. 50-31-43 Long. 4-5-50
Time of Observation 9 a.m.
Nearest Railway Station Whitchurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.33	.19		.36		.09	.05		.08	.01	1
2	.02			.26						.03	.02	.02	2
3	.09			.06						.62	.63		3
4		.17	.54	.02					.08	.37	.01		4
5	27		.50	.46		.46				.33	.19		5
6	.01		.42	.01		.25		.30		.10	.13	07	6
7	.66			.14		.06		.07		.23	.13	01	7
8	.07		.13	.11			.69	1.49	.04	.34	13	44	8
9	.46		.16	.08	.07		.06			.45	.63	[illegible]	9
10			.22	.27				.34		.05	.13		10
11	.05		.33	.25			.15	.20	.04	.39	.31		11
12	.67		.02		.47			.15		.43	.02		12
13	.17		.29	.12				.23		.24	.01	.11	13
14				.09		.10		.45	.23	.12		.01	14
15	.11						.12	.05	.03	.68		.44	15
16		.06				.22		.03	.03	.37		.36	16
17				.30	.01		.40	.18	.74	21			17
18				.02	.17	.05	.42		.72				18
19		.67	.11			.25	.03	.03	.06		.03		19
20					.53	.08		.07	.09		.03	.15	20
21			.07			.50					.16	.04	21
22					.03			.62		.27	.03		22
23						.07		.38			.03	.02	23
24						.25	.47	.15		.33	.14	.04	24
25			.04				.07	.39	.24	.17		.02	25
26					.67	.05		.32	.22	.32	.05		26
27		.24	.03			.31	.08	1.08		.06	.11		27
28		.29	.23		.02	.46		.66		.10	.03		28
29			.15			.05		.05		.82		[illegible]	29
30			.25					.35		.04	.02	.06	30
31			.04		.56			.03		.15		.03	31
Total	2.61	1.43	3.86	2.38	2.53	3.52	2.49	7.71	2.57	7.22	3.05	1.83	YEAR'S TOTAL 41.20
Rain Days.	12	5	18	15	9	16	10	24	13	25	23	16	1.86

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

.09

Price 2d.

29. IV. 19

23

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Ashbrook, Whitchurch

in the County of S Devon

by Rev^d H. B. Grylls

Lat. 50.31.5 Long. 4.5.50

Time of Observation 9 a m

Nearest Railway Station Whitchurch Dev

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.55		.22	.05			.55	.17	.06	1.26		1
2		.70		.05	.05						.02	.64	2
3		.26		.08	.04			.03		.14	.28	.15	3
4								.32	1.10		1.14	1.14	4
5		.02	.30	.13	.13			.82	.44	.41		.14	5
6	.20	.37	.31	.28				.03		.32	.05	.46	6
7	.07	.26		.06				.03	.83	.11	.61	.80	7
8	.04	.25							.30	.55		.03	8
9				.02		.47	.22		.66	.15	.04	.72	9
10	.05			.12			.15		.42	.22		.54	10
11	02		.33		.07		.17		.26	.02	.04	.18	11
12	.02	.27			.31		.16		.05	.03	.01	.02	12
13		.03			.16		.15		.85	.36		.32	13
14	.56				.10	.08	.10		.34	.20		.28	14
15	1.25				.02	.37	.63		.23	.22		.59	15
16	.58			.37		.07	.26	.01	.30	.02		.15	16
17	.18					.02	20	.07	.03			.39	17
18	1.35		.42			.99	.17	.05	.56	.32		.40	18
19	.30	.10		.07			.19		.14	.02		.32	19
20	.07	.22				.08	02		.30			.02	20
21	.27					.22	.11		.66	.12		.35	21
22					.28		1.26		.30			.29	22
23	16				.03		.44		20		.13	.39	23
24	.07	.25				.02	.03	.30	20		.40	.21	24
25	.04			.02	.15		.14	65	.05	.17	.26	.10	25
26	.06	.20		.07			.22		.20	.05		.34	26
27		.16	.14						.07	.03	33	.02	27
28		.34	.27						.25	.06	.20	.04	28
29			.36						.85	.03		.30	29
30		X	.35	.18				.12	.11	.11	.24	.27	30
31		X	.27	X	1.19	X			X	.16	X	.10	31
Total	5.29	3.98	2.75	1.67	2.58	2.32	462 ~~3.62~~	2.98	9.87	3.88	5.01	9.70	YEAR'S TOTAL 54.65 ~~53.65~~
Rain Days.	18	15	9	13	13	9	18	12	27	24	15	30	203

W. 8,000, IX. 17.

1583

3 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ashbrook Whitchurch
in the County of Devon
by The Revd H. B. Grylls

Lat. 50.31.50" Long 4.5.50"
Time of Observation 9 a.m.
Nearest Railway Station Whitchurch Down
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.68		.30	.11	.05		.14		.35	.27		1.30	1
2	.18		.03		.03		.04		.08	.09	.02	.05	2
3	.18		.41		.10				.29		.03	.12	3
4	.12	.41	.79		.01	.05	.47	.17	1.29			.03	4
5	.10	.23	.56		.03				.03			.07	5
6	.81	.56	.24									.40	6
7	.50		.33	.18		.03	.01					.18	7
8	.44		.33	.05	.03	.02					.79	.01	8
9	.28		.06	.53	.21						.41	.05	9
10	.15		.99	.04	.03					.01		.70	10
11	.08		.64	.32	.44	.02	.07			.13	Snow .15	.62	11
12	.38		.04	.03	.01	.03				.22	Snow .17	.01	12
13	.30	.13	.18	.74			.07		.02	.22		.38	13
14	.93	.17	.02	.57	T .90		.06		.01	.20		.42	14
15	.16	.03		.04	.01					.14		1.26	15
16	.10	1.39	.03				.02				.37	.03	16
17	.02	.19	.72		.05	.06		.04			.27	.11	17
18	.10	.29	.37		.10		.45	.15	.07		.33	.03	18
19	.64	.43	.10			.15	.52	.76	.24		.25	.16	19
20	.45	.03	.02		.04	.20	.03	.11	.18		.29	.10	20
21	.30	1.14			.08		.06	.02	.27		.03	.03	21
22		.04				.01	.05		.17		.03	.10	22
23								.15	.03	75	.13	.23	23
24						.22		.15		.44	.10	.18	24
25	.17	.04		.03		.05		1.05		.07	.17	.16	25
26	.10	.04	.09	.18				.12	.15		.12	.69	26
27	.32	.05	.07	.34		.02		.86				.10	27
28	.01	.02	.29	.13				.02		.01	.46	.66	28
29			.01	.13				.27		.09		.23	29
30		✕	.05	.13		.14		.19			.70	1.11	30
31		✕	.21	✕		✕	.06	.01	✕		✕	.19	31
Total	7.50	5.19	6.88	3.60	2.12	1.00	2.05	4.07	2.18	2.64	4.82	9.71	Year's Total 52.76
Days with ·01 in. or more	25	17	25	16	16	13	14	15	14	13	19	31	218

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

'497

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ashbrook, Whitchurch
in the County of Devon
by Revd H. B. Goylls

Lat. 50° 31' 5" Long. 4° 5' 50" W
Time of Observation 9 a.m
Nearest Railway Station Whitchurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.03	.05	.71		.93	.02	.14			.83	1
2	.61	.02		.28	.02		.53	.26	.14	.20		.27	2
3	.66	.07		.19	.03		.04	.02	.03	1.44			3
4	.01		.03	.01	.02		.03	1.21	.02	.51		.45	4
5			.34		.17		.48	.31	.01	.23			5
6			.21	.11	.21		22			.12			6
7				.40	.06		37	.01					7
8	.10	.04		.40	.07		.12	.03				.58	8
9	.87	.06	.04	.03		.06	.73	.02	.05				9
10	1.53	21	.18	.02		.25	.37	.01					10
11	.53	.02	.24	.65	.20		.21						11
12	.38	.20	.26	.36	.02	.04	.08				.25	.08 Snow	12
13	.14		.67	.07	.05	.04				.58	.01		13
14	.19	.02	.65	.73			.10		.19	.79	.52		14
15	.06	.20	.05	.54	.05				.02	.67	.16		15
16	.03	.05	.07	.24		.07	.14		.62	.05	.03		16
17	.07		.01	.01	.54	.38	.02		1.07	.30			17
18	.25	.05	.02	.17	.16	.17	.03	.25	.04				18
19	.13	.05		.64	.18	.36	.01		.16				19
20	.05	.02		.19	.02	.17	.05			.13		.55	20
21				.14			.07			.03		.19	21
22	.07			.07		.02	.06	.01	.02			.25	22
23	.06		.07				.32	.13				.69	23
24	.04	.02	.73				.04				.25	.33	24
25	.16	.04	.15	.04	.01	.02	1.23		.02		.01	.08	25
26	.36	.04	.30			.03	.16					.07	26
27	.71	.07	.16	.32		.35	.21				1.03	.43	27
28	.64	.02	.67	.10	.01	.16	.16				.04	.13	28
29	.62	.02	.31		.13	.10	.03				.44	.35	29
30	.24		.01	.02	.02	.37	28		1.33	.28	.49	.86	30
31	.11		.47		.01		.05	.01		.42		27	31
TOTAL	8.76	1.22	5.67	5.78	2.69	2.59	7.07	2.29	3.86	5.75	3.23	6.41	YEAR'S TOTAL 55.32
Days with ·01 in. or more	27	19	23	25	21	16	29	.13	.15	14	11	17	230
Days with ·04 in. or more	25	.12	18	20	12	13	24	5	9	13	8	17	176

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

9L S made

314

15.II.12

FORM A2.
BRITISH RAINFALL
26 JAN 1912

DEVON.

WHITCHURCH,

STATSFORD.

1911

RE 911

Kept at Statsford

in the County of S. D

by E. E. Glyde

op in.

above Ground ft. in.

„ Sea Level ft.

n Name

Distance Direction

IMPORTANT NOTE.— should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Dup

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·13	·30			·02		·015	·075	·01	1
2			·04	·22	·64			·64	·005	·085	·175	·41	2
3			·07		·37			·15	·02	·005	·265	·105	3
4			·23					·82	·005		·275	·53	4
5	·59		·21					·69		·005	·185	·055	5
6	·46		·16					·02		·015	·07	1·415	6
7	·12			·02							·43	·05	7
8	·06		·34								·095	·775	8
9	·06		·01								·31	·93	9
10	·13	·03	1·15		·05						·10	·33	10
11	·58								·03		·775	·08	11
12			·71		·01				·40		·065	·35	12
13			·13						·19		·16	·26	13
14		·30	·05						·005	·005	·315	·415	14
15		·09	·10								·497	·20	15
16	·01	·03	·05								·30	·60	16
17		·09	·58	·05							·18	·92	17
18		·29	·10	·34						·033	·40	·53	18
19		·03	·04	·07					·79	·045	·345	·90	19
20	·04	·09	·01	·29					·22	·935		·68	20
21	·03	·65		·07				·19	·29	·23		·17	21
22	·03	·24	·02	·25					·28	·185		·505	22
23		·23		·05				·20	·06	·445	·015	·605	23
24	·02	·26						·27		·29		·31	24
25	·03	·05		·30				·03	·20	·27		·09	25
26		·15		·78	·02			·34	·005	·68	·01	·33	26
27		1·05		·03	·60			·55	·115	·15	·01	·36	27
28		·23		·46				·065	·005		·26		28
29			·02	·29	·01				·08	·48	·005	·005	29
30									·06	·335	·415	·105	30
31			·06							·085			31
Total	2·21	3·81	4·09	3·35	2·00			3·925	2·670	4·293	5·732	12·085	TOTAL for year
No. of Rain Days	14	16	21	15	8			13	15 ~~18~~	18	24 ~~25~~	28	

9,000, IX. '10.

DL

9 made

15.II.12

314

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

RE 911

Kept at Statsford Whitchurch Tavistock

in the County of S. Devon 2

by E. E. Glyde

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Dup

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·13	·30			·02		·015	·075	·01	1
2			·04	·22	·64			·64	·005	·085	·175	·41	2
3			·07		·37			·15	·02	·005	·265	·105	3
4			·23					·82	·005		·275	·53	4
5	·59		·21					·69		·005	·185	·055	5
6	·46		·16					·02		·015	·07	1·415	6
7	·12			·02							·43	·05	7
8	·06		·34								·095	·775	8
9	·06		·01								·31	·93	9
10	·13	·03	1·15		·05						·10	·33	10
11	·58								·03		·775	·08	11
12			·71		·01				·40		·065	·35	12
13			·13						·19		·16	·26	13
14		·30	·05						·005	·005	·315	·415	14
15		·09	·10								·497	·20	15
16	·01	·03	·05								·30	·60	16
17		·09	·58	·05							·18	·92	17
18		·29	·10	·34						·033	·40	·53	18
19		·03	·04	·07					·79	·045	·345	·90	19
20	·04	·09	·01	·29					·22	·935		·68	20
21	·03	·65		·07				·19	·29	·23		·17	21
22	·03	·24	·02	·25					·28	·185		·505	22
23		·23		·05				·20	·06	·445	·015	·605	23
24	·02	·26						·27		·29		·31	24
25	·03	·05		·30				·03	·20	·27		·09	25
26		·15		·78	·02			·34	·005	·68	·01	·33	26
27		1·05		·03	·60			·55	·115	·15	·01	·36	27
28		·23		·46				·065	·005		·26		28
29			·02	·29	·01				·08	·48	·005	·005	29
30									·06	·335	·415	·105	30
31			·06							·085			31
Total	2·21	3·81	4·09	3·35	2·00			3·925	2·670	4·293	5·732	12·025	TOTAL for year
No. of Rain Days	14	16	21	15	8			13	15 ~~18~~	18	24 25	28	

9,000, IX. '10.

WITHERIDGE

DEVON

1912 - 1920

FORM A2. BRITISH RAINFALL. 2 JAN 1913

12

Kept at With

nnel 5 in.

ove Ground 1 ft. 3 in.

in the County of

,, Sea Level 600 ft.

9 a.m

by H. J. Ma

Name [illegible]

Distance 7 Direction S W

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·84		·21	1
2									·10	·03		·06	2
3									·06				3
4											·42		4
5												·14	5
6											·03	·08	6
7												·04	7
8													8
9												·25	9
10									·04		·27	·15	10
11											·24	·48	11
12												·07	12
13													13
14												·08	14
15												·50	15
16									~~·78~~	·18	·17		16
17												·18	17
18										·14	·11	·16	18
19										·05	·03		19
20										·65	·14		20
21										·34		·10	21
22										·16			22
23										·22	·14	·40	23
24										·05			24
25										·20	·40	·70	25
26										·33	·54	·31	26
27										1·00	·47	·40	27
28									·17	·24		·50	28
29									·50	·30		·10	29
30									·11	·36			30
31										·03		·10	31
Total	4.78	3.02	6.65	1.02	2.35	5.87	2.41	9.59	·98	5.12	2.96	5.01	TOTAL for year 49.76
No. of Rain Days.								27	6	17	12	21	

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Witheridge

in the County of Devon N. 2

by H. J. Mansfield

Rain Gauge Pattern Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Lapford [illegible]
Distance 7 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.84		.21	1
2									.10	.03		.06	2
3									.06				3
4											.42		4
5												.14	5
6											.03	.08	6
7												.04	7
8													8
9												.25	9
10									.04		.27	.15	10
11											.24	.48	11
12												.07	12
13													13
14												.08	14
15												.50	15
16									~~.18~~	.18	.17		16
17												.18	17
18										.14	.11	.16	18
19										.05	.03		19
20										.65	.14		20
21										.34		.10	21
22										.16			22
23										.22	.14	.40	23
24										.05			24
25										.20	.40	.70	25
26										.33	.54	.31	26
27										1.00	.47	.40	27
28									.17	.24		.50	28
29									.50	.30		.10	29
30									.11	.36			30
31										.03		.10	31
Total	4.78	3.02	6.65	1.02	2.35	5.87	2.41	9.59	.98	5.12	2.96	5.01	TOTAL for year 49.76
No. of Rain Days.								27	6	17	12	21	

W. 8,000, X. '11.

Made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Witheridge

in the County of N Devon

by H. J. Mansfield

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Lapford 2 ½ m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.27	.10	.15	.12				.05		.10		1
2	.10	.16	.13	.20	.26					.13	.08	.20	2
3	.20		.13	.04	.84					.14		.22	3
4	1.30				.18	.05			.46		.07	.43	4
5	.06	.07	.10		.18	.70	.15		.20	.03	.11	.65	5
6			.25		.04	.12				.65		.38	6
7		.20			.80	.20				.53	.32		7
8		.10	.05		.40		.04			.04	.57		8
9		.08	.03	.02	.14	.17	.08	.40					9
10	.60		.05		.08	.02		.04		.24	.20		10
11	.62			.28	.40	.15					.90	.14	11
12	.03			.02	.08	.03			.10	.15	.70		12
13	.08		.08				.04		.50		.10		13
14	.35		.18						.22				14
15	.10		.52	.68					.20	.09	.26		15
16	.17		.52	.10	.01		.02		.14		.05		16
17	.24		.14	.12							.03		17
18	.18		.17	.15	.03		.10		.40		.12		18
19	.58		.23			.08	.20			.10			19
20	.34		.16	.16	.10				.05		.45		20
21			.20	.12	.06						.15		21
22	.88		.85	.02	.04	.20	[illegible]	.22	.13			.40	22
23							.20	.20				.52	23
24		.09		.26							.13		24
25				.30					.18	.27	.13	.15	25
26				.38		.05						.44	26
27			.30	.23						.31		.03	27
28			.03	.22	.07					.36		.30	28
29	.20		.55	.28				.14		.11			29
30	.37			.05	.02					.67	.10		30
31	.34		.35		.16		.10	.70					31
Total	6.94	.97	5.12	3.78	4.01	1.77	.73	1.70	2.43	3.82	4.57	3.86	YEAR'S TOTAL 39.70
Rain Days.	19	7	22	20	20	11	8	6	12	15	19	12	171

W. 7,500, XI. 12

[illegible] 19.III.15

FORM A.
BRITISH RAINFALL.

1 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Witheridge

in the County of Devon N2

by H. J. Mansfield

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Lapford, L & S.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.33	.20		.17	.25	.45			.46	.15	1
2	.03		.10	.18			.30	.			.10	.45	2
3	.05		.65	.22	.40			.26				.05	3
4	.30		.23	.30	.13		.38	.13			.38	.53	4
5	.20		.36	.43	.05		.04	.04				.05	5
6		.11	.20	.30			.25					.30	6
7	.08	.30	.30	.13	.10		.35	.23	.20				7
8	.16		1.10	.03	.17	.40		.04	.03				8
9	.06		.40	.05	.25	.55		.05	.87				9
10		.20	.12	.20	.25	.10			.35			.25	10
11		.15	.50		.15	.20			.02		.20	.60	11
12		.45	.10						.48		.20	.35	12
13		.20	.25				.03		.60		.46	.17	13
14		.08	.50					.47	.04	.20	.50		14
15			.25				.02	1.05	.10	.03	.10	.23	15
16			.04				.05	1.00	.35				16
17		.20	.43				.03					.45	17
18		.18	.18				.05		.20			.43	18
19		.20	.40				1.40		.06		.17	.22	19
20		.26	.30			.45		.03				.25	20
21		.52				.07			[illegible]	.24		.05	21
22		.06	.10		.15	.25		.06		.85			22
23			.11				.16			.10			23
24			.06		.05		.08			.05			24
25		.06	.41				.30	.53		.46	.15	.20	25
26	.28		.24				.17	.10		.07	.22	.43	26
27	.32						.03	[illegible]		.32	.15	.16	27
28	.03		.10							.14	.11	1.00	28
29	.12		.10		.27					.17	.25	.08	29
30	.02		.05				.45			.15	.31	.80	30
31					.05					1.28		.45	31
Total	1.65	3.00	7.91	2.04	2.02	2.19	4.34 ~~4.49~~	3.44	3.28	3.98	3.76	7.65	YEAR'S TOTAL 45.96 45.76
Rain Days.	12	14	28	10	12	8	18	13	12	13	15	23	178

W. 7,500, XI. 12

B. made

[illegible]

1946

FORM A. BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Witheridge

in the County of Devon N2

by H. J. Mansfield

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Lapford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.34	.20			.03			.86		.55		.53	1
2	.25	.24	.20	.13		.15		.65	.16	.03		.48	2
3		.10	.10	.24	.10		.04					.63	3
4	.05	.15	.05		.03		.57					.13	4
5	.06	.60		.10			.44	.28				.45	5
6	.85	.20		.25				.05				.17	6
7	.36	.30		.08	.48		.26			.15	.05	.48	7
8	.50	.30						.18			.20	.16	8
9	.06			.32							.20	.93	9
10	.40	.46	.10	.05				.40		.10	.13	.02	10
11	.25	.02					.08	.08		.05	1.10	.14	11
12	.25	.75		.06	.54			.43		.18	.27	.02	12
13	.04	.68			.38			.02	.15	.02	.20	.10	13
14	.10						.40	.30	.12		.27	.65	14
15	.30				.36			.03	.16	.13		.05	15
16		.45			.20		.22					.08	16
17	.05	.10					1.08						17
18		.26											18
19				.14	.28		.25						19
20	.67			.04		.06				.20		.12	20
21	.45	.12				.02	.06			.32		.40	21
22	.07		.46	.04		.05	.25		.05	.15		.17	22
23		.08		.01			.25		.02	.85		.70	23
24							.14			.20		.67	24
25						.38	.20					.37	25
26		.03				.15	.05		.10			.46	26
27		.03				.33	.20			.65		.02	27
28		.25				.13			.35	.22	.02		28
29						.40	.03		.04	[illegible]	.10	.28	29
30	.24	X				.03				.10	.36	.23	30
31	.02	X		X		X		.07	X	.80	X	.13	31
Total	5.31	5.32	.91	1.46	2.40	1.70	4.52	3.35	1.15	4.70	2.90	8.57	YEAR'S TOTAL 42.29
Rain Days.	20	20	5	12	9	10	17	12	9	17	11	27	169

W. 8,000. X. 14.

Exd 7.W

1960

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
2 JAN 1917

Kept at Witheridge

in the County of Devon

by H. J. Mansfield

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Lapford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20				.43	.05	.25		.05	.46	.02		1
2	.46	.10			.06				.05	.42	.21		2
3		.70			.43	.03	.07		.04	.57	.20		3
4	.38	.10			.10	.48	.06		.10	.05	.75		4
5	.03		.15		.10	.30				.03	.49		5
6	.15	.28	.15		.08	.22	.55			.10	.34		6
7	.08	.27	.30		.30					.04	.70	.20	7
8		.50	.20		.20	.24				.15	.50	.16	8
9	.02	.03				.02	.03			.02	.07	.25	9
10		.78		.20			.03				.03		10
11				.17									11
12	.15	.07	.15	.14	.22		.08	.07		.15			12
13		.45	.05	.05			.03	.43		.04			13
14	.10	.32	.15	.05	.10			.08		.05			14
15	.03	.30		.07				.47					15
16	.05	.08		.40			.18	.45	~~.7~~	.10			16
17		.20							.95	.70	1.33		17
18	.	.95	.37	.26					.30	.10		.03	18
19	.31	.20	.05	.18							.35		19
20	.07	.75	.25								.17	.70	20
21	.15	.03	.20	.02	.15							.05	21
22	.			.10		.23				.40		.48	22
23	.08	.20		.03		.20		.38			.12	.21	23
24		.05	.15		.20	.04		.08		.76	.04	.20	24
25		.50	.23			.03		.30			.25		25
26	.04	.10	.10		.04	.14		.94	.97	.95	.04		26
27			1.60			.07		.05	.66	.80			27
28		.10						.18	.06	.42		.58	28
29		.20				.53		1.18		.40		.40	29
30		X						.02		.28		.10	30
31		X	~~4.10~~	X		X		.08	X	.20	X	.20	31
Total	2.30	7.26	4.10	1.67	2.41	2.58	1.28	4.71	3.18	7.19	5.61	3.56	YEAR'S TOTAL 45.85
Rain Days.	16	24	15	12	13	14	9	14	9	23	17	13	179

W. 8,000. X. 15.

1816

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Witheridge

in the County of Devon

by H. J. Mansfield

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Lapford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15		.10	.43		.20		.33	.04		.08		1
2	.05			.25		.10					.03		2
3	.13	.15		.15			.62			.65	.92		3
4	.28	.15	.62					.05	.02	.31			4
5	.03		.36	.23		.72		.03	.02	.48	.18		5
6	.60		.34					.75		.48	.35		6
7	.11						.24	.15		.40	.08	.05	7
8			.25	.12		.07	.52	.67		.97	.41	.25	8
9			.13	.20				.08	.03	.57	.62	.03	9
10			.20	.20			.02	.24	.03	.37	.05		10
11			.58	.50				.25	.08	.20	.18		11
12					.42			.10		.75			12
13			.38	.07		.04		.39	.40	.08	.02		13
14				.15				.25	.10	.14	.02		14
15				.02					.03				15
16		.25		.08			.05	.03	.	.30	.03	.40	16
17		.04	.03	.35			.47	.02	.34	.13		.13	17
18		.05		.03	.10		.23		.56	.03			18
19		.65	.15			.50			.02		.16		19
20		.08	.03		.48	.04		.06	.06		.10		20
21			.10					.05			.12		21
22			.01			.05		.50		.19	.02		22
23		.28			.14			.80		.26	.08	.03	23
24						.15	.18	.05		.34	.18		24
25		.11	.10			.05		.15		.16	.08		25
26					.23	.25	.02	.36	.20	.13	.17		26
27					.04	.18	.02	1.05		.15	.03		27
28		.30	.14		.14	1.90		.64					28
29			.20			.27	.01	.03		.20			29
30		✕	.13				.05	.11		.15	.08		30
31		✕	.06	✕	.12	✕		.05	✕	.41	✕		31
Total	1.35	2.06	3.91	2.78	1.67	4.52	2.43	7.19	1.93	7.77	3.99	.89	YEAR'S TOTAL 40.49
Rain Days.	7	10	19	14	8	~~15~~	12	26	14	24	23	6	~~175~~

W. 8,000, VIII. 16

14 .39

177

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 1. 19

Kept at Witheridge
in the County of N Devon
by H. J. Mansfield

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lapford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 600. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.10		.23	.04			1.27	.05		1.20		1
2		.17		.03				.04				.37	2
3		.06		.10	.12			.12	.05	.08	.23	.02	3
4		.06						.61		.02	.40	.36	4
5			.21	.16					.60	.10	.04	.05	5
6	.36	.27			.18					.08		.13	6
7		.23		.30					.97	.22	.30	.08	7
8	.15	.13					.02		.10	.35		.03	8
9	.12	.15		.05		.40	.35		.55	.12		.40	9
10	.15			.38			.44		.50	.05	.02	.70	10
11	.04		.12				.30		.25	.03	.10	.34	11
12		.19	.03		.30	.04	.10		.14			.05	12
13	.25	.05			.10		.15		.55	.13		.80	13
14	.40	.01			.02	.05	.15		.24	.05		.17	14
15	1.65				.02	.21	.59		.10	.10		.50	15
16	.74			.53		.10	.02	.08	.03	.04		.30	16
17	.40			.03			.23	.06	.24			.16	17
18	.75		.15			.93	.20		.70	.13		.16	18
19	.22	.11	.10				.07	.08	.10			.67	19
20	.06	.20		.47		.05	.03		.23				20
21	.12	.06				.12	.16		.50	.03		.43	21
22	.01				.10		.95		.20	.02		.35	22
23	.05				.13		.17		.15		.08	.30	23
24		.20			.10		.10	.18	.25		.46		24
25							.45	.57	.10	.05	.20		25
26		.20					.28			.04		.43	26
27		.43	.08					.14	.62		.56	.15	27
28		.05	.10								.25	.26	28
29			.10						1.33			.05	29
30	.01		.47					.08	.03			.11	30
31			.32					.02					31
Total	5.48	2.67	1.68	2.28	1.11	1.90	4.76	3.25	8.58	1.64	3.84	7.37	YEAR'S TOTAL 44.56
Rain Days.	17	18	10	10	10	8	19	12	25	18	12	26	185

W. 8,000, IX. 17.

1705

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Witheridge

in the County of Devon

by H. J. Mansfield

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Lapford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.63		.08	.40	.15		.28			.42		.92	1
2	.15		.10		.08				.20	.25		.75	2
3	.06		.37		.10				.05		.08	.52	3
4	.27	.57	.45				.03	.05	.27			.03	4
5	.10	.45	.65									.55	5
6	.72	.20	.20									.41	6
7	.38		.22	.10									7
8	.18		.26	.02		.05							8
9	.30		.04	.28	.09						.60		9
10	.10		.55	.05	.02							.16	10
11	.06		.17	.18	.18		.15					.25	11
12	.40		.12			.25				.23	.15		12
13	.06	.08	.08	.25			.05			.22		.12	13
14	.27	.10		.70	.28		.08			.08		.33	14
15	.35	.10		.20						.12		.40	15
16	.20	.80		[illegible]							.41		16
17	.03	.50				.03		.05			.80		17
18	.08	.10	.80					.30	.07		.35	.04	18
19	.32	.24	.30			.06	.69	.60	.80		.23	.20	19
20	.27	.10	.20			.18	.61		.21		.15	.22	20
21	.84	.71					.04		.15			.23	21
22		.08							.15		.15	.18	22
23								.03		.65	.10		23
24						.20		.10	.04	.90		.80	24
25	.17			.10		.03		.50			.50	.13	25
26	.17		.20	.20		.01		.08	.20		.18	.55	26
27	.46			.33				.80	.03			.03	27
28	.01		.45	.02				.02			.20	.66	28
29			.05	.13				.05		.23		.10	29
30		X	.05	.17		.08		.30			.36	.61	30
31	.03	X	.04	X		X	.06		X		X	.50	31
Total	5.75	4.03	5.38	3.13	.90	.89	1.99	2.88	2.17	3.10	4.26	8.09	YEAR'S TOTAL 42.57
Rain Days.	26	13	21	15	7	9	9	12	11	9	14	24	170

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Witheridge
in the County of Devon
by H. J. Mansfield

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Lapford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15		.50	.20		.44	.40	.13			.75	1
2	.14			.32	.09		.23	.28	.12	.20		.07	2
3	.20	.04		.04			.10		.06	1.05		.70	3
4			.06				.13	.68	.02	.37			4
5			.14	.25	.10		.37	.20	.02	.28			5
6			.17	.05	.20		.06			.28	.06		6
7	.06			.10			.47				.05	.21	7
8	.16	.08		.55	.15		.78	.05					8
9	1.15	.28	.13	.10		.26	.70						9
10	.26	.23	.06	.20		.23	.10						10
11	.26		.10	.80	.25	.03	.17					.10	11
12	.30	.09	.07	.26	.02	.15	.08				.15		12
13	.27	.05	.58	.13						.10		.10	13
14	.03	.04	.71	.48			.06			.95	.60		14
15		.13	.04	.23	.05					.80	.04		15
16	.02		.06		.02	.07	.15		.57	.15			16
17	.29		.04		.34	.04	.07		.49	.05	.10		17
18		.03		.04	.10	.10		.27	.10	.06		.05	18
19	.25	.14		.30		.31		.10					19
20	.11			.55		.15	.05		~~.05~~			.10	20
21				.08			.23					.23	21
22	.05			.04		.02	.03					.52	22
23			.08				.40	.12				.68	23
24	.06		.14	.05				.02			.10	.25	24
25	.14	.11	.08			.23	.98						25
26			.20								.36	.12	26
27	.30	.20	.12	.25	.11	.39	.16				.56	.26	27
28	.61	.02	.30	.33		.08	.15				.02	.10	28
29	.11		.68	.05	.08	.07	.02				.20		29
30	.28	✗		.15	.05	.40	.09		.82		.50	.47	30
31		✗		✗		✗	.05		✗	.62	✗	.27	31
TOTAL	6.05	1.59	3.76	5.85	1.76	2.53	6.07	2.12	2.33	4.91	2.74	4.90	YEAR'S TOTAL 44.61
Days with ·01 in. or more	21	14	19	24	14	15	25	9	9	12	12	17	191
	19	12	19	[illegible]	12	13	24	8	8	12	11	17	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WOOLACOMBE

HOTEL GROUNDS

DEVON

1911-1912, 1914-1920

Dec. cor. h

R

Kept at W o

in the County of

by R. N. Kivell f

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

i 4 Gambra. Snowdon

5 in.

e Ground 1 ft. ~~in.~~

Sea Level 60 ft.

, am.

Name Morte-Hoe

Distance 2 mls Direction East

IMPORTANT NO d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ement of rain, the selection and plac British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	·08	·18	·08	·10	—	·52	—	·02	·21	·10	1
2	—	—	·01	—	·09	·05	—	·27	—	·21	·33	·01	2
3	—	—	·04	—	·33	—	—	·01	·04 ·04	—	·17	·09	3
4	—	—	·15	—	—	—	—	·25	—	—	·31	·26	4
5	·36	—	·23	—	—	—	—	·19	—	·12	·16	·45	5
6	—	—	·02	—	—	—	—	·02	—	—	·12	·12	6
7	·20	—	—	—	—	—	—	—	—	—	·31	·43	7
8	·21	—	·15	—	—	—	—	—	—	—	·29	—	8
9	·11	—	—	—	—	—	—	—	—	—	·53	·85	9
10	·02	·02	·49	—	·37	—	—	—	—	—	·01	·20	10
11	·19	—	—	—	—	—	—	—	·09	—	·28	·33	11
12	—	—	·76	—	—	—	—	—	·49	—	·14	·22	12
13	—	—	·02	—	·06	—	—	—	·10	—	·07	·22	13
14	—	·12	·02	—	—	—	—	—	—	·06	·08	·02	14
15	·02	·05	·02	—	—	·05	—	—	—	—	·30	·22	15
16	—	·02	—	—	—	·15	—	—	—	—	·06	·09	16
17	—	·05	—	—	—	·42	—	—	—	—	·30	·28	17
18	—	·22	—	·13	—	·04	·01	—	—	·10	·11	·15	18
19	—	·05	·01	·04	—	·02	—	·01	·25	·03	·05	·22	19
20	—	·11	·24	·13	—	—	—	·01	·40	·42	—	·75	20
21	·01	·15	—	—	—	·02	—	·11	·14	·19	—	·11	21
22	·03	·05	—	·10	—	·23	—	—	·18	·17	—	·03	22
23	·04	·04	—	·01	—	·01	—	·17	·14	·05	·12	·37	23
24	·02	·28	—	—	—	·46	—	·04	·03	·49	—	·13	24
25	·02	·03	—	·24	—	·02	—	·07	·04	·11	—	·12	25
26	·02	·23	—	·35	—	—	—	·09	·01	·29	·01	·12	26
27	—	·57	·02	—	—	—	—	·30	·16	·31	—	·29	27
28	—	·08	—	·32	—	—	—	·31	—	·03	·07	·20	28
29	—		·01	·11	—	·72	·10	·10	·22	·32	—	·01	29
30	—		—	—	—	·01	·09	—	—	·16	·10	·01 ·04	30
31	—		—		—		·03	—		·12		·02	31
Total	1·30	2·07	2·27	1·61	·93	2·30	·23	2·47	2·29	3·20	4·13	6·~~45~~ ·36	TOTAL for year 29·~~25~~ 16
No. of Rain Days.	14	16	16	10	5	14	4	16	14	18	23	30	180

29·16

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Woolacombe

in the County of Devon N. 1

by R. N. Kivell for Miss. Chichester

RAIN GAUGE
Pattern Negretti & Zambra. Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. ~~in.~~
" " " Sea Level 60 ft.

Time of Observation 9. am

Nearest Railway Station
Name Morte-Hoe
Distance 2mls Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·08	·18	·08	·10	—	·52	—	·02	·21	·10	1
2	—	—	·01	—	·09	·05	—	·27	—	·21	·33	·01	2
3	—	—	·04	—	·33	—	—	·01	·04 ·04	—	·17	·09	3
4	—	—	·15	—	—	—	—	·25	—	—	·31	·26	4
5	·36	—	·23	—	—	—	—	·19	—	·12	·16	·45	5
6	—	—	·02	—	—	—	—	·02	—	—	·12	·12	6
7	·20	—	—	—	—	—	—	—	—	—	·31	·43	7
8	·21	—	·15	—	—	—	—	—	—	—	·29	—	8
9	·11	—	—	—	—	—	—	—	—	—	·53	·85	9
10	·02	·02	·49	—	·37	—	—	—	—	—	·01	·20	10
11	·19	—	—	—	—	—	—	—	·09	—	·28	·33	11
12	—	—	·76	—	—	—	—	—	·49	—	·14	·22	12
13	—	—	·02	—	·06	—	—	—	·10	—	·07	·22	13
14	—	·12	·02	—	—	—	—	—	—	·06	·08	·02	14
15	·02	·05	·02	—	—	·05	—	—	—	—	·30	·22	15
16	—	·02	—	—	—	·15	—	—	—	—	·06	·09	16
17	—	·05	—	—	—	·42	—	—	—	—	·30	·28	17
18	—	·22	—	·13	—	·04	·01	—	—	·10	·11	·15	18
19	—	·05	·01	·04	—	·02	—	·01	·25	·03	·05	·22	19
20	—	·11	·24	·13	—	—	—	·01	·40	·42	—	·75	20
21	·01	·15	—	—	—	·02	—	·11	·14	·19	—	·11	21
22	·03	·05	—	·10	—	·23	—	—	·18	·17	—	·03	22
23	·04	·04	—	·01	—	·01	—	·17	·14	·05	·12	·37	23
24	·02	·28	—	—	—	·46	—	·04	·03	·49	—	·13	24
25	·02	·03	—	·24	—	·02	—	·07	·04	·11	—	·12	25
26	·02	·23	—	·35	—	—	—	·09	·01	·29	·01	·12	26
27	—	·57	·02	—	—	—	—	·30	·16	·31	—	·29	27
28	—	·08	—	·22	—	—	—	·31	—	·03	·07	·20	28
29	—		·01	·11	—	·72	·10	·10	·22	·32	—	·01	29
30	—		—	—	—	·01	·09	—	—	·16	·10	·01 ·04	30
31	—		—		—		·03	—		·12		·02	31
Total	1·30	2·07	2·27	1·61	·93	2·30	·23	2·47	2·29 ✓	3·20	4·13	·36 6·~~45~~	TOTAL for year 29·~~25~~ 16 ✓
No. of Rain Days.	14	16	16	10	5	14	4	16	14	18	23	30	180 ✓

29·16

W. 8,000, X. '11.

cord for auth 21·11·13 W D

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

4 - JAN 19

Kept at Woolacombe

in the County of Devon NI

by R. N. Kivell for Miss Chichester

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 60 ft.

Time of Observation 9 am

Nearest Railway Station
Name Morte Hoe
Distance 2 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·29	–	·06	·29	·02	·12	·08	1·23	·05	·14	1
2	–	–	·18	·02	–	1·41	·05	–	–	–	–	–	2
3	·08	·02	·31	·01	–	·08	·06	·74	·09	–	–	·04	3
4	·33	–	·57	–	–	–	–	·08	–	–	·40	–	4
5	·81	·06	·18	·01	·04	–	–	·40	–	–	·01	·05	5
6	·23	·05	–	·01	·22	–	–	·60	–	–	·02	·11	6
7	·10	·22	·24	–	·12	·77	·20	·19	–	–	–	·05	7
8	·34	·07	·10	·05	–	·18	·01	·01	–	–	–	–	8
9	·19	·14	·27	·06	–	·05	·18	1·57	·01	–	·02	·62	9
10	·34	–	·14	–	–	·36	·11	·07	–	–	·11	·11	10
11	·01	·01	·01	–	–	–	·03	–	–	–	·22	·76	11
12	·22	–	·11	–	·10	·01	·27	·02	–	–	·18	·09	12
13	·02	–	·02	–	–	·05	·01	·09	–	·03	–	·23	13
14	·06	·05	·61	–	·20	–	–	·35	–	–	·01	·04	14
15	·30	·01	·02	–	·08	·91	–	·02	–	–	·01	·58	15
16	·01	–	·14	–	·09	·09	–	·11	–	·08	·02	·15	16
17	·04	–	·14	–	·01	·20	–	·50	–	·10	·07	·52	17
18	–	–	·45	–	–	–	–	·71	–	–	·01	·08	18
19	–	·07	·24	–	·04	–	–	·51	–	·01	·01	·03	19
20	·01	·02	·23	–	·03	–	·01	·20	–	·35	·01	–	20
21	–	·12	·33	–	·28	–	–	·34	–	·12	–	–	21
22	·44	·18	·19	–	–	·05	·04	·37	–	·13	·03	·18	22
23	·18	·54	·18	–	–	·28	·62	·71	–	·75	·08	·42	23
24	·01	·02	·02	–	–	·28	·49	–	–	·42	–	·13	24
25	·04	–	–	–	–	·10	–	·28	–	·20	·43	·75	25
26	–	·06	·03	–	–	·02	·01	·12	–	·60	·28	·07	26
27	–	·01	·06	–	–	·52	·53	–	–	·82	–	·73	27
28	–	·09	–	–	–	·34	·72	·66	·16	·11	·50	·35	28
29	–	·16	–	–	·09	·01	·23	·10	·24	·17	–	·12	29
30	–		·12	–	–	·04	·22	–	–	·22	–	·04	30
31	–		·29		–		·10	·06		·02		·11	31
Total	3·76	1·90	5·47	·16	1·36	6·04	3·91	8·93	·58	5·36 5·36	2·47	6·51	Total for year 45 46·35
No. of Rain Days.	20	19	27	6	13	21	20	26	5	17	20	26	229

W. 8,000, X. '11.

and by Mortehoe 19·III·15 ~~W~~

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Woolacombe
in the County of Devon N1
by R. W. Hansford

Lat. 51. 10 N Long. 4. 12 W
Time of Observation 9 A
Nearest Railway Station Mortehoe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	·05	–	·31	·13	·64	–	–	·10	·36	1
2	–	–	–	–	·03	–	27	07	–	–	04	28	2
3	·02	–	·20	22	·54	–	–	12	–	–	–	05	3
4	36	–	·04	26	08	–	77	40	–	–	34	90	4
5	04	–	·30	24	–	–	05	–	–	–	04	03	5
6	–	·01	·07	10	04	–	04	04	–	–	54	09	6
7	12	·32	·18	13	17	·03	31	23	09	–	–	12	7
8	07	–	·82	–	13	30	–	·11	–	–	–	09	8
9	17	07	·21	08	19	74	–	25	84	–	–	–	9
10	15	27	08	32	08	05	–	–	33	–	–	03	10
11	–	24	48	–	09	27	–	–	–	–	05	47	11
12	–	32	09	–	–	–	–	–	33	–	14	03	12
13	–	37	35	–	–	–	·06	–	29	14	24	06	13
14	–	32	39	–	–	–	06	(·37)	01	7	33	15	14
15	–	02	26	–	–	–	–	·50	16	01	95	09	15
16	–	01	01	–	–	–	04	–	17	–	–	–	16
17	07	19	15	–	–	–	03	–	–	–	–	44	17
18	–	12	36	–	–	–	02	–	10	–	–	78	18
19	–	02	09	–	–	–	1·02	–	–	–	·04	18	19
20	–	45	14	–	–	16	–	–	–	–	–	18	20
21	–	17	–	–	–	–	·10	–	–	15	–	01	21
22	–	15	05	·02	03	29	–	03	–	24	–	–	22
23	–	05	26	–	–	–	·06	–	–	11	–	–	23
24	–	–	04	–	–	–	–	07	–	–	28	–	24
25	27	–	23	–	–	–	·13	·92	–	31	01	20	25
26	01	01	–	–	–	–	·24	·05	–	23	17	30	26
27	08	02	–	–	–	–	–	–	–	25	56	17	27
28	02	06	23	–	08	–	–	–	–	29	08	82	28
29	12	X	26	–	09	–	–	–	–	07	17	07	29
30	01	X	13	–	–	–	–	–	–	09	54	14	30
31	07	X	–	X	·07	X	·43	–	X	36	X	10	31
Total	1·58	3.19	5·44	1.42	1·62	2·15	3.76	3.80 ✓	2·32	2·32	4·62	6·14	YEAR'S TOTAL 38·36 ✓
Rain Days.	15	20	26	9	13	8	17	14 ✓	9	13	18	26	188

W. 8,000. X. 14.

B. made ✓

1932

REGISTER OF RAINFALL IN 1915

in Mms

Kept at Woolacombe

in the County of Devon

by R W Hansford

N°1

Lat. 51. 10 N Long. 4. 12 W
Time of Observation 9 A
Nearest Railway Station Morthoe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 60 ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	10.9	5.1	–	–	4.3	–	–	6.1	4.1	5.2	3.2	6.6	1
2	6.4	4.8	6.1	2.3	–	1.0	–	8.5	1.5	.2	–	6.4	2
3	–	2.3	5.1	4.8	5.8	–	1.3	–	–	–	–	10.2	3
4	.8	8.4	.5	–	8	–	5.8	–	–	–	–	8.8	4
5	1.5	6.4	.3	1.0	–	.3	–	4.5	–	–	–	9.4	5
6	9.7	1.5	–	9.7	–	–	6.6	1.9	–	–	–	5.1	6
7	5.8	18.0	–	8	1.3	–	4.8	.3	–	5.9	2.2	11.8	7
8	2.5	5.3	–	[illegible]	–	–	–	4.9	–	.8	4.9	3.5	8
9	5	5.6	–	1.5	–	–	–	1.6	–	–	12.4	19.6	9
10	10.4	11.7	5.1	2.3	–	–	–	.2	–	1.6	.3	.6	10
11	8	–	3.3	—	1.3	–	–	.5	–	.6	20.5	2.5	11
12	2.8	7.6	–	8	8.1	–	–	1.5	–	1.5	3.6	4.4	12
13	5	6.1	.3	1.0	19.1 ~~14.5~~	–	1.2	2	4.8	–	3.3	2.5	13
14	1.8	–	–	–	–	–	8	1.6	1.5	–	.4	17.4	14
15	5.8	–	–	–	6.6	–	8.4	–	1.7	–	3.5	4.5	15
16	.3	12.2	–	3	2.8	–	31.0	–	1.6	–	–	–	16
17	–	2.5	–	–	8	–	–	–	–	–	–	–	17
18	–	5.3	–	–	–	–	1.4	–	–	–	–	–	18
19	.3	1.3	–	1.8	6.6	–	10.5	–	–	–	–	–	19
20	10.2	–	–	1.8	–	1.5	[illegible]	–	–	3.6	–	.9	20
21	9.7	11.2	.3	–	7.1	8	3.5	–	4.2	8.2	–	2.8	21
22	5	1.0	4.1	1.8	1.0	8	13.3	–	–	7.0	–	7.0	22
23	3.0	1.3	3.6	–	–	1.3	2.6	–	.3	18.1	–	12.3	23
24	–	–	5	1.0	–	3	.6	–	5.3	4.7	–	4.4	24
25	–	–	5	–	–	2.8	9.7	–	–	–	–	3.6	25
26	–	2.0	–	–	–	8	14.6	–	2.4	–	–	10.2	26
27	–	4.6	–	–	–	6.6	2.0	–	–	16.5	–	.9	27
28	–	.5	–	–	–	3	–	.2	6.9	3.7	–	—	28
29	–	✕	–	–	–	3.3	–	.4	2.6	.1	5.6	1.5	29
30	2.0	✕	–	1.3	–	3.6	–	–	1	5.5	4.4	2.5	30
31	–	✕	–	✕	–	✕	4.4	10.2	✕	12.7	✕	3.4	31
Total	86.2	124.2	29.7	32.2	65.6	23.4	122.5	41.7	37.0	95.9	64.3	162.8	YEAR'S TOTAL 885.5
Rain Days.	21	22	12	15	13	13	18	15	13	17	12	26	197

W. 8,000. X. 15.

1889

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Woolacombe
in the County of Devonshire
by R. N. Kivell pro. tem

Lat. 51°10 N Long. 4.12 W
Time of Observation 9 am 9 pm
Nearest Railway Station Morte Hoe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	—	—	—	·09	·17	·33	—	—	·33	·05	—	1
2	·47	·06	·81	—	·09	—	—	·04	·24	·87	(·10)	—	2
3	—	·78	—	—	·15	·12	·01	—	·02	·41	·20	·02	3
4	·24	·57	—	—	·35	·23	—	—	·09	·01	·14	—	4
5	·04	·03	—	—	·03	·09	·02	—	·02	·07	·15	—	5
6	·13	·28	·01	—	·06	·01	·26	—	—	·08	·37	—	6
7	·04	·23	·11	—	·11	—	—	—	—	—	·56	·25	7
8	—	·13	·06	—	·20	·12	—	—	—	—	·30	·09	8
9	—	·05	—	—	·01	—	·15	—	—	·08	·04	·30	9
10	—	·73	·02	·15	·02	—	·02	—	·01	—	·02	—	10
11	—	·07	—	·18	·06	—	—	—	·02	—	·02	—	11
12	·02	·07	·03	·05	·31	—	·13	·03	—	·26	·01	—	12
13	—	·60	·03	·03	·02	—	—	·07	·01	·02	—	—	13
14	·06	·62	·13	·02	·08	—	—	·22	—	·06	—	—	14
15	·02	·18	—	·15	·02	—	—	·17	—	—	—	—	15
16	·02	·05	—	·39	·01	—	·15	·09	—	·19	—	—	16
17	·17	·17	—	·03	—	—	—	—	·67	·14	·52	—	17
18	·02	·21	·18	·02	—	—	—	·04	·07	·04	—	·18	18
19	·09	·17	·03	·06	—	—	—	—	—	—	·20	·07	19
20	·08	·70	·12	·04	—	—	—	·01	—	—	·25	·29	20
21	·06	·17	·40	—	·03	·04	—	—	—	—	·15	·22	21
22	·02	—	·01	—	—	·09	—	·06	—	·14	·08	·74	22
23	·04	·07	·06	·05	—	·48	—	·23	—	·08	·06	·26	23
24	—	·05	·27	·05	·14	—	—	·04	—	·23	·01	·25	24
25	—	·27	·25	—	·03	·06	—	·27	·02	·13	·13	·03	25
26	·07	·06	·17	—	—	·07	—	—	·37	·30	·05	—	26
27	·05	—	1·33	—	·17	·04	—	·08	·29	·26	—	—	27
28	—	·33	—	—	—	—	—	·02	·02	·28	·01	·41	28
29	—	·45	·08	—	—	·53	—	·54	·13	·32	—	·31	29
30	—	X	—	—	—	·02	—	·02	—	·38	—	·01	30
31	—	X	—	X	—	X	—	·10	X	·24	X	·05	31
													YEAR'S TOTAL
Total	1·91	7·10	4·10	1·22	1·98	2·07	1·07	2·03	1·98	4·92	3·42	3·48	35·28
Rain Days.	19	26	19	13	20	14	8	17	14	23	22	16	211

W. 8,000, VIII. 16

5 made ✓

1806

REGISTER OF RAINFALL IN 1917

Bn

FORM A.
BRITISH RAINFALL

2. JAN 19

Kept at Woolacombe

in the County of Devon

by R W Hansford

Lat. 51° 10' N Long. 4° 12' W

Time of Observation 9 AM

Nearest Railway Station Morthoe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·2	–	5·3	5·1	–	4·5	–	6·4	2·4	·1	2·5	–	1
2	·2	–	·5	2·9	–	1·5	–	·3	–	3·0	2·4	–	2
3	1·0	7·9	–	·5	–	–	16·8	–	–	21·8	21·6	–	3
4	–	1·0	8·6	–	–	–	·5	–	2·3	4·0	·3	–	4
5	3·5	–	4·0	1·8	–	5·6	–	–	1·2	4·4	1·1	–	5
6	1·0	–	3·3	·2	–	2·5	–	–	–	2·5	5·3	·7	6
7	6·3	–	–	–	–	–	2·6	6·2	–	1·9	·8	·8	7
8	1·0	–	1·3	1·9	–	1·0	1·3	5·9	1·3	15·3	10·0	7·8	8
9	–	–	1·6	·6	2·6	–	–	1·2	–	5·9	2·7	–	9
10	6·3	–	6·7	6·5	·2	–	–	3·4	–	2·4	–	–	10
11	·5	–	3·3	8·4	–	–	–	–	–	11·7	6·7	–	11
12	6·1	–	·2	·5	4·7	–	–	6·5	–	20·0	–	–	12
13	4·5	–	4·7	2·3	–	·5	–	4·5	8·3	·6	–	–	13
14	–	–	–	1·0	–	–	–	1·8	1·5	1·0	1·0	·6	14
15	–	–	–	1·2	–	–	·3	–	·6	3·4	–	4·8	15
16	–	·5	–	·3	–	–	1·5	–	–	2·4	2·8	7·7	16
17	–	–	·9	6·1	–	–	12·5	2·0	6·9	1·6	·5	–	17
18	–	–	–	·2	·4	–	7·3	1·0	38·8	3·2	·4	–	18
19	–	13·7	1·0	–	–	9·2	–	·4	·3	–	·3	–	19
20	–	2·3	–	–	9·7	25·5	–	·4	–	–	–	·6	20
21	–	–	4·3	–	–	–	–	4·0	–	1·2	–	–	21
22	–	–	–	–	2·1	–	–	8·2	–	5·4	–	–	22
23	–	7·6	–	–	2·3	1·1	–	11·4	–	4·8	1·0	·4	23
24	–	·7	·3	–	–	2·5	6·3	1·7	–	5·8	4·9	–	24
25	–	1·3	·8	–	–	–	–	7·7	3·5	8·1	1·6	–	25
26	–	·3	–	–	12·5	2·1	·4	6·6	4·6	3·2	1·6	–	26
27	–	–	·5	–	–	5·6	3·8	29·0	–	4·8	·1	–	27
28	–	2·8	1·4	–	1·6	21·0	1·9	2·3	·1	2·0	–	–	28
29	–		1·9	–	–	·9	–	·5	–	7·9	–	6·8	29
30	–	✕	·6	–	–	–	6·4	9·0	–	2·3	·7	–	30
31	–	✕	–	✕	12·0	✕	–	2·8	✕	5·8	✕	–	31
Total	30·6 ✓	38·1 ✓	51·2 ✓	39·5 ✓	48·1 ✓	83·5 ✓	61·6 ✓	123·2 ✓	71·8 ✓	156·5 ✓	68·3 ✓	30·2 ✓	YEAR'S TOTAL 802·6 ✓
Rain Days.	11 ✓	10 ✓	20 ✓	16 ✓	10 ✓	14 ✓	13 ✓	24 ✓	13 ✓	29 ✓	21 ✓	9 ✓	190 ✓

W. 8,000, IX. 17.

5 made

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9 . 1 . 19

Kept at Woolacombe
in the County of N Devon
by R. W. Hansford,
for Miss Chichester Arlington Court

Lat. 51. 10 N Long. 4. 12 W
Time of Observation 9 AM
Nearest Railway Station Mortehoe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	2.0	–	3.3	1.5	–	–	32.9	–	.7	13.0	–	1
2	–	4.7	–	.9	–	–	–	5.9	.4	–	1.0	7.0	2
3	–	1.4	–	1.2	2.5	–	–	–	1.7	2.0	4.3	1.8	3
4	–	1.3	–	–	–	–	–	2.4	7.2	2.8	12.0	12.4	4
5	.6	–	1.6	4.4	3.7	–	–	7.7	22.1	7.5	2.5	–	5
6	4.4	13.0	–	4.8	–	–	–	–	3.1	3.0	–	2.7	6
7	1.3	4.9	–	–	.7	1.7	–	.4	16.3	7.2	5.4	1.1	7
8	.6	.4	–	–	–	–	–	–	8.6	6.7	2.5	–	8
9	2.2	1.2	–	1.7	–	4.5	1.1	.2	11.0	2.1	1.4	9.0	9
10	1.7	.7	–	6.3	–	–	14.0	–	14.5	2.2	2.5	8.5	10
11	.7	1.0	2.3	1.0	–	–	4.6	–	6.4	–	2.4	2.4	11
12	–	1.5	1.3	–	6.5	.6	6.7	–	7.5	–	–	.4	12
13	6.5	–	–	–	–	–	–	–	15.3	–	–	8.8	13
14	9.5	–	–	–	1.0	4.9	1.2	.6	12.5	3.0	–	2.5	14
15	26.4	–	–	–	–	–	21.2	–	.6	1.9	–	9.6	15
16	17.8	–	–	24.6	–	.6	3.0	–	5.0	–	–	3.3	16
17	8.5	–	–	.5	–	–	1.4	1.4	.8	–	–	4.4	17
18	26.3	–	4.7	–	–	14.0	.4	1.3	21.5	6.5	–	8.1	18
19	1.1	4.0	5.8	2.7	–	–	1.9	1.6	1.2	.8	–	5.9	19
20	2.5	4.2	.2	5.7	–	.9	5.8	1.4	3.7	–	–	–	20
21	1.5	.3	–	.4	–	1.9	2.1	~~.4~~	10.5	1.4	–	5.9	21
22	–	–	–	–	6.9	–	5.4	–	5.0	–	–	6.9	22
23	3.0	.3	–	–	.6	1.5	11.8	–	.9	–	.9	2.0	23
24	–	11.5	–	–	–	–	2.2	–	11.2	–	2.5	.2	24
25	–	–	–	–	11.4	–	10.6	8.8	–	1.7	3.8	–	25
26	–	2.3	–	–	–	–	3.3	~~2.6~~	1.4	.5	3.3	6.5	26
27	–	2.0	4.5	–	–	.4	–	2.5	5.6	–	7.9	1.1	27
28	–	2.3	1.0	–	–	–	–	[illegible]	3.6	–	5.5	5.2	28
29	–	X	5.6	–	–	–	–	–	35.3	–	–	1.2	29
30	–	X	9.2	–	–	–	–	.7	–	1.2	1.5	3.1	30
31	–	X	7.9	X	–	X	–	2.4	X	–	X	1.1	31
Total	114.6	59.0	44.1	57.5	35.8	31.0	96.7	69.2	232.9	51.2	78.4	120.8	YEAR'S TOTAL 991.2
Rain Days.	17	19	11	13	9	10	17	15	27	17	17	26	198 198

W. 8,000, IX. 17.

1694

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 MAR 20

Kept at Woolacombe (M.O)

in the County of Devonshire

by

Lat. 51° 10' N Long. 4° 12' W.

Time of Observation 9h. Civil Time

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 61 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.4	-	2.6	0.3	2.0	-	1.0	-	1.5	7.0	-	14.8	1
2	5.1	-	1.6	-	0.5	-	1.5	-	-	-	-	8.3	2
3	1.1	-	1.7	-	3.9	-	-	-	0.3	-	0.8	13.1	3
4	2.3	8.5	5.2	-	-	5.7	-	1.0	4.4	-	-	-	4
5	2.7	4.6	1.0	-	-	-	-	-	-	-	-	8.5	5
6	4.3	2.9	3.7	-	-	-	-	-	-	-	-	9.6	6
7	2.3	-	3.1	2.3	-	0.3	-	-	0.5	-	-	1.0	7
8	3.5	-	4.8	0.5	-	1.1	-	-	-	-	-	-	8
9	1.3	-	0.8	3.8	-	-	-	-	-	-	32.5	-	9
10	7.6	-	16.8	-	2.4	-	-	-	-	0.3	2.4	6.4	10
11	6.0	-	7.8	2.4	3.4	0.7	8.0	-	-	0.7	1.6	0.6	11
12	4.4	-	2.9	-	0.4	9.7	-	-	-	3.6	3.3	-	12
13	5.7	-	1.1	6.1	-	-	0.3	-	3.7	1.0	-	4.2	13
14	11.3	2.1	-	9.9	5.1	-	0.9	-	1.0	1.3	-	2.9	14
15	5.2	-	-	0.3	-	-	-	-	-	1.5	-	17.6	15
16	2.4	28.2	0.5	-	-	0.1	0.2	-	-	-	4.9	-	16
17	-	26.1	-	-	-	0.7	1.5	-	-	-	9.5	0.3	17
18	1.0	1.0	20.3	0.4	-	-	2.0	7.2	0.9	-	8.2	0.8	18
19	7.5	3.0	4.8	-	-	1.2	-	12.1	12.1	-	3.7	-	19
20	4.9	1.3	3.4	-	1.2	0.8	-	0.9	6.6	-	1.6	4.0	20
21	1.6	17.0	-	-	1.7	-	6.7	0.4	1.2	-	0.5	1.8	21
22	-	1.1	-	-	-	-	1.2	-	5.5	-	-	1.0	22
23	-	-	-	-	-	-	-	-	-	9.6	1.1	4.3	23
24	-	-	-	-	-	5.3	-	-	0.5	17.9	7.0	6.8	24
25	5.6	-	-	-	-	0.7	-	19.6	-	-	3.5	0.8	25
26	4.8	-	2.7	6.1	-	1.0	-	2.8	2.9	1.1	2.0	9.3	26
27	7.5	-	-	4.3	-	0.8	-	9.6	-	-	-	2.0	27
28	0.8	-	11.0	1.1	-	-	-	-	-	-	7.8	13.4	28
29	-		-	2.1	-	-	-	4.9	-	-	4.2	6.6	29
30	-		1.4	3.6	-	3.2	-	5.9	-	-	5.9	13.0	30
31	-		3.0		-		2.4	-		-		17.0	31
TOTAL	107.3	95.8	~~109.2~~ 100.2	43.2	20.6	31.3	25.7	64.4	41.1	44.0	100.5	168.1	YEARLY TOTAL 842.2 ~~851.2~~
Days with 0·2 mm. or more	24	11	21	14	9	13	11	10	13	10	18	25	179

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

1606

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(MO)

Kept at Woolacombe
in the County of Devon
by R. W. Hansford, for Miss Chichester

Lat. 51°10'N Long. 4°12'W
Time of Observation 9h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·8	-	-	2·1	5·8	-	25·5	0·5	5·0	2·6	1·5	10·0	1
2	0·5	-	-	7·5	0·4	-	3·7	5·9	7·3	2·6	-	2·0	2
3	4·0	2·4	-	2·1	-	-	5·0	1·9	2·5	10·7	-	3·1	3
4	-	-	0·8	2·5	-	-	-	11·7	0·4	8·9	-	-	4
5	-	-	3·3	0·6	8·6	-	12·9	1·8	-	4·9	-	-	5
6	-	-	7·7	-	9·3	-	5·6	-	-	4·6	0·2	-	6
7	0·5	-	-	4·3	1·1	-	2·8	-	-	-	1·0	0·4	7
8	0·5	2·0	-	14·4	2·4	-	8·7	5·7	-	-	-	0·3	8
9	16·1	4·0	1·7	8·2	-	5·0	9·5	-	1·0	-	1·3	-	9
10	22·8	8·0	1·4	4·7	-	1·7	4·3	-	-	-	0·7	-	10
11	3·8	0·3	2·2	6·0	5·3	1·3	2·2	-	-	-	-	-	11
12	10·5	1·5	1·1	4·5	0·5	2·1	1·4	1·5	-	3·4	2·4	-	12
13	1·2	1·5	9·6	3·0	-	-	0·3	-	0·5	11·1	-	-	13
14	2·0	-	10·7	17·4	-	2·3	2·0	-	4·8	3·5	6·6	0·8	14
15	0·8	3·5	-	9·3	3·6	0·6	-	-	-	10·3	3·0	-	15
16	-	-	1·1	-	0·7	1·9	2·4	0·4	7·3	21·3	1·0	-	16
17	1·8	-	-	1·1	6·0	1·3	-	-	28·8	1·3	-	-	17
18	4·6	-	0·7	1·2	0·3	3·6	2·1	10·0	8·0	-	-	-	18
19	0·6	2·6	-	10·3	0·5	4·0	0·6	-	-	-	-	-	19
20	0·9	-	-	4·4	-	5·6	1·4	-	-	0·7	-	3·9	20
21	-	-	-	2·7	-	-	0·6	-	-	1·5	-	3·7	21
22	1·3	-	-	2·0	-	-	1·3	-	-	-	-	18·7	22
23	-	-	1·5	-	-	-	10·6	3·2	-	-	-	8·5	23
24	0·3	0·9	6·0	0·4	-	0·3	3·4	-	-	-	0·7	3·0	24
25	0·5	1·6	3·0	-	-	0·3	16·0	-	-	-	-	-	25
26	7·9	-	7·6	-	1·4	1·8	0·6	-	-	-	1·0	1·7	26
27	5·6	2·4	3·9	2·9	2·2	16·0	2·5	-	-	-	10·8	7·8	27
28	18·1	0·4	7·5	0·9	-	2·8	2·6	-	-	-	0·7	2·8	28
29	3·5	0·2	9·6	-	5·9	-	1·6	-	-	-	3·2	8·0	29
30	4·2	╳	0·6	0·8	0·3	6·1	2·3	-	22·5	2·0	6·8	9·7	30
31	2·4	╳	9·5	╳	-	╳	-	-	╳	16·2	╳	2·0	31
TOTAL	115·2 ✓	31·3 ✓	89·5 ✓	113·3 ✓	54·3 ✓	56·7 ✓	131·9 ✓	42·6 ✓	88·1 ✓	105·6 ✓	40·9 ✓	86·4 ✓	YEAR'S TOTAL 955·8
Days with 0·2 mm. or more	25 ✓	14 ✓	20 ✓	24 ✓	17 ✓	17 ✓	27 ✓	10 ✓	11 ✓	16 ✓	15 ✓	17 ✓	213
	16	10	19	20	11	14	23	8	9	15	11	14	168

(44,284). Wt. 20,958—2[illegible] 500. 10/19. Gp.13[illegible] A.&E.W.

Copied from M 3202

DEVON

STH. MOLTON.

1912–1916, 1919-1920

REG 12

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at S Molton

in the County of Dev

by 7 Day

5 in.

ve Ground 1 ft. – in.

Sea Level 450 ft.

a.m

Name S Molton

Distance 1 mile Direction N

IMPORTANT NOTE.— should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
/

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·32	·20	·41	·14	·22	·11	1·19		·56	1
2			·28	·11		1·24	·04	–		·03	·04		2
3	·24		·20	·03		·12	·02	1·42	·31			·07	3
4	·76		·16	·02		·34		·19			·63		4
5	·80		1·46	·05	·18			·40			·03	·04	5
6	1·41	·24	·58	·03	·26	·03		·96	·02		·03	·06	6
7		·46	·03	·02	·47	·61	·01	1·26			·04	·03	7
8	·54	·08	·07	·04		·52	·03	·09					8
9	·06	·28	·17	·24		·26	·09	·02			·02	·33	9
10	·27	·04	·20			·10	·03	·14	·13		·29	·12	10
11	·07	·06	·02				·11				·36	·45	11
12	·03	·24	·23		·06	·03	·18	·01				·14	12
13	·40		·17			·14	·46	·11		·15		·32	13
14	·16		·66		·26	·06		·42					14
15	·10	·10	·09		·11	1·42		·11					15
16	·19		·26		·13	·03		·20		·23	·04	1·09	16
17	·11		·40		·07	·41		·84				·24	17
18		·02	·48			·02		·54		·54	·06	·56	18
19	·05	·50	·22			·05	·07	·95		·16	·12	·18	19
20	·12	·08	·34		·20	·07	·02	·86		·80	·27	·04	20
21		·12	·74		·64			·49		·39			21
22	·40	·30	·31				·03	·60		·11	·08		22
23	·12	·71	·42			·12	·07	1·56		·41	·18		23
24	·06	·14	·14			·31	·03	·02		·03		·42	24
25	·08	·03				·76		·41		·10	·61	·14	25
26		·15	·02			·43		·28		·42	·73	·64	26
27			·06			·56	·51	/		·84		·42	27
28		·30	·03				·34	·82	·14	·41	·50	·54	28
29						·17	·43	·03	·54	·39		·66	29
30			·12		·02	·03	·46		·09	·44		·14	30
31							·52	·05		·02		·03	31
Total	5·96 5·91	~~3·88~~ 3·85	7·82 7·92	·86	2·60	8·24	3·59	13·00	1·34	6·66	4·03	7·22	TOTAL for year 65·22
No. of Rain Days.	20	~~20~~ 18	28	9	12	25	20	~~31~~ 28	7	18	17	23	6522

W. 8,000, X. '11.

224

REG[illegible] 12

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at S Molton

in the County of Devon N 2

by T Day

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 450 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name S Molton
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·32	·20	·41	·14	·22	·11	1·19		·56	1
2			·28	·11		1·24	·04	–		·03	·04		2
3	·24		·20	·03		·12	·02	1·42	·31			·07	3
4	·76		·16	·02		·34		·19			·63		4
5	·80		1·46	·05	·15			·40			·03	·04	5
6	1·41	·24	·58	·03	·26	·03		·96	·02		·03	·06	6
7		·46	·03	·02	·47	·61	·01	1·26			·04	·03	7
8	·54	·08	·07	·04		·52	·03	·09					8
9	·06	·28	·17	·24		·26	·09	·02			·02	·33	9
10	·27	·04	·20			·10	·03	·14	·13		·29	·12	10
11	·07	·06	·02				·11				·36	·45	11
12	·03	·24	·23		·06	·03	·18	·01				·14	12
13	·40		·17			·14	·46	·11		·15		·32	13
14	·16		·66		·26	·06		·42					14
15	·10	·10	·09		·11	1·42		·11					15
16	·19		·26		·13	·03		·20		·23	·04	1·09	16
17	·11		·40		·07	·41		·84				·24	17
18		·02	·48			·02		·54		·54	·06	·56	18
19	·05	·50	·22			·05	·07	·95		·16	·12	·18	19
20	·12	·08	·34		·20	·07	·02	·86		·80	·27	·04	20
21		·12	·74		·64			·49		·39			21
22	·40	·30	·31				·03	·60		·11	·08		22
23	·12	·71	·42			·12	·07	1·56		·41	·18		23
24	·06	·14	·14			·31	·03	·02		·03		·42	24
25	·02	·03				·76		·41		·10	·61	·14	25
26		·15	·02			·43		·28		·42	·73	·64	26
27			·06			·56	·51	/		·84		·42	27
28		·30	·03				·34	·82	·14	·41	·50	·54	28
29						·17	·43	·03	·54	·39		·66	29
30			·12		·02	·03	·46		·29	·44		·14	30
31							·52	·05		·02		·03	31
Total	5·98 5·91	~~2·88~~ 3·85	7·82 7·92	·86	2·60	8·24	3·59	13·00	1·34	6·66	4·03	7·22	TOTAL for year 65·22
No. of Rain Days.	20	~~20~~ 18	28	9	12	25	20	~~24~~ 28	7	18	17	23	65·22

W. 8,000, X. '11.

224

conformable
- [illegible] } 23.III.14

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at S. Molton

in the County of N Devon

by Fred Day

RAIN GAUGE
Pattern
Diameter of top 4½ in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 450 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name S Molton
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	38	39	4	31				4		22	82	1
2	3	231	3	21	24					10		5	2
3	11				62						14	32	3
4	15		26		27	9			22	12	6	36	4
5	121	·02	1		24	88	11		11		26	64	5
6	25	10	21		2	33				37	31	61	6
7		45			77	15				64	24	3	7
8	2	12			34	2	12			10			8
9	14	9	9	5	37	35		27			44	12	9
10	74		12		4	28		10	7	19	32	2	10
11	77				24	30	3	4		72	72		11
12	12				10	3			5		80	10	12
13	8		40	(23)		2	2	24	46		22		13
14	20		38	7					12		31	3	14
15	10		64	142							20	11	15
16	22		82	15			7	54			22		16
17	42		3	19		2	12		24		11		17
18	30		35	3							15		18
19	~~46~~		11	(21)	22	7	34		39	10	2		19
20	44		29							11	46		20
21	142		(22)	30	16	4	13		11		48		21
22			96		9	24			13				22
23	2		4					19			11	4	23
24	5	·09		6		3		5		2	11	74	24
25		·02		71				8	14		15	16	25
26				79		5					3	54	26
27	22		32	25				4		34	8	12	27
28	19		4	32	3					61	4	22	28
29	3		41	18						12	10		29
30	52		*							73	14		30
31	32		52		11			68					31
Total	857	1·50	6·44	5·01	4·17	2·90	·94	2·23	2·08	4·27	6·44	5·03	TOTAL for year 49·58
No. of Rain Days	27	1·50 9	22	17	17	16	8	10	12	14	27	18	197

9,000, IX. '10.

Corrd for [illegible] 19.iii.15 DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at South Molton
in the County of North Devon N2
by Fred. Day

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			9	13	~~7~~	9	56	52				11	1
2			4	9	~~22~~ 12	22	20	11			39	40	2
3	14		65	36	46			6		4	11	4	3
4	23		38	39	9		40	62			39	82	4
5	19		62	48	5		2	13				4	5
6		7	37	42	14		46	15			22	50	6
7	3	41	31	20	28		40	18	20			6	7
8	17		86	2	32	31	5	9			3	5	8
9	30		42	21	13	77		10	42				9
10	14	44	7	56	52				44			9	10
11		22	72		4	15			3		20	32	11
12		57	19							14	2	23	12
13		39	41				11		40	11	26	13	13
14		31	71			10	2	32	82	3	64		14
15		9	29				10		4	2	38	26	15
16			6				5		24		29	6	16
17		21	36						3			51	17
18		27	45				82		28			56	18
19		39	39						7		10	40	19
20		24	22			36						12	20
21		41				51		21		19			21
22		4	5	2	12	79	4	9		52			22
23		15	24		2		22						23
24			9			3	3	20		24	30		24
25		3	40				(·18)	82		58	2	38	25
26	24	2	64				32	9		11	42	46	26
27	20	5	2				3			40	21	22	27
28	4	20	19		14					22	34	104	28
29	22		11		21					15	1·10	5	29
30	3		16							9	72	54	30
31	10						42			74		28	31
Total	2·03	4·51 4·5[illegible]	9·51	2·82 2·82	2·64	3·33	4·43 ✓	3·69	2·97	3·58	6·14	7·67	YEAR'S TOTAL 53·32 53·32
Rain Days.	13	19	29	11	14	10	19·5	15	11	15	19	25	200

W.7,000, XI. 13

✓ cordly Castle Hill 17·III·16

REGISTER OF RAINFALL IN 1915

1948

FORM A.
BRITISH RAINFALL
3 - JAN 1916

Kept at S Molton

in the County of Devon

by J Day

N2

Lat. 51·2 Long. 3·47

Time of Observation 9 a m

Nearest Railway Station S Molton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	50	30			22			62	4	49		16	1
2	22	22	35	5		10		64		7		78	2
3	2	3	15	64	9			12				68	3
4	24	84	3				4					93	4
5	66	39	9	11			9	24				62	5
6	52	10		30			42	13	3			41	6
7	40	66		7			31	21		15	4	38	7
8		51						31		2	6	28	8
9	2	36	20	46				12			24	60	9
10	56	5	4	11				42		11	12	1	10
11	19				41		19	15		1	104	5	11
12	39	56		9				30		10	58	6	12
13	14	63			43		17	12	38	3	21	17	13
14	11						28	35	5			83	14
15	36						21	2	24	7		9	15
16		1·01			41		1·61		7			1	16
17		24			19		2					2	17
18	2	31			11		3						18
19	4	6			21		30		3	15			19
20	94			22		12	4			17	1	7	20
21	40	34			7	3	9			10		90	21
22	6	x	41	13			42		5	143	1	37	22
23	4	x	3				10			6		112	23
24							52			2	2	65	24
25		(·59)				38	44					21	25
26		x				41	4		22	40		58	26
27		x				42	6		5			5	27
28		x				11			33	26	2		28
29						34					13	6	29
30	24			2		5			4	(37)	28	33	30
31							12	16		30		25	31
Total	6·07	7·20	1·30	2·20	2·14	1·96	5·70	3·91	1·53	4·31	2·76	10·75	YEAR'S TOTAL 49·83
Rain Days.	21	22	8	11	9	9	21	15	12	19	13	28	188

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 1917

Kept at S Molton

in the County of N Devon

by Frederic Day

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station S Molton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16		3		35	26	30	1	12	50	3	1	1
2	71	11	47		5		1	1	3	46	16	1	2
3	1	100	2		37	6	24		22	50	12	7	3
4	57	10	1	4	10	55	21		19	20	45	1	4
5	19	26	6		10	8	1		1	10	57		5
6	21	29	2		13	21	38			16	53		6
7	10	36	34		26	10	1			3	56	21	7
8	1	12	6	1	20	1					46	22	8
9	1	11	1		3	3	19				12	11	9
10	1	99	1	18	4	1	1				7	1	10
11	1	1	1	42	29	1	15		14	6	2		11
12	16	12	5	15	2		3			30	4		12
13	1	52	3	10	25				13	7			13
14	10	55	15	4	4				1	28	2		14
15	2	46	4	27	3		5	31	1	20		1	15
16	4	8	1	44			29		1	24		2	16
17	10	74	1	4				150	113	35	61		17
18	11	72	20	11					22	21	1	9	18
19	23	14	2	27							4	1	19
20	20	47	28	1					1		37	48	20
21	13	2	11		6	1					11	6	21
22	1	1	1			17				46	5	75	22
23	11	18	7	5		12				42	18	44	23
24	1	26	10		27	7		42	1	9	3		24
25	1	48	29		5	8		44	1	51	23		25
26	8	5	13		8	19		4	66	62	1	3	26
27	5	1	66			4	1	8	25	42		3	27
28	1	10	1					23	5	14	1	51	28
29	1	47	4			61		107	10	74	1	42	29
30		X	1			1		3	1	37	1	9	30
31		X		X		X		20	X	22	X	43	31
Total	3·38	8·73	3·26 3·26	2·23	2·72	2·62	1·89	4·34 4·34	3·32	7·65	4·82	4·02	YEAR'S TOTAL 48·98
Rain Days.	29	28	30	14	19	19	14	12	20	25	26	22	258

W. 8,000, VIII. 16

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at S Molton

in the County of N Devon

by Fredk Day FRGS

Lat. 51·10 N Long. 3·48 W

Time of Observation 9 a.m.

Nearest Railway Station S Molton 3/4 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	62		14	11	34		47		5	41		×	1
2	33		17		30			1	21	14	1	1.77 ×	2
3	6		23		3			13	4		1	38 ×	3
4	20	63	33			3			43			×	4
5	28	(50)	62		2		60		1			×	5
6	31		21		4			1	1		3	1.35	6
7	45		34	23					2			30	7
8	39		6	4	2								8
9	33			37	4								9
10	12		70	10	5					16	57	×	10
11	7		34	6	20					1	7	×	11
12	39		32	10		50	20			29		34	12
13	14		6	47			8		1	20			13
14	39	11		93	18		12			7		11	14
15	35	13								49		25 ×	15
16	28	1.11				16						×	16
17	1	44			1		1	1			×	×	17
18	6	11	1.05					41	24		× 1.00	61 ×	18
19		22	34					85	81		50		19
20	34	14	26				42	7	27		55	25	20
21	21	35				30	84	5	9		48	45	21
22							7	10	24			23	22
23										40		7	23
24	33						7	5	4	62	30	79	24
25	37			1		30		58	1	3	25	37	25
26			36	33				12	19	1	30	(·35) 7	26
27			1	49				62				67	27
28			51	5								45	28
29				25		2		16		17			29
30		╳	(·07)	34		11		64	3			67	30
31		╳	19	╳		╳	8		╳		╳		31
TOTAL	6·03	3·74	6·31	3·88	1·23	1·42	2·96	3·86	2·70	2·51 ✓	4·07	9·48 (26)	YEAR'S TOTAL ~~48·17~~ 48·21
Days with ·01 in. or more	22	10	20	15	11	7	11	15	17	12 ✓	13 ✓	~~19~~	(179)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1620

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN ~~19 & 20~~ 1920

Kept at S Molton

in the County of Devon

by Fred Day FRGS

Lat. 51·0 N Long. 3·48 W

Time of Observation 9 a m

Nearest Railway Station S Molton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				11	16		46	30	24	28	8	50	1
2				47	3		13	35	29	19		7	2
3	16			5			21	1	20	64		53	3
4			5		2		3	44	3	30			4
5			27	24	19		43	19	1				5
6	18	6	20	30	23		12		3	21	4	1	6
7			3	67 ~~27~~	4		36		3		9		7
8		7	1	22	10		57	7					8
9	95	40	13	11		26	52				2	2	9
10	95	21	8	33		24	38				5		10
11	4	3	2	11	27	4	13						11
12	5	12	72	10	4	10	16	3			9	1	12
13	28	12	13	50			7				1	1	13
14	10	2	47	22			9		30	27	31		14
15	6	17	1	1	8	12	1		9	12	29		15
16	1		10	12	8	9	1	1	12	77	10		16
17	10		5		30	17		5	96	25		1	17
18	37	1	4	1	20	9		36	17	24			18
19	6	19		44	2	33		10					19
20	33	1		45		10	10		1		8	10	20
21	1			6		1	4	6	5			17	21
22	5			9		2	4	18				59	22
23			4				9~~8~~4					46	23
24		6	24	5		3	88				12		24
25	4	11	14	2		9	4			1	12	24	25
26	42		19	5		20	10				70	1	26
27	31	27	7	31	22	68	12					28	27
28	54	3	44	23		7					3	12	28
29	27	1	50	9	34	17	12				36	14	29
30	47	✕	7	8	4	16	37		72	55	22	1	30
31	30	✕	34	✕		✕	6		✕	10	✕	20	31
Total	6·05 ~~722~~	189	434	544	2·36 ~~246~~	2·57	659	2·15 ~~213~~	3·25 ~~392~~	3·93 ~~392~~	271	3·48 ~~349~~	YEAR'S TOTAL 45·16 ~~46·41~~
Rain Days.	23	17	24	27	17	19	27	13	15	13	17	19	237
	21	11	20	24	15	16	24	10	10	12	14	12	189

W. 8,000. X. 15.

Dh

S. made

327

FORM A2. BRITISH RAINFALL. 26 JAN 1912

SPREYTON

LYNDERIES

DEVON

1911 – 1916

911

Kept at Spreyto

in the County of D

by C. W. R. Hoo

op in.

above Ground ft. in.

„ Sea Level ft.

on { Name / Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and p British Rainfall Organization are give on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·09		·01			1
2								·02			·275	·170	2
3								·14		·285	·110	·105	3
4								·04	·04		·335	·460	4
5								·24			·730	·120	5
6								·39		·05	·150	·880	6
7								·05			·710		7
8						(—)					·075	·925	8
9											·795	·470	9
10											·020	·405	10
11											·460	·310	11
12									·06		·275	·625	12
13									·60		·005	·415	13
14									·005		·095	·705	14
15						·045				·07	·485	·080	15
16						·145					·155	·380	16
17						·130	·01				·240	·810	17
18						·210					·540	·715	18
19						·510				·19	·280	·865	19
20						·050			·45	·20		·730	20
21									·22	·64		·270	21
22						·025		·57	·20	·19		·410	22
23						·175			·25	·21	·075	·120	23
24						·420		·06	·095	·23		·240	24
25						·055		·16		·49		·155	25
26									·04	·30	·015	·155	26
27								·01		·46		·235	27
28								·18	·185	·46	·220		28
29						·410		·13					29
30						·075	·32		·145	·20	·150	·120	30
31							·05			·28			31
Total						2·250	·38	2·08	2·290	·085 ~~4·265~~ 4·350	6·195	10·875	TOTAL for year
No. of Rain Days						12	3	13	12	16	~~22~~ 21	26	

9,000, IX. '10.

8 S. made

327

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Spreyton, Lynderies

in the County of Devonshire N.2.

by C. W. R. Hooper

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.09		.01			1
2								.02			.275	.170	2
3								.14		.285	.110	.105	3
4								.04	.04		.335	.460	4
5								.24			.730	.120	5
6								.39		.05	.150	.880	6
7								.05			.710		7
8						(—)					.075	.925	8
9											.795	.470	9
10											.020	.405	10
11											.460	.310	11
12									.06		.275	.625	12
13									.60		.005	.415	13
14									.005		.095	.705	14
15						.045				.07	.485	.080	15
16						.145					.155	.380	16
17						.130	.01				.240	.810	17
18						.210					.540	.715	18
19						.510				.19	.280	.865	19
20						.050			.45	.20		.730	20
21									.22	.64		.270	21
22						.025		.57	.20	.19		.410	22
23						.175			.25	.21	.075	.120	23
24						.420		.06	.095	.23		.240	24
25						.055		.16		.49		.155	25
26									.04	.30	.015	.155	26
27								.01		.46		.235	27
28								.18	.185	.46	.220		28
29						.410		.13					29
30						.075	.32		.145	.20	.150	.120	30
31							.05			.28			31
Total						2.250	.38	2.08	2.290	.085 ~~4.265~~ 4·350	6.195	10.875	TOTAL for year
No. of Rain Days						12	3	13	12	16	~~22~~ 21	26	

9,000, IX. '10.

DL

Cor. for auth. 4.IV.12

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Spreyton Vicarage

in the County of N. Devon 2

by Rev. H. P. Knapton

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05							·09					1
2								·02					2
3								·14					3
4								·04					4
5	·33							·24					5
6								·39					6
7	·37							·05					7
8													8
9													9
10	·37	·02											10
11													11
12													12
13													13
14	·23	·05											14
15													15
16													16
17													17
18		·25											18
19		·03											19
20	·07	·005											20
21													21
22								·57					22
23	·01	·33											23
24		·11						·06					24
25		·04						·16					25
26													26
27	·04	33						·01					27
28								·18					28
29								·13					29
30													30
31													31
Total	1·47	1·165 1·265						2·08					TOTAL for year
No. of Rain Days	8	~~9~~ ?						13					3

9,000, IX. '10.

82

323

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Spreyton

in the County of N. Devon N 2

by C. W. R. Hooper

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·280				·23	·12	·04	·14	·05		1
2			·240	·03		·40	·09	·09	·11	·56		·41	2
3	·135		·300			1·25				·01		·09	3
4	·380	·070	1·425			·12	·05	1·32	·08			·07	4
5	·425	·090	·390	·08		·20		·05			·15	·07	5
6	·790	·150	·165	·01	·07		·02	·56	·06		·02	·11	6
7	·080	1·145	·450		·20	·03	·12	·38				·09	7
8	·225	·090	·320	·09	·12	·59	·06	·40				·11	8
9	·120	·095	·255	·08		·14	·03		·03				9
10	·225	·055	·045			·08	·12	·05			·02	·22	10
11	·085	·070				·22		·30			·25	·22	11
12	·050	·335	·200			·07					·28	·45	12
13	·300	·030			·03		·08	·29				·07	13
14	·045		·460			·04	·03	·08				·19	14
15	·525	·075	·060		·14			·19		·04		·07	15
16	·170		·135			·97		·02				·46	16
17			·310			·04				·13	·09	·08	17
18	·080		·470		·03	·09		·42				·11	18
19	·350	·320	·300					·55		·09	·03	·08	19
20	·125	·050	·490			·01	·08	·35		·07	·05	·06	20
21		·050	·565		·10			·44		·53	·12		21
22	·225	·130	·210		·47		·02	·24		·22			22
23	·300	·270	·160		·11			·14		·16		·08	23
24	·095	·030	·075				·02	·91		·03	·09	·19	24
25	·260					·19	·02			·02		·25	25
26						·10		·20		·22	·45	·51	26
27			·080					·15		·26	·65	·42	27
28		·140				·17	·49	·19		·94		·36	28
29		·240					·08	·41	·56	·29	·42	·48	29
30						·04	·13	·27	·47	·23		·10	30
31			·180				·19			·64			31
Total	4·990	3·435	7·565	·29	1·27	·23 ~~4·75~~ 4.98	·12 ~~1·86~~ 1·75	·04 ~~8·12~~ 8·04	·14 ~~1·35~~ 1·45	·05 ~~4·58~~ 4·49	— ~~2·67~~ 2·62	·07 ~~5·35~~ 5·42	TOTAL for year 46·30
No. of Rain Days.	21	19	24	5	9	~~19~~ 20	18	25	7	18	~~14~~ 13	~~26~~ 27	206

W. 8,000, X. '11.

8L ✓

REGISTER OF RAINFALL IN 1913

335

BRITISH RAINFALL. FORM A.

28 JAN 1914

Kept at Spreyton, Lyndcries Est D S

in the County of N. Devonshire N 2

by C. Hooper + Rev T G Blackwood Price

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge – in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·07	·24		·49	·04			·03	·72		·02	·05	1
2		·20	·10	·14	·07	·06			·01	·07	·12	·04	2
3		·13		·15	·22	·02			·03	·24	·16	·02	3
4	·50	·01	·19		·25					·46	·02	·27	4
5	·53		·20		·07	·03	·13		·32	·18	·04	·29	5
6	·02	·07			·20	·05	·13		·21		·20	·72	6
7	·05	·07	·46		·01	·04	·01			·65	·20	·42	7
8	·02	·56	·10		·89	·14	·09			·60	·09	·05	8
9	·05	·09			·38		·02	·03		·01	·01	·01	9
10	·06		·04		·12	·10	·21	·01	·03		·49	·03	10
11	·63	·02	·01	·10	·05	·01		·02		·19	·35		11
12	·80		·02	·19	·20	·10			·06	·14	·69	·02	12
13	·11	·02		·02	·01	·06			·01		·43	·04	13
14			·08				·04	·06	·30	·03	·07		14
15	·52	·01	·35	·06	·03		·03		·01	·07	·24	·02	15
16	·10		·56	·92					·23		·10	·06	16
17	·57		·74	·10				·70	·13		·02		17
18	·03		·05	·18			·03				·04		18
19	·21		·31	·35							·06		19
20	·51		·18		·03	·06	·12		·22	·08	·02		20
21	·27		·26	·22					·04	·18	·18		21
22	·05		·23	·55	·05		·04				·34	·01	22
23	·35		·85	·11	·03	·05			·05	·03		·20	23
24	·07		·01					·06			·09	·77	24
25	·05	·12		·06		·05	·01			·03	·03		25
26	·02	·07		·43					·15	·07	·04	·08	26
27				1·06				·02		·06		·44	27
28	·17		·39	·11						·18		·07	28
29	·15		·04	·27	·06					·35		·09	29
30	·10		·65	·37						·58	·04		30
31	·48				·02					1·02			31
	·24	–	·49	·04	–	–	·03	·72	–	·02	·05	(–)	YEAR'S TOTAL
Total	~~6·49~~	~~1·61~~	~~5·82~~	~~5·88~~	2·73	·77	~~·86~~	·93	~~2·52~~	~~5·22~~	4·09	3·70	~~40·62~~
Rain Days.	6·66	1·37	6·31	5·43	2·69	·77	·89	1·62	1·80	5·24	4·12	3·65	40·55
	27✓	~~13~~	~~22~~	20	~~19~~	~~12~~	~~12~~	8	~~16~~	~~21~~	26		
		12	23		18	13	13	✓	15	22		20	217

W. 7,500, XI. 12

DL

and for auth 19.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

319

28

Kept at Spreyton
in the County of N. Devonshire N2
by T. G. Black Wood Price

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·18		·08	·54	·15			·55	·16	1
2	·01		·02	·09	·02		·25	·05			·03	·80	2
3	·02		·23	·17	·20			·20			·09	·30	3
4	·28		·05	·23	·11		·18	·20			·55	·55	4
5	·15		·13	·35	·05							·25	5
6	·15	·08	·15	·23	·10	·03	·25	·15			·02	·33	6
7		·62	x	·10	·07	·10		·10	·13		·02	·25	7
8	·03		1·43	·05	·05	·35			·11				8
9	·05	·02	·50	·07	·09	·50		·11					9
10	·04	·35	·19	·35	·02	·10			·37			·40	10
11		·13	·30		·04	·25			·07		·12	·37	11
12		·80	·10						·31	·05	·09	·51	12
13		·23	·61				·02		·25	·15	·47	·15	13
14		·23	·44			·09		·42	·02	·02	·25	·05	14
15			·21				·30	·18	·10	·04	·30	·24	15
16		·42	·02						·05				16
17		·09	·37						·02			·72	17
18		·02	·05				·02		·20			·35	18
19		·03	·76				1·10	·02	·11			·27	19
20		·39	·25			·46		·02	·02		·11	·14	20
21		·58				·04	·02			·16		·12	21
22		·07			·09					·30			22
23		·08	·11							·20			23
24		·01	·02		·04		·14	·07		·15	·11		24
25	·08		·16		·09		·10	·13		·25		·20	25
26	·20		·09				·30	·07		·07	·21	·76	26
27	·12		·02							·19	·18	·17	27
28		·05	·14		·13					·26	·18	·70	28
29	·10		·08		·13					·07	·50	·08	29
30			·07							·26	·40	1·14	30
31	·03				·08		·24			1·40		·60	31
Total	1·26	4·20	6·56	1·82	1·31 1·31	2·00	3·46	1·87 1·87	1·76	3·57	4·18	9·61	YEAR'S TOTAL 41·60
Rain Days.	14	18	28	10	16	10	13	14	13	15	18	25	194

W.7,000, XI. 13

9L

1943
~~344~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at *Spreyton*
in the County of *N. Devonshire*
by *S. G. Blackwood Price*

W. H.
N2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·08						1·04	·32	·32		·20	1
2	·28	·40	·02			·06		·28	·10	·06		·52	2
3	·07	·29		·08	·15		·08	·04				·63	3
4	·05	·26	·05		·01			·04				·20	4
5		·76		·09								·55	5
6	·83	·15		·17	·01		·28					·22	6
7	·45	·35					·35	·02					7
8	·35	·33						·11				·27	8
9	·02	·12		·25				·03			·46	·80	9
10	·34	·42	·05	·04				·15		·40	·32	·08	10
11	·24	·07	·09		·01		·20	·38			·47	·12	11
12	·05	·63			·60			·34			·25	·12	12
13	·02	·70			·60			·15	·08	·06	·23	·06	13
14	·03	·13					·31	·37	·01	·15	·03	·35	14
15	·21	·01			·32		·15	·01	·02		·21		15
16		·84			·15		·60	·01				·08	16
17		·25	·03		·04			·02				·10	17
18	·01	·13	·02										18
19	·02	·04		·12	·12		·15						19
20	·48					·11				·12		·04	20
21	·21	·08		·06	·10		·02			·03		·37	21
22	·08	·05	·14	·04		·07	·29			·40		·30	22
23	·04	·08	·08				·10		·04	·30		·75	23
24				·01		·02	·14		·03	·16		·53	24
25				·04		·23	·17		·02		·08	·35	25
26	·02	·12				·15	·02		·20			·75	26
27		·04				·35	·22		·15	·25		·01	27
28		·10				·15			·50	·24	·01	·04	28
29						·38	·02		·08		·10	·42	29
30	·13	X				·06	·14		·06	·90	·28	·44	30
31	·07	X		X		X	·11	·03	X	·78	X	·33	31
Total	4·23	6·43	·48	·90	2·11	1·58	3·35	3·02	1·61	4·17	2·44	8·63	YEAR'S TOTAL 38·95
Rain Days.	23	25	8	10	11	10	18	16	13	(16)	11	27	188

W. 8,000. X. 14.

S = snow

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Spreyton Vicarage
in the County of Devon
by Rev T. G. Blackwood Price

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·01	·17	nil	·33	nil	nil	nil					1
2	·31	·06	nil	nil	·06	·06	·23	nil					2
3	nil	·106	nil	nil	·37	nil	·09	nil					3
4	·20	·17	nil	nil	·05	nil	nil	nil					4
5	·03	·05	·03	nil	·14	·34	nil	nil					5
6	·08	·21	nil	nil	·07	·16	nil	nil					6
7	·06	·27 s	·21	nil	·23	·19	nil	nil					7
8	·03	·45	·26	nil	·11	·11	nil	nil					8
9	nil	·12	03	nil	nil	·29	nil	nil					9
10	nil		nil.?	nil	·02	nil	nil	nil					10
11	nil		·03	·04	nil	nil	nil	nil					11
12	nil		·28	·09	·06	nil	nil	nil					12
13	·06		·10	·11	nil	·03	nil	·04					13
14	·05		nil	·09	·05	·11	nil	·52					14
15	nil	·37	·03	·10	nil	nil	nil	·11					15
16	·04	·5	nil	·12	nil	nil	nil	·09					16
17	·09	·13	·03	·07	nil	·19	nil						17
18	·06	·24	·27	·09	nil	nil	nil						18
19	·12	·22	·20	nil	nil	nil	nil						19
20	·16	·835	nil	nil	nil	·03	nil						20
21	·03	·24	nil	nil	·22	nil	nil						21
22	nil	nil	·03 s	nil	nil	nil	nil						22
23	·01	11	·06	nil	nil	·12	nil						23
24	nil		04 s	nil	·19	·19	nil						24
25	nil	·48	·23	nil	nil	nil	nil						25
26	nil	·11	·11	nil	nil	·04	nil						26
27	nil	·09	1·19	nil	·29	·11	nil						27
28	nil	·03	·03	nil	·05	·07	nil						28
29	nil	·42	·06	nil	nil	nil	nil						29
30	nil	—	nil	nil	nil	nil	nil						30
31	nil	~~nil~~	nil		nil		nil						31
Total	1·45	...	3·39	·71	~~2·15~~ 2·24	2·04	·32						YEAR'S TOTAL
Rain Days.	15	...	20	8.	15	145	2						

W.7,000, XI. 13

STARCROSS

COFTON VICARAGE

DEVON

1911 — 17

F 11

FORM A2. BRITISH RAINFALL. 3 JAN 1912

Kept at Cofton Vic

in the County of Devn

by The Rev C.H.Ben

5 in.

ove Ground 1 ft. 9 in.

, Sea Level 60 ft.

AM

Name Starcross

Distance 1 mile Direction S

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of t rement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·03	·05	·00	·00	·00	·00	·00	·00	·00	1
2	·00	·00	·00	·00	·36	·00	·00	·29	·00	·08	·16	·31	2
3	·00	·00	·00	·00	·10	·00	·00	·00	·02	·00	·06	·09	3
4	·00	·00	·00	·00	·00	·00	·00	·10	·00	·00	·07	·57	4
5	·12	·00	·07	·00	·00	·00	·00	·40	·00	·00	·15	·00	5
6	·35	·00	·32	·00	·00	·00	·00	·00	·00	·00	·07	1·11	6
7	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·44	·02	7
8	·00	·00	·09	·00	·00	·00	·00	·00	·00	·00	·08	·63	8
9	·00	·00	·00	·00	·00	·02	·00	·00	·00	·00	·53	·61	9
10	·02	·01	·30	·00	·03	·00	·00	·00	·00	·00	·00	·28	10
11	·20	·00	·00	·00	·02	·00	·00	·00	·00	·00	·81	·05	11
12	·00	·00	·71	·00	·00	·00	·00	·00	·05	·00	·04	·10	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·23	·00	·00	·41	13
14	·00	·13	·00	·00	·00	·00	·00	·00	·00	·04	·00	·92	14
15	·00	·04	·06	·00	·00	·00	·00	·00	·00	·00	·28	·06	15
16	·00	·00	·00	·00	·00	·50	·00	·00	·00	·00	·55	·65	16
17	·00	·00	·65	·00	·00	·25	·00	·00	·00	·00	·22	·77	17
18	·00	·21	·25	·25	·00	·31	·00	·00	·00	·16	·22	·33	18
19	·00	·06	·26	·05	·00	·15	·00	·00	·42	·28	·08	·41	19
20	·03	·01	·00	·00	·00	·01	·00	·00	·64	·41	·00	·65	20
21	·00	·10	·00	·00	·00	·00	·00	·05	·05	·60	·00	·04	21
22	·32	·00	·01	·04	·00	·01	·00	·00	·25	·21	·00	·56	22
23	·02	·15	·04	00	·00	·07	·00	·00	·05	·27	·06	·25	23
24	·00	·08	·00	·00	·00	·51	·00	·02	·00	·24	·00	·26	24
25	·00	·06	·00	·00	·00	·04	·00	·00	·10	·11	·00	·15	25
26	·00	·08	·00	·20	·03	·00	·00	·05	·05	·41	·00	·16	26
27	·00	·23	·01	·00	·07	·00	·00	·02	·09	·52	·03	·14	27
28	·00	·16	·03	·45	·00	·00	·00	·04	·00	·00	·02	·00	28
29	·00		·00	·33	·34	·16	·52	·00	·12	·21	·00	·00	29
30	·00		·00	·00	·00	·04	·07	·00	·00	·16	·10	·02	30
31	·00		·00		·00		·05	·00		·01		·00	31
Total	1·06	1·32	2·80	1·35	1·00	2·07	·64	·97	1·47	3·71	3·97	9·55	TOTAL for year ~~29·86~~ 29·91
No. of Rain Days.	7	13	13	7	8	12	3	8	12	15	~~20~~ 19	26	~~144~~ 143

W. 8,000, X. '11.

1·47

29·91 143

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Cofton Vicarage

in the County of Devon

by The Rev C.A.Bentnall

S 6

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 9 in.
	,, ,, ,, Sea Level	60 ft.

Time of Observation 9 AM

Nearest Railway Station { Name Starcross
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·00	·03	·05	·00	·00	·00	·00	·00	·00	·00	1
2	·00	·00	·00	·00	·36	·00	·00	·29	·00	·08	·16	·31	2
3	·00	·00	·00	·00	·10	·00	·00	·00	·02	·00	·06	·09	3
4	·00	·00	·00	·00	·00	·00	·00	·10	·00	·00	·07	·57	4
5	·12	·00	·07	·00	·00	·00	·00	·40	·00	·00	·15	·00	5
6	·35	·00	·32	·00	·00	·00	·00	·00	·00	·00	·07	1·11	6
7	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·44	·02	7
8	·00	·00	·09	·00	·00	·00	·00	·00	·00	·00	·08	·63	8
9	·00	·00	·00	·00	·00	·02	·00	·00	·00	·00	·53	·61	9
10	·02	·01	·30	·00	·03	·00	·00	·00	·00	·00	·00	·28	10
11	·20	·00	·00	·00	·02	·00	·00	·00	·00	·00	·81	·05	11
12	·00	·00	·71	·00	·00	·00	·00	·00	·05	·00	·04	·10	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·23	·00	·00	·41	13
14	·00	·13	·00	·00	·00	·00	·00	·00	·00	·04	·00	·92	14
15	·00	·04	·06	·00	·00	·00	·00	·00	·00	·00	·28	·06	15
16	·00	·00	·00	·00	·00	·50	·00	·00	·00	·00	·55	·65	16
17	·00	·00	·65	·00	·00	·25	·00	·00	·00	·00	·22	·77	17
18	·00	·21	·25	·25	·00	·31	·00	·00	·00	·16	·22	·33	18
19	·00	·06	·26	·05	·00	·15	·00	·00	·42	·28	·08	·41	19
20	·03	·01	·00	·00	·00	·01	·00	·00	·64	·41	·00	·65	20
21	·00	·10	·00	·00	·00	·00	·00	·05	·05	·60	·00	·04	21
22	·32	·00	·01	·04	·00	·01	·00	·00	·25	·21	·00	·56	22
23	·02	·15	·04	·00	·00	·07	·00	·00	·05	·27	·06	·25	23
24	·00	·08	·00	·00	·00	·51	·00	·02	·00	·24	·00	·26	24
25	·00	·06	·00	·00	·00	·04	·00	·00	·10	·11	·00	·15	25
26	·00	·08	·00	·20	·03	·00	·00	·05	·05	·41	·00	·16	26
27	·00	·23	·01	·00	·07	·00	·00	·02	·09	·52	·03	·14	27
28	·00	·16	·03	·45	·00	·00	·00	·04	·00	·00	·02	·00	28
29	·00		·00	·33	·34	·16	·52	·00	·12	·21	·00	·00	29
30	·00		·00	·00	·00	·04	·07	·00	·00	·16	·10	·02	30
31	·00		·00		·00		·05	·00		·01		·00	31
Total	1·06	1·32	2·80	1·35	1·00	2·07	·64	·97	1·47	3·71	3·97	9·55	TOTAL for year ~~29.86~~ 29.91
No. of Rain Days.	7	13	13	7	8	12	3	8	12	15	~~20~~ 19	26	~~144~~ 143

1·47 29.91 143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

16 - JAN 1913

Kept at Cofton S. Mary Vicarage

in the County of Devon S. 6

by The Rev C A Benthall

Lat. 50° 36′ 45″ N Long. 3° 27′ 40 W

Time of Observation 9 AM

Nearest Railway Station Starcross

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·12	·00	·00	·53	·11	·04	·06	·88	·00	·29	1
2	·00	·00	·16	·00	·00	·33	·03	·09	·00	·03	·00	·01	2
3	·00	·00	·19	·00	·00	·18	·14	·85	·05	·00	·00	·02	3
4	·14	·11	·57	·00	·00	·45	·00	·14	·00	·00	·27	·00	4
5	·43	·36	·21	·00	·00	·14	·00	·35	·00	·00	·02	·18	5
6	·23	·03	·00	·00	·27	·18	·06	·14	·00	·00	·00	·01	6
7	·04	·64	·30	·00	·08	·76	·05	·05	·00	·00	·00	·33	7
8	·37	·19	·40	·00	·00	·47	·00	·03	·00	·00	·00	·01	8
9	·05	·08	·05	·00	·00	·18	·04	·07	·00	·00	·00	·23	9
10	·14	·04	·06	·08	·00	·07	·00	·00	·00	·00	·00	·27	10
11	·05	·03	·00	·00	·00	·00	·00	·03	·00	·00	·16	·49	11
12	·00	·46	·08	·00	·00	·00	·10	·56	·00	·00	·00	·02	12
13	·09	·01	·00	·00	·00	·02	·21	·00	·00	·00	·00	·02	13
14	·04	·08	·44	·00	·20	·00	·00	·09	·00	·00	·00	·00	14
15	·57	·04	·00	·00	·33	·25	·00	·00	·00	·00	·00	·00	15
16	·22	·00	·26	·00	·13	·02	·00	·02	·00	·00	·00	·00	16
17	·08	·00	·22	·00	·00	·00	·00	·80	·00	·00	·00	·13	17
18	·03	·00	·15	·00	·00	·10	·00	·20	·00	·00	·00	·04	18
19	·02	·04	·25	·00	·00	·02	·09	·18	·00	·00	·01	·01	19
20	·02	·05	·46	·00	·19	·00	·03	·27	·00	·15	·00	·00	20
21	·00	·15	·33	·00	·32	·00	·00	·07	·00	·13	·00	·00	21
22	·37	·23	·16	·00	·01	·00	·05	·07	·00	·07	·01	·10	22
23	·49	·23	·13	·00	·00	·00	·65	·35	·00	·09	·06	·35	23
24	·05	·05	·00	·00	·00	·30	·00	·05	·00	·00	·00	·24	24
25	·22	·00	·00	·00	·00	·05	·00	·45	·00	·27	·16	·52	25
26	·00	·00	·00	·00	·00	·00	·62	·04	·00	·37	·46	·39	26
27	·00	·00	·00	·00	·00	·38	·38	·09	·01	1·20	·00	·23	27
28	·00	·12	·00	·00	·00	·08	·09	·48	·13	·40	·38	·46	28
29	·00	·53	·00	·00	·00	·12	·14	·30	·41	·50	·00	·03	29
30	·00		·02	·00	·00	·12	·12	·05	·14	·26	·00	·01	30
31	·00		·21		·00		·36	·00		·02		·04	31
Total	3·65	3·47	4·77	·08	1·53	4·75	2·07	5·86	·80	4·37	1·53	4·43	YEAR'S TOTAL 37·31
Rain Days.	20	20	21	1	8	21	18	27	6	13	9	25	189

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1- JAN 1914

Kept at Cofton Vicarage

in the County of Devon

by The Rev C.T. Bonthall

Lat. 50° 36' 45" N Long. 3° 27' 40 W

Time of Observation 9 A.M.

Nearest Railway Station Starcross

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·15	·13	·00	·22	·00	·00	·00	·05	·16	·10	·00	1
2	·31	·13	·02	·10	·20	·00	·08	·00	·00	·22	·00	·00	2
3	·39	·00	·00	·00	·35	·00	·00	·00	·00	·14	·00	·23	3
4	1·01	·00	·03	·00	·05	·07	·06	·00	·19	·31	·14	·10	4
5	·06	·01	·10	·00	·18	·05	·02	·00	·77	·08	·29	·32	5
6	·04	·16	·11	·00	·09	·17	·03	·00	·00	·98	·04	·21	6
7	·00	·21	·16	·00	·69	·02	·30	·00	·00	·36	·20	·02	7
8	·03	·36	·01	·00	·30	·00	·03	·02	·00	·00	·00	·00	8
9	·00	·00	·00	·00	·16	·00	·11	·09	·00	·00	·25	·00	9
10	·70	·01	·00	·00	·11	·00	·00	·02	·00	·05	·02	·00	10
11	·54	·00	·00	·00	·65	·07	·00	·00	·00	·00	·84	·00	11
12	·04	·00	·00	·00	·09	·00	·00	·00	·00	·00	·41	·00	12
13	·44	·00	·00	·03	·00	·00	·00	·05	·19	·06	·13	·00	13
14	·36	·00	·09	·11	·30	·00	·00	·00	·04	·00	·10	·00	14
15	·25	·00	·54	·33	·00	·00	·00	·00	·20	·00	·00	·00	15
16	·19	·00	·38	·11	·00	·02	·00	·05	·16	·00	·00	·00	16
17	·05	·00	·37	·00	·00	·00	·00	·00	·00	·00	·00	·00	17
18	·12	·00	·24	·10	·04	·00	·00	·00	·00	·00	·00	·00	18
19	·59	·00	·05	·00	·00	·02	·00	·00	·35	·03	·00	·00	19
20	·00	·00	·27	·44	·00	·00	·00	·00	·00	·08	·30	·00	20
21	·12	·00	·30	·03	·08	·00	·00	·00	·00	·02	·29	·00	21
22	·30	·00	·53	·00	·00	·05	·00	·00	·08	·08	·00	·12	22
23	·00	·00	·01	·00	·00	·00	·00	·00	·00	·00	·08	·84	23
24	·00	·06	·00	·05	·00	·00	·00	·00	·00	·00	·00	·00	24
25	·00	·00	·00	·35	·00	·00	·00	·00	·03	·00	·00	·00	25
26	·00	·00	·00	1·34	·00	·00	·00	·12	·00	·08	·00	·06	26
27	·58	·00	·17	·28	·00	·00	·00	·00	·00	·38	·00	·08	27
28	·27	·00	·04	·24	·00	·00	·00	·00	·00	·20	·00	·14	28
29	·19		·46	·21	·00	·00	·00	·00	·00	·18	·00	·00	29
30	·25		·00	·00	·04	·00	·00	·00	·26	·56	·00	·00	30
31	·09		·14		·06		·00	·44		12		·00	31
Total	6·92	1·09	4·15	3·72	3·61	·47	·63	·79	2·32	4·19	3·19	2·12	YEAR'S TOTAL 33·20
Rain Days.	23	8	21	14	17	8	7	7	11	19	14	10	159

W.7,000, XI. 13

made

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Cofton Vicarage

in the County of Devon S6 Ex M

by The Rev C T Benthall

Lat. 50° 36′ 45″ N Long. 3° 27′ 40″ W

Time of Observation

Nearest Railway Station Starcross

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·03	·07	·00	·05	·11	·37	·00	·00	·40	·29	1
2	·00	·00	·01	·14	·02	·01	·25	·00	·00	·00	·09	·26	2
3	·00	·00	·05	·09	·61	·00	·02	·01	·00	·00	·02	·07	3
4	·09	·00	·00	·20	·09	·00	·36	·11	·00	·00	·46	·89	4
5	·13	·00	·03	·17	·04	·00	·00	·00	·09	·00	·00	·08	5
6	·00	·05	·00	·12	·08	·00	·00	·00	·00	·00	·02	·43	6
7	·02	·95	·45	·21	·00	·14	·21	·02	·09	·00	·00	·41	7
8	·02	·00	·27	·04	·04	·22	·00	·00	·64	·00	·01	·16	8
9	·02	·03	·14	·16	·65	·00	·00	·22	1·03	·00	·00	·00	9
10	·02	·45	·05	·12	·00	·04	·00	·00	·41	·00	·00	·08	10
11	·00	·10	·29	·00	·00	·13	·04	·00	·03	·00	·03	·81	11
12	·00	·16	·07	·00	·00	·00	·00	·00	·08	·00	·03	·64	12
13	·00	·17	·31	·00	·00	·00	·00	·00	·11	·27	·00	·20	13
14	·00	·49	·25	·00	·00	·14	·00	·00	·00	·02	·56	·20	14
15	·00	·00	·67	·00	·00	·00	·00	·45	·00	·13	·20	·08	15
16	·00	·00	·23	·00	·00	·00	·00	·22	·30	·00	·00	·00	16
17	·00	·17	·14	·00	·00	·00	·00	·00	·00	·00	·00	·60	17
18	·00	·01	·10	·00	·00	·00	·08	·00	·13	·00	·00	·21	18
19	·00	·05	·56	·00	·00	·00	1·51	·00	·00	·00	·00	·20	19
20	·00	·40	·31	·00	·00	·03	·00	·02	·00	·00	·00	·19	20
21	·00	·60	·00	·00	·00	·01	·00	·00	·00	·25	·00	·01	21
22	·00	·02	·02	·00	·27	·00	·00	·00	·00	·15	·00	·00	22
23	·00	·68	·19	·00	·02	·00	·00	·00	·00	·29	·00	·00	23
24	·00	·12	·01	·00	·50	·00	·00	·07	·00	·02	·00	·03	24
25	·02	·00	·25	·00	·00	·00	·05	·33	·00	·31	·07	·26	25
26	·13	·00	·00	·00	·00	·00	·05	·00	·00	·02	·20	·58	26
27	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·31	·07	27
28	·00	·04	·31	·00	·06	·00	·00	·00	·00	·03	·21	·30	28
29	·09		·14	·00	·13	·00	·00	·00	·00	·05	·65	·77	29
30	·00		·09	·04	·00	·00	·01	·00	·00	·23	·51	·79	30
31	·00		·00		·00		·49	·00		·48		·30	31
Total	·54	3·89	4·37	1·36	1·91	·77	3·18	1·82	2·31	2·25	3·77	8·85	YEAR'S TOTAL 35·02
Rain Days.	9	17	25	11	12	9	12	10	10	13	16	27	171

W. 8,000. X. 14.

1878

FORM A.
BRITISH RAINFALL.
7 JAN 19

REGISTER OF RAINFALL IN 1915

Kept at Cofton Vicarage

in the County of Devon

by The Rev O T Benthall

56

Lat. 50° 36′ 45″ N Long. 3° 27′ 40″ W

Time of Observation 9 AM

Nearest Railway Station Starcross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·10	·00	·00	·00	·00	·00	·39	·16	·41	·00	·12	1
2	·20	·23	·10	·01	·00	·07	·00	·01	·36	·06	·00	·60	2
3	·08	·02	·03	·03	·30	·00	·00	·29	·00	·00	·00	·48	3
4	·04	·11	·00	·00	·04	·00	·00	·00	·00	·00	·00	·37	4
	·01	·72	·00	·12	·00	·00	·00	·23	·00	·00	·01	·41	5
6	·55	·10	·00	·21	·00	·00	·44	·00	·00	·00	·00	·19	6
7	·21	·40	·00	·07	·00	·00	·10	·00	·00	·00	·00	·43	7
8	·10	·51	·00	·00	·00	·00	·00	·08	·00	·00	·04	·16	8
9	·00	·04	·00	·00	·00	·00	·00	·00	·00	·00	·24	·64	9
10	·13	·38	·04	·04	·00	·00	·00	·00	·00	·00	·51	·05	10
11	·13	·32	·04	·00	·63	·00	·00	·22	·00	·12	·22	·07	11
12	·02	·38	·00	·04	·47	·00	·00	·41	·00	·01	·19	·00	12
13	·03	·34	·00	·00	·41	·00	·00	·10	·04	·00	·17	·02	13
14	·01	·45	·00	·00	·00	·00	·29	·21	·06	·06	·02	·66	14
15	·08	·00	·00	·00	·22	·00	·14	·00	·00	·04	·00	·00	15
16	·01	·96	·00	·00	·28	·00	·62	·00	·00	·01	·00	·08	16
17	·00	·43	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	17
18	·00	·12	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·04	·00	·00	·38	·00	·10	·34	·00	·00	·00	·00	19
20	·16	·00	·00	·00	·00	·10	·00	·00	·00	·26	·00	·00	20
21	·22	·07	·01	·00	·00	·00	·22	·00	·04	·32	·00	·08	21
22	·04	·00	·28	·00	·00	·05	·22	·00	·00	·00	·00	·19	22
23	·00	·00	·03	·00	·00	·01	·04	·00	·06	1·48	·00	·37	23
24	·00	·00	·00	·01	·00	·00	·45	·00	·07	·17	·00	·57	24
25	·00	·00	·00	·03	·00	·66	·02	·00	·00	·00	·00	·20	25
26	·00	·10	·00	·00	·00	·01	·07	·00	·01	·00	·00	·84	26
27	·01	·02	·00	·00	·00	·41	·62	·00	·01	·41	·00	·02	27
28	·24	·00	·00	·00	·00	·16	·00	·00	·37	·07	·00	·05	28
29	·00		·00	·00	·00	·01	·02	·00	·01	·00	·08	·07	29
30	·00	×	·00	·00	·00	·02	·04	·00	·00	·38	·66	·50	30
31	·03	×	·00	×	·00	×	·09	·02	×	·91	×	·27	31
Total	2·56	5·84	·53	·56	2·13	1·50	2·88	2·30	1·19	4·71	2·14	7·44	YEAR'S TOTAL 33·78
Rain Days.	21	21	7	9	8	10	16	11	11	15	10	25	164

W. 8,000. X. 15.

Smade ✓ tot. C 7 E and [illegible]

FORM A. BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Coffon Vicarage

in the County of Devon

by The Revd O. F. Benthall

Lat. 50° 36′ 45½″ Long. 3° 27′ 40″ W

Time of Observation 9 AM

Nearest Railway Station Starcross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·00	·03	·00	·47	·00	·01	·00	·17	·24	·09	·00	1
2	·08	·00	·00	·00	·05	·00	·00	·00	·10	·21	·29	·00	2
3	·00	1·05	·00	·00	·41	·05	·07	·00	·00	·41	·00	·00	3
4	·09	·09	·00	·00	·05	·07	·00	·00	·01	·21	·61	·00	4
5	·00	·02	·07	·00	·01	·06	·00	·00	·00	·07	·09	·00	5
6	·00	·08	·00	·00	·18	·01	·57	·00	·00	·16	·73	·00	6
7	·02	·08	·06	·00	·02	·01	·13	·00	·00	·10	·29	·06	7
8	·00	·13	·32	·00	·18	·35	·00	·00	·00	·00	·18	·12	8
9	·00	·11	·06	·00	·00	·09	·01	·00	·00	·01	·03	·16	9
10	·00	·43	·00	·00	·03	·00	·00	·00	·00	·02	·01	·15	10
11	·00	·00	·00	·00	·01	·11	·03	·00	·00	·00	·00	·00	11
12	·02	·02	·35	·00	·15	·00	·00	·05	·00	·01	·00	·00	12
13	·00	·15	·14	·00	·00	·00	·00	·15	·00	·00	·00	·00	13
14	·00	·57	·34	·00	·02	·00	·00	·14	·00	·02	·00	·00	14
15	·00	·20	·14	·12	·00	·00	·00	·07	·00	·04	·00	·25	15
16	·16	·06	·00	·05	·00	·00	·12	·11	·00	·04	·00	·00	16
17	·02	·04	·34	·00	·00	·00	·00	·00	·09	·22	·98	·00	17
18	·15	·09	·37	·03	·00	·00	·00	·00	·04	·00	·00	·10	18
19	·07	·15	·27	·00	·00	·00	·00	·00	·00	·00	·14	·08	19
20	·14	·80	·25	·00	·00	·00	·00	·00	·00	·00	·03	1·01	20
21	·00	·03	·06	·00	·07	·00	·00	·00	·00	·00	·00	·35	21
22	·00	·00	·00	·00	·00	·09	·00	·00	·00	·20	·00	·64	22
23	·00	·02	·00	·03	·00	·08	·00	·20	·00	·05	·09	·06	23
24	·00	·05	·00	·02	·29	·03	·00	·14	·00	·61	·03	·30	24
25	·00	·18	·00	·00	·02	·01	·00	·23	·02	·00	·09	·00	25
26	·00	·24	·00	·00	·00	·40	·00	·22	1·10	·51	·00	·07	26
27	·00	·02	1·24	·00	·00	·34	·00	·03	1·20	·15	·00	·00	27
28	·00	·01	·00	·00	·00	·00	·00	·12	·07	·30	·00	·15	28
29	·00	·34	·03	·00	·00	·23	·00	2·24	·09	·05	·00	·31	29
30	·00	X	·00	·00	·00	·00	·00	·01	·00	·60	·00	·00	30
31	·00	X	·00	X	·00	X	·00	·01	X	·30	X	·00	31
Total	·81 ✓	4·96 ✓	4·07	·25 ✓	1·96 ✓	1·93 ✓	·94 ✓	3·72 ✓	2·99 ✓	4·53 ✓	3·68 ✓	3·81	YEAR'S TOTAL 32·65
Rain Days.	10 ✓	25 ✓	4·07 16	5 ✓	15 ✓	15 ✓	7 ✓	14 ✓	10 ✓	23 ✓	15 ✓	15	33·65 170

W. 8,000, VIII. 16

Snade 1758

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

5. JAN 1918

Kept at Cofton Vicarage Starcross

in the County of Devon

by The Rev C. H. Benthall

Lat. 50° 36′ 45″ N Long. 3° 27′ 40″ W

Time of Observation 9 AM

Nearest Railway Station Starcross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·10	·24	·00	·18	·00	·33	·00	·00	·04	·00	1
2	·00	·00	·02	·10	·00	·15	·00	·00	·00	·00	·00	·00	2
3	·03	·00	·00	·06	·00	·00	·65	·03	·00	·24	·72	·00	3
4	·00	·03	·51	·00	·00	·00	·00	·00	·01	·18	·00	·00	4
5	·16	·00	·22	·11	·00	·35	·00	·00	·01	·05	·00	·00	5
6	·00	·00	·20	·00	·00	·03	·00	·08	·00	·02	·09	·00	6
7	·34	·00	·00	·00	·00	·00	·04	·24	·00	·10	·07	·02	7
8	·04	·00	·25	·10	·00	·00	·71	·29	·02	·29	·03	·29	8
9	·00	·00	·04	·06	·02	·00	·05	·10	·00	·28	·05	·00	9
10	·09	·00	·29	·36	·00	·00	·00	·25	·01	·09	·03	·00	10
11	·06	·00	·94	·09	·00	·00	·00	·20	·03	·11	·11	·00	11
12	·15	·00	·00	·00	·33	·00	·00	·00	·00	·20	·00	·00	12
13	·00	·00	·24	·03	·00	·01	·00	·22	·00	·09	·00	·00	13
14	·00	·00	·00	·00	·00	·00	·51	·08	·00	·00	·00	·00	14
15	·00	·00	·00	·00	·00	·00	·02	·11	·00	·22	·00	·38	15
16	·00	·08	·00	·09	·00	·00	·00	·01	·04	·18	·00	·15	16
17	·00	·03	·00	·00	·00	·00	·15	·00	·43	·07	·00	·00	17
18	·00	·10	·00	·00	·29	·02	·04	·00	·65	·00	·00	·00	18
19	·00	·36	·03	·00	·00	·16	·00	·00	·09	·00	·00	·00	19
20	·01	·06	·00	·00	·42	·07	·00	·00	·08	·00	·00	·03	20
21	·00	·00	·00	·00	·00	·17	·00	·08	·00	·00	·02	·00	21
22	·02	·00	·04	·00	·02	·00	·00	·27	·00	·05	·00	·00	22
23	·00	·09	·00	[illegible]	·26	·00	·00	·18	·00	·16	·00	·00	23
24	·00	·00	·00	·00	·00	·01	·36	·01	·00	·07	·00	·00	24
25	·00	·00	·00	·00	·00	·00	·09	·18	·07	·04	·03	·00	25
26	·00	·00	·00	·00	·46	·09	·00	1·53	·06	·00	·03	·00	26
27	·00	·00	·00	·00	·05	·36	·00	·69	·00	·00	·00	·00	27
28	·00	·15	·14	·00	·02	·45	·00	·46	·00	·00	·00	·00	28
29	·00		·06	·00	·00	·24	·00	·01	·00	·41	·00	·10	29
30	·00		·23	·00	·00	·00	·02	·21	·00	·02	·00	·00	30
31	·00		·00		·04		·00	·00		·21		·02	31
Total	·90	·90	3·31	1·24	1·91	2·29	2·64	5·56	1·50	3·08	1·22	·99	YEAR'S TOTAL 25·54
Rain Days.	9	8	15	10	10	14	11	22	12	21	11	7	150

·38

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

3. JAN 1912

DEVON.

STOKE FLEMING
"RAVENSBOURNE"
1911 - 1917

REGISTE

Kept at Ravensbourne, Stoke F
in the County of Devon S
by Chas. T. Selby

...sociation
in.
...nd - ft. 9 in.
...Level 356 ft.
...m.
Dartmouth
...nce 2½ Direction S.S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.01	.00	.07	.00	.00	.01	.00	.03	.00	.00	1
2	.00	.00	.02	.11	.48	.00	.00	.09	.00	.25	.24	.49	2
3	.00	.00	.04	.00	.35	.00	.00	.01	.02	.00	.30	.46	3
4	.00	.00	.06	.00	.00	.00	.00	.02	.00	.01	.44	.31	4
5	.29	.00	.16	.00	.00	.00	.00	.08	.00	.59	.21	.00	5
6	.43	.00	.28	.00	.00	.00	.00	.01	.00	.15	.20	.96	6
7	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.63	.01	7
8	.08	.00	.14	.00	.00	.00	.00	.00	.00	.00	.08	.53	8
9	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.48	9
10	.11	.12	.64	.00	.00	.00	.00	.00	.00	.00	.03	.27	10
11	.40	.00	.00	.00	.00	.00	.00	.00	.02	.00	1.12	.05	11
12	.00	.00	.71	.00	.00	.00	.00	.00	.31	.01	.06	.07	12
13	.00	.00	.02	.00	.00	.00	.00	.00	.06	.01	.02	.55	13
14	.00	.07	.00	.00	.00	.00	.00	.00	.00	.05	.09	.54	14
15	.00	.03	.02	.00	.00	.06	.00	.00	.00	.01	.32	.19	15
16	.00	.03	.03	.00	.00	.28	.00	.00	.00	.01	.65	.53	16
17	.01	.02	.46	.01	.00	.05	.00	.00	.00	.00	.30	.42	17
18	.00	.30	.26	.18	.00	.36	.00	.00	.00	.08	.21	.42	18
19	.00	.01	.14	.03	.00	.17	.00	.00	.30	.28	.03	.56	19
20	.01	.05	.18	.14	.00	.01	.00	.00	.10	.32	.00	.58	20
21	.02	.45	.01	.01	.00	.11	.00	.00	.11	.84	.00	.09	21
22	.18	.06	.00	.19	.00	.14	.00	.00	.34	.34	.02	.68	22
23	.02	.20	.01	.01	.00	.01	.00	.00	.06	.35	.18	.44	23
24	.02	.42	.00	.00	.00	.24	.00	.12	.01	.38	.00	.48	24
25	.02	.08	.00	.22	.00	.04	.00	.00	.05	.40	.00	.26	25
26	.00	.14	.01	.52	.00	.00	.00	.13	.00	.44	.01	.51	26
27	.00	.95	.04	.06	.00	.00	.00	.15	.19	.57	.03	.18	27
28	.00	.20	.01	.39	.00	.00	.00	.08	.01	.00	.03	.01	28
29	.00		.00	.06	.00	.47	.48	.00	.21	.44	.00	.00	29
30	.00		.00	.00	.00	.00	.00	.00	.00	.34	.08	.02	30
31	.00		.11		.00		.05	.00		.04		.01	31
Total	1.68	3.13	3.36	1.93	.90	1.94	.53	.70	1.79	5.94	5.41	10.10	TOTAL for year 37.41 ✓
No. of Rain Days.	14	16	22	13	3	12	2	10	14	23	24	28	181 ✓

W. 8,000, X. '11.

REGISTE

FORM A2.
BRITISH RAINFALL.
3. JAN 1912

Kept at Ravensbourne, Stoke Fleming

in the County of Devon S. 3

by Chas. F. Selby

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 356 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Dartmouth
Distance 2½ Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.01	.00	.07	.00	.00	.01	.00	.03	.00	.00	1
2	.00	.00	.02	.11	.48	.00	.00	.09	.00	.25	.24	.49	2
3	.00	.00	.04	.00	.35	.00	.00	.01	.02	.00	.30	.46	3
4	.00	.00	.06	.00	.00	.00	.00	.02	.00	.01	.44	.31	4
5	.29	.00	.16	.00	.00	.00	.00	.08	.00	.59	.21	.00	5
6	.43	.00	.28	.00	.00	.00	.00	.01	.00	.15	.20	.96	6
7	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.63	.01	7
8	.08	.00	.14	.00	.00	.00	.00	.00	.00	.00	.08	.53	8
9	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.13	.48	9
10	.11	.12	.64	.00	.00	.00	.00	.00	.00	.00	.03	.27	10
11	.40	.00	.00	.00	.00	.00	.00	.00	.02	.00	1.12	.05	11
12	.00	.00	.71	.00	.00	.00	.00	.00	.31	.01	.06	.07	12
13	.00	.00	.02	.00	.00	.00	.00	.00	.06	.01	.02	.55	13
14	.00	.07	.00	.00	.00	.00	.00	.00	.00	.05	.09	.54	14
15	.00	.03	.02	.00	.00	.06	.00	.00	.00	.01	.32	.19	15
16	.00	.03	.03	.00	.00	.28	.00	.00	.00	.01	.65	.53	16
17	.01	.02	.46	.01	.00	.05	.00	.00	.00	.00	.30	.42	17
18	.00	.30	.26	.18	.00	.36	.00	.00	.00	.08	.21	.42	18
19	.00	.01	.14	.03	.00	.17	.00	.00	.30	.28	.03	.56	19
20	.01	.05	.18	.14	.00	.01	.00	.00	.10	.32	.00	.58	20
21	.02	.45	.01	.01	.00	.11	.00	.00	.11	.84	.00	.09	21
22	.18	.06	.00	.19	.00	.14	.00	.00	.34	.34	.02	.68	22
23	.02	.20	.01	.01	.00	.01	.00	.00	.06	.35	.18	.44	23
24	.02	.42	.00	.00	.00	.24	.00	.12	.01	.38	.00	.48	24
25	.02	.08	.00	.22	.00	.04	.00	.00	.05	.40	.00	.26	25
26	.00	.14	.01	.52	.00	.00	.00	.13	.00	.44	.01	.51	26
27	.00	.95	.04	.06	.00	.00	.00	.15	.19	.57	.03	.18	27
28	.00	.20	.01	.39	.00	.00	.00	.08	.01	.00	.03	.01	28
29	.00		.00	.06	.00	.47	.48	.00	.21	.44	.00	.00	29
30	.00		.00	.00	.00	.00	.00	.00	.00	.34	.08	.02	30
31	.00		.11		.00		.05	.00		.04		.01	31
Total	1.68	3.13	3.36	1.93	.90	1.94	.53	.70	1.79	5.94	5.41	10.10	TOTAL for year 37.41
No. of Rain Days.	14	16	22	13	3	12	2	10	14	23	24	28	181

W. 8,000, X. '11.

Ex F.l.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Ravensbourne, Stoke Fleming

in the County of Devon S. 3

by Chas. F. Selby

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 356 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Dartmouth
Distance 2½ m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.05	.00	.00	.47	.03	.00	.11	1.09	.00	.30	1
2	.00	.00	.18	.01	.00	.60	.07	.11	.00	.05	.04	.02	2
3	.00	.00	.25	.00	.00	.44	.02	.63	.09	.00	.00	.03	3
4	.25	.06	.48	.00	.08	.34	.00	.06	.00	.00	.23	.00	4
5	.85	.45	.27	.00	.02	.03	.12	.52	.00	.00	.00	.25	5
6	.49	.02	.09	.00	.59	.21	.00	.06	.00	.00	.00	.02	6
7	.14	.63	.26	.02	.18	.34	.00	.08	.00	.00	.00	.16	7
8	.68	.09	.44	.00	.00	.01	.10	.02	.00	.00	.02	.02	8
9	.00	.06	.05	.19	.00	.44	.09	.29	.00	.00	.00	.52	9
10	.20	.03	.10	.01	.00	.00	.04	.02	.00	.01	.07	.34	10
11	.03	.23	.00	.00	.00	.00	.00	.23	.00	.01	.15	.72	11
12	.01	.20	.23	.00	.03	.00	.08	1.06	.00	.00	.00	.01	12
13	.08	.01	.02	.00	.00	.00	.31	.00	.00	.11	.00	.60	13
14	.05	.09	.58	.00	.02	.00	.00	.12	.00	.03	.00	.15	14
15	.36	.17	.01	.00	.31	.41	.00	.00	.00	.00	.00	.50	15
16	.16	.00	.55	.00	.09	.01	.00	.41	.00	.23	.00	.02	16
17	.02	.00	.38	.00	.06	.07	.00	.95	.00	.01	.02	.11	17
18	.02	.03	.11	.00	.00	.00	.00	.32	.00	.03	.00	.00	18
19	.00	.16	.28	.00	.00	.05	.04	.01	.00	.03	.00	.02	19
20	.04	.05	.29	.00	.23	.01	.01	.05	.00	.40	.02	.00	20
21	.00	.66	.20	.00	.25	.00	.00	.17	.00	.11	.00	.00	21
22	.32	.38	.35	.00	.02	.00	.43	.32	.00	.17	.03	.11	22
23	.65	.37	.28	.00	.00	.19	.01	1.19	.00	.03	.20	.26	23
24	.18	.08	.08	.00	.00	.23	.00	.02	.00	.00	.00	.26	24
25	.14	.01	.01	.00	.00	.05	.00	.18	.00	.45	.59	.31	25
26	.00	.10	.00	.00	.00	.00	.01	.16	.00	.16	.55	.67	26
27	.00	.06	.00	.00	.00	.36	.54	.06	.00	1.44	.01	.88	27
28	.00	.12	.00	.00	.00	.16	.18	.42	.17	.82	.68	.63	28
29	.00	.26	.01	.00	.00	.35	.26	.01	.33	.66	.00	.09	29
30	.00		.04	.00	.04	.18	.09	.01	.64	.23	.00	.01	30
31	.00		.26		.00		.14	.05		.01		.14	31
Total	4.67	4.32	5.85	.23	1.92	4.95	2.57	7.53	1.34	6.08	2.61	7.15	TOTAL for year 49.22 ✓
No. of Rain Days.	19	24	27	4	13	21	19	28	5	21	13	27	221 ✓

W. 8,000, X. '11.

✓ Exe Bd

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at *Ravensbourne, Stoke Fleming*

in the County of *Devon* 3

by *Chas. F. Selby*

Lat. 50" 20' Long. 3" 36' W.

Time of Observation 9.30 a.m.

Nearest Railway Station Dartmouth 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.18	.26	.10	.00	.00	.00	.00	.07	.60	.29	.06	1
2	.30	.28	.00	.15	.37	.00	.07	.00	.00	.19	.23	.08	2
3	.52	.02	.13	.03	.13	.00	.00	.00	.13	.24	.00	.22	3
4	1.15	.00	.30	.05	.02	.05	.00	.01	.12	.02	.07	.33	4
5	.23	.06	.00	.00	.16	.06	.00	.00	.40	.15	.56	.27	5
6	.05	.09	.11	.00	.13	.24	.00	.00	.00	.24	.13	.02	6
7	.00	.46	.06	.00	.46	.07	.08	.00	.00	.14	.19	.00	7
8	.04	.41	.00	.00	.13	.11	.07	.05	.00	.01	.02	.09	8
9	.04	.06	.00	.00	.09	.03	.02	.22	.00	.00	.20	.03	9
10	.69	.01	.00	.00	.06	.02	.00	.06	.00	.07	.05	.00	10
11	.67	.01	.00	.01	.57	.04	.00	.00	.03	.01	.79	.06	11
12	.01	.00	.00	.00	.05	.00	.01	.00	.02	.00	.31	.02	12
13	.18	.00	.29	.08	.00	.00	.00	.00	.04	.00	.25	.00	13
14	.28	.00	.24	.00	.17	.00	.00	.00	.00	.00	.05	.01	14
15	.34	.00	.48	.97	.00	.00	.00	.00	.15	.01	.05	.04	15
16	.27	.00	.63	.06	.00	.00	.03	.07	.35	.00	.04	.00	16
17	.08	.00	.02	.23	.00	.00	.00	.00	.00	.00	.18	.00	17
18	.02	.00	.33	.34	.05	.01	.00	.00	.00	.00	.13	.00	18
19	.64	.00	.08	.00	.02	.04	.00	.00	.37	.06	.00	.00	19
20	.09	.00	.27	.26	.00	.01	.00	.00	.00	.07	.45	.00	20
21	.02	.00	.37	.04	.05	.00	.00	.04	.00	.01	.21	.00	21
22	.23	.00	.20	.00	.04	.08	.00	.04	.03	.00	.00	.27	22
23	.01	.00	.04	.00	.00	.00	.00	.08	.01	.00	.04	.98	23
24	.13	.03	.00	.11	.00	.04	.00	.00	.00	.00	.05	.00	24
25	.00	.00	.00	.48	.00	.00	.00	.00	.03	.09	.01	.04	25
26	.00	.00	.00	.72	.00	.00	.00	.20	.02	.01	.01	.28	26
27	.62	.00	.11	.35	.00	.00	.00	.04	.00	.19	.01	.02	27
28	.23	.00	.06	.32	.00	.00	.00	.00	.23	.17	.01	.06	28
29	.26		1.00	.16	.01	.00	.27	.00	.01	.36	.02	.01	29
30	.96		.00	.02	.05	.00	.27	.00	.02	.38	.01	.00	30
31	.18		.25		.00		.00	.21		.14		.00	31 ✓
Total	8.28	1.61	5.23	4.48	2.56	.80	.82	1.02	2.03	3.16	4.36	2.89	YEAR'S TOTAL 37.24
Rain Days.	28	11	20	19	18	13	8	10 11	17	21	27	19	214 212

W.7,000, XI. 13

Esc 1119

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Ravenstowne, Stoke Fleming

in the County of Devon S3

by Chas. F. Selby

Lat. 50° 20′ Long. 3° 36′ W.

Time of Observation 9.30 a.m.

Nearest Railway Station Dartmouth 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.00	.06	.02	.00	.11	.19	.54	.00	.00	.83	.01	1
2	.00	.00	.05	.03	.05	.01	.30	.00	.00	.00	.31	.42	2
3	.02	.00	.26	.16	.72	.00	.00	.00	.00	.00	.00	.01	3
4	.16	.00	.11	.46	.06	.00	.26	.36	.88	.00	.30	.71	4
5	.17	.00	.21	.34	.04	.00	.00	.01	.03	.00	.01	.00	5
6	.00	.08	.09	.13	.14	.00	.07	.10	.00	.00	.00	.75	6
7	.13	.75	.33	.12	.03	.01	.35	.15	.53	.00	.01	.42	7
8	.27	.01	1.29	.05	.00	.13	.00	.12	.00	.00	.02	.07	8
9	.17	.07	.29	.20	.01	.10	.00	.16	.80	.00	.00	.00	9
10	.15	.27	.16	.12	.12	.07	.00	.01	.75	.00	.07	.20	10
11	.00	.17	.82	.00	.00	.08	.00	.00	.01	.00	.05	.57	11
12	.00	.19	.19	.01	.00	.00	.00	.00	.28	.06	.07	.61	12
13	.00	.63	.43	.00	.00	.10	.02	.00	.25	.20	.37	.30	13
14	.00	.33	.53	.00	.00	.15	.05	1.22	.02	.05	.68	.45	14
15	.02	.00	.22	.00	.00	.00	.02	.12	.05	.18	.36	.20	15
16	.00	.00	.02	.00	.00	.00	.00	.00	.43	.00	.01	.01	16
17	.00	.79	.25	.00	.00	.00	.02	.00	.00	.00	.00	1.06	17
18	.00	.12	.09	.00	.00	.00	.19	.00	.23	.00	.01	.20	18
19	.00	.06	.76	.00	.00	.00	1.48	.00	.02	.00	.05	.20	19
20	.00	.42	.04	.00	.00	.07	.01	.00	.01	.00	.04	.19	20
21	.00	.37	.00	.00	.00	.19	.00	.00	.00	.25	.00	.01	21
22	.00	.27	.06	.00	.21	.00	.00	.08	.00	.27	.00	.00	22
23	.00	.09	.37	.00	.01	.00	.03	.01	.00	.36	.00	.00	23
24	.00	.01	.01	.00	.24	.00	.02	.02	.00	.01	.05	.00	24
25	.05	.01	.16	.00	.00	.00	.01	.56	.01	.71	.11	.75	25
26	.02	.03	.02	.00	.00	.00	.07	.02	.00	.06	.33	.52	26
27	.00	.07	.00	.00	.00	.00	.00	.00	.00	.17	.13	.58	27
28	.01	.14	.30	.00	.13	.00	.00	.00	.00	.07	.28	1.18	28
29	.66		.18	.00	.17	.00	.00	.00	.00	.09	.68	.00	29
30	.01		.08	.01	.00	.02	.00	.00	.00	.56	.74	.59	30
31	.05		.00		.00		.53	.00		.74		.18	31
Total	1.90	4.88	7.38	1.65	1.93	1.04	3.62	3.48	4.30	3.78	5.51	10.19	YEAR'S TOTAL 49.66
Rain Days.	15	21	28	12	13	~~11~~ 12	17	15	15	15	23	25	~~210~~ 211

Ext - [illegible] 1815

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ravensbourne, Stoke Fleming
in the County of Devon
by Chas. F. Selby

53

Lat. 50.20 Long. 3.36 W.
Time of Observation 9.30 a.m.
Nearest Railway Station Dartmouth 2½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	.33	.00	.00	.02	.00	.00	.36	.28	.28	.04	.17	1
2	.22	.14	.36	.09	.00	.00	.00	.13	.01	.04	.00	.59	2
3	.02	.08	.29	.11	.84	.01	.00	.00	.00	.03	.00	.92	3
4	.06	.06	.01	.01	.02	.03	.00	.01	.00	.00	.00	.18	4
5	.05	.69	.01	.12	.00	.01	.00	.44	.00	.00	.00	.35	5
6	1.40	.12	.02	.62	.00	.00	.34	.04	.00	.00	.00	.17	6
7	.47	.49	.01	.08	.00	.00	.13	.00	.00	.19	.02	.28	7
8	.05	.50	.00	.00	.00	.00	.12	.05	.00	.03	.12	.31	8
9	.01	.14	.00	.06	.00	.00	.04	.00	.00	.00	.42	.93	9
10	.43	.32	.06	.05	.00	.00	.00	.00	.00	.11	.11	.11	10
11	.21	.11	.30	.01	.00	.00	.01	.17	.00	.34	.96	.06	11
12	.06	.29	.00	.06	.73	.00	.00	.04	.01	.12	.26	.01	12
13	.01	.53	.00	.00	1.17	.00	.00	.03	.01	.01	.15	.03	13
14	.18	.01	.00	.00	.00	.00	.42	.00	.13	.01	.01	1.23	14
15	.21	.01	.00	.00	.33	.00	.41	.00	.01	.18	.01	.16	15
16	.00	1.64	.00	.00	.34	.00	1.24	.08	.01	.00	.00	.35	16
17	.01	.36	.00	.00	.07	.00	.00	.21	.01	.00	.00	.01	17
18	.01	.21	.00	.00	.01	.00	.02	.00	.00	.00	.03	.00	18
19	.03	.02	.00	.05	.40	.00	.08	.00	.00	.00	.00	.00	19
20	.34	.00	.00	.12	.00	.19	.00	.00	.00	.08	.00	.07	20
21	.11	.24	.00	.00	.07	.00	.50	.00	.02	.03	.00	.01	21
22	.12	.03	.45	.00	.00	.00	.54	.00	.02	.04	.00	.37	22
23	.00	.00	.14	.00	.00	.19	.08	.00	.13	1.23	.00	.75	23
24	.00	.00	.00	.03	.00	.46	.23	.00	.08	.17	.00	.69	24
25	.52	.00	.03	.10	.00	.22	.01	.00	.01	.02	.01	.24	25
26	.00	.27	.00	.00	.00	.11	.39	.00	.26	.00	.00	.92	26
27	.00	.06	.00	.00	.00	.14	.01	.00	.01	.63	.00	.00	27
28	.00	.08	.00	.00	.00	.14	.00	.04	.53	.04	.02	.08	28
29	.00		.00	.00	.00	.30	.00	.00	.07	.03	.18	.05	29
30	.22		.00	.01	.00	.09	.00	.00	.01	.52	.67	.26	30
31	.01		.00		.00		.17	.09		.78		.21	31
Total	5.36	6.73	1.68	1.52	4.00	1.89	4.74	1.69	1.61	4.91	3.01	9.51	YEAR'S TOTAL 46.65
Rain Days.	24	24	11	15	11	12	18	13	18	22	15	28	211

W. 8,000. X. 14.

1772

1916

Ansd 29.ii.16

Ravensbourne,
Stoke Fleming,
Nr Dartmouth.

28 Feb. 1916

Dr H. R. Mill
62, Camden Square
London N.W.

Dear Sir

Will you kindly inform me what depth of snow = 1 inch of rain. My gauge for 24th, 25th, 26th + 27th has registered .89, what fall of snow does this represent? I think it is the heaviest here since the 1891 blizzard.

Yours faithfully
Chas. T. Selby

P.T.O.

1772

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ravensbourne, Stokefleming

in the County of Devon

by C. F. Selby

Lat. 50. 20 N. Long. 3. 36 W.

Time of Observation 9 30 a.m.

Nearest Railway Station Dartmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.01	.04	.00	.26	.09	.02	.00	.20	.22	.39	.00	1
2	.46	.10	.02	.01	.00	.00	.00	.00	.12	.34	.20	.00	2
3	.07	.92	.00	.00	.57	.03	.00	.00	.02	.64	.08	.00	3
4	.24	.22	.00	.00	.01	.46	.00	.00	.08	.16	.36	.00	4
5	.08	.21	.02	.00	.00	.05	.00	.00	.00	.17	.16	.00	5
6	.08	.22	.00	.00	.16	.03	.73	.00	.00	.20	.75	.01	6
7	.06	.16	.27	.00	.04	.44	.00	.00	.00	.48	1.07	.14	7
8	.00	.15	.94	.00	.26	.02	.00	.00	.00	.00	.23	.28	8
9	.00	.09	.00	.00	.02	.02	.00	.00	.00	.09	.19	.16	9
10	.00	.75	.05	.05	.06	.02	.10	.00	.00	.03	.02	.00	10
11	.00	.01	.02	.14	.06	.04	.01	.00	.00	.00	.01	.06	11
12	.09	.13	.12	.05	.18	.00	.19	.16	.00	.18	.02	.00	12
13	.00	.27	.11	.01	.01	.00	.02	.03	.00	.02	.01	.21	13
14	.00	.47	.44	.00	.06	.00	.00	.11	.00	.11	.00	.00	14
15	.03	.43	.17	.08	.00	.00	.00	.08	.00	.03	.00	.52	15
16	.17	.11	.00	.19	.00	.00	.01	.33	.00	.19	.00	.09	16
17	.20	.12	.00	.03	.01	.00	.00	.01	.11	.45	.90	.00	17
18	.12	.28	.39	.00	.00	.00	.00	.00	.14	.04	.03	.12	18
19	.31	.08	.09	.04	.00	.00	.00	.00	.00	.00	.06	.20	19
20	.10	.92	.04	.11	.00	.00	.00	.00	.00	.00	.25	1.90	20
21	.05	.17	.17	.00	.07	.00	.00	.00	.00	.00	.00	.41	21
22	.01	.00	.02	.00	.00	.13	.00	.06	.00	.21	.03	.64	22
23	.01	.00	.01	.11	.00	.13	.00	.18	.00	.02	.28	.04	23
24	.00	.12	.00	.16	.35	.00	.00	.16	.00	.51	.12	.43	24
25	.01	.18	.27	.00	.01	.03	.00	.26	.00	.15	.09	.03	25
26	.03	.17	.13	.00	.01	.12	.00	.06	1.02	.45	.01	.17	26
27	.03	.42	1.32	.00	.00	.92	.00	.02	.17	.56	.00	.01	27
28	.01	.36	.00	.00	.00	.00	.00	.18	1.20	.36	.00	.56	28
29	.00	.10	.04	.00	.00	.57	.00	3.33	.09	.25	.00	.57	29
30	.00		.01	.01	.00	.03	.00	.00	.00	1.08	.00	.01	30
31	.00		.00		.00		.00	.12		.86		.00	31
													YEAR'S TOTAL
Total	2.44 ✓	7.17 ✓	4.69 ✓	.99 ✓	2.14 ✓	2.83 ✓	1.08 ✓	5.09 ✓	3.15 ✓	7.80 ✓	5.26 ✓	6.56 ✓	49.20
Rain Days.	21 ✓	26	22 ✓	13 ✓	17 ✓	17 ✓	7 ✓	15	10 ✓	26 ✓	22 ✓	21 ✓	218

W. 8,000, VIII. 16

1692

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Ravensbourne, Stoke Fleming

in the County of Devon

by Chas. F. Selby

Lat. 50.20 N. Long. 3.36 W.

Time of Observation 9.30 a.m.

Nearest Railway Station Dartmouth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.00	.01	.22	.00	.21	.00	.00	.02	.01	.03	.04	1
2	.01	.00	.02	.17	.00	.02	.00	.52	.00	.01	.01	.00	2
3	.07	.00	.00	.01	.00	.00	.01	.00	.00	.28	.50	.00	3
4	.00	.09	.32	.00	.00	.00	.43	.00	.00	.31	.00	.00	4
5	.12	.00	.12	.13	.00	.23	.01	.00	.06	.11	.12	.00	5
6	.02	.00	.12	.00	.00	.12	.00	.00	.02	.18	.14	.09	6
7	.43	.00	.02	.00	.00	.00	.20	.00	.00	.12	.04	.11	7
8	.04	.00	.34	.12	.00	.00	.22	.15	.00	.45	.20	.34	8
9	.00	.00	.08	.05	.06	.00	.15	.29	.07	.16	.17	.00	9
10	.11	.00	.37	.36	.00	.00	.00	.00	.00	.00	.00	.05	10
11	.01	.00	1.03	.19	.00	.00	.00	.61	.00	.54	.21	.00	11
12	.16	.00	.08	.00	.37	.00	.00	.24	.00	56	.03	.00	12
13	.00	.00	.22	.02	.00	.03	.00	.02	.00	.06	.00	.01	13
14	.00	.00	.00	.08	.00	.00	.03	.06	.10	.01	.00	.00	14
15	.50	.00	.00	.00	.00	.00	.01	.02	.03	38	.00	.42	15
16	.00	.18	.00	.16	.00	.04	.00	.36	.00	.85	.00	.25	16
17	.00	.06	.00	.00	.36	.01	.41	.00	.03	.13	.00	.02	17
18	.00	.07	.00	.00	.32	.04	.17	.19	.80	.00	.00	.00	18
19	.01	.53	.13	.00	.00	.08	.00	.00	.47	.00	.00	.00	19
20	.09	.09	.01	.00	.55	.03	.00	.18	.33	.00	.00	.03	20
21	.09	.00	.03	.00	.01	.05	.00	.00	.02	.11	.00	.00	21
22	.09	.00	.02	.00	.05	.00	.00	.00	.00	.14	.00	.00	22
23	.06	.24	.00	.00	.16	.00	.00	.07	.00	.14	.00	.00	23
24	.03	.02	.00	.00	.00	.05	~~.00~~	.70	.00	.23	.02	.00	24
25	.00	.02	.04	.00	.00	.00	.30	.02	.00	.07	.02	.00	25
26	.00	.00	.00	.00	.24	.06	.01	.30	.09	.06	.03	.00	26
27	.00	.00	.00	.00	.00	.67	.00	.46	.19	.00	.05	.00	27
28	.00	.00	.18	.00	.00	.26	.00	1.00	.01	.02	.00	.04	28
29	.00		.08	.00	.00	.33	.00	.38	.00	.40	.02	.14	29
30	.00	X	.12	.00	.00	.00	.00	.24	.01	.02	.06	.01	30
31	.00	X	.06	X	.05	X	.62	.05	X	.13	X	.00	31
Total	1.86	1.30	3.40	1.51	2.17	2.23	2.57	5.86	2.25	5.48	1.65	1.55	YEAR'S TOTAL 31.83
Rain Days.	17	9	21	11	10	16	13	20	15	26	16	13	187

W. 8,000. X. 14.

114

1 made

[illegible] 24·III·14

REGIS 3

DEVON.

STOKE-IN-TEIGNHEAD,
RECTORY

1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Stoke-in-Tei

in the County of

by Rev. K. A. Lak

ng.

9 am

on Newton Abbot

ge 5 in.

e above Ground 1 ft. in.

,, Sea Level 100 ft.

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.14	.20	.22	.12	.00	.00	.00	.06	.06	.24	.00	1
2	.25	.23	.01	.05	.27	.00	.08	.00	.02	.02	.12	.00	2
3	.60	.00	.07	.20	.20	.00	.00	.00	.01	.26	.01	~~.22~~ .24	3
4	1.22	.00	.10	.12	.11	.04	.00	.00	.27	.27	.07	~~[illegible]~~ .09	4
5	.12	.04	.03	.00	.04	.06	.01	.00	.47	.37	.30	~~.29~~ .28	5
6	.06	.11	.07	.00	.17	.04	.00	.00	.00	.24	.03	.06	6
7	.01	.57	.03	.00	.85	.05	.24	.00	.00	.50	.21	.00	7
8	.00	.36	.00	.00	.26	.00	.02	.00	.00	.03	.01	.00	8
9	.07	.01	.00	.00	.20	.00	.14	.10	.00	.00	.40	.00	9
10	.80	.01	.00	.00	.14	.00	.00	.06	.00	.14	.04	.00	10
11	.56	.00	.00	.04	.86	.01	.00	.00	.00	.00	.93	.00	11
12	.05	.00	.00	.01	.05	.02	.00	.00	.00	.03	.31	.01	12
13	.09	.00	.09	.01	.01	.00	.00	.06	.07	.00	.07	.00	13
14	.47	.00	.20	.72	.38	.00	.00	.00	.02	.00	.05	.00	14
15	.32	.00	.46	.00	.00	.00	.00	.00	.23	.00	.09	.00	15
16	.30	.00	.40	.00	.00	.00	.00	.00	.14	.00	.00	.00	16
17	.10	.00	.01	.10	.00	.00	.00	.00	.00	.00	.03	.00	17
18	.04	.00	.37	.09	.00	.00	.00	.00	.00	.00	.11	.00	18
19	.82	.00	.07	.00	.00	.09	.00	.00	.30	.05	.00	.00	19
20	.10	.00	.15	.33	.00	.00	.00	.00	.00	.12	.34	.00	20
21	~~[illegible]~~ .03	.00	.37	.01	.04	.00	.00	.00	.00	.03	.39	.00	21
22	.26	.00	.60	.00	.00	.05	.00	.04	.04	.11	.00	.06	22
23	.00	.00	.00	.00	.00	.01	.00	~~.005~~ .01	.00	.00	.05	1.09	23
24	.02	.06	.00	.05	.00	.03	.00	.00	.00	.00	.02	.00	24
25	.00	.00	.00	.41	.00	.00	.00	.00	.04	.10	.00	.00	25
26	.00	.00	.00	1.58	.00	.00	.00	.11	.01	.01	.00	.20	26
27	.65	.00	.20	.34	.04	.00	.00	.02	.00	.41	.00	.00	27
28	.35	.00	.03	.24	.00	.00	.00	.00	.00	.33	.00	.00	28
29	.19		.57	.29	.01	.00	.00	.00	.00	.21	.00	.00	29
30	.49		.00	.01	.01	.00	.00	.02	.00	.70	.00	.00	30
31	.07		.00		.00		.00	.30		.10		.00	31
Total	8.04	1.53	~~3.93~~ 4.03	4.82	3.70	.40	.49	.72	1.68	4.09	3.82	2.03	YEAR'S TOTAL 35.~~[illegible]~~ 41
Rain Days.	26	9	20	19	18	10	5	9	13	21	21	8	179

35·41

W. 7,500, XI. ·12

1 made

REGI[redacted]3

ng.

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Stoke-in-~~Teignhead Rectory~~ Teignmouth

in the County of S. Devon. 5

by Rev. K. A. Lake

Time of Observation 9 am
Nearest Railway Station Newton Abbot
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.00	.14	.20	.22	.12	.00	.00	.00	.06	.06	.24	.00	1
2	.25	.23	.01	.05	.27	.00	.08	.00	.02	.02	.12	.00	2
3	.60	.00	.07	.20	.20	.00	.00	.00	.01	.26	.01	.24 ~~.00~~	3
4	1.22	.00	.10	.12	.11	.04	.00	.00	.27	.27	.07	.09	4
5	.12	.04	.03	.00	.04	.06	.01	.00	.47	.37	.30	.28 ~~.09~~	5
6	.06	.11	.07	.00	.17	.04	.00	.00	.00	.24	.03	.06	6
7	.01	.57	.03	.00	.85	.05	.24	.00	.00	.50	.21	.00	7
8	.00	.36	.00	.00	.26	.00	.02	.00	.00	.03	.01	.00	8
9	.07	.01	.00	.00	.20	.00	.14	.10	.00	.00	.40	.00	9
10	.80	.01	.00	.00	.14	.00	.00	.06	.00	.14	.04	.00	10
11	.56	.00	.00	.04	.86	.01	.00	.00	.00	.00	.93	.00	11
12	.05	.00	.00	.01	.05	.02	.00	.00	.00	.03	.31	.01	12
13	.09	.00	.09	.01	.01	.00	.00	.06	.07	.00	.07	.00	13
14	.47	.00	.20	.72	.38	.00	.00	.00	.02	.00	.05	.00	14
15	.32	.00	.46	.00	.00	.00	.00	.00	.23	.00	.09	.00	15
16	.30	.00	.40	.00	.00	.00	.00	.00	.14	.00	.00	.00	16
17	.10	.00	.01	.10	.00	.00	.00	.00	.00	.00	.03	.00	17
18	.04	.00	.37	.09	.00	.00	.00	.00	.00	.00	.11	.00	18
19	.82	.00	.07	.00	.00	.09	.00	.00	.30	.05	.00	.00	19
20	.10	.00	.15	.33	.00	.00	.00	.00	.00	.12	.34	.00	20
21	.03	.00	.37	.01	.04	.00	.00	.00	.00	.03	.39	.00	21
22	.26	.00	.60	.00	.00	.05	.00	.04	.04	.11	.00	.06	22
23	.00	.00	.00	.00	.00	.01	.00	.01 ~~.005~~	.00	.00	.05	1.09	23
24	.02	.06	.00	.05	.00	.03	.00	.00	.00	.00	.02	.00	24
25	.00	.00	.00	.41	.00	.00	.00	.00	.04	.10	.00	.00	25
26	.00	.00	.00	1.58	.00	.00	.00	.11	.01	.01	.00	.20	26
27	.65	.00	.20	.34	.04	.00	.00	.02	.00	.41	.00	.00	27
28	.35	.00	.03	.24	.00	.00	.00	.00	.00	.33	.00	.00	28
29	.19		.57	.29	.01	.00	.00	.00	.00	.21	.00	.00	29
30	.49		.00	.01	.01	.00	.00	.02	.00	.70	.00	.00	30
31	.07		.00		.00		.00	.30		.10		.00	31
Total	8.04	1.53	4.03 ~~3.93~~	4.92	3.70	.40	.49	.72	1.68	4.09	3.82	2.03	YEAR'S TOTAL 35.[illegible] 4
Rain Days.	26	9	20	19	18	10	5	9	13	21	21	8	179

35·41

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

RE

TAVISTOCK

DEVON

1911 – 1920

Kept at Tav

in the County of De

by W. J. M

1 ft. – in.

el 375 ft.

(local time)

avistock SWR

20 ft Direction

IMPORTANT NOT … sult entered to the previous day. If an Ob … le, he is earnestly requested to add the read … he space provided for it at the end of this … rain, the selection and placin … infall Organization are given in " … n to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·02		·015	·075	·01	1
2								·64	·005	·085	·175	·41	2
3								·15	·02	·005	·265	·105	3
4								·82	·005		·275	·53	4
5								·69		·005	·185	·055	5
6								·02		·015	·07	1·415	6
7											·43	·05	7
8											·095	·775	8
9											·31	·93	9
10											·10	·33	10
11									·03		·775	·08	11
12									·40		·065	·35	12
13									·19		·16	·26	13
14									·005	·005	·315	·415	14
15											·497	·20	15
16											·30	·60	16
17							·01				·18	·92	17
18										·033	·40	·53	18
19									·70	·045	·345	·90	19
20									·22	·935		·68	20
21								·19	·29	·23		·17	21
22									·28	·185		·505	22
23								·20	·06	·445	·015	·605	23
24								·27	·26	·29		·31	24
25								·03	·20	·270		·09	25
26								·34	·005	·68	·01	·33	26
27								·55	·115	·15	·01	·36	27
28								·005	·005		·26		28
29							·81		·08	·48	·005	·005	29
30							·19		·06	·335	·415	·105	30
31							·06			·085			31
Total							1·07	3·925	2·670 2·67	4·298 4·293	5·732	12·025	TOTAL for year 24·452 imp
No. of Rain Days							4	13	~~18~~ 15	~~19~~ 18	~~25~~ 24	29	~~108~~

RE

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Tavistock

in the County of Devon

by W. J. Monk

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 375 ft.

Time of Observation 9 a.m. (local time)

Nearest Railway Station
Name Tavistock SWR
Distance 20 ft Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·02		·015	·075	·01	1
2								·64	·005	·085	·175	·41	2
3								·15	·02	·005	·265	D·105	3
4								·82	·005		·275	·53	4
5								·69		·005	·185	·055	5
6								·02		·015	·07	1·415	6
7											·43	·05	7
8											·095	·775	8
9											·31	·93	9
10											·10	·33	10
11									·03		·775	·08	11
12									·40		·065	·35	12
13									·19		·16	·26	13
14									·005	·005	·315	·415	14
15											·497	·20	15
16											·30	·60	16
17							·01				·16	·92	17
18										·033	·40	·53	18
19									·70	·045	·345	·90	19
20									·22	·935		·66	20
21								·19	·29	·23		·17	21
22									·28	·185		·505	22
23								·20	·06	·445	·015	·605	23
24								·27	·26	·29		·31	24
25								·03	·20	·270		·09	25
26								·34	·005	·68	·01	·33	26
27								·55	·115	·15	·01	·36	27
28								·005	·005		·26		28
29							·81		·08	·48	·005	·005	29
30							·19		·06	·335	·415	·105	30
31							·06			·085			31
Total							1·07	3·925	2·670 2·67	4·298 4·293	5·732	12·025 ✓	TOTAL for year ~~24·652~~ ~~imp~~
No. of Rain Days							4	13 ✓	~~16~~ 15	~~19~~ 18	~~25~~ 24	29 ✓	~~108~~

9,000, IX. '10.

82 ✓

~~W~~ J.C. Cor. for auth. - 24. II. 13.

303

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at *Tavistock*

in the County of *South Devon* 5.2

by *W. J. Monk*

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·105		·09	·53	·05	·11	·105	·54		·37	1
2			·25	·11		1·22	·03	·02		·04	·005	·02	2
3	·05		·40			·37	·04	·84	·07			·22	3
4	·24	·02	·63		·015	·49		·21			·45		4
5	·88	·22	·19	·005	·025	·19	·04	1·18			·035	·21	5
6	·38	·10	·055		·34	·01		·50			·03	·04	6
7	·17	·97	·38	·065	·14	·37	·03	·29			·05	·23	7
8	·49	·13	·37	·015		·83	·05		·005			·01	8
9	·05	·22	·285	·105		·03	·08	·12		·01		·68	9
10	·47	·03	·445	·02			·26	·08		·005	·25	·16	10
11		·06	·005				·06	·04			·33	·84	11
12	·03	·33	·35		·025		·34	·20			·16	·01	12
13	·40	·02	·06				·17	·09		·15		·22	13
14	·27	·11	·65		·25	·01		·165		·01		·08	14
15	·56	·26	·085		·20	·72		·015			·01	·40	15
16	·20	·005	·60		·125	·06		·54		·17	·03	·16	16
17	·015		·13		·035	·29		1·50			·06	·05	17
18		·06	·26					·62		·07	·07	·04	18
19	·01	·12	·56		·03	·035	·09	·41		·07	·05	·10	19
20	·025	·045	·66		·09			1·01		·29	·13		20
21		·68	·45		·71		·34	·10		·53			21
22	·09	·56	·46		·03	·02	·02	·21		·10	·01	·19	22
23	·04	·475	·16			·08	·04	·92		·015	·13	·48	23
24	·04	·08	·095			·51	·01	·01		·01		·29	24
25	·045	·03	·005			·23	·17	·15		·29	·39	·50	25
26		·07					·02	·21		·52	·77	·63	26
27		·12	·005			1·16	·57	·12		2·04	·02	·72	27
28		·18				·28	·24	1·09	·55	·27	·96	·55	28
29		·31				·08	·12	·48	·70	·30		·13	29
30			·11			·065	·30		·13	·35		·005	30
31			·33				·34			·03		·36	31
Total	4·455 4·455	5·205	8·085	·32	2·105	7·58 7·580	3·51	11·23	1·56	5·81	3·94	7·695	TOTAL for year 61·495
No. of Rain Days.	20	25	26 ~~28~~	6	14	22	23	28	5	21	19	28	235

W. 8,000, X. '11.

DL ✓ cord by Obr to 3 19.III.14

313

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

27 JAN 1914

Kept at Tavistock ~~W~~ DM

in the County of S. Devon 2

by W ~~Broch~~ Monk

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·24	·37	·17	·44					·01	·51	·01	1
2	·10	·20	·08	~~·43~~ ·13	·26	·01				·34	·22	·07	2
3	·66	·01	·25	·04	·30				·61			·31	3
4	2·10		·25	·005	·005	·11			·01	·18	·07	·46	4
5	·08	·03	·01		·26	·63	·06		1·01	·005	·44	·56	5
6	·40	·15	·17		·06	·17	·02			·26	·78	·17	6
7	·12	·71	·09		1·13	·27				·46	·37	·01	7
8	·14	·28			·32		·09	·26		·10		·10	8
9	·10	·05	·01		·06	·05	·005	·12			·61	·01	9
10	·92		·015	·015	·13	·025		·02		·30	·27		10
11	·61		·02	·06	·62	·095		·01	·03	·10	·86	·08	11
12	·08	·02			·05	·02			·14		·28	·05	12
13	·06	·01	·16	·01	·07		·025	·06	·255		·11		13
14	·34		·32	·06	·01		·005		·13		·11		14
15	·13		·34	1·19							·33	·02	15
16	·53		·62	·11			·01	·22	·17		·03		16
17	·07		·07	·13			·015				·06		17
18	·08		·64	·22	·11						·21		18
19	·63		·04		·03	·02	·05		·52	·25			19
20	·20		·12	·47					·03	·24	·79		20
21	·04		·27	·27	(·27)		·015	·01		·07	·31		21
22	·29		·55	·16	·03	·21		·06	·05			·31	22
23	·03		·02					·04			·26	·85	23
24	~~·005~~	·28		·15	·005	·05		·025			·01	·01	24
25		·03		·52				·035	·08	·04	·05	·09	25
26				1·15		·01		·015		·03		·42	26
27	·41		·27	·48	·17			·19		·53	·03	·06	27
28	·10		·07	·26	·09				·02	·26		·30	28
29	·11		·51	·28				·05		·43	·02		29
30	·78			·36	·09					·92	·02		30
31	·10		·32		·01			·33		·04			31
Total	9·24	2·01	5·58	~~6·19~~ 6·24	4·52 4·52	1·67 1·67	~~·245~~ ·29	~~1·845~~ 1·44	3·055	4·56	6·75	3·89	YEAR'S TOTAL 49·24
Rain Days.	28	12	25	22	22	13	~~10~~ 9	15	13	~~19~~ 18	24	19	220

W. 7,500, XI. 12

DL

[illegible] 8-III-15

REGISTER OF RAINFALL IN 1914

298

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Tavistock
in the County of S. Devonshire S2
by W. J. Monk

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Rain Gauge ……… in.
Height of top of Gauge above Ground ……… ft. ……… in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·19		·14	·35	·70			·71	·22	1
2	·02		·11	·13	·13	·005	·12	·03			·12	·62	2
3	·02		·27	·12	·70			·57		·01	·02	·04	3
4	·21		·05	·44	·11		1·07	·11	·04		·17	·89	4
5	·18		·27	·23	·08		·06	·02				·10	5
6	·01	·12	·21	·12	·17	·01	·20	·15			·07	·90	6
7	·10	1·03	·60	·15	·40	·11	·37	·35	·40			·20	7
8	·19		1·04	·16	·02	·15		·18	·005			·01	8
9	·09	·07	·36	·12	·08	·60		·36	·54		·03		9
10	·09	1·17	·15	·45	·16	·02			·36		·01	·13	10
11		·18	·70	·02	·01	·21			·01		·05	·39	11
12		·56	·23			·005			·26		·09	·19	12
13		·81	·47				·24		·34	·15	·39	·16	13
14		·74	·31			·29	·01	·35	·01	·02	·75	·28	14
15		·03	·33				·17	·10		·04	·41	·79	15
16			·02				·04		·56			·04	16
17		·61	·46				·04					1·01	17
18		·10	·04			·07	·15		·25			·34	18
19		·05	·79				1·24		·10		·14	·10	19
20		·37	·27			·36		·005	·01		·03	·28	20
21		·43	·06				·01			·37		·02	21
22		·04	·13	·02	·06	·13		·11		·45	·005		22
23		·08	·33				·12	·03		·07			23
24		·02	·06			·005	·04	·05		·02	·055	·01	24
25	·15	·01	·30		·07		·12	·96		·58	·15	·78	25
26	·09	·01	·07				·28	·09		·05	·45	·65	26
27	·15	·27					·02			·09	·41	·44	27
28	·02	·09	·45		·11		·09			·31	·21	·89	28
29	·41		·29		·19		·04			·07	1·19	·05	29
30	·02		·12		·02		·01			·02	·59	1·15	30
31	·15				·03		1·20			·75		·64	31
Total	1·90	6·79	8·61	2·15	2·39	2·105	5·99	4·165	2·88	3·00	6·05	11·32	YEAR'S TOTAL 57·35
Rain Days.	16	21	29	12	16	~~11~~ 13	23	~~17~~ 16	12	15	22	28	223

W.7,000, XI. 13

81 ✓ [illegible] 14.11.16 1797 ~~295~~

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Tavistock #88

in the County of S. Devonshire 52

by W. J. Monk

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1	·29	·51			·045			·71	8·0	7·8	·2	3·0	1
2	·49	·33	·21	·05		·14		·16	2·2	0·2		11·5	2
3	·11	·32	·24	·10	·22		·03		·1			13·9	3
4	·10	·91	·02		·02							8·1	4
5	·06	·90	·005	·25				·18				29·4	5
6	1·00	·17		·42			·74	·04				6·0	6
7	·47	·66	·005	·06			·55	·01		6·7	1·1	8·0	7
8	·23	·59					·01	·06			3·3	3·7	8
9	·02	·31		·22				·06			15·9	25·8	9
10	·33	·37	·07	·08				·20		3·8	5·3	3·8	10
11	·17		·15	·005	·06		·03	·36		0·1	31·4	4·0	11
12	·17	·55		·10	·57			·27		2·6	11·4	2·5	12
13	·07	1·24			·80		·01	·06	3·3	0·8	4·8	3·2	13
14	·07		·01				·28	·15	3·8	1·6	1·5	49·8	14
15	·17				·28		·33		1·3	1·0	3·9	3·6	15
16	·04	1·97			·46		1·07		·1	0·7	0·2	3·2	16
17	·03	·21	·02									0·2	17
18	·01	·32	·005				·03						18
19	·06	·03		·03	·60		·25						19
20	·45	·02		·20	·05	·05				8·5		0·1	20
21	·38	·22			·20	·04	·44			1·0		6·3	21
22	·06	·20	·35	·19		·01	·16		·6	0·9		15·8	22
23	·04	·06	·04			·05	·29		3·2	17·5		15·0	23
24				·01		·10	·08		4·2	9·2		19·5	24
25	·01					·12	·13		·1		0·2	17·3	25
26	·02	·49				·70			1·			20·6	26
27	·01	·06				·19	·42		1·6	18·5		0·2	27
28		·08		·01		·17		·05	5·7	3·1	0·3	1·5	28
29						·63		·01	7·1	0·1	6·5	3·8	29
30	·20	✕				·20	·08		2·3	19·0	12·8	11·2	30
31	·02	✕		✕		✕	·22	·06	✕	10·8	✕	9·1	31
Total	5·08	10·52 10·52	1·125	1·725 ~~1·625~~	3·305	2·40	5·15	2·38	1·75 44·6	4·68 113·9	3·89 98·8	11·81 300·1	53·815
Rain Days.	28	23	11 ~~12~~	13 ~~14~~	11	12 ~~11~~	19	15	13 ~~16~~	19 ~~20~~	15	28 ~~29~~	207

W. 8,000. X. 14.

8L ✓ [illegible] 1756 26c

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Tavistock

in the County of S. Devonshire

by W. J. Monk

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	Date.
1	6.5		1.8		2.0	1.6	2.7		0.4	6.2	1.2	0.6	1
2	13.4	2.6	3.1		1.4		0.1		4.8	10.8	14.3		2
3	3.2	41.3	0.2		7.5	2.9	10.6		2.9	19.2	6.5	0.6	3
4	7.8	5.5		0.9	0.8	11.4	4.6		3.5	7.5	26.	0.1	4
5	1.5	7.	0.8	0.2	0.5	3.1	1.8		0.1	5.5	7.9		5
6	1.9	5.8	0.1		5.0	3.2	18.8			14.5	28.7		6
7	3.6	9.5	6.5		5.8	1.0	1.3			1.6	33.5	2.5	7
8	0.3	7.5	5.3		8.2	5.8					3.4	5.0	8
9	0.4	3.2	0.3			3.0	1.0			2.3	5.3	18.3	9
10		22.7		2.4	2.2	0.1	0.1			1.5	1.0	6.0	10
11		0.6		2.3	3.3		0.1		1.2		0.3	0.2	11
12	2.1	2.0	0.6	1.0	3.9		6.2	3.5	0.4	5.2			12
13		9.6	1.3	0.3	0.3		0.6	4.5	0.6	0.2		3.5	13
14	1.8	14.0	0.1		2.0			2.0		4.8			14
15	1.2	6.6	0.6	5.3				2.8	0.1	1.5			15
16	10.4	5.6		4.5			0.3	18.9		5.8	0.1		16
17	10.5	3.8	1.0	0.8				1.0	6.6	11.5	20.9		17
18	0.3	5.8	3.2	2.7				0.2	8.2	3.1	2.3	3.3	18
19	8.5	3.6	0.3	3.6					0.7		15.0	3.6	19
20	3.1	10.6	4.3								4.1	21.3	20
21	3.0	0.1	1.0	4.4	1.8						6.5	1.7	21
22	0.2					6.0	0.3	2.6		18.7	4.0	11.1	22
23	2.8	0.5	0.5	3.1		4.7	0.2	5.1		9.6	14.7	5.3	23
24		2.4	1.8	12.8	1.0	0.5		6.8		14.5	1.6	6.3	24
25	0.2	11.7	10.4		0.5	2.9		15.6		0.6	9.8	0.4	25
26	0.9	2.5	3.1			4.1		19.2	14.8	25.7	2.9	0.2	26
27	0.2		19.2		0.3	2.8		6.0	3.5	18.6			27
28		1.8	1.0			0.5		6.4	9.4	15.3	0.9	17.4	28
29		5.4	1.7			17.0		19.4	2.8	7.9		15.0	29
30		×	0.1			3.0		0.2	0.1	8.9		0.1	30
31		×		×		×		3.1	×	11.5	×	1.0	31
Total	83.8	191.7	68.3	44.3	46.5	73.6	48.7 48.7	117.3 ~~46.9~~	60.1	232.5	210.9	123.5 ~~122.4~~	YEAR'S TOTAL 1301.2 ~~1299.1~~
Rain Days.	23	25 ~~26~~	23 ~~25~~	14	17	17 ~~18~~	12	17	14 ~~17~~	26	22 ~~23~~	20 ~~22~~	230 ✓

8h 1679 ~~247~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Tavistock
in the County of S. Devonshire
by W. J. Monk

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1	0.6			5.4		6.1		3.3	1.2		1.4		1
2	0.2			5.7		1.6				0.5	0.7	0.1	2
3	2.8			2.6						16.8	14.2		3
4		4.7	13.8						1.9	6.6			4
5	7.1		11.9	14.0		8.0				10.8	7.2		5
6	0.7		9.6	0.7		5.7		13.7		4.5	4.5	1.9	6
7	15.8			2.4		2.2	3.7	2.0		4.1	2.6	1.1	7
8	2.5		3.1	2.2		1.0	26.4	20.9	1.0	9.7	3.2	10.6	8
9			3.7	2.4	2.4		1.6			11.8	14.3	0.7	9
10	11.4		10.2	7.9				7.6	0.1	1.5	1.7		10
11	1.5		5.8	8.7				15.6	2.9	8.4	8.5		11
12	18.3		0.6	0.6	11.6			3.1		13.1		0.1	12
13	6.8		5.3	2.3		2.5		7.7	5.1	6.1		2.0	13
14				2.6			3.6	27.3	2.2	2.6	0.6	0.4	14
15	2.6			0.7			17.3	0.8	0.6	18.8		11.4	15
16		1.7		0.7		4.1	1.5	2.5	0.6	6.5	0.2	10.0	16
17		0.6	0.9	6.6	0.1		13.0	4.6	15.5	5.6			17
18		0.5		0.3	3.8	2.0	12.3	0.1	19.3	1.1			18
19		16.1	1.3			4.9		1.6	2.0		0.5		19
20		8.0	0.3		12.2	1.7	1.2	1.1	3.7		0.6	4.6	20
21		0.1	2.0		0.4	12.8		1.0		2.7	4.9	1.6	21
22					0.6			15.8		4.7	0.3		22
23		4.0			5.1	1.2		12.7		9.7	0.6	0.4	23
24		13.2			0.1	7.0	11.3	2.2		6.8	4.0	1.0	24
25		2.6	0.9			0.1	1.6	13.4	7.4	5.6	1.0		25
26					17.3	1.1	0.2	7.2	4.5	2.4	1.5		26
27			0.2			9.5	0.5	28.1		4.2	0.6		27
28		1.1	6.7		0.3	14.7		18.5		0.8	0.6	0.2	28
29			4.5			1.0		1.1		23.0	0.8	1.5	29
30		✕	3.7					8.0		0.7	0.2		30
31		✕	0.9	✕	14.2	✕		1.4	✕	4.3	✕	0.2	31
Total	70.3	52.6	85.4 ~~84.9~~	65.8	68.1	87.2	94.2 ~~87.2~~	221.3	68.0	193.4 ~~193.4~~	74.7	47.8 ~~47.9~~	YEAR'S TOTAL 1128.8 1128.8
Rain Days.	12	10	19	17	10 ~~12~~	18 ~~19~~	13	25	14 ~~15~~	28	24	15	205

W. 8,000, VIII. 16

8L/

24
~~234~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30.1.19

Kept at Tavistock

in the County of S. Devonshire

by W. J. Monk

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m.m	m.m	m.m	m.m		m.m	m.m	m.m		m.m	m.m	m.m	
1	0.1	14.8	0.2	4.2	1.5			14.3		0.4	29.6	0.1	1
2		19.7		1.6				0.2	2.3	0.2	0.6	16.0	2
3		8.7		2.8	1.5				3.0	4.0	8.6	4.2	3
4		1.2						7.0	16.5		31.1	34.0	4
5		0.1	8.3	3.5	3.6			27.5	12.6	12.4	0.5	5.4	5
6	6.1	9.6	6.2	6.4		0.1		0.9		6.8		11.2	6
7	2.2	6.1		1.1	0.1	0.7		1.1	16.7	5.0	14.7	22.8	7
8	0.2	4.5				2.4	0.8		5.4	13.0	0.1	0.3	8
9	3.6	0.3		0.2		9.5	3.7		18.0	4.4	0.8	17.9	9
10	2.0			2.9		0.1	3.7		5.3	6.3	0.3	10.2	10
11	0.2	1.9	8.3	0.3	1.4		5.7		8.8	0.7	0.8	5.2	11
12		4.3			6.3	0.2	3.5		0.7	0.6		0.2	12
13	0.2	0.8			4.5		3.6		18.6	9.0		7.7	13
14	15.0				3.0	2.0	1.7	0.1	7.0	6.5		7.8	14
15	32.4					8.1	24.5		5.7	5.6		15.5	15
16	15.2			7.3		2.7	3.2	0.2	7.8	0.3		3.2	16
17	4.4			0.3	0.6	0.2	5.2	1.2	2.5			9.5	17
18	36.0		9.2			24.6	4.3	1.1	10.2			8.2	18
19	7.8	2.9	1.9	1.7		0.1	5.4	0.3	3.0			7.0	19
20	4.5	6.1	0.1	5.5		2.3	0.5	0.2	5.5			0.1	20
21	6.5	0.8		0.1		5.8	3.5		17.7	1.0		8.5	21
22	0.5				6.5		43.8	0.2	8.2	3.3	2.0	9.0	22
23	4.3	0.2			0.7	0.5	0.7		4.5		3.6	11.0	23
24	3.1	5.4				0.2	0.3	12.0	3.7		9.5	5.6	24
25	1.2				2.8		4.1	8.1		2.6	6.9	2.5	25
26	2.5	5.6		1.3			5.8	1.1	2.5	1.0	1.8	9.9	26
27	0.6	4.7	7.3					3.3	2.5	0.8	5.5	0.2	27
28	0.1	7.4	4.1					0.1	4.5	2.0	4.8	0.8	28
29			9.0						26.3		1.0	7.0	29
30		X	7.6	8.2				3.0	3.2	4.0	6.1	5.9	30
31		X	8.4	X		X	0.2		X	3.0	X	3.0	31
Total	148.7	105.1 ~~125.1~~	70.6	47.4 ~~50.4~~	32.5	59.5	124.2	81.9	222.7	98.8	128.3	249.9	YEAR'S TOTAL 1369.6
Rain Days.	21 ~~23~~	19 ~~20~~	11	15 ~~16~~	11	13 ~~16~~	20	17 ~~19~~	27	23	18 ~~19~~	29 ~~31~~	224

W. 8,000, IX. 17.

1584

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 JAN 20

Kept at Tavistock

in the County of Devon

by W Monk

Lat. 50 33 Long. 4-10

Time of Observation 9-17

Nearest Railway Station S W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17.6	...	7.3	0.7	1.7	...	2.9	...	11.0	7.5	...	36.3	1
2	4-1	...	1.2	...	0.8	...	1.6	...	0.6	1.7	...	1.6	2
3	3.8	...	11.3	...	3.2	...	...	...	5.3	...	0.5	4.0	3
4	3.5	9.3	23.8	...	0.1	1.2	3.3	7.0	27.4	...	...	0.7	4
5	3.4	5.8	9.4	...	0.8	...	...	...	0.5	...	...	2.2	5
6	19.0	12.3	(6.4)	...	...	...	...	...	...	...	0.3	10.0	6
7	12.7	...	8.7	4.5	...	0.6	...	...	0.4	...	...	6.2	7
8	11.8	...	8.0	3.4	0.6	0.4	...	...	...	...	18.5	...	8
9	4.7	...	1.8	12.7	5.7	...	...	...	...	...	4.5	3.0	9
10	2.5	...	29.6	1.1	0.6	...	...	...	...	1.3	...	24.5	10
11	1.0	...	16.0	6.0	13.2	0.6	2.0	...	0 3	1.9	3.4*	13.4	11
12	9.4	0.2	1.0	1.7	0.2	0.8	...	...	...	4.1	4.7	...	12
13	12.4	3.0	4.2	17.5	...	...	2.0	...	1.0	6.4	...	11.6	13
14	23.5	4.5	...	14.0	21.0	...	2.0	...	...	6.6	...	7.9	14
15	4.5	0.5	...	2.5	...	...	...	...	...	3.2	...	28.4	15
16	3.2	34.0	0.5	...	2.0	...	0.5	0.2	...	0.2	10.0	1.2	16
17	0.7	7.5	0 8	...	...	1.3	...	2.0	...	...	9.2	3.2	17
18	3.5	5.2	20.0	...	1.0	...	10.6	4.1	1.6	...	8.6	0.7	18
19	14.6	9.5	8.0	...	...	4.2	15.1	18.7	17.4	...	6.7	3.7	19
20	16.4	1.0	3.0	...	1.8	5.7	0.6	2.6	5 4	...	7.2	3.3	20
21	7.0	26.7	....	...	2.6	...	2.5	0.4	6.3	0.2	0.7	1.6	21
22	...	1.1	...	...	...	0.1	2.7	...	8.2	... ~~17.4~~	1.1	3.4	22
23	...	...	...	...	...	...	...	3.3	...	17.4	2 2	7.4	23
24	...	...	...	...	...	6.4	...	3.5	0.8	6.0	3.7	7.4	24
25	4.7	1.3	...	0.8	...	1.0	...	25.3	0.2	0.2	5.6	4.3	25
26	2.8	0.9	2.5	5.2	...	0.3	...	4.2	36	1.6	2.8	18.1	26
27	9.3	3.0	1.5	6.5	...	0.2	...	25.4	...	... ~~1.3~~	...	2.7	27
28	0.1	...	7.4	2.7	...	...	...	0.2	...	1.3 ~~2.2~~	10.1	14.6	28
29	...	...	0.4	3.7	...	...	...	8.3	...	2.2	...	2.0	29
30	...		2.3	2.8	...	4.0	...	6.3	0.8	...	16.3	27.2	30
31	0.3*		4.6		...		1.6	...		...		4.5	31
TOTAL	196.5	125.8	179.7	85.8	55.3	26.8	47.4	111.5	90.8	618	116.1	255.1	YEAR'S TOTAL 1352.6
Days with 0·2 mm. or more	25	18	24	16	14	13	13	15	17	16	19	29	219

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1584

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tavistock (M.O.)
in the County of Devonshire
by W. J. [illegible]

Lat. 50° 35′ N Long. 4° 10′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 458 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17.6	-	7.3	0.7	1.7	-	2.9	-	11.0	7.5	-	36.3	1
2	4.1	-	1.2	-	0.8	-	1.6	-	0.6	1.7	-	1.6	2
3	3.8	-	11.3	-	3.2	-	-	-	5.3	-	0.5	4.0	3
4	3.5	9.3	23.8	-	0.1	1.2	3.3	7.0	27.4	-	-	0.7	4
5	3.4	5.8	9.4	-	0.8	-	-	-	0.5	-	-	2.2	5
6	19.0	12.3	6.4	-	-	-	-	-	-	-	0.3	10.0	6
7	12.7	-	8.7	4.5	-	0.6	-	-	0.4	-	-	6.2	7
8	11.8	-	8.0	3.4	0.6	0.4	-	-	-	-	18.5	-	8
9	4.7	-	1.8	12.7	5.7	-	-	-	-	-	4.5	3.0	9
10	2.5	-	29.6	1.1	0.6	-	-	-	-	1.3	-	24.5	10
11	1.0	-	16.0	6.0	13.2	0.6	2.0	-	0.3	1.9	3.4	13.4	11
12	9.4	0.2	1.0	1.7	0.2	0.8	-	-	-	4.1	4.7	-	12
13	12.4	3.0	4.2	17.5	-	-	2.0	-	1.0	6.4	-	11.6	13
14	23.5	4.5	-	14.0	21.0	-	2.0	-	-	6.6	-	7.9	14
15	4.5	0.5	-	2.5	-	-	-	-	-	3.2	-	28.4	15
16	3.2	34.0	0.5	-	2.0	-	0.5	0.2	-	0.2	10.0	1.2	16
17	0.7	7.5	0.8	-	-	1.3	-	2.0	-	-	9.2	3.2	17
18	3.5	5.2	20.0	-	1.0	-	10.6	4.1	1.6	-	8.6	0.7	18
19	14.6	9.5	8.0	-	1.8	4.2	15.1	18.7	17.4	-	6.7	3.7	19
20	16.4	1.0	3.0	-	2.6	5.7	0.6	2.6	5.4	-	7.2	3.3	20
21	7.0	26.7	-	-	-	-	2.5	0.4	6.3	0.2	0.7	1.6	21
22	-	1.1	-	-	-	0.1	2.7	-	8.2	-	1.1	3.4	22
23	-	-	-	-	-	-	-	3.3	-	17.4	2.2	7.4	23
24	-	-	-	-	-	6.4	-	3.5	0.8	6.0	3.7	7.4	24
25	4.7	1.3	-	0.8	-	1.0	-	25.3	0.2	0.2	5.6	4.3	25
26	2.8	0.9	2.5	5.2	-	0.3	-	4.2	3.6	1.6	2.8	18.1	26
27	9.3	3.0	1.5	6.5	-	0.2	-	25.4	-	-	-	2.7	27
28	0.1	-	7.4	2.7	-	-	-	0.2	-	1.3	10.1	14.6	28
29	-		0.4	3.7	-	-	-	8.3	-	2.2	-	2.0	29
30	-	╳	2.3	2.8	-	4.0	-	6.3	0.8	-	16.3	27.2	30
31	0.3	╳	4.6	╳	-	╳	1.6	-	╳	-	╳	4.5	31
TOTAL	196.5	125.8	179.7	85.8	55.3	26.8	47.4	111.5	90.8	61.8	116.1	255.1	YEAR'S TOTAL 1352.6
Days with 0·2 mm. or more	25	17	24 179.5	16	14	13	13	15	17	16	19	29	218

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
copied from M.O Form 3203.

~~W~~ 1498

FORM A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

(M O)

Kept at Tavistock

in the County of Devon

by W. J. Monk

Lat. 50° 33' N Long. 4° 10' W

Time of Observation 9 h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.7	-	0.8	1.5	20.2	-	27.2	1.0	3.6	3.0	-	19.6	1
2	14.0	-	-	6.5	0.3	-	3.8	10.5	3.2	4.5	-	7.0	2
3	18.5	1.7	-	6.7	0.9	-	1.7	0.8	0.8	33.2	-	12.1	3
4	-	-	0.6	-	0.3	-	0.2	30.8	0.3	12.1	-	-	4
5	-	-	9.0	-	4.0	-	13.2	7.3	0.3	6.1	-	-	5
6	-	-	6.6	2.6	5.0	-	4.4	-	0.1	3.3	-	-	6
7	1.6	-	2.9	10.9	1.9	-	8.1	-	-	-	-	5.5	7
8	2.4	1.1	-	9.5	2.2	-	4.2	1.3	0.2	-	-	6.0	8
9	26.3	1.7	1.1	1.0	-	1.7	20.0	-	1.7	-	-	-	9
10	34.5	3.7	4.0	-	-	5.5	10.7	-	-	-	0.5	-	10
11	10.0	-	6.0	14.2	4.2	0.1	6.4	-	-	-	-	-	11
12	6.8	5.6	7.8	2.9	0.7	0.8	2.5	0.3	-	2.5	4.7	1.0	12
13	3.8	0.6	13.8	0.8	-	1.2	0.2	-	-	10.5	-	-	13
14	5.5	3.1	10.2	18.8	-	-	2.4	-	5.3	15.7	15.7	-	14
15	2.2	5.6	1.2	12.0	1.6	-	-	-	0.4	16.0	2.7	-	15
16	0.7	0.7	1.8	4.2	0.3	2.5	4.6	-	17.3	1.0	2.3	-	16
17	2.6	-	0.5	2.3	14.8	6.3	0.5	-	28.4	9.0	-	-	17
18	7.1	0.8	0.4	2.8	3.8	4.2	0.3	6.4	1.0	-	-	-	18
19	3.3	1.7	-	16.0	8.0	9.3	0.3	-	6.2	-	-	-	19
20	1.1	0.1	-	3.0	0.4	4.2	1.5	-	-	3.8	-	13.5	20
21	-	-	-	5.0	-	-	3.0	-	0.3	0.7	-	5.1	21
22	2.2	-	-	2.0	-	0.5	3.2	-	-	-	-	6.4	22
23	1.4	-	3.0	-	-	-	11.1	4.3	0.5	-	-	17.3	23
24	1.0	0.4	16.5	0.3	-	-	0.4	0.2	-	-	7.0	8.5	24
25	5.9	0.3	3.4	0.6	0.2	-	29.0	-	0.2	-	0.2	2.0	25
26	11.0	1.2	11.8	-	-	0.8	4.4	-	0.2	-	8.0	1.8	26
27	19.6	1.9	4.7	7.6	-	8.3	5.4	-	-	-	20.0	11.0	27
28	16.4	0.5	20.7	2.0	0.4	5.5	3.7	-	-	-	0.8	3.4	28
29	18.0	0.4	7.6	1.0	4.4	1.1	1.0	-	0.1	-	14.7	11.2	29
30	7.0	✕	-	0.1	0.4	11.2	7.5	-	34.0	4.1	14.6	26.3	30
31	3.5	✕	12.2	✕	-	✕	1.5	-	✕	11.4	✕	6.4	31
TOTAL	229.1	31.1	146.6	134.3	74.0	63.2	182.4	62.9	104.1	136.9	91.2	164.1	YEAR'S TOTAL 1419.9
Days with 0·2 mm. or more	27	17	23	24	20	15	30	10	18	16	12	18	230

(44,284). Wt 21158—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3283. 21 11 12 24 7 9 15 9 18 181

TAVIS~~TOCK~~.

PUBLIC LIBRARY

DEVON

1911 – 1916

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

Kept at Tav

in the County of

by Joh

…nd

…″ in.

Ground 20 ft. in.

Sea Level 282 ft.

A.M. T

Name Tavistock Town

Distance 10 7/8 Direction W

IMPORTANT … the result entered to the previous day. If … ersal rule, he is earnestly requested to add t … ear in the space provided for it at the end … nent of rain, the selection and … itish Rainfall Organization are g … application to Dr. H. R. Mill, (…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Da
1	·03		·01	·04	·03						·07	·01	1
2			·03	·19	·66			·57		·08	·16	·43	2
3			·04		·30			·12	·02		·24	·14	3
4			·15					·18			·27	·60	4
5	·28		·12					1·18			·15	·04	5
6	·60		·17					·01		·01	·08	1·63	6
7	·08			·02							·45	·04	7
8	·02		·26								·12	·80	8
9	·03		·01								·30	1·00	9
10	·09	·03	·85		·01						·08	·34	10
11	·45		↑						·01		·76	·07	11
12			·01						·16		·10	·28	12
13			·64						·41		·16	·44	13
14		·27	·14							·07	·03	·45	14
15		·05	·04			·02					·70	·14	15
16	·01	·01	·14			·38					·34	·59	16
17		·04	·05	·01		·26	·01				·13	·91	17
18		·26	·21	·35		·45				·02	·38	·80	18
19		·03	·02	·11		·35			·60	·05	·31	·95	19
20	·02	·03	·01	·18		·01			·15	·80		·70	20
21	·02	·40		·04		·10		·18	·36	·48		·13	21
22	·06	·05		·14		·07			·21	·16		·53	22
23	·02	·23		·05		·18			·11	·35		·59	23
24		·20	·04			·56		·43		·37		·25	24
25	·02	·04		·19		·06		·03	·16	·14		·10	25
26		·09		·60				·22		·53		·31	26
27		·55		·01	·37	·01		·50	·10	·38		·37	27
28		·31		·41				·05			·27		28
29			·01	·20		·42	·76		·06	·43			29
30						·04	·17	·01	·07	·36	·46	·11	30
31			·03				·06			·06			31
~~Total~~	1·73	2·59	2·98	2·54	1·37	2·91	1·00	3·48	2·42	4·23	5·56	12·75	TOTAL for year 43·56
No. of Rain Days.	14	16	21	15	5	14	4	12	13	16	21	28	179

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

REGISTER OF RAINFALL IN 19

Kept at Tavistock Library

in the County of Devon SZ

by John Quick

RAIN GAUGE
Pattern Round
Diameter of top 8" in.
Height of top above Ground 20 ft. in.
" " " Sea Level 280 ft.

Time of Observation 8 A.M.

Nearest ~~Railway~~ Church ~~Station~~
Name Tavistock Town
Distance 10 yds Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03		·01	·04	·03						·07	·01	1
2			·03	·19	·66			·57		·08	·16	·43	2
3			·04		·30			·12	·02		·24	·14	3
4			·15					·18			·27	·60	4
5	·28		·12					1·18			·15	·04	5
6	·60		·17					·01		·01	·08	1·63	6
7	·08			·02							·45	·04	7
8	·02		·26								·12	·80	8
9	·03		·01								·30	1·00	9
10	·09	·03	·85		·01						·08	·34	10
11	·45								·01		·76	·07	11
12			·01						·16		·10	·28	12
13			·64						·41		·16	·44	13
14		·27	·14							·07	·03	·45	14
15		·05	·04			·02					·70	·14	15
16	·01	·01	·14			·38					·34	·59	16
17		·04	·05	·01		·26	·01				·13	·91	17
18		·26	·21	·35		·45				·02	·38	·80	18
19		·03	·02	·11		·35			·60	·05	·31	·95	19
20	·02	·03	·01	·18		·01			·15	·80		·70	20
21	·02	·40		·04		·10		·18	·36	·48		·13	21
22	·06	·05		·14		·07			·21	·16		·53	22
23	·02	·23		·05		·18			·11	·35		·59	23
24		·20	·04			·56		·43		·37		·25	24
25	·02	·04		·19		·06		·03	·16	·14		·10	25
26		·09		·60				·22		·53		·31	26
27		·55		·01	·37	·01		·50	·10	·38		·37	27
28		·31		·41				·05			·27		28
29			·01	·20		·42	·76		·06	·43			29
30						·04	·17	·01	·07	·36	·46	·11	30
31			·03				·06			·06			31
~~Total~~	1·73	2·59	2·98	2·54	1·37	2·91	1·00	3·48	2·42	4·23	5·56	12·75	TOTAL for year 43·56
No. of Rain Days.	14	16	21	15	5	14	4	12	13	16	21	28	179

W. 8,000, X. '11.

25-76

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 MAY 1913

Kept at Tavistock Library
in the County of Devon S. 2
by J. Quick

Lat. 50 33 N Long. 4 10 W
Time of Observation 8 A m
Nearest Railway Station G. W. R.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 20 ft. in.
" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·22		·11	·30	·04	·09	·09	·42		·36	1
2			·27	·10		1·40	·02	·05		·10		·02	2
3	·03		·29			·40	·03	·76	·05			·18	3
4	·22	·04	·68		·01	·48		·17			·42		4
5	·70	·13	·11		·04	·19	·04	1·15			·03	·21	5
6	·50	·16	·04		·29			·45			·02	·03	6
7	·07	·78	·30	·04	·29	·39		·25			·05	·22	7
8	·60	·35	·52	·07		·93	·06	·03					8
9	·04	·31	·27	·08		·02	·06	·10				·56	9
10	·39	·03	·13	·07			·13	·09			·21	·25	10
11	·08	·05					·16	·03			·23	·74	11
12	·03	·26	·35		·03		·34	·12			·11	·07	12
13	·39	·03	·06			·07	·13	·09		·12		·15	13
14	·33	·03	·57		·11	·70		·13		·02		·04	14
15	·70	·34	·10		·33	·07		·07				·33	15
16	·29	·01	·55		·10	·33		·37		·15	·03	·14	16
17	·01		·14		·03			1·52			·06	·03	17
18		·06	·26			·04		·51		·06	·04	·03	18
19	·01	·10	·35				·09	·50		·03	·06	·08	19
20	·03	·04	·62		·12			·82		·29	·08		20
21		·44	·62		·71	·07	·40	·08		·46	·03		21
22	·09	·79	·26		·03	·09	·07	·19		·10		·17	22
23	·03	·48	·32			·59	·04	·77		·02	·09	·45	23
24	·03	·07	·08			·22	·07	·07				·21	24
25	·05	·03				·07	·18	·14		·19	·21	·58	25
26		·06				1·35	·12	·16		·57	·65	·55	26
27		·07				·17	·56	·15		1·92	·03	·61	27
28		·20				·17	·24	1·10	·55	·30	·90	·46	28
29		·29	·01			·06	·10	·43	·70	·29		·11	29
30			·06				·15		·10	·32			30
31			·32				·57	·07		·02		·28	31
Total	4·62	5·15	7·50	·24	2·20	7·93	3·42	10·34	1·49	5·32	3·25	6·80	YEAR'S TOTAL 58·26
Rain Days.	21	25	26	5	13	22	22	30	5	18	16	26	231

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

17 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Tavistock Library
in the County of Devon S.Z
by J Quick

Lat. 50·33 N Long. 4 10 W
Time of Observation 8 Am
Nearest Railway Station G W Rly
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. in.
" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·24	·35	·16	·40				·03	·01	·44		1
2	·12	·19	·05	·45	·24	·01				·35	·22	·03	2
3	·49	·	·19		·28				·23			·22	3
4	2·00	·	·16		·02	·03			·31	17	·04	·41	4
5	·15	·02			·25	·55	·04		·99		·39	·56	5
6	·31	·11	·14		·06	·19	·02			·21	·66	·13	6
7	·11	·67	·08		1·03	·11				·47	·35	·01	7
8	·13	·24	·01		·21	·13	·08	·21		·08		·07	8
9	·07	·05			·24	·02		·17			·59	·01	9
10	·61		·01	·02	·12	·02		·03		·21	·17		10
11	·90		·01	·04	·56	·06			·03	·15	·94	·04	11
12	·07	·01			·05	·03			·14		·23	·06	12
13	·02		·08		·06		·03		·22		·10		13
14	·32		·27	·06				·06	·10		·09		14
15	·11		·28	·92							·22	·03	15
16	·46		·53	·23					·17		·02		16
17	·13		·06	·12				·21			·01		17
18	·06		·58	·19	·10						·16		18
19	·59		·01		·03	·01	·04		·51	·23			19
20	·17		·10	·45					·02	·22	·41		20
21	·01		·11	·29	·16					·07	·51		21
22	·29		·66	·15	·01	·12		·04	·03			·14	22
23	·01		·02			·09		·03			·24	·80	23
24		·29		·15		·05		·03			·01		24
25		·03		·39				·02	·07	·04	·04	·06	25
26				1·25		·01		·02		·03		·32	26
27	·23		·24	·27	·16			·15		·53	·02	·06	27
28	·25		·03	·36	·04				·02	·24		·25	28
29	·09		·45	·33	·05			·01		·45	·02		29
30	·67			·05	·04					·91	·01		30
31	·06		·29		·02			·28		·03			31
Total	8·45	1·85	4·71	5·88	4·13	1·43	·21	1·26	2·87	4·40	5·89	3·20	YEAR'S TOTAL 44·28
Rain Days.	28	10	24	19	22	15	5	13	14	18	24	17	209

W.7,000; XI. 13

CX 912

FORM A.
BRITISH RAINFALL.

12 MAY 1915

REGISTER OF RAINFALL IN 1914

Kept at Tavistock Library
in the County of Devon S. 2
by Jno Quick

Lat. 50 33 N Long. 4 10 W
Time of Observation 8 A.M.
Nearest Railway Station G. W R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. in.
" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·41

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·09		·12	·38	·56			·70	·12	1
2	·03		·07	·19	·13	·01	·10	·03			·10	·59	2
3	·02		·25	·19	·70			·47		·01	·02		3
4	·07		·02	·43	·10		1·04	·09	·03		·14	·01	4
5	·22		·19	·18	·11			·02				·76	5
6	·02	·03	·21	·08	·15	·01	·23	·12			·06	·05	6
7	·03	1·03	·49	·12	·34	·08	·37	·27	·41			·77	7
8	·19		·67	·07	·03	·10		·18				·18	8
9	·07	·06	·40	·27	·05	·58		·31	·46		·03	-	9
10	·08	1·12	·17	·40	·18	·02			·35		·01	·08	10
11		·16	·62	·01	·01	·12			·01		·04	·46	11
12		·55	·20						·22		·13	·18	12
13		·75	·29				·21		·27	·05	·38	·16	13
14		·57	·25			·28		·30	·01	·08	·72	·28	14
15		·02	·28				·14	·09		·03	·41	·71	15
16			·01				·03		·52			·04	16
17		·57	·43				·02					·92	17
18		·07				·07	·07		·23			·28	18
19		·07	·51				1·27		·08		·10	·11	19
20		·35	·27			·31					·04	·26	20
21		·42	·02			·02	·01			·34			21
22		·04	·03	·01	·05	·10		·10		·43			22
23		·06	·36				·08			·07			23
24		·01	·05				·05	·07		·01	·05		24
25	·12		·31		·09		·09	·90		·52	·08	·75	25
26	·08	·01	·07				·25	·07		·04	·34	·64	26
27	·13	·21					·03			·07	·32	·45	27
28	·02	·09	·46		·09		·08			·31	·20	·79	28
29	·33		·27		·18		·13			·04	1·01	·04	29
30	·02		·17		·01					·02	·57	1·16	30
31	·08				·01		1·12			·69		·53	31
Total	1·51	6·19	7·15	2·04	2·23	1·82	5·60	3·58	2·59	2·71	5·35	10·32	YEAR'S TOTAL 51·09
Rain Days.	16	20	28	12	16	13	20	15	11	15	21	25	212

W. 8,000. X. 14.

1796

FORM A.

BRITISH RAINFALL. 14 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tavistock Library

in the County of Devon

by Jno Quick

P.T.O.

Lat. 50 33 N Long. 4 10 W

Nearest Railway Station G W Rly

Time of Observation 8 Am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 20 ft. in.

" " " Sea Level 282 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·15						·39	·29	·28	·01	·10	1
2	·48	·82	·17	·03	·04			·40	·13	·03		·33	2
3	·08	·24	·20	·09		·11	·02	·03				·58	3
4	·07	1·00	·01		·18	·02						·36	4
5	·07	·85		·09		·01		·16				1·12	5
6	·91	·16		·57	·01		·70	·04				·25	6
7	·40	·60		·06			·49	·01		·24	·03	·26	7
8	·21	·51					·05	·06		·02	·04	·10	8
9	·01	·18		·19				·03			·59	·97	9
10	·26	·36	·05	·07			·01	·11		·13	·23	·13	10
11	·14				·05		·02	·38			1·13	·15	11
12	·15	·54		·08	·49			·29		·09	·29	·07	12
13	·04	1·01			·80		·02	·10	·03		·17	·12	13
14	·03	·01					·20	·14	·21	·07	·06	1·71	14
15	·11				·28		·13		·04		·11	·12	15
16	·03	1·86			·32		1·29			·06		·13	16
17	·03	·22			·06								17
18	·01	·32	·02				·02						18
19	·04	·03			·55		·24						19
20	·36			·22	·06	·05				·23		·02	20
21	·28	·17			·19	·02	·21			·15		·20	21
22	·02	·20	·25	·09		·01	·50			·02		·56	22
23		·01	·09			·01	·11		·12	·66		·49	23
24		·03		·01		·03	·36		·13	·33		·72	24
25						·12	·13				·03	·61	25
26		·46				·77			·04			·75	26
27		·02				·14	·33		·02	·65			27
28	·03	·05				·17		·06	·26	·11	·01	·05	28
29						·50		·01	·24		·20	·12	29
30						·24	·07		·09	·71	·54	·44	30
31	·02						·21	·03		·44		·29	31
Total	4·19	9·80	·79	1·50	3·03	2·20	5·11	2·24	1·60	4·22	3·44	10·75	TOTAL for year 48·87
No. of Rain Days	24	24	7	11	12	14	20	16	12	17	14	27	198

P.T.O

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

1755

FORM A. BRITISH RAINFALL.
26 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Tavistock Library

in the County of Devon

by J. Quick

Lat. 50 33 N Long. 4 10 W
Time of Observation 8 AM
Nearest Railway Station GW
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. in.
" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26		06		·07	·05	·11		·02	·24	·29		1
2	·39	09	·10		·04				·19	·36	·33		2
3	·08	1·65			·23	·03	·39		·10	·72	·44		3
4	·24	·19		·02	·07	·47	·23		·14	·24	1·06		4
5	·04	·20	·03	·01	·02	·10				·13	·23		5
6	·03	·20			·18	·13	·77			·49	·99		6
7	·13	·32	·19		·20	·03	·04			·06	1·35	11	7
8	·01	·28	·29		·29	·08					·19	·12	8
9	·01	·14	·03		·03	·21	·02			·07	·16	·74	9
10		·84		07	·08		03			·05	·06	·20	10
11		·02		07	·03				03		·01		11
12	·06	·05	·02	·02	·22		·20	·10	·01	·16			12
13		·31	·05		·01		·02	·21	·02	·04		16	13
14	·05	·49			·06			·04		·13			14
15		·16	·02	·19				12		·07			15
16	·35	·19		·16			·01	·67		·12			16
17	·36	·13		·02				·05	·15	·52	82		17
18		·16	·15	·04				·01	·30	·10	·08	11	18
19	·24	·13	·01	·17					·06		·48	·14	19
20	·08	·36	·16								·12	·62	20
21	·07	·02	·03	·16	07						·31	·14	21
22						21		·01		·64	·13	·43	22
23	·08	01		·08		17		·28		·38	·47	·18	23
24		·07	·08	46	·03	03		·11		·61	·06	·24	24
25		·57	·36		·01	·05		·76		·01	·34	·02	25
26	·03	·15	·09			18		·67	·17	·91	·11		26
27	·01		·97			·10		·24	·51	·67			27
28	·01	·06	·02					·06	·19	·59	·04	·57	28
29		·29	·07			65		·76	·25	·26		·50	29
30		X	·01			·07				·30			30
31		X		X		X		·09	X	·18	X	·03	31
Total	2.53 ✓	7·08 ✓	2·74 ✓	1·47 ✓	1·64 ✓	2·56 ✓	1·82 ✓	4·18 ✓	2·14 ✓	8·05 ✓	8·07 ✓	4·31 ✓	YEAR'S TOTAL 46·59
Rain Days.	20 ✓	26	20 ✓	13 ✓	17 ✓	16 ✓	10 ✓	16 ✓	14 ✓	26 ✓	22 ✓	16 ✓	216 ✓

W. 8,000, VIII. 16

DEVON.

TEIGNMOUTH,
BENTON

1912, 1914

Cop

REG 912

FORM A.
BRITISH RAINFALL.
10 JUN 1913

Kep at Benton,

in the County of De

by W. C. Lake, M

ong.

on

9 am.

ge 5 in.

e above Ground 1 ft. – in.

Sea Level 320 ft.

NOTE.—Rain should be measur y. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·06	·01	–	·44	·02	–	·16	·79	·01	·22	1
2	–	–	·13	–	–	·17	·01	·18	–	·02	·15	·01	2
3	–	–	·20	–	·01	·21	·09	1·01	–	–	·05	·01	3
4	·13	·03	·49	–	·02	·29	–	·05	–	–	·20	–	4
5	·43	·39	·18	–	–	·01	·03	·43	–	–	·01	·17	5
6	·19	·04	·01	–	·24	·20	–	·05	–	–	–	–	6
7	·08	·70	·16	–	·04	·56	–	·05	–	–	–	·32	7
8	·44	·09	·51	·01	–	·32	–	·02	–	–	–	·01	8
9	·04	·03	·04	·03	–	·06	·03	·08	–	–	–	·22	9
10	·17	·08	·15	–	–	·22	·01	·23	–	–	·05	·25	10
11	·03	·04	·01	–	–	–	–	·05	–	·01	·15	·35	11
12	·01	·55	·04	–	–	–	·07	·58	–	·01	–	·01	12
13	·09	–	–	–	–	·02	·93	·01	–	·03	–	·05	13
14	·04	·03	·42	–	·11	–	·01	·07	–	–	–	·01	14
15	·52	·08	·05	–	·28	·25	–	·01	–	–	–	·08	15
16	·27	·01	·23	–	·05	·02	–	·02	–	·02	–	–	16
17	·06	–	·18	–	·01	·04	–	·68	–	–	–	·04	17
18	·02	·02	·08	–	–	–	–	·16	–	–	·01	·05	18
19	·01	·03	·26	–	–	·03	·03	·09	–	·01	·02	–	19
20	·01	·06	·35	–	·16	–	·04	·17	–	·26	·02	–	20
21	–	·11	·26	–	·31	–	–	·03	–	·09	–	–	21
22	·57	·20	·14	–	·05	–	·08	·05	–	·09	·03	·13	22
23	·77	·29	·12	–	·01	·05	·06	·28	–	·06	·05	·20	23
24	·13	·04	–	–	–	·32	–	·04	–	·10	–	·15	24
25	·18	–	–	–	–	·02	–	·40	–	·33	·15	·29	25
26	·01	·02	–	–	–	–	·14	·05	–	·20	·42	·33	26
27	–	·01	–	–	–	·28	·41	·16	–	·90	–	·28	27
28	–	·07	–	–	–	·04	·22	·48	·22	·36	·31	·53	28
29	–	·52	–	–	–	·08	·14	·21	·39	·48	·01	·15	29
30	–		·07	–	–	·23	·08	–	·32	·25	–	–	30
31	–		·30		–		·58	–		·03		·02	31
Total	4·20	3·44	4·44	·05	1·29	3·86	2·98	5·64	1·09	4·04	1·64	3·88	TOTAL for year 36·35
No. of Rain Days.	22	23	24	3	12	22	19	28	4	19	16	24	216

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cop

REG 912

FORM A. BRITISH RAINFALL. 10 JUN 1913

Kept at Benton, Teignmouth
in the County of Devon S.5
by W. C. Lake, M.D. (Fel R Met Soc.)

Lat. Long.
Nearest Railway Station
Time of Observation 9 am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·06	·01	-	·44	·02	-	·16	·79	·01	·22	1
2	-	-	·13	-	-	·17	·01	·18	-	·02	·15	·01	2
3	-	-	·20	-	·01	·21	·09	1·01	-	-	·05	·01	3
4	·13	·03	·49	-	·02	·29	-	·05	-	-	·20	-	4
5	·43	·39	·18	-	-	·01	·03	·43	-	-	·01	·17	5
6	·19	·04	·01	-	·24	·20	-	·05	-	-	-	-	6
7	·08	·70	·16	-	·04	·56	-	·05	-	-	-	·32	7
8	·44	·09	·51	·01	-	·32	-	·02	-	-	-	·01	8
9	·04	·03	·04	·03	-	·06	·03	·08	-	-	-	·22	9
10	·17	·08	·15	-	-	·22	·01	·23	-	-	·05	·25	10
11	·03	·04	·01	-	-	-	-	·05	-	·01	·15	·35	11
12	·01	·55	·04	-	-	-	·07	·58	-	·01	-	·01	12
13	·09	-	-	-	-	·02	·93	·01	-	·03	-	·05	13
14	·04	·03	·42	-	·11	-	·01	·07	-	-	-	·01	14
15	·52	·08	·05	-	·28	·25	-	·01	-	-	-	·08	15
16	·27	·01	·23	-	·05	·02	-	·02	-	·02	-	-	16
17	·06	-	·18	-	·01	·04	-	·68	-	-	-	·04	17
18	·02	·02	·08	-	-	-	-	·16	-	-	·01	·05	18
19	·01	·03	·26	-	-	·03	·03	·09	-	·01	·02	-	19
20	·01	·06	·35	-	·16	-	·04	·17	-	·26	·02	-	20
21	-	·11	·26	-	·31	-	-	·03	-	·09	-	-	21
22	·57	·20	·14	-	·05	-	·08	·05	-	·09	·03	·13	22
23	·77	·29	·12	-	·01	·05	·06	·28	-	·06	·05	·20	23
24	·13	·04	-	-	-	·32	-	·04	-	·10	-	·15	24
25	·18	-	-	-	-	·02	-	·40	-	·33	·15	·29	25
26	·01	·02	-	-	-	-	·14	·05	-	·20	·42	·33	26
27	-	·01	-	-	-	·28	·41	·16	-	·90	-	·28	27
28	-	·07	-	-	-	·04	·22	·48	·22	·36	·31	·53	28
29	-	·52	-	-	-	·08	·14	·21	·39	·48	·01	·15	29
30	-		·07	-	-	·23	·08	-	·32	·25	-	-	30
31	-		·30		-		·58	-		·03		·02	31
Total	4·20	3·44	4·44	·05	1·29	3·86	2·98	5·64	1·09	4·04	1·64	3·88	TOTAL for year 36·35
No. of Rain Days.	22	23	24	3	12	22	19	28	4	19	16	24	216

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

Ex Mc

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 - JUN 1915

Kept at Teignmouth Benton

in the County of South Devon 5

by N C Lake M.D. per Royal Met. Soc.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	·03	-	·04	·03	·37	-	-	·52	·21	1
2	-	-	·01	·13	·02	·01	·23	-	-	-	·42	·25	2
3	·02	-	·08	·14	·53	-	-	-	-	-	·01	·03	3
4	·08	-	-	·19	·13	-	·42	·27	-	-	·55	·47	4
5	·11	-	·03	·08	·04	-	-	-	·11	-	·01	·03	5
6	-	·05	·02	·03	·10	-	·04	-	-	-	-	·49	6
7	·01	·81	·12	·08	·02	·06	·16	·02	·12	-	·01	·41	7
8	·03	·01	·54	·07	-	·21	-	·02	·08	-	-	·05	8
9	·01	·03	·60	·12	·08	·42	-	·24	1·19	-	-	-	9
10	·03	·45	·08	·16	·01	·05	-	-	·30	-	·03	·05	10
11	-	·12	·22	-	-	·09	-	-	·03	-	·02	·94	11
12	-	·14	·09	-	-	-	-	-	·04	·07	·02	·59	12
13	-	·32	·27	-	-	-	·09	-	·11	·19	·19	·19	13
14	-	·24	·20	-	-	·09	·08	·55	·01	·04	·36	·17	14
15	-	-	·07	-	-	-	·07	·19	-	·07	·23	·07	15
16	-	-	·02	-	-	-	-	-	·21	-	-	·01	16
17	-	·18	·19	-	-	-	-	-	-	-	-	·51	17
18	-	·04	·03	-	-	-	·02	-	·15	-	-	·15	18
19	-	·03	·84	-	-	-	1·80	-	·07	-	·04	·03	19
20	-	·28	·15	-	-	·06	-	-	-	-	·03	·19	20
21	-	·50	-	-	-	·01	-	-	-	·32	-	·03	21
22	-	·02	-	-	·17	·04	-	-	-	·10	-	·02	22
23	-	·04	·22	-	·02	-	-	-	-	·40	-	-	23
24	-	·03	-	-	·14	-	-	·03	-	·01	-	·01	24
25	·08	·01	·23	-	·02	-	·03	·27	-	·31	·03	·31	25
26	·08	-	·02	-	-	-	·05	·02	-	·02	·15	·50	26
27	·01	·01	-	-	-	-	-	-	-	·02	·22	·25	27
28	-	·02	·32	-	·05	-	-	-	-	·03	·22	·64	28
29	·09		·26	-	·10	-	-	-	-	·07	·47	·02	29
30	·01	X	·09	·02	-	-	·01	-	-	·23	·48	·83	30
31	·05	X	-	X	-	X	·36	-	X	·62	X	·29	31
													YEAR'S TOTAL
Total	·61	3·33	4·71	1·05	1·43	1·08	3·39	1·98	2·42	2·50	4·01	7·74	34·25
Rain Days.	13	20	25	11	14	11	14	10	12	15	20	29	194

W. 8,000. X. 14.

TEIGNMOUTH.

DEN GARDENS

DEVON

1911 – 1920

R

FORM 1776
BRITISH RAINFALL.
6 - JAN 1912

Kept at Teignmou
in the County of Dev
by Geo Ron

on Pattern
5 in.
e Ground 1 ft. – in.
Sea Level 20 ft.
am
Name G. W. R.
Distance ¼ m Direction NE

IMPORTANT NO… the result entered to the previous day. If an O… versal rule, he is earnestly requested to add the re… year in the space provided for it at the end of th… ment of rain, the selection and placi… British Rainfall Organization are given i… application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	0.06	–	–	–	–	–	0.01	0.01	0.02	1
2	–	–	–	0.01	0.36	–	–	0.18	–	0.08	0.14	0.31	2
3	–	–	–	–	0.08	0.01	–	–	0.01	–	0.10	0.08	3
4	–	–	0.04	–	–	–	–	–	–	–	0.10	0.55	4
5	0.12	–	0.09	–	–	–	–	0.06	–	0.02	0.06	–	5
6	0.24	–	0.34	–	–	–	–	–	–	0.01	0.09	1.06	6
7	0.03	–	–	0.03	–	–	–	–	–	–	0.36	–	7
8	–	–	0.10	–	–	–	–	–	–	–	0.09	0.48	8
9	–	–	–	L	–	0.33	–	–	–	–	0.51	0.75	9
10	–	0.01	0.33	–	0.16	–	–	–	–	–	–	0.28	10
11	0.17	–	–	–	–	–	–	–	–	–	0.85	0.03	11
12	–	–	0.50	–	–	–	–	–	0.05	–	0.01	0.08	12
13	–	–	–	–	–	–	–	–	0.26	–	–	0.54	13
14	–	0.07	–	–	–	–	–	–	–	0.16	–	0.71	14
15	–	–	–	–	–	0.02	–	–	–	–	0.27	0.06	15
16	–	–	0.07	–	–	0.40	–	–	–	–	0.54	0.68	16
17	–	–	0.38	–	–	0.21	–	–	–	–	0.26	0.75	17
18	–	0.15	0.23	0.27	–	0.30	–	–	–	0.16	0.27	0.52	18
19	–	0.03	–	0.01	–	0.40	–	–	0.31	0.11	0.11	0.50	19
20	0.02	–	0.25	0.01	–	–	–	–	0.20	0.39	–	0.80	20
21	0.03	0.09	–	–	–	–	–	0.21	0.07	0.67	–	0.04	21
22	0.21	–	0.01	0.01	–	0.11	–	–	0.28	0.09	–	0.54	22
23	–	0.12	0.10	–	–	–	–	–	0.01	0.30	0.10	0.28	23
24	–	0.12	–	~~0.01~~	–	0.44	–	0.04	–	0.31	–	0.24	24
25	–	0.03	–	0.01	–	0.04	–	0.01	0.07	0.12	–	0.05	25
26	–	0.09	–	0.26	0.01	–	–	0.02	–	0.43	–	0.18	26
27	–	0.23	0.02	0.02	–	–	–	0.05	0.11	0.51	0.03	0.15	27
28	–	0.19	–	0.36	–	–	–	(·05)	–	–	0.03	–	28
29	–	–	–	0.14	–	0.18	0.57	–	0.08	0.19	–	–	29
30	–	~~1.13~~	–	–	–	–	–	–	–	0.15	0.08	–	30
31	–	–	–	–	–	–	0.05	–	–	–	–	–	31
Total	0.82	1.13.	2.49	1.19	0.61	2.44	0.62	0.62 ✓	1.45	3.71	4.04 404	9.68	TOTAL for year 28.80 2880
No. of Rain Days.	7	11	13	12	4	11	2	~~7~~8	11	17	20	25	14[illegible]

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19

FORM 12. BRITISH RAINFALL.
6 - JAN 1912
1726

Kept at Teignmouth

in the County of Devon S.5

by Geo Rossiter

RAIN GAUGE: Pattern	Snowdon Pattern
Diameter of top	5 in.
Height of top above Ground	1 ft. – in.
„ „ „ Sea Level	20 ft.
Time of Observation	9 am
Nearest Railway Station: Name	G. W. R.
Distance	¼ m
Direction	NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	0·06	–	–	–	–	–	0·01	0·01	0·02	1
2	–	–	–	0·01	0·36	–	–	0·18	–	0·08	0·14	0·31	2
3	–	–	–	–	0·08	0·01	–	–	0·01	–	0·10	0·08	3
4	–	–	0·04	–	–	–	–	–	–	–	0·10	0·55	4
5	0·12	–	0·09	–	–	–	–	0·06	–	0·02	0·06	–	5
6	0·24	–	0·34	–	–	–	–	–	–	0·01	0·09	1·06	6
7	0·03	–	–	0·03	–	–	–	–	–	–	0·36	–	7
8	–	–	0·10	–	–	–	–	–	–	–	0·09	0·48	8
9	–	–	–	–	–	0·33	–	–	–	–	0·51	0·75	9
10	–	0·01	0·33	–	0·16	–	–	–	–	–	–	0·28	10
11	0·17	–	–	–	–	–	–	–	–	–	0·85	0·03	11
12	–	–	0·50	–	–	–	–	–	0·05	–	0·01	0·08	12
13	–	–	–	–	–	–	–	–	0·26	–	–	0·54	13
14	–	0·07	–	–	–	–	–	–	–	0·16	–	0·71	14
15	–	–	–	–	–	0·02	–	–	–	–	0·27	0·06	15
16	–	–	0·07	–	–	0·40	–	–	–	–	0·57	0·68	16
17	–	–	0·38	–	–	0·21	–	–	–	–	0·26	0·75	17
18	–	0·15	0·23	0·27	–	0·30	–	–	–	0·16	0·27	0·52	18
19	–	0·03	–	0·01	–	0·40	–	–	0·31	0·11	0·11	0·50	19
20	0·02	–	0·25	0·01	–	–	–	–	0·20	0·39	–	0·80	20
21	0·03	0·09	–	–	–	–	–	0·21	0·07	0·67	–	0·04	21
22	0·21	–	0·01	0·01	–	0·11	–	–	0·28	0·09	–	0·54	22
23	–	0·12	0·10	–	–	–	–	–	0·01	0·30	0·10	0·28	23
24	–	0·12	–	~~0·01~~	–	0·44	–	0·04	–	0·31	–	0·24	24
25	–	0·03	–	0·01	–	0·04	–	0·01	0·07	0·12	–	0·05	25
26	–	0·09	–	0·26	0·01	–	–	0·02	–	0·43	–	0·18	26
27	–	0·23	0·02	0·02	–	–	–	0·05	0·11	0·51	0·03	0·15	27
28	–	0·19	–	0·36	–	–	–	(·05)	–	–	0·03	–	28
29	–	–	–	0·14	–	0·18	0·57	–	0·08	0·19	–	–	29
30	–	~~1·1~~	–	–	–	–	–	–	–	0·15	0·08	–	30
31	–	–	–	–	–	–	0·05	–		–		–	31
Total	0·82	1·13.	2·49	1·19	0·61	2·44	0·62	0·62 ✓	1·45	3·71	4·04 4·04	9·68	TOTAL for year 28·80 28·80
No. of Rain Days.	7	11	13	12	4	11	2	18	11	17	20	25	14

W. 8,000, X. '11.

comp [illegible] 21·11·13

REGISTER ~~OF~~ RAINFALL IN 1912

BRITISH RAINFALL FORM A.
1726
11 JAN 1913

Kept at Teignmouth (Den) Meteorological Station.
in the County of Devon. S. 5
by Geo. Rossiter.

Lat. 50° 32′ 40″ N Long. 3° 29′ 28″ W
Time of Observation 9 am
Nearest Railway Station G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·10	·	·	·45	·01	·	·14	·93	·	·29	1
2	·	·	·18	·	·	·15	—	·09	·	·01	·02	·	2
3	·	·	·22	·	·	·20	·06	·86	·	·	·	—	3
4	·15	·03	·61	·	·01	·28	·	·05	·	·	·22	·	4
5	·46	·32	·22	·	·	·01	·03	·43	·	·		·25	5
6	·23	·07	·	·	·21	·16	·	·08	·	·		·	6
7	·01	·85	·20	·	·05	·55	·	·03	·	·		·28	7
8	·70	·20	·75	·	·	·25	·	·04	·	·	—	·	8
9	·08	·04	·08	·03	·	·11	·04	·08	·	·		·24	9
10	·12	·07	·11	·	·	·21	·	·16	—	·	·02	·25	10
11	·20	·03	·	·	·	·	·	·05	·	·	·13	·38	11
12	·	·51	·05	·	·	·	·10	·56	·	·		·01	12
13	·12	·	·	·	·	·02	·82	·01	·	·02		·06	13
14	·06	·	·44	·	·12	·	·	·08	·	·		·	14
15	·64	·13	·08	·	·31	·25	·	·	·	·		·12	15
16	·30	·01	·40	·	·05	·01	·	·01	·	·02	—	·	16
17	·06	·	·20	·	·	·05	·	·75	·	·	·01	·07	17
18	·02	·01	·08	·	·	·	·	·11	·	·		·05	18
19	·01	·02	·25	·	·	·02	·02	·26	·	·		·	19
20	·02	·07	·40	·	·16	·	·03	·14	·	·24		·	20
21	·	·12	·22	·	·26	·	·	·01	·	·08		·	21
22	·55	·33	·17	·	·04	·	·09	·04	·	·08		·12	22
23	·65	·33	·14	·	·	·03	·06	·25	·	·07	·04	·21	23
24	·11	·03	·	·	·	·29	·	·03	·	·09	·	·19	24
25	·14	·	·	·	·	·07	·	·40	·	·35	·16	·37	25
26	·	·01	·	·	·	·	·11	·08	·	·25	·41	·38	26
27	·	·	·	·	·	·36	·37	·13	·	1·24	·	·31	27
28	·	·11	·	·	·	·06	·09	·50	·22	·42	·43	·53	28
29	·	·50	·	·	·	·11	·14	·16	·36	·38	·01	·01	29
30	·		·10	·	·	·21	·06	·	·28	·28	·	·	30
31	·		·30		·		·57	·		·03		·02	31
Total	4·63	3·79	5·30	·03	1·21	3·85	2·60	5·39	1·00	4·52	1·45	4·14 4·14	YEAR'S TOTAL 37·91 37·91
Rain Days.	20	21	22	1	9	22	16	27	4	16	10	20	188

FORM A.
BRITISH RAINFALL.
15 JAN 1914

1726

REGISTER OF RAINFALL IN 1913

Kept at {The Den Meteorological Station} Teignmouth

in the County of S Devon 5

by the Town Council

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.

Time of Observation 9am

Nearest Railway Station GWR. Teignmouth ¼ NE

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.14	.17	.05	.25	.		.	.06	.09	.15	.	1
2	.22	.23	.	.16	.19	.	.06	.	.	.01	.11	.	2
3	.50	.	.02	.03	.32	.	.	.	.	.73	.	.16	3
4	1.22	.	.02	.	.06	.02	.	.	.09	.27	.03	.09	4
5	.08	.04	.01	.	.15	.10	.01	.	.54	.07	.34	.32	5
6	.03	.10	.06	.	.08	.06	.	.	.	1.05	.01	.12	6
7	.	.32	.08	.	.75	.02	.23	.	.	.36	.21	.	7
8	.04	.20	,	.	.16	.	.02	.	.	.03	.	.	8
9	.	.	.	.	.14	.	.08	.17	.	.	.30	.	9
10	.54	.	.	.	.13	.	.	.02	.	.13	.04	.	10
11	.68	.	.	.01	.80	.03	.	.	.	.	.88	.	11
12	.07	.	.	.	.03		.	.	.	.02	.35	.	12
13	.37	.	.02	.	.	.	.	.05	.17	.	.06	.	13
14	.37	.	.14	.06	.30	.	.	.	.01	.	.08	.	14
15	.28	.	.37	.44	.	.	.	.	.16	.	.01	.	15
16	.24	.	.34	.04	.	.	.	.	.22	.		.	16
17	.09	.	.01	.05	.	.	.	.	.	.	.	.	17
18	.	.	.25	.04	.	.	.	.	.	.	.04	.	18
19	.72	.	.04	.	.	.06	.	.	.30	.05	.	.	19
20	.15	.	.30	.31	.	.	.	.	.	.11	.20	.	20
21	.	.	.37	.01	.01	.	.	.	.	.05	.36	.	21
22	.26	.	.50	.	.	.05	.	.02	.03	.11	.	.22	22
23	.	.	.	.	.	.	.	.	.	.	.03	.91	23
24	.	.07	.	.05	.	.02	.	.	.	.	.	.	24
25	.	.	.	.33	.	.	.	.	.04	.09	.	.	25
26	.	.	.	1.25	.	.	.	.10	.	.	.	.14	26
27	.50	.	.18	.27	.01	.	.	.	.	.42	.	.	27
28	.33	.	.09	.25	.	.	.	.	.	.32	.	.15	28
29	.18		.54	.27	.01	.	.	.	.	.22	.	.	29
30	.34		.	.	.01	.	.	.	.	.65	.	.	30
31	.06		.16		.02		.	.29		.10		.	31
Total	4.24	1.10	3.67	3.62	3.42	.36	.40	.65	1.65	4.88	3.23	2.11	YEAR'S TOTAL 32.36
Rain Days.	22	7	20	17	18	8	5	6	10	20	17	8	158

W.7,000, XI. 13

Exc. M.9 1726

FORM A. BRITISH RAINFALL. 23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Den Meteorological Station Teignmouth

in the County of Devon S5

by Geo. Rossiter

Lat. 50° 32′ 49″N Long. 3° 29′ 28″ W

Time of Observation 9am

Nearest Railway Station Teignmouth GWR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.01	.	.	.04	.03	.32	.	.	.49	.19	1
2	.	.	.01	.16	.01	.	.22	.	.	.	.41	.40	2
3	.01	.	.11	.14	.70	.	.	.	.	.	.	.05	3
4	.06	.	.	.25	.19	.	.43	.21	.	.	.55	.60	4
5	.14	.	.03	.08	.04	.	.	.	.10	.	.01	.02	5
6	.	.06	.	.06	.10	.	.05	.	.	.	.	.58	6
7	.	1.00	.13	.19	.01	.08	.20	.04	.15	.	.	.38	7
8	.02	.	.51	.09	.	.20	.	.	.10	.	.	.12	8
9	.	.06	.52	.20	.07	.40	.	.25	1.10	.	.	.	9
10	.01	.50	.07	.15	.01	.05	.	.	.40	.	.	.05	10
11	.	.13	.24	.	.	.08	.	.	.02	.	.02	1.07	11
12	.	.17	.10	.	.	.	.	.	.05	.06	.01	.58	12
13	.	.40	.32	.	.	.	.08	.	.11	.18	.22	.19	13
14	.	.23	.25	.	.	.10	.04	.66	.	.05	.40	.21	14
15	.	.	.08	.	.	.	.07	.19	.01	.13	.26	.08	15
16	.	.	.03	.	.	.	.	.	.27	.	.	.	16
17	.	.24	.26	.	.	.	.	.	.	.	.	.61	17
18	.	.03	.05	.	.	.	.02	.	.14	.	.	.16	18
19	.	.06	.87	.	.	.	1.70	.	.07	.	.02	.03	19
20	.	.38	.17	.	.	.07	.	.	.	.	.04	.19	20
21	.	.52	.	.	.	.	.	.	.	.40	.	.06	21
22	.	.02	.	.	.20	.04	.	.	.	.07	.	.01	22
23	.	.02	.27	.	.02	.	.	.	.	.36	.	.	23
24	.	.08	.	.	.12	.	.	.03	.	.	.	.	24
25	.10	.	.22	.	.	.	.06	.33	.	.35	.03	.37	25
26	.09	.	.	.	.	.	.04	.06	.	.01	.17	.63	26
27	.	.	.	.	.	.	.	.	.	.01	.22	.33	27
28	.	.02	.37	.	.06	.	.	.	.	.04	.35	.86	28
29	.11	—	.20	.	.11	.	.02	.	.	.07	.60	.02	29
30	.		.07	.01	.	.	.	.	.	.23	.55	.90	30
31	.05		–		.		.42	.		.70		.33	31
Total	.59	3.92	4.89	1.33	1.64	1.06	3.38	2.09	2.52	2.66	4.35	9.02	YEAR'S TOTAL 37.45
Rain Days.	9	17	23	10	13	9	14	9	12	14	17	27	174

W. 8,000. X. 14.

1850

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1726

Kept at Den Meteorological Station Teignmouth
in the County of Devon
by Geo. Rossiter

55

Lat. 50° 32′ 49″ N Long. 3° 29′ 28″ W.
Time of Observation 9am
Nearest Railway Station G.W.R. Teignmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·18	—	—	—	—	—	·65	·33	·52	·05	·20	1
2	·27	·09	·02	—	—	·08	—	·22	·11	·04	—	·70	2
3	·01	·12	·03	·01	·55	—	—	—	—	·01	—	·55	3
4	·01	·04	—	—	·03	—	—	—	—	—	—	·52	4
5	·01	·95	—	·14	—	—	—	·32	—	—	—	·68	5
6	·71	·12	—	·28	·01	—	·35	·01	—	—	—	·15	6
7	·22	·33	—	·09	—	—	·15	—	—	·03	—	·40	7
8	·11	·45	—	—	—	—	·01	·08	—	·20	·05	·25	8
9	—	·14	—	·02	—	—	—	—	—	—	·24	·74	9
10	·08	·40	·04	·04	—	—	—	—	—	·15	·02	·10	10
11	·15	·35	·15	—	·03	—	·04	·08	—	·05	·92	·04	11
12	·07	·52	—	·05	·55	—	—	·14	—	·02	·26	—	12
13	—	·45	—	—	·65	—	·01	·03	·03	·01	·17	·02	13
14	—	—	—	—	—	—	·26	·13	·02	·14	—	·68	14
15	·12	—	—	—	·28	—	·20	—	—	·01	·05	·06	15
16	·01	1·37	—	—	·22	—	·79	—	—	—	—	·35	16
17	·01	·52	—	—	·09	—	—	—	·03	—	—	·06	17
18	·01	·20	—	—	—	—	—	—	—	—	—	—	18
19	—	·01	—	—	·39	—	·08	·12	—	—	—	—	19
20	·10	—	—	·11	—	·08	·02	—	—	·22	—	·65	20
21	·30	·02	—	—	·01	—	·12	—	·01	·04	—	—	21
22	·06	·02	·30	·03	·01	·10	·36	—	—	·02	—	·30	22
23	—	—	·10	—	—	·07	·10	—	·10	1·43	—	·55	23
24	—	—	·01	·02	—	·01	·70	—	·06	·11	—	·43	24
25	—	—	—	·03	—	·94	·04	—	—	—	—	·29	25
26	—	·15	—	—	—	·03	·18	—	·30	—	—	1·00	26
27	·01	·02	—	—	—	·16	·05	—	—	·38	—	—	27
28	—	·05	—	·04	—	·17	—	·01	·45	·10	—	·08	28
29	—	—	—	—	—	·39	·36	—	·10	·01	·25	·14	29
30	·18	×	—	—	—	·04	—	—	—	·62	·73	·45	30
31	—	×	—	×	—	×	·20	·01	×	1·23	×	·25	31
Total	2·77	6·50	·65	·86	2·82	2·07	4·02	1·80	1·54	5·34	2·74	9·04	YEAR'S TOTAL 40·15
Rain Days.	20	22	7	12	12	11	19	12	11	21	10	26	183

W. 8,000. X. 15.

[illegible]

1811

BRITISH RAINFALL. FORM A. 1726
5. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at the Den Station Teignmouth
in the County of Devon
by Mr Geo Rossiter

Lat. 50°32′49″N Long. 3°29′28″W.
Time of Observation 9am
Nearest Railway Station GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·01	12	—	·15	—	—	—	·14	·30	·22	—	1
2	·14	·08	—	—	·01	—	—	—	·10	·23	·43	—	2
3	·01	1·14	—	—	·33	·02	—	—	—	·53	·25	—	3
4	·13	·11	—	—	·13	·06	—	—	·01	·04	·70	—	4
5	—	·08	·07	—	·02	·21	—	—	—	·06	·06	—	5
6	·01	·09	·01	—	·14	·02	·78	—	—	·02	·87	—	6
7	·03	·17	·08	—	·04	·22	·03	—	—	·02	·52	·06	7
8	—	·36	·20	—	·35	·23	—	—	—	—	·04	·15	8
9	—	·13	—	—	·01	·26	·02	—	—	trace	·10	·11	9
10	—	·38	—	·01	·01	—	—	—	—	·07	—	·03	10
11	—	—	—	trace	·02	—	—	—	—	—	—	—	11
12	·03	·02	·30	·02	·15	—	·01	·08	—	—	·02	—	12
13	—	·16	·20	·01	—	—	·02	·11	—	—	—	—	13
14	—	·50	·28	·06	·03	—	—	·26	—	·06	—	—	14
15	·02	·22	·14	·12	—	—	—	·07	—	·05	—	·10	15
16	·17	·09	—	·08	—	—	·08	·15	—	·09	—	·03	16
17	·16	·06	—	·01	—	—	—	—	·10	·28	1·03		17
18	·07	·06	·39	·01	—	—	—	—	·12	·02	—	·11	18
19	·08	·16	·29	—	—	—	—	—	·07	—	·17	·11	19
20	·05	·98	·28	—	—	—	—	—	—	—	·03	1·50	20
21	·01	·04	·11	—	·07	—	—	—	—	—	—	·35	21
22	—	—	·01	—	—	·11	—	·08	—	·27	·01	·66	22
23	·03	·03	—	·01	—	·13	—	·14	—	·19	·12	·05	23
24	—	·09	—	·04	·24	·01	—	·09	—	·70	·03	·40	24
25	·02	·36	·08	—	—	·01	—	·38	·01	—	·21	—	25
26	—	·07	·05	—	·02	·28	—	·16	1·65	·88	·02	·06	26
27	—	—	1·52	—	—	·44	—	·10	·52	·15	—	·01	27
28	—	·09	·01	—	—	—	—	·09	·15	·46	—	·21	28
29	—	·19	·02	—	—	·21	—	2·82	·21	·07	—	·33	29
30	—	×	—	—	—	—	—	·01	—	·85	—	—	30
31	—	×	—	×	—	×	—	·02	×	·40	×	·01	31
Total	1·10	5·67	4·16	0·37	1·72	2·21	·94	4·56	3·08	5·74	4·83	4·28	YEAR'S TOTAL 38·66
Rain Days.	16	26	19	10	16	14	6	15	11	22	18	18	191

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM 726 BRITISH RAINFALL 8 JAN 1910

Kept at Teignmouth (Den Station)

in the County of Devon.

by Geo. Rossiter.

Lat. 50°32′49″N Long. 3°29′28″W

Time of Observation 9am.

Nearest Railway Station G.W.R. Teignmouth.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	·26	—	·20	—	·36	—	—	·03	—	1
2	—	—	—	·15	—	·03	—	—	—	—	—	—	2
3	·05	—	—	·03	—	—	·30	·03	—	·15	·70	—	3
4	·03	·03	·60	—	—	—	—	—	·06	·30	—	—	4
5	·06	—	·30	·07	—	·45	—	—	·01	·09	·05	—	5
6	·01	—	·12	—	—	·04	—	—	—	·04	·05	·01	6
7	·29	—	—	—	—	—	·03	·25	—	·07	·04	—	7
8	·10	—	·49	·05	—	—	·10	·52	·03	·30	·08	·30	8
9	—	—	·12	·06	·03	—	·05	·05	—	·25	·04	—	9
10	·18	—	·41	·30	—	—	—	·34	—	·05	—	·01	10
11	·02	—	1·07	·10	—	—	—	·02	·02	·16	·15	—	11
12	·16	—	·01	—	·22	—	—	·01	—	·20	·02	—	12
13	—	—	·25	·04	—	—	—	·31	·02	·12	—	—	13
14	—	—	—	·08	—	—	·06	·45	·02	—	—	—	14
15	·08	—	—	—	—	—	·14	·15	—	·20	—	·55	15
16	—	·12	—	·05	—	—	—	—	—	·25	—	·15	16
17	—	·03	—	·04	—	—	·22	·05	·53	·10	—	—	17
18	—	·8	—	—	·55	·10	·10	·01	·60	·03	—	—	18
19	—	·40	·07	—	—	·10	—	—	·20	—	—	—	19
20	—	·02	·01	—	·42	·04	—	—	·02	—	—	·06	20
21	—	—	·01	—	—	·04	—	·03	—	—	·03	—	21
22	—	—	·05	—	·04	—	—	·30	—	·03	—	—	22
23	·02	·05	—	—	·26	—	—	·11	—	·18	—	—	23
24	—	·01	—	—	—	—	·40	·05	—	·05	—	—	24
25	—	—	·04	—	—	—	·05	·28	·05	·10	·11	—	25
26	—	—	—	—	·31	·05	—	1·10	·08	·04	—	—	26
27	—	—	—	—	—	·48	—	·82	·01	·03	—	—	27
28	—	·10	·04	—	·03	·29	—	·50	—	—	—	—	28
29	—	×	·08	—	—	·28	—	—	—	·49	—	·18	29
30	—	×	·25	—	—	—	·20	·25	—	·03	—	—	30
31	—	×	·03	×	·05	×	—	—	×	·30	×	·03	31
Total	1·00	·94	4·03	1·23	1·91	2·10	1·65	5·99	1·65	3·56	1·30	1·29	YEAR'S TOTAL 26·65
Rain Days.	11	9	19	12	9	12	11	22	13	24	11	8	161

W. 8,000, IX. 17.

·59

Ex DL 70 1726

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at the Den Observatory, Teignmouth

in the County of S Devon.

by the Town Council (Mr Geo. Rossiter)

Lat. 50° 32' 49" N. Long. 3° 29' 28" W.

Time of Observation 9am

Nearest Railway Station GWR Teignmouth.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·25	-	·12	·01	-	-	·75	-	-	·75	-	1
2	-	·15	-	·12	-	-	-	·01	-	·02	-	·17	2
3	-	·15	·01	·30	·10	-	-	-	-	-	·07	-	3
4	-	-	-	trace	-	-	-	·11	·55	-	1·00	·15	4
5	-	- -	·10	-	·60	-	-	·40	·65	·13	-	·03	5
6	·18	-	-	·09	-	-	-	-	-	·18	-	·11	6
7	-	·10	-	·01	·05	·01	-	-	·23	·05	·36	·16	7
8	·08	·12	-	-	-	-	-	-	·07	·35	·01	·01	8
9	·05	·10	-	-	-	·03	·30	-	·39	·01	-	·30	9
10	·03	-	-	·41	-	-	·20	-	·11	·10	·02	·35	10
11	-	-	·10	·09	·02	-	·75	-	·15	·01	·06	·01	11
12	-	·06	·11	-	·15	-	·05		-	·01	-	·01	12
13	·03	-	-	-	·17	-	·34	-	·16	·05	-	-	13
14	·26	-	-	-	·05	·07	·05	-	·16	·05	-	·07	14
15	·85	-	-	·02	·10	·09	·60	-	·02	·06	-	·20	15
16	·75	-	·02	·15	-	·04	·02	-	·25	-	-	·02	16
17	·25	-	-	·20	-	-	·50	-	·01	-	-	·20	17
18	1·00	-	·06	-	-	·80	·08	-	·75	·04	-	·30	18
19	·18	-	·12	-	-	-	·11	-	·05	-	-	·12	19
20	·04	·05	-	·15	-	-	·16	-	·22	·05	-	-	20
21	·07	·01	-	-	-	-	-	-	·30	·20	-	·46	21
22	·04	-	-	-	·12	-	·45	-	·15	·02	·05	·12	22
23	·05	·07	-	-	·08	-	·64	·04	·10	-	·02	·12	23
24	-	·12	-	-	-	-	·07	·04	·04	-	·12	·35	24
25	-	-	-	·15	·08	-	·22	·50	-	·05	·25	-	25
26	-	-	-	-	-	-	·10	-	·01	-	·05	·02	26
27	·02	·01	·10	-	-	-	-	·05	·12	-	·15	-	27
28	-	·11	·22	-	-	-	-	-	·08	·03	·01	-	28
29	-	X	·15	-	-	-	-	-	1·50	-	-	·03	29
30	-	X	·27	-	-	-	-	-	-	·07	·13	·05	30
31	-	X	·04	X	-	X	-	-	X	·01	X	-	31
Total	3·88	1·30	1·30	1·81	1·53	1·04	4·64	1·90	6·07	1·49	3·05	3·36	YEAR'S TOTAL 31·37
Rain Days.	16	13	12	12	12	6	17	8	23	20.	15	23	177

W. 6,500, VII. 18. W W G

Sox HS6 1627 1726

30 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at the Den Station Teignmouth

in the County of Devon

by Geo Rossiter

Lat. 50°32'40" N Long. 3° 29' 28" W.

Time of Observation 9am

Nearest Railway Station G.W.R. Teignmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	–	·14	–	·05	–	·33	–	·03	·08	–	·87	1
2	·30	–	–	–	–	–	·07	–	·12	·03	–	–	2
3	·42	–	·35	–	–	–	–	–	·15	–	·02	·02	3
4	·82	1·05	·70	–	–	·07	·12	·08	·56	–	·05	·03	4
5	·01	·25	·75	–	–	–	–	–	·58	–	·02	·03	5
6	·50	1·25	·05	·02	–	–	–	–	–	–	·01	·29	6
7	·29	–	·35	·09	–	–	·02	–	·02	–	–	·06	7
8	·50	–	·18	–	–	·02	–	–	–	–	·50	–	8
9	·15	–	–	·25	·19	–	–	–	–	–	·66	–	9
10	·15	–	·30	–	–	–	–	–	–	–	·02	·23	10
11	·05	–	·35	·10	·28	·01	·07	–	–	·05	·06	·27	11
12	·11	–	·04	·02	–	·04	·02	–	–	·04	·08	·02	12
13	·05	·15	·25	·50	–	–	–	–	–	·03	–	·12	13
14	·35	·20	–	·30	·58	–	·01	–	·13	·01	–	·39	14
15	·25	·20	–	·05	–	–	–	–	–	·04	–	·28	15
16	·08	1·00	–	–	–	–	–	–	–	–	·13	–	16
17	–	·90	–	–	–	–	–	·01	–	–	·09	–	17
18	·05	·49	·60	–	–	–	·23	–	–	–	·10	–	18
19	·65	·60	·14	–	–	·10	·58	·15	·08	–	·05	·02	19
20	·35	·01	·04	–	–	·39	–	·27	·11	–	·13	–	20
21	·01	1·15	–	–	–	–	–	–	·07	·02	–	·08	21
22	–	–	–	–	–	·01	–	–	·16	–	–	·07	22
23	–	–	·04	–	–	–	–	·07	·01	·41	·03	·15	23
24	–	–	–	·01	–	·19	–	·07	–	·31	·14	·21	24
25	·08	·04	–	·10	–	·03	–	·34	–	–	–	·05	25
26	·15	·05	·02	·07	–	–	–	·03	·01	–	·06	·32	26
27	·25	·02	·06	·25	–	–	·01	1·44	–	–	–	·03	27
28	·04	–	·25	·05	–	–	–	·41	–	–	·80	·41	28
29	–		–	·03	–	–	–	·11	–	·01	–	·08	29
30	–		–	–	–	·04	–	·10	·01	·05	·68	·58	30
31	–		·02		–		–	–		–		·70	31
TOTAL	6·01	7·36	4·63	1·84	1·10	·90	1·46	3·08	2·04	1·08	3·63	5·31	YEAR'S TOTAL 38·44
Days with ·01 in. or more	24	15	19	14	4	10	10	12	14	12	19	24	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1627

1726

10 MAR 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Teignmouth

in the County of Devonshire

by

Lat 50° 33′ N Long 3° 29′ W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

,, ,, ,, ,, Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.2	-	3.6	-	1.3	-	8.4	-	0.8	2.0	-	22.1	1
2	7.6	-	-	-	-	-	1.8	-	3.1	0.8	-	-	2
3	10.7	-	8.9	-	-	-	-	-	3.8	-	0.5	0.5	3
4	20.8	26.7	17.8	-	-	1.8	3.1	2.0	14.2	-	1.3	0.8	4
5	0.3	6.4	19.1	-	-	-	-	-	14.7	-	0.5	0.8	5
6	12.7	31.8	1.3	0.5	-	-	-	-	-	-	0.3	7.4	6
7	7.4	-	8.9	2.3	-	-	0.5	-	0.5	-	-	1.5	7
8	12.7	-	4.6	-	-	0.5	-	-	-	-	12.7	-	8
9	3.8	-	-	6.4	4.8	-	-	-	-	-	16.8	-	9
10	3.8	-	7.6	-	-	-	-	-	-	-	0.5	5.8	10
11	1.3	-	8.9	2.5	7.1	0.3	1.8	-	-	1.3	1.5	6.9	11
12	2.8	-	1.0	0.5	-	1.0	0.5	-	-	1.0	2.0	0.5	12
13	1.3	3.8	6.4	12.7	-	-	-	-	-	0.8	-	3.1	13
14	8.9	5.1	-	7.6	14.7	-	0.3	-	3.3	0.3	-	9.9	14
15	6.4	5.1	-	1.3		-	-	-	-	1.0	-	7.1	15
16	2.0	25.4	-	-	-	-	-	-	-	-	3.3	-	16
17	-	22.9	-	-	-	-	-	0.3	-	-	2.3	-	17
18	1.3	12.5	15.2	-	-	-	5.8	-	-	-	2.5	-	18
19	16.5	15.2	3.6	-	-	2.5	14.7	3.8	2.0	-	1.3	0.5	19
20	8.9	0.3	1.0	-	-	9.9	-	6.9	2.8	-	3.3	-	20
21	0.3	29.2	-	-	-	-	-	-	1.8	0.5	-	2.0	21
22	-	-	-	-	-	0.3	-	-	4.1	-	-	1.8	22
23	-	-	1.0	-	-	-	-	1.8	0.3	10.4	0.8	3.8	23
24	-	-	-	0.3	-	4.8	-	1.8	-	7.6	3.6	5.3	24
25	2.0	-	-	2.5	-	0.8	-	8.6	-	-	-	1.3	25
26	3.8	1.3	0.5	1.8	-	-	-	0.8	0.3	-	1.5	8.1	26
27	6.4	0.5	1.5	6.4	-	-	0.3	36.6	-	-	-	0.8	27
28	1.0	-	6.4	1.3	-	-	-	10.4	-	-	20.3	10.4	28
29	-		-	0.8	-	-	-	2.8	-	0.3	-	2.0	29
30	-		-	-	-	1.0	-	2.5	0.3	1.3	17.3	14.7	30
31	-		0.5		-		-	-		-		17.8	31
TOTAL	152.9	186.2	117.8	46.9	27.9	22.9	37.2	78.3	52.0	27.3	92.3	134.9	YEAR'S TOTAL 976.6
Days with 0·2 mm. or more	24	14	19	14	4	10	10	12	14	12	19	24	176

(44,284).- Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

1726

REGISTER OF RAINFALL IN 192

Kept at Den Station, Teignmouth
in the County of Devon
by Geo. Rossiter

Lat. 50° 32′ 49″ N. Long. 3° 29′ 28″ W.
Time of Observation 9 a.m.
Nearest Railway Station Teignmouth.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4·6	–	–	13·7	13·6	–	9·7	–	2·6	2·1	0·6	22·2	1
2	8·5	–	–	4·3	–	–	0·3	1·8	1·5	2·7	–	2·6	2
3	0·8	1·3	–	3·6	–	–	0·5	–	–	12·6	–	5·1	3
4	–	–	0·3	–	–	–	5·9	11·7	–	5·3	–	–	4
5	–	–	2·8	1·8	0·2	–	6·5	5·9	–	3·8	–	–	5
6	–	–	7·6	0·9	4·7	–	3·3	–	–	1·3	–	–	6
7	–	–	0·6	1·4	1·9	–	11·0	–	–	–	–	1·2	7
8	0·5	1·3	–	6·6	1·8	–	4·5	–	–	0·4	–	5·0	8
9	14·7	0·5	–	0·4	–	6·0	0·4	–	–	–	–	–	9
10	24·0	1·6	0·5	–	–	6·5	6·4	–	–	–	–	–	10
11	8·4	0·3	4·3	8·6	6·8	1·0	3·7	–	–	–	–	–	11
12	3·7	1·3	2·3	2·3	–	3·1	0·9	–	–	–	3·1	8·4	12
13	2·0	0·5	16·2	1·6	–	–	–	–	–	0·3	0·2	4·5	13
14	0·3	1·0	14·8	17·0	–	–	0·1	–	1·6	4·7	7·1	0·5	14
15	–	2·5	1·3	8·1	0·8	–	0·2	–	0·5	15·3	1·7	–	15
16	–	1·1	0·3	0·6	–	–	3·8	–	2·2	2·0	–	–	16
17	–	–	–	3·6	6·1	1·2	0·7	–	7·6	–	–	–	17
18	1·7	0·8	–	2·2	0·5	6·0	2·7	6·3	1·6	–	0·1	–	18
19	0·5	0·3	–	11·0	–	7·0	–	–	–	–	–	–	19
20	–	0·3	–	3·3	1·0	4·6	–	–	–	0·4	–	7·3	20
21	–	–	–	0·7	–	–	0·6	–	–	4·3	–	1·4	21
22	0·3	–	–	1·0	–	–	1·0	–	–	–	–	10·3	22
23	0·3	–	–	–	–	–	3·7	0·3	–	–	–	10·0	23
24	–	–	5·3	–	–	–	–	0·4	–	–	3·4	4·0	24
25	–	0·8	2·3	–	0·6	–	16·3	–	–	–	–	1·0	25
26	6·3	–	6·9	–	–	–	1·4	–	–	–	4·6	3·8	26
27	17·8	2·0	4·6	0·7	0·5	2·2	1·7	–	–	–	8·9	7·4	27
28	14·2	0·8	5·0	0·4	–	–	1·1	–	–	–	–	2·7	28
29	12·1	0·3	22·3	1·0	0·2	–	–	–	–	–	6·3	6·9	29
30	3·8	✕	–	–	0·3	2·3	0·2	–	16·6	1·8	8·9	13·4	30
31	2·5	✕	7·9	✕	–	✕	0·7	–	✕	13·7	✕	2·4	31
TOTAL	127·0	16·7	105·3	94·8	39·0	39·9	87·3	26·4	34·2	70·7	44·9	120·1	YEAR'S TOTAL 806·3
Days with 0·2 mm. or more	20	18	18	23	14	10	26	6	8	15	11 10	20	~~188~~ 187
Days with 1·0 mm. or more	14	8	14	17	7	10	16	4	7	12	8	19	136

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

1543
1726

FORM A. 3. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Teignmouth (MO)
in the County of Devon
by Geo Rossiter for M. O. of Health

Lat. 50° 33' N Long. 3° 29' W
Time of Observation 9h & 18h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Feb. ~~Jan.~~	~~Feb.~~ Jan.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm. in.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	0.18	-	13.7	13.6	-	9.7	-	2.6	2.1	0.6	22.2	1
2	-	0.34	-	4.3	-	-	0.3	1.8	1.5	2.7	-	2.6	2
3	-	0.03	-	3.6	-	-	0.5	-	-	12.6	-	5.1	3
4	1.3	-	0.3	-	-	-	5.9	11.7	-	5.3	-	-	4
5	-	-	2.8	1.8	0.2	-	6.5	5.9	-	3.8	-	-	5
6	-	-	7.6	0.9	4.7	-	3.3	-	-	1.3	-	-	6
7	-	-	0.6	1.4	1.9	-	11.0	-	-	-	-	1.2	7
8	1.3	0.02	-	6.6	1.8	-	4.5	-	-	0.4	-	5.0	8
9	0.5	0.58	-	0.4	-	6.0	0.4	-	-	-	-	-	9
10	1.6	0.95	0.5	-	-	6.5	6.4	-	-	-	-	-	10
11	0.3	0.33	4.3	8.6	6.8	1.0	3.7	-	-	-	-	-	11
12	1.3	0.15	2.3	2.3	-	3.1	0.9	-	-	-	3.1	8.4	12
13	0.5	0.08	16.2	1.6	-	-	-	-	-	0.3	0.2	4.5	13
14	1.0	0.01	14.8	17.0	-	-	0.1	-	1.6	4.7	7.1	0.5	14
15	2.5	-	1.3	8.1	0.8	-	0.2	-	0.5	15.3	1.7	-	15
16	1.1	-	0.3	0.6	-	-	3.8	-	2.2	2.0	-	-	16
17	-	-	-	3.6	6.1	1.2	0.7	-	7.6	-	-	-	17
18	0.8	0.07	-	2.2	0.5	6.0	2.7	6.3	1.6	-	0.1	-	18
19	0.3	0.02	-	11.0	-	7.0	-	-	-	-	-	-	19
20	0.3	-	-	3.3	1.0	4.6	-	-	-	0.4	-	7.3	20
21	-	-	-	0.7	-	-	0.6	-	-	4.3	-	1.4	21
22	-	0.01	-	1.0	-	-	1.0	-	-	-	-	10.3	22
23	-	0.01	-	-	-	-	3.7	0.3	-	-	-	10.0	23
24	0.3	-	5.5	-	-	-	-	0.4	-	-	3.4	4.0	24
25	0.5	-	2.3	-	0.6	-	16.3	-	-	-	-	1.0	25
26	-	0.25	6.9	-	-	-	1.4	-	-	-	4.6	3.8	26
27	2.0	0.70	4.6	0.7	0.5	2.2	1.7	-	-	-	8.9	7.4	27
28	0.8	0.56	5.0	0.4	-	-	1.1	-	-	-	~	2.7	28
29	0.3	0.48	22.3	1.0	0.2	-	-	-	-	-	6.3	6.9	29
30		~~0.15~~	-	-	0.3	2.3	0.2	-	16.6	1.8	8.9	13.4	30
31		~~0.10~~	7.9		-		0.7	-		13.7		2.4	31
TOTAL	FEB. 16.7	JAN. INCH 5.02 127.5 mm	105.3	94.8	39.0	39.9	87.3	26.4	34.2	70.7	44.9	120.1	YEAR'S TOTAL 806.8 806.8
Days with 0·2 mm. or more	18 8	20 14	18 14	23 13	14	10	25	6	8	15	10	20	187
					7	10	16	4	7	12	8	19	136

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

ea10/3

1543

1726

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Teignmouth

in the County of Devon

by G. Rossiter for Medical Officer of Health

Lat. 50° 33′ N Long. 3° 29′ W

Time of Observation 9 h

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18												1
2	0.34												2
3	0.03	For other months see millimetre form attached											3
4	-												4
5	-												5
6	-												6
7	-												7
8	0.02												8
9	0.58												9
10	0.95												10
11	0.33												11
12	0.15												12
13	0.08												13
14	0.01												14
15	-												15
16	-												16
17	-												17
18	0.07												18
19	0.02												19
20	-												20
21	-												21
22	0.01												22
23	0.01												23
24	-												24
25	-												25
26	0.25												26
27	0.70												27
28	0.56												28
29	0.48												29
30	0.15	×											30
31	0.10	×		×		×			×		×		31
TOTAL	5.02												YEAR'S TOTAL
Days with ·01 in. or more	20												

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3202